

HANFORD SITE

Environmental Surveillance Data Report

CALENDAR YEAR

2000

Prepared for the
U.S. Department of Energy
under Contract DE-AC06-76RL01830

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute.

PACIFIC NORTHWEST NATIONAL LABORATORY
operated by
BATTELLE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC06-76RL01830

The cover photo is by L. E. Bowman and is used with permission. The photo is looking south from the Wahluke Slope over the Columbia River. The land in the immediate foreground of the photo is part of the Hanford Reach National Monument. The 100-F Area of the Hanford Site is in the distance on the west side of the river.

The document was printed on recycled paper.

3 3679 00049 6507

PNNL-13487 APP. 1

PACIFIC NORTHWEST
NATIONAL LABORATORY

HANFORD TECHNICAL
LIBRARY

HANFORD SITE ENVIRONMENTAL SURVEILLANCE DATA REPORT FOR CALENDAR YEAR 2000

L. E. Bisping

September 2001

Prepared for
the U.S. Department of Energy
under Contract DE-AC06-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

ABSTRACT

Environmental surveillance at the Hanford Site, located in southeastern Washington State, is conducted by Pacific Northwest National Laboratory (PNNL), which is operated by Battelle for the U.S. Department of Energy. The data collected provide a historical record of radionuclide and radiation levels attributable to natural causes, worldwide fallout, and Hanford operations. Data are also collected to monitor several chemicals and metals in Columbia River water and sediment. For more information regarding the 2000 sampling schedule for the Surface Environmental Surveillance Project (SESP) and Drinking Water Monitoring Project, refer to L. E. Bisping, Environmental Surveillance Master Sampling Schedule (PNNL-13109, Pacific Northwest National Laboratory, Richland, Washington).

PNNL publishes an annual environmental report for the Hanford Site each calendar year. The Hanford Site Environmental Surveillance Data Report for Calendar Year 2000 describes the site mission and activities, general environmental features, radiological and chemical releases from operations, status of compliance with environmental regulations, status of programs to accomplish compliance, and environmental monitoring activities and results. Sections of the annual environmental report include tables and summaries of offsite and onsite environmental surveillance data collected by PNNL during 2000. This data report contains the actual raw data used to create those tables and summaries. In addition to providing raw data collected during routine sampling efforts in 2000, this data report also includes data from special sampling studies performed by PNNL during 2000.

For further information regarding environmental management activities and compliance issues, refer to T. M. Poston and R. W. Hanf, 2001, Hanford Site Environmental Report for Calendar Year 2000 (PNNL-13487, Pacific Northwest National Laboratory, Richland, Washington), Internet address: http://hanford-site.pnl.gov/envreport or http://www.hanford.gov/docs/annualrp00/index.htm or contact T. M. Poston, Pacific Northwest National Laboratory, P.O. Box 999, Richland, Washington 99352 (ted.poston@pnl.gov).

INTRODUCTION

The following sections provide tables of data on which PNNL's environmental surveillance summary information in the Hanford Site Environmental Report for Calendar Year 2000 was based. Information that may help the reader to understand these data tables is provided below.

GENERAL

Some degree of inherent uncertainty is associated with all analytical measurements. The total propagated analytical uncertainty for an individual result is 2 sigma counting error. For samples that are prepared or manipulated in the laboratory prior to counting, the total propagated analytical uncertainty includes both the counting uncertainty and the uncertainty connected with sample preparation and chemical separations. For samples that are not manipulated in the laboratory before counting, the total propagated analytical uncertainty only accounts for the uncertainty associated with counting the sample. The uncertainty associated with samples that are analyzed but not counted includes only the analytical process uncertainty.

Soil and natural vegetation samples have been collected on and around the Hanford Site for over 50 years. Data collected since 1971 for the SESP & Drinking Water Projects are retained in the Hanford Environmental Information System (HEIS) database. As a result of the large volume of historical analytical data available, routine soil or natural vegetation sampling are conducted on an as-needed basis in support of site cleanup activities and facility operation and are scheduled for routine collection every 3 to 5 years. There were no routine soil or natural vegetation samples collected by PNNL during 2000, however, PNNL did perform special sampling studies in which soil and natural vegetation samples were collected.

EXTERNAL RADIATION DATA

The thermoluminescent dosimeter (TLD) readings in this data volume are in milliroentgens per day (mR/day) and have been converted to mrem/year for presentation in the annual report.

Air

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RRTD	ANAL UNITS RRTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7V2	100 D AREA	ONSITE	AT	11-Jan-00	ALPHA	0.000415	pCi/m3	0.00032	0.00052	U		
SESPMNT	B0X7V3	100 D AREA	ONSITE	AT	25-Jan-00	ALPHA	0.00077	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0X7V4	100 D AREA	ONSITE	AT	09-Feb-00	ALPHA	0.000897	pCi/m3	0.0004	0.0005	J		
SESPMNT	B0X7V5	100 D AREA	ONSITE	AT	22-Feb-00	ALPHA	0.000514	pCi/m3	0.00033	0.00044	J		
SESPMNT	B0X7V6	100 D AREA	ONSITE	AT	07-Mar-00	ALPHA	0.0000889	pCi/m3	0.00011	0.00028	U		
SESPMNT	B0X7V7	100 D AREA	ONSITE	AT	21-Mar-00	ALPHA	0.000283	pCi/m3	0.0002	0.00031	U		
SESPMNT	B0X7V8	100 D AREA	ONSITE	AT	04-Apr-00	ALPHA	0.00000587	pCi/m3	0.000013	0.00033	U		
SESPMNT	B0XVY0	100 D AREA	ONSITE	AT	18-Apr-00	ALPHA	0.00102	pCi/m3	0.0004	0.0005			
SESPMNT	B0XVY1	100 D AREA	ONSITE	AT	02-May-00	ALPHA	0.000581	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XVY2	100 D AREA	ONSITE	AT	16-May-00	ALPHA	0.000321	pCi/m3	0.00023	0.00034	U		
SESPMNT	B0XVY3	100 D AREA	ONSITE	AT	30-May-00	ALPHA	0.000616	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XVY4	100 D AREA	ONSITE	AT	13-Jun-00	ALPHA	0.000822	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XVY5	100 D AREA	ONSITE	AT	28-Jun-00	ALPHA	0.000292	pCi/m3	0.00022	0.00033	U		
SESPMNT	B0YL38	100 D AREA	ONSITE	AT	10-Jul-00	ALPHA	0.000701	pCi/m3	0.00035	0.00047	J		
SESPMNT	B0YL39	100 D AREA	ONSITE	AT	25-Jul-00	ALPHA	0.000478	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YL40	100 D AREA	ONSITE	AT	09-Aug-00	ALPHA	0.000463	pCi/m3	0.00027	0.00036	J		
SESPMNT	B0YL41	100 D AREA	ONSITE	AT	23-Aug-00	ALPHA	0.000579	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0YL42	100 D AREA	ONSITE	AT	06-Sep-00	ALPHA	0.000754	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YL43	100 D AREA	ONSITE	AT	22-Sep-00	ALPHA	0.000508	pCi/m3	0.00028	0.00037	J	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER OUTAGE.	
SESPMNT	B0YL44	100 D AREA	ONSITE	AT	03-Oct-00	ALPHA	0.000365	pCi/m3	0.00035	0.00053	U		
SESPMNT	B10C78	100 D AREA	ONSITE	AT	18-Oct-00	ALPHA	0.00115	pCi/m3	0.00076	0.00081			
SESPMNT	B10D58	100 D AREA	ONSITE	AT	18-Oct-00	ALPHA	0.00072	pCi/m3	0.00073	0.00075	U		
SESPMNT	B10C79	100 D AREA	ONSITE	AT	30-Oct-00	ALPHA	0.00201	pCi/m3	0.0011	0.0012			
SESPMNT	B10D59	100 D AREA	ONSITE	AT	30-Oct-00	ALPHA	0.00323	pCi/m3	0.0014	0.0015			
SESPMNT	B10C80	100 D AREA	ONSITE	AT	13-Nov-00	ALPHA	0.00348	pCi/m3	0.0012	0.0014			
SESPMNT	B10D60	100 D AREA	ONSITE	AT	13-Nov-00	ALPHA	0.00225	pCi/m3	0.0011	0.0012			
SESPMNT	B10C81	100 D AREA	ONSITE	AT	28-Nov-00	ALPHA	0.00355	pCi/m3	0.0013	0.0015			
SESPMNT	B10D61	100 D AREA	ONSITE	AT	28-Nov-00	ALPHA	0.00294	pCi/m3	0.0012	0.0013			
SESPMNT	B10C82	100 D AREA	ONSITE	AT	13-Dec-00	ALPHA	0.00123	pCi/m3	0.00081	0.00086			
SESPMNT	B10D62	100 D AREA	ONSITE	AT	13-Dec-00	ALPHA	0.000883	pCi/m3	0.00072	0.00075	J		
SESPMNT	B10C83	100 D AREA	ONSITE	AT	27-Dec-00	ALPHA	0.00185	pCi/m3	0.0011	0.0012			
SESPMNT	B10D63	100 D AREA	ONSITE	AT	27-Dec-00	ALPHA	0.00143	pCi/m3	0.00099	0.001		DISCONTINUED.	
SESPMNT	B0X8M8	100 F MET TOWER	ONSITE	AT	11-Jan-00	ALPHA	0.00102	pCi/m3	0.00052	0.00069			
SESPMNT	B0X8M9	100 F MET TOWER	ONSITE	AT	25-Jan-00	ALPHA	0.000535	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0X8N0	100 F MET TOWER	ONSITE	AT	09-Feb-00	ALPHA	0.000455	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0X8N1	100 F MET TOWER	ONSITE	AT	22-Feb-00	ALPHA	0.00126	pCi/m3	0.00051	0.00063			
SESPMNT	B0X8N2	100 F MET TOWER	ONSITE	AT	07-Mar-00	ALPHA	0.000446	pCi/m3	0.00029	0.00039	U		
SESPMNT	B0X8N3	100 F MET TOWER	ONSITE	AT	21-Mar-00	ALPHA	0.000303	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0X8N4	100 F MET TOWER	ONSITE	AT	04-Apr-00	ALPHA	0.000455	pCi/m3	0.00027	0.00038	J		
SESPMNT	B0XWT0	100 F MET TOWER	ONSITE	AT	18-Apr-00	ALPHA	0.000844	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XWT1	100 F MET TOWER	ONSITE	AT	02-May-00	ALPHA	0.000579	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XWT2	100 F MET TOWER	ONSITE	AT	16-May-00	ALPHA	0.000816	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XWT3	100 F MET TOWER	ONSITE	AT	30-May-00	ALPHA	0.00104	pCi/m3	0.0004	0.00051			
SESPMNT	B0XWT4	100 F MET TOWER	ONSITE	AT	13-Jun-00	ALPHA	0.000197	pCi/m3	0.00018	0.00032	U		
SESPMNT	B0XWT5	100 F MET TOWER	ONSITE	AT	28-Jun-00	ALPHA	0.000255	pCi/m3	0.00021	0.00032	U		
SESPMNT	B0YLY4	100 F MET TOWER	ONSITE	AT	10-Jul-00	ALPHA	0.000748	pCi/m3	0.00037	0.00048	J		
SESPMNT	B0YLY5	100 F MET TOWER	ONSITE	AT	25-Jul-00	ALPHA	0.000254	pCi/m3	0.00022	0.00034	U		
SESPMNT	B0YLY6	100 F MET TOWER	ONSITE	AT	09-Aug-00	ALPHA	0.000732	pCi/m3	0.00033	0.00042	J		
SESPMNT	B0YLY7	100 F MET TOWER	ONSITE	AT	23-Aug-00	ALPHA	0.000615	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0YLY8	100 F MET TOWER	ONSITE	AT	06-Sep-00	ALPHA	0.000593	pCi/m3	0.00032	0.00041	J		
SESPMNT	B0YLY9	100 F MET TOWER	ONSITE	AT	22-Sep-00	ALPHA	0.0004	pCi/m3	0.00027	0.00036	J	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER OUTAGE.	
SESPMNT	B0YM00	100 F MET TOWER	ONSITE	AT	03-Oct-00	ALPHA	0.000625	pCi/m3	0.00044	0.00059	U		
SESPMNT	B10D45	100 F MET TOWER	ONSITE	AT	18-Oct-00	ALPHA	0.000693	pCi/m3	0.00036	0.00046	J		
SESPMNT	B10D46	100 F MET TOWER	ONSITE	AT	30-Oct-00	ALPHA	0.00107	pCi/m3	0.00054	0.00066			
SESPMNT	B10D47	100 F MET TOWER	ONSITE	AT	13-Nov-00	ALPHA	0.0011	pCi/m3	0.00048	0.0006			
SESPMNT	B10D48	100 F MET TOWER	ONSITE	AT	28-Nov-00	ALPHA	0.00123	pCi/m3	0.00059	0.00064			
SESPMNT	B10D49	100 F MET TOWER	ONSITE	AT	13-Dec-00	ALPHA	0.000406	pCi/m3	0.00038	0.0004	J		
SESPMNT	B10D50	100 F MET TOWER	ONSITE	AT	27-Dec-00	ALPHA	0.000211	pCi/m3	0.00039	0.0004	U		
SESPMNT	B0X7R8	100 K AREA	ONSITE	AT	11-Jan-00	ALPHA	0.00108	pCi/m3	0.00054	0.00072			
SESPMNT	B0X7R9	100 K AREA	ONSITE	AT	25-Jan-00	ALPHA	0.000256	pCi/m3	0.00022	0.00034	U		
SESPMNT	B0X7T0	100 K AREA	ONSITE	AT	09-Feb-00	ALPHA	0.000518	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X7T1	100 K AREA	ONSITE	AT	22-Feb-00	ALPHA	0.000817	pCi/m3	0.00042	0.00053	J		
SESPMNT	B0X7T2	100 K AREA	ONSITE	AT	07-Mar-00	ALPHA	0.000387	pCi/m3	0.00026	0.00037	U		
SESPMNT	B0X7T3	100 K AREA	ONSITE	AT	21-Mar-00	ALPHA	0.000457	pCi/m3	0.00028	0.00039	J		
SESPMNT	B0X7T4	100 K AREA	ONSITE	AT	04-Apr-00	ALPHA	0.000132	pCi/m3	0.00016	0.00034	U		
SESPMNT	B0XVW8	100 K AREA	ONSITE	AT	18-Apr-00	ALPHA	0.000874	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0XVW9	100 K AREA	ONSITE	AT	02-May-00	ALPHA	0.000578	pCi/m3	0.00031	0.00041	J		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONTAMINANT NAME	VALUE REPTD	UNIT REPTD	COUNTING ERROR	TOTAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XVX0	100 K AREA	ONSITE	AT	16-May-00	ALPHA	0.000401	pCi/m3	0.00025	0.00036	J		
SESPMNT	B0XVX1	100 K AREA	ONSITE	AT	30-May-00	ALPHA	0.000623	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XVX2	100 K AREA	ONSITE	AT	13-Jun-00	ALPHA	0.000305	pCi/m3	0.00022	0.00034	U		
SESPMNT	B0XVX3	100 K AREA	ONSITE	AT	28-Jun-00	ALPHA	0.000135	pCi/m3	0.00014	0.00027	U		
SESPMNT	B0YL24	100 K AREA	ONSITE	AT	10-Jul-00	ALPHA	0.000654	pCi/m3	0.00034	0.00045	J		
SESPMNT	B0YL25	100 K AREA	ONSITE	AT	25-Jul-00	ALPHA	0.000768	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0YL26	100 K AREA	ONSITE	AT	09-Aug-00	ALPHA	0.000463	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YL27	100 K AREA	ONSITE	AT	23-Aug-00	ALPHA	0.000687	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0YL28	100 K AREA	ONSITE	AT	06-Sep-00	ALPHA	0.000288	pCi/m3	0.00018	0.00029	U		
SESPMNT	B0YL29	100 K AREA	ONSITE	AT	22-Sep-00	ALPHA	0.000319	pCi/m3	0.00023	0.00033	U		
SESPMNT	B0YL30	100 K AREA	ONSITE	AT	03-Oct-00	ALPHA	0.000545	pCi/m3	0.00039	0.00054	U		
SESPMNT	B10C66	100 K AREA	ONSITE	AT	18-Oct-00	ALPHA	0.00111	pCi/m3	0.00044	0.00054			
SESPMNT	B10C67	100 K AREA	ONSITE	AT	30-Oct-00	ALPHA	0.00114	pCi/m3	0.00055	0.00068			
SESPMNT	B10C68	100 K AREA	ONSITE	AT	13-Nov-00	ALPHA	0.00127	pCi/m3	0.0005	0.00062			
SESPMNT	B10C69	100 K AREA	ONSITE	AT	28-Nov-00	ALPHA	0.000831	pCi/m3	0.00049	0.00053	J		
SESPMNT	B10C70	100 K AREA	ONSITE	AT	13-Dec-00	ALPHA	0.000458	pCi/m3	0.00039	0.0004	J		
SESPMNT	B10C71	100 K AREA	ONSITE	AT	27-Dec-00	ALPHA	0.000642	pCi/m3	0.00046	0.00048	J		
SESPMNT	B0X7T5	100 N-1325 CRIB	ONSITE	AT	11-Jan-00	ALPHA	0.000516	pCi/m3	0.00036	0.00055	U		
SESPMNT	B0X7T6	100 N-1325 CRIB	ONSITE	AT	25-Jan-00	ALPHA	0.0003	pCi/m3	0.00022	0.00034	U		
SESPMNT	B0X7T7	100 N-1325 CRIB	ONSITE	AT	09-Feb-00	ALPHA	0.000375	pCi/m3	0.00029	0.0004	U		
SESPMNT	B0X7T8	100 N-1325 CRIB	ONSITE	AT	22-Feb-00	ALPHA	0.00066	pCi/m3	0.00041	0.00055	J	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM.	
SESPMNT	B0X7T9	100 N-1325 CRIB	ONSITE	AT	07-Mar-00	ALPHA	0.00017	pCi/m3	0.00018	0.00033	U		
SESPMNT	B0X7V0	100 N-1325 CRIB	ONSITE	AT	21-Mar-00	ALPHA	0.00027	pCi/m3	0.0002	0.00031	U		
SESPMNT	B0X7V1	100 N-1325 CRIB	ONSITE	AT	04-Apr-00	ALPHA	0.000302	pCi/m3	0.00022	0.00034	U		
SESPMNT	B0XVX4	100 N-1325 CRIB	ONSITE	AT	18-Apr-00	ALPHA	0.00079	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XVX5	100 N-1325 CRIB	ONSITE	AT	02-May-00	ALPHA						NO SAMPLE. PUMP OFF, SAVE FOR COMPOSITE.	
SESPMNT	B0XVX6	100 N-1325 CRIB	ONSITE	AT	16-May-00	ALPHA	0.000358	pCi/m3	0.00026	0.00037	U		
SESPMNT	B0XVX7	100 N-1325 CRIB	ONSITE	AT	30-May-00	ALPHA	0.00113	pCi/m3	0.00041	0.00053			
SESPMNT	B0XVX8	100 N-1325 CRIB	ONSITE	AT	13-Jun-00	ALPHA	0.000227	pCi/m3	0.00019	0.00032	U		
SESPMNT	B0XVX9	100 N-1325 CRIB	ONSITE	AT	28-Jun-00	ALPHA	0.000132	pCi/m3	0.00015	0.0003	U		
SESPMNT	B0YL31	100 N-1325 CRIB	ONSITE	AT	10-Jul-00	ALPHA	0.000917	pCi/m3	0.00047	0.00062	J		
SESPMNT	B0YL32	100 N-1325 CRIB	ONSITE	AT	25-Jul-00	ALPHA	0.000624	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0YL33	100 N-1325 CRIB	ONSITE	AT	09-Aug-00	ALPHA	0.000253	pCi/m3	0.0002	0.00031	U		
SESPMNT	B0YL34	100 N-1325 CRIB	ONSITE	AT	23-Aug-00	ALPHA	0.000874	pCi/m3	0.00039	0.00049	J		
SESPMNT	B0YL35	100 N-1325 CRIB	ONSITE	AT	06-Sep-00	ALPHA	0.000702	pCi/m3	0.00037	0.00048	J		
SESPMNT	B0YL36	100 N-1325 CRIB	ONSITE	AT	22-Sep-00	ALPHA	0.000865	pCi/m3	0.00039	0.00049	J	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER OUTAGE.	
SESPMNT	B0YL37	100 N-1325 CRIB	ONSITE	AT	03-Oct-00	ALPHA	0.000238	pCi/m3	0.00022	0.0004	U		
SESPMNT	B10C72	100 N-1325 CRIB	ONSITE	AT	18-Oct-00	ALPHA	0.00113	pCi/m3	0.00045	0.00056			
SESPMNT	B10C73	100 N-1325 CRIB	ONSITE	AT	30-Oct-00	ALPHA	0.00151	pCi/m3	0.00057	0.00071			
SESPMNT	B10C74	100 N-1325 CRIB	ONSITE	AT	13-Nov-00	ALPHA	0.000791	pCi/m3	0.0004	0.00051	J		
SESPMNT	B10C75	100 N-1325 CRIB	ONSITE	AT	28-Nov-00	ALPHA	0.000539	pCi/m3	0.00037	0.00039	J		
SESPMNT	B10C76	100 N-1325 CRIB	ONSITE	AT	13-Dec-00	ALPHA	0.00048	pCi/m3	0.0004	0.00042	J		
SESPMNT	B10C77	100 N-1325 CRIB	ONSITE	AT	27-Dec-00	ALPHA	0.000829	pCi/m3	0.00049	0.00052	J		
SESPMNT	B0X7W6	200 ESE	ONSITE	AT	18-Jan-00	ALPHA	0.000575	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0X7W7	200 ESE	ONSITE	AT	01-Feb-00	ALPHA	0.00149	pCi/m3	0.0005	0.00063			
SESPMNT	B0X7W8	200 ESE	ONSITE	AT	16-Feb-00	ALPHA	0.000214	pCi/m3	0.00022	0.00036	U		
SESPMNT	B0X7W9	200 ESE	ONSITE	AT	29-Feb-00	ALPHA	0.000839	pCi/m3	0.00038	0.00049	J		
SESPMNT	B0X7X0	200 ESE	ONSITE	AT	14-Mar-00	ALPHA	0.000388	pCi/m3	0.00024	0.00035	J		
SESPMNT	B0X7X1	200 ESE	ONSITE	AT	30-Mar-00	ALPHA	0.00042	pCi/m3	0.00024	0.00032	J		
SESPMNT	B0XW04	200 ESE	ONSITE	AT	11-Apr-00	ALPHA	0.00213	pCi/m3	0.00061	0.00079			
SESPMNT	B0XW05	200 ESE	ONSITE	AT	25-Apr-00	ALPHA	0.000669	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XW06	200 ESE	ONSITE	AT	09-May-00	ALPHA	0.000696	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XW07	200 ESE	ONSITE	AT	23-May-00	ALPHA	0.00117	pCi/m3	0.00042	0.00054			
SESPMNT	B0XW08	200 ESE	ONSITE	AT	06-Jun-00	ALPHA	0.000456	pCi/m3	0.00028	0.00039	J		
SESPMNT	B0XW09	200 ESE	ONSITE	AT	21-Jun-00	ALPHA	0.000104	pCi/m3	0.00013	0.00029	U		
SESPMNT	B0XW10	200 ESE	ONSITE	AT	05-Jul-00	ALPHA	0.00219	pCi/m3	0.00073	0.00093			
SESPMNT	B0YL52	200 ESE	ONSITE	AT	18-Jul-00	ALPHA	0.000332	pCi/m3	0.00025	0.00038	U		
SESPMNT	B0YL53	200 ESE	ONSITE	AT	01-Aug-00	ALPHA	0.000533	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0YL54	200 ESE	ONSITE	AT	16-Aug-00	ALPHA	0.000477	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YL55	200 ESE	ONSITE	AT	29-Aug-00	ALPHA	0.000281	pCi/m3	0.00022	0.00035	U		
SESPMNT	B0YL56	200 ESE	ONSITE	AT	11-Sep-00	ALPHA	0.000615	pCi/m3	0.00032	0.00043	J		
SESPMNT	B0YL57	200 ESE	ONSITE	AT	28-Sep-00	ALPHA	0.000555	pCi/m3	0.00032	0.00042	J		
SESPMNT	B10C92	200 ESE	ONSITE	AT	09-Oct-00	ALPHA	0.00105	pCi/m3	0.00051	0.00063			
SESPMNT	B10C93	200 ESE	ONSITE	AT	24-Oct-00	ALPHA	0.00108	pCi/m3	0.00043	0.00054			
SESPMNT	B10C94	200 ESE	ONSITE	AT	07-Nov-00	ALPHA	0.000701	pCi/m3	0.00041	0.00052	J	FILTER VERY DIRTY.	
SESPMNT	B10C95	200 ESE	ONSITE	AT	20-Nov-00	ALPHA	0.00233	pCi/m3	0.00077	0.00091			
SESPMNT	B10C96	200 ESE	ONSITE	AT	06-Dec-00	ALPHA	0.000549	pCi/m3	0.00041	0.00043	J		
SESPMNT	B10C97	200 ESE	ONSITE	AT	18-Dec-00	ALPHA	0.00101	pCi/m3	0.00058	0.00062			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10C98	200 ESE	ONSITE	AT	02-Jan-01	ALPHA	0.00108	pCi/m3	0.00051	0.00056			
SESPMNT	B0X802	200 TEL. EXCHANGE	ONSITE	AT	18-Jan-00	ALPHA	0.000279	pCi/m3	0.00019	0.0003	U		
SESPMNT	B0X803	200 TEL. EXCHANGE	ONSITE	AT	01-Feb-00	ALPHA	0.00048	pCi/m3	0.00032	0.00043	J		
SESPMNT	B0X804	200 TEL. EXCHANGE	ONSITE	AT	16-Feb-00	ALPHA	0.000281	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0X805	200 TEL. EXCHANGE	ONSITE	AT	29-Feb-00	ALPHA	0.000907	pCi/m3	0.00041	0.00052	J		
SESPMNT	B0X806	200 TEL. EXCHANGE	ONSITE	AT	14-Mar-00	ALPHA	0.0003	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0X807	200 TEL. EXCHANGE	ONSITE	AT	30-Mar-00	ALPHA	0.000542	pCi/m3	0.00028	0.00036	J		
SESPMNT	B0XW34	200 TEL. EXCHANGE	ONSITE	AT	11-Apr-00	ALPHA	0.00171	pCi/m3	0.00054	0.0007			
SESPMNT	B0XW35	200 TEL. EXCHANGE	ONSITE	AT	25-Apr-00	ALPHA	0.000708	pCi/m3	0.00033	0.00042	J		
SESPMNT	B0XW36	200 TEL. EXCHANGE	ONSITE	AT	09-May-00	ALPHA	0.000301	pCi/m3	0.00022	0.00033	U		
SESPMNT	B0XW37	200 TEL. EXCHANGE	ONSITE	AT	23-May-00	ALPHA	0.000562	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XW38	200 TEL. EXCHANGE	ONSITE	AT	06-Jun-00	ALPHA	0.000267	pCi/m3	0.00019	0.0003	U		
SESPMNT	B0XW39	200 TEL. EXCHANGE	ONSITE	AT	21-Jun-00	ALPHA	0.00017	pCi/m3	0.00016	0.00029	U		
SESPMNT	B0XW40	200 TEL. EXCHANGE	ONSITE	AT	05-Jul-00	ALPHA	0.000816	pCi/m3	0.00037	0.00047	J	DIRTY FILTER, HEAVY BURN AREA DURING HANFORD FIRE.	
SESPMNT	B0YL78	200 TEL. EXCHANGE	ONSITE	AT	18-Jul-00	ALPHA	0.000458	pCi/m3	0.00028	0.00039	J		
SESPMNT	B0YL79	200 TEL. EXCHANGE	ONSITE	AT	01-Aug-00	ALPHA	0.000362	pCi/m3	0.00024	0.00034	J		
SESPMNT	B0YL80	200 TEL. EXCHANGE	ONSITE	AT	16-Aug-00	ALPHA	0.000221	pCi/m3	0.0002	0.00033	U		
SESPMNT	B0YL81	200 TEL. EXCHANGE	ONSITE	AT	29-Aug-00	ALPHA	0.000473	pCi/m3	0.00029	0.00041	J		
SESPMNT	B0YL82	200 TEL. EXCHANGE	ONSITE	AT	11-Sep-00	ALPHA	0.000616	pCi/m3	0.00031	0.00042	J		
SESPMNT	B0YL83	200 TEL. EXCHANGE	ONSITE	AT	26-Sep-00	ALPHA	0.00028	pCi/m3	0.00022	0.00034	U		
SESPMNT	B10CD9	200 TEL. EXCHANGE	ONSITE	AT	09-Oct-00	ALPHA	0.000743	pCi/m3	0.00042	0.00053	J		
SESPMNT	B10CF0	200 TEL. EXCHANGE	ONSITE	AT	24-Oct-00	ALPHA	0.00127	pCi/m3	0.00047	0.00059			
SESPMNT	B10CF1	200 TEL. EXCHANGE	ONSITE	AT	07-Nov-00	ALPHA	0.000489	pCi/m3	0.00038	0.00047	J	FILTER VERY DIRTY.	
SESPMNT	B10CF2	200 TEL. EXCHANGE	ONSITE	AT	20-Nov-00	ALPHA	0.0016	pCi/m3	0.00074	0.00082			
SESPMNT	B10CF3	200 TEL. EXCHANGE	ONSITE	AT	06-Dec-00	ALPHA	0.000806	pCi/m3	0.00047	0.0005	J		
SESPMNT	B10CF4	200 TEL. EXCHANGE	ONSITE	AT	18-Dec-00	ALPHA	0.000995	pCi/m3	0.00057	0.00061	J		
SESPMNT	B10CF5	200 TEL. EXCHANGE	ONSITE	AT	02-Jan-01	ALPHA	0.000738	pCi/m3	0.00047	0.0005	J		
SESPMNT	B0X809	200 W SE	ONSITE	AT	18-Jan-00	ALPHA	0.000422	pCi/m3	0.00026	0.00037	J		
SESPMNT	B0X810	200 W SE	ONSITE	AT	01-Feb-00	ALPHA	0.00134	pCi/m3	0.00048	0.0006			
SESPMNT	B0X811	200 W SE	ONSITE	AT	16-Feb-00	ALPHA	0.000584	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X812	200 W SE	ONSITE	AT	29-Feb-00	ALPHA	0.000665	pCi/m3	0.00035	0.00046	J		
SESPMNT	B0X813	200 W SE	ONSITE	AT	14-Mar-00	ALPHA	0.000642	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X814	200 W SE	ONSITE	AT	30-Mar-00	ALPHA	0.000245	pCi/m3	0.00019	0.0003	U		
SESPMNT	B0XW42	200 W SE	ONSITE	AT	11-Apr-00	ALPHA	0.0022	pCi/m3	0.00062	0.00081			
SESPMNT	B0XW43	200 W SE	ONSITE	AT	25-Apr-00	ALPHA	0.000459	pCi/m3	0.00028	0.00039	J		
SESPMNT	B0XW44	200 W SE	ONSITE	AT	09-May-00	ALPHA	0.000469	pCi/m3	0.00027	0.00036	J		
SESPMNT	B0XW45	200 W SE	ONSITE	AT	23-May-00	ALPHA	0.000775	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XW46	200 W SE	ONSITE	AT	06-Jun-00	ALPHA	0.000748	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0XW47	200 W SE	ONSITE	AT	21-Jun-00	ALPHA	0.000356	pCi/m3	0.00023	0.00033	U		
SESPMNT	B0XW48	200 W SE	ONSITE	AT	05-Jul-00	ALPHA	0.00144	pCi/m3	0.00046	0.0006			
SESPMNT	B0YL85	200 W SE	ONSITE	AT	18-Jul-00	ALPHA	0.000544	pCi/m3	0.00031	0.00042	J		
SESPMNT	B0YL86	200 W SE	ONSITE	AT	01-Aug-00	ALPHA	0.000815	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0YL87	200 W SE	ONSITE	AT	16-Aug-00	ALPHA	0.000323	pCi/m3	0.00024	0.00035	U		
SESPMNT	B0YL88	200 W SE	ONSITE	AT	29-Aug-00	ALPHA	0.00124	pCi/m3	0.00045	0.00057			
SESPMNT	B0YL89	200 W SE	ONSITE	AT	11-Sep-00	ALPHA	0.0000691	pCi/m3	0.000085	0.00027	U		
SESPMNT	B0YL90	200 W SE	ONSITE	AT	26-Sep-00	ALPHA	0.000326	pCi/m3	0.00022	0.00032	U		
SESPMNT	B10CF7	200 W SE	ONSITE	AT	09-Oct-00	ALPHA	-0.00029	pCi/m3	0.0002	0.0002	U		
SESPMNT	B10CF8	200 W SE	ONSITE	AT	24-Oct-00	ALPHA	0.000877	pCi/m3	0.00039	0.00049	J		
SESPMNT	B10CF9	200 W SE	ONSITE	AT	07-Nov-00	ALPHA	0.000805	pCi/m3	0.00044	0.00055	J	FILTER VERY DIRTY.	
SESPMNT	B10CH0	200 W SE	ONSITE	AT	20-Nov-00	ALPHA	0.00203	pCi/m3	0.00075	0.00086			
SESPMNT	B10CH1	200 W SE	ONSITE	AT	06-Dec-00	ALPHA	0.000375	pCi/m3	0.00041	0.00042	U		
SESPMNT	B10CH2	200 W SE	ONSITE	AT	18-Dec-00	ALPHA	0.000978	pCi/m3	0.00057	0.00062	J		
SESPMNT	B10CH3	200 W SE	ONSITE	AT	02-Jan-01	ALPHA	0.00112	pCi/m3	0.00051	0.00057			
SESPMNT	B0X768	300 NE	ONSITE	AT	12-Jan-00	ALPHA	0.000777	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0X769	300 NE	ONSITE	AT	26-Jan-00	ALPHA	0.000653	pCi/m3	0.00038	0.0004	J		
SESPMNT	B0X770	300 NE	ONSITE	AT	10-Feb-00	ALPHA	0.000639	pCi/m3	0.00034	0.00043	J		
SESPMNT	B0X771	300 NE	ONSITE	AT	23-Feb-00	ALPHA	0.000439	pCi/m3	0.00035	0.00046	U		
SESPMNT	B0X772	300 NE	ONSITE	AT	08-Mar-00	ALPHA	0.000328	pCi/m3	0.00025	0.00036	U		
SESPMNT	B0X773	300 NE	ONSITE	AT	23-Mar-00	ALPHA	0.00103	pCi/m3	0.00039	0.0005			
SESPMNT	B0X774	300 NE	ONSITE	AT	05-Apr-00	ALPHA	0.000546	pCi/m3	0.00031	0.00042	J		
SESPMNT	B0XVC7	300 NE	ONSITE	AT	19-Apr-00	ALPHA	0.000921	pCi/m3	0.00038	0.00049	J		
SESPMNT	B0XVC8	300 NE	ONSITE	AT	03-May-00	ALPHA	0.000184	pCi/m3	0.00018	0.00032	U		
SESPMNT	B0XVC9	300 NE	ONSITE	AT	17-May-00	ALPHA	0.000815	pCi/m3	0.00035	0.00046	J		
SESPMNT	B0XVD0	300 NE	ONSITE	AT	31-May-00	ALPHA	0.000746	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XVD1	300 NE	ONSITE	AT	14-Jun-00	ALPHA	0.000367	pCi/m3	0.00024	0.00035	J		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	ALPHA	0.000543	pCi/m3	0.00028	0.00037	J		
SESPMNT	B0YKJ2	300 NE	ONSITE	AT	13-Jul-00	ALPHA	0.000464	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YKJ3	300 NE	ONSITE	AT	26-Jul-00	ALPHA	0.000945	pCi/m3	0.0004	0.00051	J		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONT SHORT NAME	VALUE RECD	ANAL UNITS RECD	TOTAL COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YKJ4	300 NE	ONSITE	AT	10-Aug-00	ALPHA	0.00061	pCi/m3	0.00032	0.00041	J		
SESPMNT	B0YKJ5	300 NE	ONSITE	AT	24-Aug-00	ALPHA	0.000685	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0YKJ6	300 NE	ONSITE	AT	07-Sep-00	ALPHA	0.000477	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0YKJ7	300 NE	ONSITE	AT	20-Sep-00	ALPHA	0.000761	pCi/m3	0.00038	0.00049	J		
SESPMNT	B0YKJ8	300 NE	ONSITE	AT	05-Oct-00	ALPHA	0.00046	pCi/m3	0.00034	0.00045	U		
SESPMNT	B10BP4	300 NE	ONSITE	AT	19-Oct-00	ALPHA	0.00181	pCi/m3	0.00058	0.00073			
SESPMNT	B10BP5	300 NE	ONSITE	AT	02-Nov-00	ALPHA	0.000651	pCi/m3	0.0004	0.00051	J		
SESPMNT	B10BP6	300 NE	ONSITE	AT	14-Nov-00	ALPHA	0.00155	pCi/m3	0.00058	0.00072			
SESPMNT	B10BP7	300 NE	ONSITE	AT	29-Nov-00	ALPHA	0.00178	pCi/m3	0.00066	0.00076			
SESPMNT	B10BP8	300 NE	ONSITE	AT	14-Dec-00	ALPHA	0.000424	pCi/m3	0.00043	0.00045	U		
SESPMNT	B10BP9	300 NE	ONSITE	AT	28-Dec-00	ALPHA	0.000273	pCi/m3	0.00038	0.00039	U		
SESPMNT	B0X823	300 SOUTH GATE	ONSITE	AT	12-Jan-00	ALPHA	0.000636	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0X824	300 SOUTH GATE	ONSITE	AT	26-Jan-00	ALPHA	0.000759	pCi/m3	0.00039	0.00042	J		
SESPMNT	B0X825	300 SOUTH GATE	ONSITE	AT	10-Feb-00	ALPHA	0.000311	pCi/m3	0.00023	0.00034	U		
SESPMNT	B0X826	300 SOUTH GATE	ONSITE	AT	23-Feb-00	ALPHA	0.00076	pCi/m3	0.00037	0.00046	J		
SESPMNT	B0X827	300 SOUTH GATE	ONSITE	AT	08-Mar-00	ALPHA	0.000188	pCi/m3	0.00017	0.0003	U		
SESPMNT	B0X828	300 SOUTH GATE	ONSITE	AT	23-Mar-00	ALPHA	0.00107	pCi/m3	0.00039	0.0005			
SESPMNT	B0X829	300 SOUTH GATE	ONSITE	AT	05-Apr-00	ALPHA	0.000357	pCi/m3	0.00025	0.00037	U		
SESPMNT	B0XW56	300 SOUTH GATE	ONSITE	AT	19-Apr-00	ALPHA	0.000561	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XW57	300 SOUTH GATE	ONSITE	AT	03-May-00	ALPHA	0.000471	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0XW58	300 SOUTH GATE	ONSITE	AT	17-May-00	ALPHA	0.000417	pCi/m3	0.00026	0.00036	J		
SESPMNT	B0XW59	300 SOUTH GATE	ONSITE	AT	31-May-00	ALPHA	0.000302	pCi/m3	0.00021	0.00032	U		
SESPMNT	B0XW60	300 SOUTH GATE	ONSITE	AT	14-Jun-00	ALPHA	0.000229	pCi/m3	0.00017	0.00029	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	ALPHA	0.000394	pCi/m3	0.00026	0.00038	J		
SESPMNT	B0YL99	300 SOUTH GATE	ONSITE	AT	13-Jul-00	ALPHA	0.000412	pCi/m3	0.00026	0.00036	J		
SESPMNT	B0YLB0	300 SOUTH GATE	ONSITE	AT	26-Jul-00	ALPHA	0.000421	pCi/m3	0.00029	0.00041	J		
SESPMNT	B0YLB1	300 SOUTH GATE	ONSITE	AT	10-Aug-00	ALPHA	0.000834	pCi/m3	0.00037	0.00046	J		
SESPMNT	B0YLB2	300 SOUTH GATE	ONSITE	AT	24-Aug-00	ALPHA	0.000677	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YLB3	300 SOUTH GATE	ONSITE	AT	07-Sep-00	ALPHA	0.00043	pCi/m3	0.00027	0.00038	J		
SESPMNT	B0YLB4	300 SOUTH GATE	ONSITE	AT	20-Sep-00	ALPHA	0.000336	pCi/m3	0.00025	0.00036	U		
SESPMNT	B0YLB5	300 SOUTH GATE	ONSITE	AT	05-Oct-00	ALPHA	0.000292	pCi/m3	0.00028	0.00042	U		
SESPMNT	B10CJ1	300 SOUTH GATE	ONSITE	AT	19-Oct-00	ALPHA	0.00066	pCi/m3	0.00043	0.00054	J		
SESPMNT	B10CJ2	300 SOUTH GATE	ONSITE	AT	02-Nov-00	ALPHA	0.000808	pCi/m3	0.00041	0.00051	J		
SESPMNT	B10CJ3	300 SOUTH GATE	ONSITE	AT	14-Nov-00	ALPHA	0.00111	pCi/m3	0.0005	0.00063			
SESPMNT	B10CJ4	300 SOUTH GATE	ONSITE	AT	29-Nov-00	ALPHA	0.00145	pCi/m3	0.00061	0.00068			
SESPMNT	B10CJ5	300 SOUTH GATE	ONSITE	AT	14-Dec-00	ALPHA	0.000715	pCi/m3	0.00047	0.00049	J		
SESPMNT	B10CJ6	300 SOUTH GATE	ONSITE	AT	28-Dec-00	ALPHA	0.000916	pCi/m3	0.00051	0.00055	J		
SESPMNT	B0X830	300 SOUTH WEST	ONSITE	AT	12-Jan-00	ALPHA	0.000725	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0X831	300 SOUTH WEST	ONSITE	AT	26-Jan-00	ALPHA	0.00068	pCi/m3	0.00039	0.00041	J		
SESPMNT	B0X832	300 SOUTH WEST	ONSITE	AT	10-Feb-00	ALPHA	0.000922	pCi/m3	0.00044	0.00055	J		
SESPMNT	B0X833	300 SOUTH WEST	ONSITE	AT	23-Feb-00	ALPHA	0.000967	pCi/m3	0.00046	0.00057	J		
SESPMNT	B0X834	300 SOUTH WEST	ONSITE	AT	08-Mar-00	ALPHA	0.000371	pCi/m3	0.00026	0.00037	U		
SESPMNT	B0X835	300 SOUTH WEST	ONSITE	AT	23-Mar-00	ALPHA	0.000903	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0X836	300 SOUTH WEST	ONSITE	AT	05-Apr-00	ALPHA	0.000252	pCi/m3	0.00021	0.00035	U		
SESPMNT	B0XW62	300 SOUTH WEST	ONSITE	AT	19-Apr-00	ALPHA	0.000948	pCi/m3	0.00039	0.00049	J		
SESPMNT	B0XW63	300 SOUTH WEST	ONSITE	AT	03-May-00	ALPHA	0.000137	pCi/m3	0.00014	0.00029	U		
SESPMNT	B0XW64	300 SOUTH WEST	ONSITE	AT	17-May-00	ALPHA	0.000766	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0XW65	300 SOUTH WEST	ONSITE	AT	31-May-00	ALPHA	0.000598	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XW66	300 SOUTH WEST	ONSITE	AT	14-Jun-00	ALPHA	0.000448	pCi/m3	0.00027	0.00037	J		
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	ALPHA	0.000532	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YLB6	300 SOUTH WEST	ONSITE	AT	13-Jul-00	ALPHA	0.000384	pCi/m3	0.00025	0.00036	J		
SESPMNT	B0YLB7	300 SOUTH WEST	ONSITE	AT	26-Jul-00	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B0YLB8	300 SOUTH WEST	ONSITE	AT	10-Aug-00	ALPHA	0.000847	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0YLB9	300 SOUTH WEST	ONSITE	AT	24-Aug-00	ALPHA	0.000724	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0YLC0	300 SOUTH WEST	ONSITE	AT	07-Sep-00	ALPHA	0.000688	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0YLC1	300 SOUTH WEST	ONSITE	AT	20-Sep-00	ALPHA	0.000988	pCi/m3	0.00043	0.00054	J		
SESPMNT	B0YLC2	300 SOUTH WEST	ONSITE	AT	05-Oct-00	ALPHA	0.000721	pCi/m3	0.0004	0.0005	J		
SESPMNT	B10CJ7	300 SOUTH WEST	ONSITE	AT	19-Oct-00	ALPHA	0.00105	pCi/m3	0.00047	0.00059			
SESPMNT	B10CJ8	300 SOUTH WEST	ONSITE	AT	02-Nov-00	ALPHA	0.00121	pCi/m3	0.00048	0.00059			
SESPMNT	B10CJ9	300 SOUTH WEST	ONSITE	AT	14-Nov-00	ALPHA	0.00113	pCi/m3	0.00054	0.00067			
SESPMNT	B10CK0	300 SOUTH WEST	ONSITE	AT	29-Nov-00	ALPHA	0.00131	pCi/m3	0.00066	0.00072			
SESPMNT	B10CK1	300 SOUTH WEST	ONSITE	AT	14-Dec-00	ALPHA	0.000865	pCi/m3	0.00051	0.00055	J		
SESPMNT	B10CK2	300 SOUTH WEST	ONSITE	AT	28-Dec-00	ALPHA	0.000719	pCi/m3	0.00047	0.0005	J		
SESPMNT	B0X761	300 TRENCH	ONSITE	AT	12-Jan-00	ALPHA	0.0012	pCi/m3	0.00044	0.00056			
SESPMNT	B0X762	300 TRENCH	ONSITE	AT	26-Jan-00	ALPHA	0.000964	pCi/m3	0.00046	0.0005	J		
SESPMNT	B0X763	300 TRENCH	ONSITE	AT	10-Feb-00	ALPHA	0.000469	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0X764	300 TRENCH	ONSITE	AT	23-Feb-00	ALPHA	0.00113	pCi/m3	0.00046	0.00057			
SESPMNT	B0X765	300 TRENCH	ONSITE	AT	08-Mar-00	ALPHA	0.0000508	pCi/m3	0.000078	0.0003	U		
SESPMNT	B0X766	300 TRENCH	ONSITE	AT	23-Mar-00	ALPHA	0.000391	pCi/m3	0.00024	0.00034	J		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X767	300 TRENCH	ONSITE	AT	05-Apr-00	ALPHA	0.0007	pCi/m3	0.00034	0.00045	J		
SESPMNT	B0XVC1	300 TRENCH	ONSITE	AT	19-Apr-00	ALPHA	0.000621	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XVC2	300 TRENCH	ONSITE	AT	03-May-00	ALPHA	0.000605	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XVC3	300 TRENCH	ONSITE	AT	17-May-00	ALPHA	0.000386	pCi/m3	0.00025	0.00036	J		
SESPMNT	B0XVC4	300 TRENCH	ONSITE	AT	31-May-00	ALPHA	0.000688	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0XVC5	300 TRENCH	ONSITE	AT	14-Jun-00	ALPHA	0.000325	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	ALPHA	0.000632	pCi/m3	0.00031	0.0004	J		
SESPMNT	B0YKH5	300 TRENCH	ONSITE	AT	13-Jul-00	ALPHA	0.000466	pCi/m3	0.00029	0.0004	J		
SESPMNT	B0YKH6	300 TRENCH	ONSITE	AT	26-Jul-00	ALPHA	0.00138	pCi/m3	0.00049	0.00062			
SESPMNT	B0YKH7	300 TRENCH	ONSITE	AT	10-Aug-00	ALPHA	0.000249	pCi/m3	0.0002	0.00031	U		
SESPMNT	B0YKH8	300 TRENCH	ONSITE	AT	24-Aug-00	ALPHA	0.0006	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0YKH9	300 TRENCH	ONSITE	AT	07-Sep-00	ALPHA	0.000597	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0YKJ0	300 TRENCH	ONSITE	AT	20-Sep-00	ALPHA	0.000444	pCi/m3	0.00031	0.00043	J		
SESPMNT	B0YKJ1	300 TRENCH	ONSITE	AT	05-Oct-00	ALPHA	0.000899	pCi/m3	0.00041	0.00051	J		
SESPMNT	B10BN8	300 TRENCH	ONSITE	AT	19-Oct-00	ALPHA	0.000507	pCi/m3	0.00034	0.00045	J		
SESPMNT	B10BN9	300 TRENCH	ONSITE	AT	02-Nov-00	ALPHA	0.000595	pCi/m3	0.00038	0.00049	J		
SESPMNT	B10BP0	300 TRENCH	ONSITE	AT	14-Nov-00	ALPHA	0.00125	pCi/m3	0.00055	0.00068			
SESPMNT	B10BP1	300 TRENCH	ONSITE	AT	29-Nov-00	ALPHA	0.00148	pCi/m3	0.00067	0.00074			
SESPMNT	B10BP2	300 TRENCH	ONSITE	AT	14-Dec-00	ALPHA	0.000633	pCi/m3	0.00044	0.00046	J		
SESPMNT	B10BP3	300 TRENCH	ONSITE	AT	28-Dec-00	ALPHA	0.000793	pCi/m3	0.00049	0.00053	J		
SESPMNT	B0X816	300 WATER INTAKE	ONSITE	AT	12-Jan-00	ALPHA	0.000894	pCi/m3	0.00037	0.00048	J		
SESPMNT	B0X817	300 WATER INTAKE	ONSITE	AT	26-Jan-00	ALPHA	0.000361	pCi/m3	0.00035	0.00035	J		
SESPMNT	B0X818	300 WATER INTAKE	ONSITE	AT	10-Feb-00	ALPHA	0.000477	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0X819	300 WATER INTAKE	ONSITE	AT	23-Feb-00	ALPHA	0.000798	pCi/m3	0.0004	0.00051	J		
SESPMNT	B0X820	300 WATER INTAKE	ONSITE	AT	08-Mar-00	ALPHA	0.000276	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0X821	300 WATER INTAKE	ONSITE	AT	23-Mar-00	ALPHA	0.000472	pCi/m3	0.00027	0.00036	J		
SESPMNT	B0X822	300 WATER INTAKE	ONSITE	AT	05-Apr-00	ALPHA	0.000622	pCi/m3	0.00034	0.00045	J		
SESPMNT	B0XW50	300 WATER INTAKE	ONSITE	AT	19-Apr-00	ALPHA	0.000564	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XW51	300 WATER INTAKE	ONSITE	AT	03-May-00	ALPHA	0.000807	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XW52	300 WATER INTAKE	ONSITE	AT	17-May-00	ALPHA	0.000315	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0XW53	300 WATER INTAKE	ONSITE	AT	31-May-00	ALPHA	0.000825	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XW54	300 WATER INTAKE	ONSITE	AT	14-Jun-00	ALPHA	0.000288	pCi/m3	0.0002	0.00031	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	ALPHA	0.000835	pCi/m3	0.00035	0.00044	J		
SESPMNT	B0YL92	300 WATER INTAKE	ONSITE	AT	13-Jul-00	ALPHA	0.000652	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0YL93	300 WATER INTAKE	ONSITE	AT	26-Jul-00	ALPHA	0.000594	pCi/m3	0.00034	0.00045	J		
SESPMNT	B0YL94	300 WATER INTAKE	ONSITE	AT	10-Aug-00	ALPHA	0.000276	pCi/m3	0.00021	0.00032	U		
SESPMNT	B0YL95	300 WATER INTAKE	ONSITE	AT	24-Aug-00	ALPHA	0.000776	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0YL96	300 WATER INTAKE	ONSITE	AT	07-Sep-00	ALPHA	0.000723	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0YL97	300 WATER INTAKE	ONSITE	AT	20-Sep-00	ALPHA	0.000614	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YL98	300 WATER INTAKE	ONSITE	AT	05-Oct-00	ALPHA	0.000479	pCi/m3	0.00034	0.00045	J		
SESPMNT	B10CH5	300 WATER INTAKE	ONSITE	AT	19-Oct-00	ALPHA	0.000471	pCi/m3	0.00033	0.00045	J		
SESPMNT	B10CH6	300 WATER INTAKE	ONSITE	AT	02-Nov-00	ALPHA	0.00149	pCi/m3	0.00051	0.00064			
SESPMNT	B10CH7	300 WATER INTAKE	ONSITE	AT	14-Nov-00	ALPHA	0.000702	pCi/m3	0.00047	0.0006	J		
SESPMNT	B10CH8	300 WATER INTAKE	ONSITE	AT	29-Nov-00	ALPHA	-0.000114	pCi/m3	0.00016	0.00016	U		
SESPMNT	B10CH9	300 WATER INTAKE	ONSITE	AT	14-Dec-00	ALPHA	0.00274	pCi/m3	0.0008	0.00098			
SESPMNT	B10CJ0	300 WATER INTAKE	ONSITE	AT	28-Dec-00	ALPHA	0.000971	pCi/m3	0.00052	0.00056	J		
SESPMNT	B0X838	400 E	ONSITE	AT	11-Jan-00	ALPHA	0.000284	pCi/m3	0.00027	0.00051	U		
SESPMNT	B0X839	400 E	ONSITE	AT	25-Jan-00	ALPHA	0.000487	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X840	400 E	ONSITE	AT	09-Feb-00	ALPHA	0.000769	pCi/m3	0.00039	0.00049	J		
SESPMNT	B0X841	400 E	ONSITE	AT	22-Feb-00	ALPHA	0.00084	pCi/m3	0.0004	0.00051	J		
SESPMNT	B0X842	400 E	ONSITE	AT	07-Mar-00	ALPHA	0.000534	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0X843	400 E	ONSITE	AT	21-Mar-00	ALPHA	0.000414	pCi/m3	0.00027	0.00037	J		
SESPMNT	B0X844	400 E	ONSITE	AT	04-Apr-00	ALPHA	0.000183	pCi/m3	0.00019	0.00035	U		
SESPMNT	B0XW69	400 E	ONSITE	AT	18-Apr-00	ALPHA	0.000374	pCi/m3	0.00026	0.00037	J		
SESPMNT	B0XW70	400 E	ONSITE	AT	02-May-00	ALPHA	0.000615	pCi/m3	0.00032	0.00041	J		
SESPMNT	B0XW71	400 E	ONSITE	AT	16-May-00	ALPHA	0.00029	pCi/m3	0.00021	0.00032	U		
SESPMNT	B0XW72	400 E	ONSITE	AT	30-May-00	ALPHA	0.000798	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XW73	400 E	ONSITE	AT	13-Jun-00	ALPHA	0.000323	pCi/m3	0.00023	0.00034	U		
SESPMNT	B0XW74	400 E	ONSITE	AT	28-Jun-00	ALPHA	0.000293	pCi/m3	0.00021	0.00031	U		
SESPMNT	B0YLC4	400 E	ONSITE	AT	10-Jul-00	ALPHA	0.00122	pCi/m3	0.00047	0.00059			
SESPMNT	B0YLC5	400 E	ONSITE	AT	25-Jul-00	ALPHA	0.00073	pCi/m3	0.00034	0.00043	J		
SESPMNT	B0YLC6	400 E	ONSITE	AT	09-Aug-00	ALPHA	0.000532	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0YLC7	400 E	ONSITE	AT	23-Aug-00	ALPHA	0.00112	pCi/m3	0.00043	0.00054			
SESPMNT	B0YLC8	400 E	ONSITE	AT	06-Sep-00	ALPHA	0.000919	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0YLC9	400 E	ONSITE	AT	22-Sep-00	ALPHA	0.0000892	pCi/m3	0.000085	0.00021	U		
SESPMNT	B0YLD0	400 E	ONSITE	AT	03-Oct-00	ALPHA	0.00158	pCi/m3	0.00064	0.00079			
SESPMNT	B10CK4	400 E	ONSITE	AT	18-Oct-00	ALPHA	0.00178	pCi/m3	0.00055	0.0007			
SESPMNT	B10CK5	400 E	ONSITE	AT	30-Oct-00	ALPHA	0.000684	pCi/m3	0.00045	0.00058	J		
SESPMNT	B10CK6	400 E	ONSITE	AT	13-Nov-00	ALPHA	0.00106	pCi/m3	0.00047	0.00058			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE REPD	UNITS REPD	COUNTING ERROR	TOTAL UNCERT ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CK7	400 E	ONSITE	AT	28-Nov-00	ALPHA	0.000513	pCi/m3	0.00046	0.00049	J		
SESPMNT	B10CK8	400 E	ONSITE	AT	13-Dec-00	ALPHA	0.00096	pCi/m3	0.00051	0.00055	J		
SESPMNT	B10CK9	400 E	ONSITE	AT	27-Dec-00	ALPHA	0.00124	pCi/m3	0.00056	0.00062			
SESPMNT	B0X859	400 N	ONSITE	AT	11-Jan-00	ALPHA	0.000283	pCi/m3	0.00024	0.00046	U		
SESPMNT	B0X860	400 N	ONSITE	AT	25-Jan-00	ALPHA	0.000551	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X861	400 N	ONSITE	AT	09-Feb-00	ALPHA	0.000614	pCi/m3	0.00034	0.00043	J		
SESPMNT	B0X862	400 N	ONSITE	AT	22-Feb-00	ALPHA	0.000556	pCi/m3	0.00035	0.00046	J		
SESPMNT	B0X863	400 N	ONSITE	AT	07-Mar-00	ALPHA	0.000366	pCi/m3	0.00026	0.00038	U		
SESPMNT	B0X864	400 N	ONSITE	AT	21-Mar-00	ALPHA	0.000564	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X865	400 N	ONSITE	AT	04-Apr-00	ALPHA	0.000331	pCi/m3	0.00024	0.00035	U		
SESPMNT	B0XW87	400 N	ONSITE	AT	18-Apr-00	ALPHA	0.000612	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XW88	400 N	ONSITE	AT	02-May-00	ALPHA	0.000572	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XW89	400 N	ONSITE	AT	16-May-00	ALPHA	0.000537	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XW90	400 N	ONSITE	AT	30-May-00	ALPHA	0.00056	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XW91	400 N	ONSITE	AT	13-Jun-00	ALPHA	0.0000355	pCi/m3	0.000054	0.00027	U		
SESPMNT	B0XW92	400 N	ONSITE	AT	28-Jun-00	ALPHA	0.000243	pCi/m3	0.00019	0.0003	U		
SESPMNT	B0YLF5	400 N	ONSITE	AT	10-Jul-00	ALPHA	0.000785	pCi/m3	0.0004	0.00052	J		
SESPMNT	B0YLF6	400 N	ONSITE	AT	25-Jul-00	ALPHA	0.000283	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0YLF7	400 N	ONSITE	AT	09-Aug-00	ALPHA	0.000516	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0YLF8	400 N	ONSITE	AT	23-Aug-00	ALPHA	0.000883	pCi/m3	0.00038	0.00046	J		
SESPMNT	B0YLF9	400 N	ONSITE	AT	06-Sep-00	ALPHA	0.00027	pCi/m3	0.00022	0.00035	U		
SESPMNT	B0YLH0	400 N	ONSITE	AT	22-Sep-00	ALPHA	0.000715	pCi/m3	0.00034	0.00043	J		
SESPMNT	B0YLH1	400 N	ONSITE	AT	03-Oct-00	ALPHA	0.00144	pCi/m3	0.00057	0.00071			
SESPMNT	B10CM2	400 N	ONSITE	AT	18-Oct-00	ALPHA	0.000843	pCi/m3	0.00039	0.00049	J		
SESPMNT	B10CM3	400 N	ONSITE	AT	30-Oct-00	ALPHA	0.00125	pCi/m3	0.00055	0.00068			
SESPMNT	B10CM4	400 N	ONSITE	AT	13-Nov-00	ALPHA	0.00161	pCi/m3	0.00057	0.0007			
SESPMNT	B10CM5	400 N	ONSITE	AT	28-Nov-00	ALPHA	0.000851	pCi/m3	0.00053	0.00056	J		
SESPMNT	B10CM6	400 N	ONSITE	AT	13-Dec-00	ALPHA	0.000222	pCi/m3	0.00034	0.00035	U		
SESPMNT	B10CM7	400 N	ONSITE	AT	27-Dec-00	ALPHA	0.00102	pCi/m3	0.00052	0.00057			
SESPMNT	B0X852	400 S	ONSITE	AT	11-Jan-00	ALPHA	0.00188	pCi/m3	0.00068	0.00087			
SESPMNT	B0X8P3	400 S	ONSITE	AT	11-Jan-00	ALPHA	0.00103	pCi/m3	0.00053	0.00069			
SESPMNT	B0X853	400 S	ONSITE	AT	25-Jan-00	ALPHA	0.000558	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X8P4	400 S	ONSITE	AT	25-Jan-00	ALPHA	0.000616	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0X854	400 S	ONSITE	AT	09-Feb-00	ALPHA	0.000395	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0X8P5	400 S	ONSITE	AT	09-Feb-00	ALPHA	0.000423	pCi/m3	0.00031	0.00042	J		
SESPMNT	B0X855	400 S	ONSITE	AT	22-Feb-00	ALPHA	0.000678	pCi/m3	0.00039	0.0005	J		
SESPMNT	B0X8P6	400 S	ONSITE	AT	22-Feb-00	ALPHA	0.000313	pCi/m3	0.00026	0.00039	U		
SESPMNT	B0X856	400 S	ONSITE	AT	07-Mar-00	ALPHA	0.000608	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0X8P7	400 S	ONSITE	AT	07-Mar-00	ALPHA	0.000692	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0X857	400 S	ONSITE	AT	21-Mar-00	ALPHA	0.00035	pCi/m3	0.00023	0.00033	J		
SESPMNT	B0X8P8	400 S	ONSITE	AT	21-Mar-00	ALPHA	0.000431	pCi/m3	0.00025	0.00035	J		
SESPMNT	B0X858	400 S	ONSITE	AT	04-Apr-00	ALPHA	0.000367	pCi/m3	0.00027	0.00039	U		
SESPMNT	B0X8P9	400 S	ONSITE	AT	04-Apr-00	ALPHA	0.00038	pCi/m3	0.00025	0.00038	J	DISCONTINUED.	
SESPMNT	B0XW81	400 S	ONSITE	AT	18-Apr-00	ALPHA	0.0018	pCi/m3	0.00058	0.00071			
SESPMNT	B0XW82	400 S	ONSITE	AT	02-May-00	ALPHA	0.000726	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XW83	400 S	ONSITE	AT	16-May-00	ALPHA	0.000403	pCi/m3	0.00028	0.00037	J		
SESPMNT	B0XW84	400 S	ONSITE	AT	30-May-00	ALPHA	0.000542	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XW85	400 S	ONSITE	AT	13-Jun-00	ALPHA	0.000202	pCi/m3	0.00017	0.00029	U		
SESPMNT	B0XW86	400 S	ONSITE	AT	28-Jun-00	ALPHA	0.000234	pCi/m3	0.00019	0.00033	U		
SESPMNT	B0YLD8	400 S	ONSITE	AT	10-Jul-00	ALPHA	0.00114	pCi/m3	0.00048	0.00059			
SESPMNT	B0YLD9	400 S	ONSITE	AT	25-Jul-00	ALPHA	0.00111	pCi/m3	0.00042	0.00052			
SESPMNT	B0YLF0	400 S	ONSITE	AT	09-Aug-00	ALPHA	0.000672	pCi/m3	0.00033	0.00042	J		
SESPMNT	B0YLF1	400 S	ONSITE	AT	23-Aug-00	ALPHA	0.000616	pCi/m3	0.00037	0.00047	J		
SESPMNT	B0YLF2	400 S	ONSITE	AT	06-Sep-00	ALPHA	0.000659	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0YLF3	400 S	ONSITE	AT	22-Sep-00	ALPHA	0.000576	pCi/m3	0.0003	0.00039	J		
SESPMNT	B0YLF4	400 S	ONSITE	AT	03-Oct-00	ALPHA	0.000587	pCi/m3	0.00042	0.00057	U		
SESPMNT	B10CL6	400 S	ONSITE	AT	18-Oct-00	ALPHA	0.000644	pCi/m3	0.00042	0.00052	J		
SESPMNT	B10CL7	400 S	ONSITE	AT	30-Oct-00	ALPHA	0.00131	pCi/m3	0.00054	0.00067			
SESPMNT	B10CL8	400 S	ONSITE	AT	13-Nov-00	ALPHA	0.00104	pCi/m3	0.00045	0.00056			
SESPMNT	B10CL9	400 S	ONSITE	AT	28-Nov-00	ALPHA	0.00154	pCi/m3	0.00063	0.00071			
SESPMNT	B10CM0	400 S	ONSITE	AT	13-Dec-00	ALPHA	0.000171	pCi/m3	0.00039	0.00039	U		
SESPMNT	B10CM1	400 S	ONSITE	AT	27-Dec-00	ALPHA	0.000681	pCi/m3	0.00048	0.00051	J		
SESPMNT	B0X845	400 W	ONSITE	AT	11-Jan-00	ALPHA	0.000294	pCi/m3	0.00026	0.0005	U		
SESPMNT	B0X846	400 W	ONSITE	AT	25-Jan-00	ALPHA	0.000674	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0X847	400 W	ONSITE	AT	09-Feb-00	ALPHA	0.000829	pCi/m3	0.00038	0.00047	J		
SESPMNT	B0X848	400 W	ONSITE	AT	22-Feb-00	ALPHA	0.000937	pCi/m3	0.00044	0.00055	J		
SESPMNT	B0X849	400 W	ONSITE	AT	07-Mar-00	ALPHA	0.000735	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X850	400 W	ONSITE	AT	21-Mar-00	ALPHA	0.000482	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0X851	400 W	ONSITE	AT	04-Apr-00	ALPHA	0.000216	pCi/m3	0.00021	0.00036	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL. UNITS RRTD	COUNTING ERROR	TOTAL ANAL. ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XW75	400 W	ONSITE	AT	18-Apr-00	ALPHA	0.000553	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XW76	400 W	ONSITE	AT	02-May-00	ALPHA	0.000665	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XW77	400 W	ONSITE	AT	16-May-00	ALPHA	0.000373	pCi/m3	0.00024	0.00035	J		
SESPMNT	B0XW78	400 W	ONSITE	AT	30-May-00	ALPHA	0.00122	pCi/m3	0.00043	0.00055			
SESPMNT	B0XW79	400 W	ONSITE	AT	13-Jun-00	ALPHA	0.0004	pCi/m3	0.00025	0.00036	J		
SESPMNT	B0XW80	400 W	ONSITE	AT	28-Jun-00	ALPHA	0.000521	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0YLD1	400 W	ONSITE	AT	10-Jul-00	ALPHA	0.00133	pCi/m3	0.00049	0.00062			
SESPMNT	B0YLD2	400 W	ONSITE	AT	25-Jul-00	ALPHA	0.00104	pCi/m3	0.00039	0.0005			
SESPMNT	B0YLD3	400 W	ONSITE	AT	09-Aug-00	ALPHA	0.000575	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0YLD4	400 W	ONSITE	AT	23-Aug-00	ALPHA	0.00028	pCi/m3	0.00022	0.00033	U		
SESPMNT	B0YLD5	400 W	ONSITE	AT	06-Sep-00	ALPHA	0.000426	pCi/m3	0.00028	0.00039	J		
SESPMNT	B0YLD6	400 W	ONSITE	AT	22-Sep-00	ALPHA	0.00103	pCi/m3	0.00038	0.00048			
SESPMNT	B0YLD7	400 W	ONSITE	AT	03-Oct-00	ALPHA	0.0000213	pCi/m3	0.000031	0.00028	U		
SESPMNT	B10CL0	400 W	ONSITE	AT	18-Oct-00	ALPHA	0.0019	pCi/m3	0.00063	0.00078			
SESPMNT	B10CL1	400 W	ONSITE	AT	30-Oct-00	ALPHA	0.00106	pCi/m3	0.0005	0.00062			
SESPMNT	B10CL2	400 W	ONSITE	AT	13-Nov-00	ALPHA	0.00162	pCi/m3	0.00055	0.00069			
SESPMNT	B10CL3	400 W	ONSITE	AT	28-Nov-00	ALPHA	0.00181	pCi/m3	0.00071	0.00081			
SESPMNT	B10CL4	400 W	ONSITE	AT	13-Dec-00	ALPHA	0.000593	pCi/m3	0.00046	0.00048	J		
SESPMNT	B10CL5	400 W	ONSITE	AT	27-Dec-00	ALPHA	0.000918	pCi/m3	0.00051	0.00055	J		
SESPMNT	B0X7Y6	ARMY LOOP CAMP	ONSITE	AT	18-Jan-00	ALPHA	0.0002	pCi/m3	0.00017	0.00029	U		
SESPMNT	B0X7Y7	ARMY LOOP CAMP	ONSITE	AT	01-Feb-00	ALPHA	0.000682	pCi/m3	0.00037	0.00048	J		
SESPMNT	B0X7Y8	ARMY LOOP CAMP	ONSITE	AT	16-Feb-00	ALPHA	0.001	pCi/m3	0.0004	0.0005			
SESPMNT	B0X7Y9	ARMY LOOP CAMP	ONSITE	AT	29-Feb-00	ALPHA	0.000479	pCi/m3	0.00032	0.00044	J		
SESPMNT	B0X800	ARMY LOOP CAMP	ONSITE	AT	14-Mar-00	ALPHA	0.000569	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X801	ARMY LOOP CAMP	ONSITE	AT	30-Mar-00	ALPHA	0.000417	pCi/m3	0.00024	0.00032	J		
SESPMNT	B0XW27	ARMY LOOP CAMP	ONSITE	AT	11-Apr-00	ALPHA	0.00281	pCi/m3	0.0007	0.00094			
SESPMNT	B0XW28	ARMY LOOP CAMP	ONSITE	AT	25-Apr-00	ALPHA	0.000493	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0XW29	ARMY LOOP CAMP	ONSITE	AT	09-May-00	ALPHA	0.000392	pCi/m3	0.00024	0.00035	J		
SESPMNT	B0XW30	ARMY LOOP CAMP	ONSITE	AT	23-May-00	ALPHA	0.000776	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0XW31	ARMY LOOP CAMP	ONSITE	AT	06-Jun-00	ALPHA	0.000787	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0XW32	ARMY LOOP CAMP	ONSITE	AT	21-Jun-00	ALPHA	0.000175	pCi/m3	0.00017	0.00031	U		
SESPMNT	B0XW33	ARMY LOOP CAMP	ONSITE	AT	05-Jul-00	ALPHA	0.00114	pCi/m3	0.00047	0.0006		DIRTY FILTER, HEAVY BURN AREA DURING HANFORD FIRE.	
SESPMNT	B0YL72	ARMY LOOP CAMP	ONSITE	AT	18-Jul-00	ALPHA	0.00116	pCi/m3	0.00044	0.00056			
SESPMNT	B0YL73	ARMY LOOP CAMP	ONSITE	AT	01-Aug-00	ALPHA	0.00122	pCi/m3	0.00043	0.00055			
SESPMNT	B0YL74	ARMY LOOP CAMP	ONSITE	AT	16-Aug-00	ALPHA	0.000721	pCi/m3	0.00035	0.00044	J		
SESPMNT	B0YL75	ARMY LOOP CAMP	ONSITE	AT	29-Aug-00	ALPHA	0.0007	pCi/m3	0.00036	0.00047	J		
SESPMNT	B0YL76	ARMY LOOP CAMP	ONSITE	AT	11-Sep-00	ALPHA	0.000414	pCi/m3	0.00027	0.00039	J		
SESPMNT	B0YL77	ARMY LOOP CAMP	ONSITE	AT	26-Sep-00	ALPHA	0.000326	pCi/m3	0.00025	0.00036	U		
SESPMNT	B10CD2	ARMY LOOP CAMP	ONSITE	AT	09-Oct-00	ALPHA	0.0017	pCi/m3	0.00057	0.00072			
SESPMNT	B10CD3	ARMY LOOP CAMP	ONSITE	AT	24-Oct-00	ALPHA	0.00103	pCi/m3	0.00043	0.00054			
SESPMNT	B10CD4	ARMY LOOP CAMP	ONSITE	AT	07-Nov-00	ALPHA	0.00106	pCi/m3	0.00045	0.00056		FILTER VERY DIRTY.	
SESPMNT	B10CD5	ARMY LOOP CAMP	ONSITE	AT	20-Nov-00	ALPHA	0.00159	pCi/m3	0.00074	0.00082			
SESPMNT	B10CD6	ARMY LOOP CAMP	ONSITE	AT	06-Dec-00	ALPHA	0.000621	pCi/m3	0.00043	0.00045	J		
SESPMNT	B10CD7	ARMY LOOP CAMP	ONSITE	AT	18-Dec-00	ALPHA	0.0011	pCi/m3	0.00063	0.00067			
SESPMNT	B10CD8	ARMY LOOP CAMP	ONSITE	AT	02-Jan-01	ALPHA	0.000796	pCi/m3	0.00049	0.00052	J		
SESPMNT	B0X7X9	B POND	ONSITE	AT	18-Jan-00	ALPHA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B0X7Y0	B POND	ONSITE	AT	01-Feb-00	ALPHA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B0X7Y1	B POND	ONSITE	AT	16-Feb-00	ALPHA	0.000409	pCi/m3	0.00029	0.0004	J		
SESPMNT	B0X7Y2	B POND	ONSITE	AT	29-Feb-00	ALPHA	0.000677	pCi/m3	0.00035	0.00046	J		
SESPMNT	B0X7Y3	B POND	ONSITE	AT	14-Mar-00	ALPHA	0.000451	pCi/m3	0.00027	0.00038	J		
SESPMNT	B0X7Y4	B POND	ONSITE	AT	30-Mar-00	ALPHA	0.000209	pCi/m3	0.00018	0.00029	U		
SESPMNT	B0XW19	B POND	ONSITE	AT	11-Apr-00	ALPHA	0.00187	pCi/m3	0.00057	0.00074			
SESPMNT	B0XW20	B POND	ONSITE	AT	25-Apr-00	ALPHA	0.000585	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XW21	B POND	ONSITE	AT	09-May-00	ALPHA	0.000331	pCi/m3	0.00022	0.00033	U		
SESPMNT	B0XW22	B POND	ONSITE	AT	23-May-00	ALPHA	0.000464	pCi/m3	0.00029	0.0004	J		
SESPMNT	B0XW23	B POND	ONSITE	AT	06-Jun-00	ALPHA	0.000524	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0XW24	B POND	ONSITE	AT	21-Jun-00	ALPHA	-0.0000119	pCi/m3	0.000023	0.00024	U		
SESPMNT	B0XW25	B POND	ONSITE	AT	05-Jul-00	ALPHA	0.000491	pCi/m3	0.00029	0.0004	J		
SESPMNT	B0YL65	B POND	ONSITE	AT	18-Jul-00	ALPHA	0.000192	pCi/m3	0.00018	0.00032	U		
SESPMNT	B0YL66	B POND	ONSITE	AT	01-Aug-00	ALPHA	0.000505	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0YL67	B POND	ONSITE	AT	16-Aug-00	ALPHA	0.000816	pCi/m3	0.00037	0.00046	J		
SESPMNT	B0YL68	B POND	ONSITE	AT	29-Aug-00	ALPHA	0.000459	pCi/m3	0.00028	0.00039	J		
SESPMNT	B0YL69	B POND	ONSITE	AT	11-Sep-00	ALPHA	0.000559	pCi/m3	0.00031	0.00042	J		
SESPMNT	B0YL70	B POND	ONSITE	AT	26-Sep-00	ALPHA	0.000789	pCi/m3	0.00037	0.00047	J		
SESPMNT	B10CB7	B POND	ONSITE	AT	09-Oct-00	ALPHA	0.000994	pCi/m3	0.0005	0.00061	J		
SESPMNT	B10CB8	B POND	ONSITE	AT	24-Oct-00	ALPHA	0.000922	pCi/m3	0.00039	0.00049	J		
SESPMNT	B10CB9	B POND	ONSITE	AT	07-Nov-00	ALPHA	0.00154	pCi/m3	0.00054	0.00067		FILTER VERY DIRTY.	
SESPMNT	B10CC0	B POND	ONSITE	AT	20-Nov-00	ALPHA	0.00247	pCi/m3	0.00079	0.00094			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	UNITS	COUNTING ERROR	TOTAL ANALYTICAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CC1	B POND	ONSITE	AT	06-Dec-00	ALPHA	0.000772	pCi/m3	0.00045	0.00049	J		
SESPMNT	B10CC2	B POND	ONSITE	AT	18-Dec-00	ALPHA	0.00189	pCi/m3	0.0007	0.00081			
SESPMNT	B10CC3	B POND	ONSITE	AT	02-Jan-01	ALPHA	0.000973	pCi/m3	0.00049	0.00053	J		
SESPMNT	B0X8K7	BASIN CITY SCHOOL	COMMUNITY	AT	19-Jan-00	ALPHA	0.000515	pCi/m3	0.0003	0.00041	J		
SESPMNT	B0X8K8	BASIN CITY SCHOOL	COMMUNITY	AT	02-Feb-00	ALPHA	0.000516	pCi/m3	0.00032	0.00043	J		
SESPMNT	B0X8K9	BASIN CITY SCHOOL	COMMUNITY	AT	16-Feb-00	ALPHA	0.00106	pCi/m3	0.00045	0.00058			
SESPMNT	B0X8L0	BASIN CITY SCHOOL	COMMUNITY	AT	01-Mar-00	ALPHA	0.00168	pCi/m3	0.00052	0.00066			
SESPMNT	B0X8L1	BASIN CITY SCHOOL	COMMUNITY	AT	15-Mar-00	ALPHA	0.000349	pCi/m3	0.00024	0.00035	U		
SESPMNT	B0X8L2	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	ALPHA	0.000432	pCi/m3	0.00027	0.00036	U		
SESPMNT	B0XWN6	BASIN CITY SCHOOL	COMMUNITY	AT	12-Apr-00	ALPHA	0.001	pCi/m3	0.0007	0.00074			
SESPMNT	B0XWV3	BASIN CITY SCHOOL	COMMUNITY	AT	12-Apr-00	ALPHA	0.00106	pCi/m3	0.00076	0.0008			
SESPMNT	B0XWN7	BASIN CITY SCHOOL	COMMUNITY	AT	26-Apr-00	ALPHA	0.000945	pCi/m3	0.00066	0.0007	J		
SESPMNT	B0XWV4	BASIN CITY SCHOOL	COMMUNITY	AT	26-Apr-00	ALPHA	0.000298	pCi/m3	0.00053	0.00054	U		
SESPMNT	B0XWN8	BASIN CITY SCHOOL	COMMUNITY	AT	10-May-00	ALPHA	0.00065	pCi/m3	0.00062	0.00065	U		
SESPMNT	B0XWV5	BASIN CITY SCHOOL	COMMUNITY	AT	10-May-00	ALPHA	0.000826	pCi/m3	0.00064	0.00067	J		
SESPMNT	B0XWN9	BASIN CITY SCHOOL	COMMUNITY	AT	24-May-00	ALPHA	0.000695	pCi/m3	0.00064	0.00067	J		
SESPMNT	B0XWV6	BASIN CITY SCHOOL	COMMUNITY	AT	24-May-00	ALPHA	0.00135	pCi/m3	0.00081	0.00087			
SESPMNT	B0XWP0	BASIN CITY SCHOOL	COMMUNITY	AT	07-Jun-00	ALPHA	0.000742	pCi/m3	0.00067	0.0007	J		
SESPMNT	B0XWV7	BASIN CITY SCHOOL	COMMUNITY	AT	07-Jun-00	ALPHA	0.000816	pCi/m3	0.00072	0.00075	J		
SESPMNT	B0XWV8	BASIN CITY SCHOOL	COMMUNITY	AT	21-Jun-00	ALPHA	0.000498	pCi/m3	0.00057	0.00059	U		
SESPMNT	B0XWP1	BASIN CITY SCHOOL	COMMUNITY	AT	21-Jun-00	ALPHA	0.000609	pCi/m3	0.00065	0.00067	U	FILTER PAPER REVERSED.	
SESPMNT	B0XWP2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	ALPHA	0.00042	pCi/m3	0.00063	0.00065	U		
SESPMNT	B0XWV9	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	ALPHA	0.00142	pCi/m3	0.00079	0.00065		FILTER PAPER REVERSED. DISCONTINUED.	
SESPMNT	B0YLW3	BASIN CITY SCHOOL	COMMUNITY	AT	19-Jul-00	ALPHA	0.000646	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0YLW4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Aug-00	ALPHA	0.00107	pCi/m3	0.00041	0.00052			
SESPMNT	B0YLW5	BASIN CITY SCHOOL	COMMUNITY	AT	17-Aug-00	ALPHA	0.000538	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0YLW6	BASIN CITY SCHOOL	COMMUNITY	AT	30-Aug-00	ALPHA	0.000673	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YLW7	BASIN CITY SCHOOL	COMMUNITY	AT	12-Sep-00	ALPHA	0.000409	pCi/m3	0.00027	0.0004	U		
SESPMNT	B0YLW8	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	ALPHA	0.000997	pCi/m3	0.0004	0.00051	J		
SESPMNT	B10D21	BASIN CITY SCHOOL	COMMUNITY	AT	10-Oct-00	ALPHA	0.00141	pCi/m3	0.00055	0.00068			
SESPMNT	B10D22	BASIN CITY SCHOOL	COMMUNITY	AT	25-Oct-00	ALPHA	0.000919	pCi/m3	0.00039	0.00049	J		
SESPMNT	B10D23	BASIN CITY SCHOOL	COMMUNITY	AT	08-Nov-00	ALPHA	0.000751	pCi/m3	0.00038	0.00048	J		
SESPMNT	B10D24	BASIN CITY SCHOOL	COMMUNITY	AT	21-Nov-00	ALPHA	0.00253	pCi/m3	0.00077	0.00093			
SESPMNT	B10D25	BASIN CITY SCHOOL	COMMUNITY	AT	06-Dec-00	ALPHA	0.000961	pCi/m3	0.00048	0.00052	J		
SESPMNT	B10D26	BASIN CITY SCHOOL	COMMUNITY	AT	18-Dec-00	ALPHA	0.00128	pCi/m3	0.00065	0.00071			
SESPMNT	B10D27	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	ALPHA	0.000355	pCi/m3	0.00041	0.00042	U		
SESPMNT	B0X7D1	BATTELLE COMPLEX	PERIMETER	AT	12-Jan-00	ALPHA	0.00102	pCi/m3	0.00041	0.00052			
SESPMNT	B0X7D2	BATTELLE COMPLEX	PERIMETER	AT	26-Jan-00	ALPHA	0.000576	pCi/m3	0.00039	0.0004	J		
SESPMNT	B0X7D3	BATTELLE COMPLEX	PERIMETER	AT	10-Feb-00	ALPHA	0.000586	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0X7D4	BATTELLE COMPLEX	PERIMETER	AT	23-Feb-00	ALPHA	0.000503	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0X7D5	BATTELLE COMPLEX	PERIMETER	AT	08-Mar-00	ALPHA	0.000444	pCi/m3	0.00029	0.00039	U		
SESPMNT	B0X7D6	BATTELLE COMPLEX	PERIMETER	AT	23-Mar-00	ALPHA	0.000482	pCi/m3	0.00028	0.00037	J		
SESPMNT	B0X7D7	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	ALPHA	0.000441	pCi/m3	0.00029	0.0004	J		
SESPMNT	B0XVK7	BATTELLE COMPLEX	PERIMETER	AT	19-Apr-00	ALPHA	0.00088	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0XVK8	BATTELLE COMPLEX	PERIMETER	AT	03-May-00	ALPHA	0.000285	pCi/m3	0.0002	0.00032	U		
SESPMNT	B0XVK9	BATTELLE COMPLEX	PERIMETER	AT	17-May-00	ALPHA	0.000444	pCi/m3	0.00027	0.00038	J		
SESPMNT	B0XVL0	BATTELLE COMPLEX	PERIMETER	AT	31-May-00	ALPHA	0.000649	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XVL1	BATTELLE COMPLEX	PERIMETER	AT	14-Jun-00	ALPHA	0.000509	pCi/m3	0.00029	0.00038	J		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	ALPHA	0.000362	pCi/m3	0.00023	0.00033	J		
SESPMNT	B0YKP5	BATTELLE COMPLEX	PERIMETER	AT	13-Jul-00	ALPHA	0.000368	pCi/m3	0.00025	0.00036	U		
SESPMNT	B0YKP6	BATTELLE COMPLEX	PERIMETER	AT	26-Jul-00	ALPHA	0.000774	pCi/m3	0.00036	0.00047	J		
SESPMNT	B0YKP7	BATTELLE COMPLEX	PERIMETER	AT	10-Aug-00	ALPHA	0.000393	pCi/m3	0.00025	0.00035	J		
SESPMNT	B0YKP8	BATTELLE COMPLEX	PERIMETER	AT	24-Aug-00	ALPHA	0.000923	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0YKP9	BATTELLE COMPLEX	PERIMETER	AT	07-Sep-00	ALPHA	0.000537	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0YKR0	BATTELLE COMPLEX	PERIMETER	AT	20-Sep-00	ALPHA	0.000728	pCi/m3	0.00038	0.00049	J		
SESPMNT	B0YKR1	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	ALPHA	0.000796	pCi/m3	0.00039	0.00049	J		
SESPMNT	B10BX4	BATTELLE COMPLEX	PERIMETER	AT	19-Oct-00	ALPHA	0.000596	pCi/m3	0.00038	0.00049	J		
SESPMNT	B10BX5	BATTELLE COMPLEX	PERIMETER	AT	02-Nov-00	ALPHA	0.00134	pCi/m3	0.0005	0.00062			
SESPMNT	B10BX6	BATTELLE COMPLEX	PERIMETER	AT	14-Nov-00	ALPHA	0.000985	pCi/m3	0.00051	0.00063	J		
SESPMNT	B10BX7	BATTELLE COMPLEX	PERIMETER	AT	29-Nov-00	ALPHA	0.00215	pCi/m3	0.00069	0.00082			
SESPMNT	B10BX8	BATTELLE COMPLEX	PERIMETER	AT	14-Dec-00	ALPHA	0.000992	pCi/m3	0.00052	0.00056	J		
SESPMNT	B10BX9	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	ALPHA	0.00108	pCi/m3	0.0005	0.00056			
SESPMNT	B0XVL9	BENTON CITY	COMMUNITY	AT	28-Jun-00	ALPHA	0.000722	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X896	BYERS LANDING	PERIMETER	AT	20-Jan-00	ALPHA	0.000294	pCi/m3	0.0002	0.00031	U		
SESPMNT	B0X897	BYERS LANDING	PERIMETER	AT	03-Feb-00	ALPHA	0.00116	pCi/m3	0.00044	0.00055			
SESPMNT	B0X898	BYERS LANDING	PERIMETER	AT	18-Feb-00	ALPHA	0.000641	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0X899	BYERS LANDING	PERIMETER	AT	02-Mar-00	ALPHA	0.000368	pCi/m3	0.00029	0.00042	U		
SESPMNT	B0X8B0	BYERS LANDING	PERIMETER	AT	16-Mar-00	ALPHA	0.000259	pCi/m3	0.00022	0.00035	U		
SESPMNT	B0X8B1	BYERS LANDING	PERIMETER	AT	31-Mar-00	ALPHA	0.000232	pCi/m3	0.00019	0.00031	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWD5	BYERS LANDING	PERIMETER	AT	13-Apr-00	ALPHA	0.000903	pCi/m3	0.00042	0.00053	J		
SESPMNT	B0XWD6	BYERS LANDING	PERIMETER	AT	27-Apr-00	ALPHA	0.00017	pCi/m3	0.00016	0.0003	U		
SESPMNT	B0XWD7	BYERS LANDING	PERIMETER	AT	11-May-00	ALPHA	0.000693	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XWD8	BYERS LANDING	PERIMETER	AT	25-May-00	ALPHA	0.000329	pCi/m3	0.00022	0.00033	U		
SESPMNT	B0XWD9	BYERS LANDING	PERIMETER	AT	08-Jun-00	ALPHA	0.000345	pCi/m3	0.00024	0.00036	U		
SESPMNT	B0XWF0	BYERS LANDING	PERIMETER	AT	23-Jun-00	ALPHA	0.000321	pCi/m3	0.00023	0.00033	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	ALPHA	0.000626	pCi/m3	0.00045	0.00067	U		
SESPMNT	B0XWF1	BYERS LANDING	PERIMETER	AT	07-Jul-00	ALPHA	0.000477	pCi/m3	0.00037	0.00061	U		
SESPMNT	B0YLL2	BYERS LANDING	PERIMETER	AT	20-Jul-00	ALPHA	0.000526	pCi/m3	0.00032	0.00043	J		
SESPMNT	B0YLL3	BYERS LANDING	PERIMETER	AT	03-Aug-00	ALPHA	0.00052	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0YLL4	BYERS LANDING	PERIMETER	AT	18-Aug-00	ALPHA	0.000947	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0YLL5	BYERS LANDING	PERIMETER	AT	31-Aug-00	ALPHA	0.000717	pCi/m3	0.00035	0.00048	J		
SESPMNT	B0YLL6	BYERS LANDING	PERIMETER	AT	13-Sep-00	ALPHA	0.000661	pCi/m3	0.00035	0.00046	J		
SESPMNT	B0YLL7	BYERS LANDING	PERIMETER	AT	29-Sep-00	ALPHA	0.000715	pCi/m3	0.00038	0.00048	J		
SESPMNT	B10CT0	BYERS LANDING	PERIMETER	AT	11-Oct-00	ALPHA	0.00106	pCi/m3	0.00048	0.00061			
SESPMNT	B10CT1	BYERS LANDING	PERIMETER	AT	27-Oct-00	ALPHA	0.00117	pCi/m3	0.00045	0.00056			
SESPMNT	B10CT2	BYERS LANDING	PERIMETER	AT	09-Nov-00	ALPHA	0.00103	pCi/m3	0.00046	0.00058			
SESPMNT	B10CT3	BYERS LANDING	PERIMETER	AT	22-Nov-00	ALPHA	0.00151	pCi/m3	0.00074	0.00081			
SESPMNT	B10CT4	BYERS LANDING	PERIMETER	AT	08-Dec-00	ALPHA	0.000575	pCi/m3	0.00044	0.00046	J		
SESPMNT	B10CT5	BYERS LANDING	PERIMETER	AT	19-Dec-00	ALPHA	0.00121	pCi/m3	0.00066	0.00071			
SESPMNT	B10CT6	BYERS LANDING	PERIMETER	AT	05-Jan-01	ALPHA	0.00116	pCi/m3	0.00053	0.00058			
SESPMNT	B0X889	DOGWOOD MET TOWER	PERIMETER	AT	20-Jan-00	ALPHA	0.000657	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X890	DOGWOOD MET TOWER	PERIMETER	AT	03-Feb-00	ALPHA	0.000533	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X891	DOGWOOD MET TOWER	PERIMETER	AT	18-Feb-00	ALPHA	0.000482	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X892	DOGWOOD MET TOWER	PERIMETER	AT	02-Mar-00	ALPHA	0.000368	pCi/m3	0.00027	0.00039	U		
SESPMNT	B0X893	DOGWOOD MET TOWER	PERIMETER	AT	16-Mar-00	ALPHA	0.000389	pCi/m3	0.00026	0.00037	U		
SESPMNT	B0X894	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	ALPHA	0.000563	pCi/m3	0.00028	0.00037	J		
SESPMNT	B0XWC7	DOGWOOD MET TOWER	PERIMETER	AT	13-Apr-00	ALPHA	0.00111	pCi/m3	0.00046	0.00058			
SESPMNT	B0XWC8	DOGWOOD MET TOWER	PERIMETER	AT	27-Apr-00	ALPHA	0.000179	pCi/m3	0.00016	0.0003	U		
SESPMNT	B0XWC9	DOGWOOD MET TOWER	PERIMETER	AT	11-May-00	ALPHA	0.000503	pCi/m3	0.00027	0.00037	J		
SESPMNT	B0XWD0	DOGWOOD MET TOWER	PERIMETER	AT	25-May-00	ALPHA	0.000802	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XWD1	DOGWOOD MET TOWER	PERIMETER	AT	08-Jun-00	ALPHA	0.00109	pCi/m3	0.00042	0.00053			
SESPMNT	B0XWD2	DOGWOOD MET TOWER	PERIMETER	AT	23-Jun-00	ALPHA	0.000201	pCi/m3	0.00016	0.00027	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	ALPHA	0.00125	pCi/m3	0.00058	0.00077			
SESPMNT	B0XWD3	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	ALPHA	0.000192	pCi/m3	0.00023	0.00058	U		
SESPMNT	B0YLK5	DOGWOOD MET TOWER	PERIMETER	AT	20-Jul-00	ALPHA	0.000525	pCi/m3	0.00032	0.00043	J		
SESPMNT	B0YLK6	DOGWOOD MET TOWER	PERIMETER	AT	03-Aug-00	ALPHA	0.000691	pCi/m3	0.00033	0.00042	J		
SESPMNT	B0YLK7	DOGWOOD MET TOWER	PERIMETER	AT	18-Aug-00	ALPHA	0.00093	pCi/m3	0.00037	0.00047	J		
SESPMNT	B0YLK8	DOGWOOD MET TOWER	PERIMETER	AT	31-Aug-00	ALPHA	0.000758	pCi/m3	0.00036	0.00047	J		
SESPMNT	B0YLK9	DOGWOOD MET TOWER	PERIMETER	AT	13-Sep-00	ALPHA	0.000768	pCi/m3	0.00036	0.00047	J		
SESPMNT	B0YLL0	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	ALPHA	0.000474	pCi/m3	0.00032	0.00042	J		
SESPMNT	B10CR2	DOGWOOD MET TOWER	PERIMETER	AT	11-Oct-00	ALPHA	0.00212	pCi/m3	0.00066	0.00084			
SESPMNT	B10CR3	DOGWOOD MET TOWER	PERIMETER	AT	27-Oct-00	ALPHA	0.0011	pCi/m3	0.00043	0.00054			
SESPMNT	B10CR4	DOGWOOD MET TOWER	PERIMETER	AT	09-Nov-00	ALPHA	0.000903	pCi/m3	0.00042	0.00053	J		
SESPMNT	B10CR5	DOGWOOD MET TOWER	PERIMETER	AT	22-Nov-00	ALPHA	0.00216	pCi/m3	0.00074	0.00087			
SESPMNT	B10CR6	DOGWOOD MET TOWER	PERIMETER	AT	08-Dec-00	ALPHA	0.000763	pCi/m3	0.00042	0.00045	J		
SESPMNT	B10CR7	DOGWOOD MET TOWER	PERIMETER	AT	19-Dec-00	ALPHA	0.00168	pCi/m3	0.00072	0.0008			
SESPMNT	B10CR8	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	ALPHA	0.000709	pCi/m3	0.00043	0.00046	J		
SESPMNT	B0X7W0	E OF 200 E	ONSITE	AT	18-Jan-00	ALPHA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B0X7W1	E OF 200 E	ONSITE	AT	01-Feb-00	ALPHA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B0X7W2	E OF 200 E	ONSITE	AT	16-Feb-00	ALPHA	0.000653	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X7W3	E OF 200 E	ONSITE	AT	29-Feb-00	ALPHA	0.000986	pCi/m3	0.00042	0.00053	J		
SESPMNT	B0X7W4	E OF 200 E	ONSITE	AT	14-Mar-00	ALPHA	0.00019	pCi/m3	0.00019	0.00034	U		
SESPMNT	B0X7W5	E OF 200 E	ONSITE	AT	30-Mar-00	ALPHA	0.00081	pCi/m3	0.00033	0.00042	J		
SESPMNT	B0XVY7	E OF 200 E	ONSITE	AT	11-Apr-00	ALPHA	0.00278	pCi/m3	0.0007	0.00094			
SESPMNT	B0XVY8	E OF 200 E	ONSITE	AT	25-Apr-00	ALPHA	0.000445	pCi/m3	0.00027	0.00038	J		
SESPMNT	B0XVY9	E OF 200 E	ONSITE	AT	09-May-00	ALPHA	0.000555	pCi/m3	0.0003	0.00039	J		
SESPMNT	B0XW00	E OF 200 E	ONSITE	AT	23-May-00	ALPHA	0.000345	pCi/m3	0.00021	0.00031	U		
SESPMNT	B0XW01	E OF 200 E	ONSITE	AT	06-Jun-00	ALPHA	0.000559	pCi/m3	0.00029	0.00038	J		
SESPMNT	B0XW02	E OF 200 E	ONSITE	AT	21-Jun-00	ALPHA	0.000166	pCi/m3	0.00016	0.0003	U		
SESPMNT	B0XW03	E OF 200 E	ONSITE	AT	05-Jul-00	ALPHA	0.000689	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0YL46	E OF 200 E	ONSITE	AT	18-Jul-00	ALPHA	0.000851	pCi/m3	0.00039	0.0005	J		
SESPMNT	B0YL47	E OF 200 E	ONSITE	AT	01-Aug-00	ALPHA	0.000872	pCi/m3	0.00039	0.0005	J	BLOWN FUSE.	
SESPMNT	B0YL48	E OF 200 E	ONSITE	AT	16-Aug-00	ALPHA	0.000794	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0YL49	E OF 200 E	ONSITE	AT	29-Aug-00	ALPHA	0.000718	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0YL50	E OF 200 E	ONSITE	AT	11-Sep-00	ALPHA	0.000444	pCi/m3	0.00028	0.0004	J		
SESPMNT	B0YL51	E OF 200 E	ONSITE	AT	26-Sep-00	ALPHA	0.000811	pCi/m3	0.00037	0.00046	J		
SESPMNT	B10C85	E OF 200 E	ONSITE	AT	09-Oct-00	ALPHA	0.00134	pCi/m3	0.00052	0.00065			
SESPMNT	B10C86	E OF 200 E	ONSITE	AT	24-Oct-00	ALPHA	0.000974	pCi/m3	0.00042	0.00052	J		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP # NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT # NAME	VALUE	UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10C87	E OF 200 E	ONSITE	AT	07-Nov-00	ALPHA	0.000876	pCi/m3	0.00045	0.00056	J	FILTER VERY DIRTY.	
SESPMNT	B10C88	E OF 200 E	ONSITE	AT	20-Nov-00	ALPHA	0.00247	pCi/m3	0.00083	0.00098			
SESPMNT	B10C89	E OF 200 E	ONSITE	AT	06-Dec-00	ALPHA	0.00136	pCi/m3	0.00082	0.00087		POWER OUTAGE OBSERVED ZERO END FLOW ASSUMED 1.5 CFM.	
SESPMNT	B10C90	E OF 200 E	ONSITE	AT	18-Dec-00	ALPHA	0.00144	pCi/m3	0.00064	0.00071			
SESPMNT	B10C91	E OF 200 E	ONSITE	AT	02-Jan-01	ALPHA	0.000587	pCi/m3	0.00047	0.00049	J		
SESPMNT	B0X8M1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Jan-00	ALPHA	-0.000117	pCi/m3	0.00019	0.00019	U		
SESPMNT	B0X8M2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Feb-00	ALPHA	0.00072	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0X8M3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	16-Feb-00	ALPHA	0.000806	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0X8M4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	01-Mar-00	ALPHA	0.000406	pCi/m3	0.00027	0.00038	J		
SESPMNT	B0X8M5	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	15-Mar-00	ALPHA	0.000392	pCi/m3	0.00024	0.00035	J	DIRTY AND WET FILTER.	
SESPMNT	B0X8M6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	ALPHA	0.000284	pCi/m3	0.00022	0.00034	U	DIRTY FILTER HEAD.	
SESPMNT	B0XWR2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	13-Apr-00	ALPHA	0.00116	pCi/m3	0.00042	0.00053		FILTER DIRTY, WET.	
SESPMNT	B0XWR3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Apr-00	ALPHA	0.000239	pCi/m3	0.0002	0.00033	U	DIRTY FILTER HEAD.	
SESPMNT	B0XWR4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-May-00	ALPHA	0.000332	pCi/m3	0.00025	0.00036	U		
SESPMNT	B0XWR5	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	24-May-00	ALPHA	0.000516	pCi/m3	0.00031	0.00041	J	DIRTY FILTER HEAD.	
SESPMNT	B0XWR6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	07-Jun-00	ALPHA	0.000364	pCi/m3	0.00024	0.00034	J	DIRTY FILTER HEAD.	
SESPMNT	B0XWR7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	21-Jun-00	ALPHA	0.000109	pCi/m3	0.00013	0.0003	U	DIRTY FILTER HEAD.	
SESPMNT	B0XWR8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	ALPHA	0.000355	pCi/m3	0.00026	0.00038	U	DIRTY FILTER HEAD.	
SESPMNT	B0YLX7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Jul-00	ALPHA	0.000381	pCi/m3	0.00027	0.00038	U	DIRTY FILTER HEAD.	
SESPMNT	B0YLX8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Aug-00	ALPHA	0.000773	pCi/m3	0.00036	0.00046	J	DIRTY FILTER HEAD.	
SESPMNT	B0YLX9	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	16-Aug-00	ALPHA	0.00104	pCi/m3	0.00042	0.00053		DIRTY FILTER HEAD.	
SESPMNT	B0YLY0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	30-Aug-00	ALPHA	0.000725	pCi/m3	0.00036	0.00046	J	DIRTY FILTER HEAD.	
SESPMNT	B0YLY1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	12-Sep-00	ALPHA	0.000673	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0YLY2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	ALPHA	0.000761	pCi/m3	0.00037	0.00047	J		
SESPMNT	B10D37	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Oct-00	ALPHA	0.00193	pCi/m3	0.0006	0.00077		DIRTY AND WET.	
SESPMNT	B10D38	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	25-Oct-00	ALPHA	0.00104	pCi/m3	0.0004	0.00051		DIRTY FILTER HEAD.	
SESPMNT	B10D39	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Nov-00	ALPHA	0.000769	pCi/m3	0.0004	0.00051	J	DIRTY AND WET FILTER HEAD.	
SESPMNT	B10D40	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	21-Nov-00	ALPHA	0.00233	pCi/m3	0.00076	0.0009		WET, FROSTY FILTER.	
SESPMNT	B10D41	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	06-Dec-00	ALPHA	0.00106	pCi/m3	0.00052	0.00057		DIRTY WET FILTER HEAD.	
SESPMNT	B10D42	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	18-Dec-00	ALPHA	0.0013	pCi/m3	0.00057	0.00063			
SESPMNT	B10D43	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	ALPHA	0.000343	pCi/m3	0.0004	0.0004	U	WET FILTER HEAD.	
SESPMNT	B0X8N5	HANFORD TOWNSITE	ONSITE	AT	11-Jan-00	ALPHA	0.000872	pCi/m3	0.00049	0.00068	J		
SESPMNT	B0X8N6	HANFORD TOWNSITE	ONSITE	AT	25-Jan-00	ALPHA	0.000553	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0X8N7	HANFORD TOWNSITE	ONSITE	AT	09-Feb-00	ALPHA	0.000805	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0X8N8	HANFORD TOWNSITE	ONSITE	AT	22-Feb-00	ALPHA	0.000584	pCi/m3	0.00035	0.00047	J		
SESPMNT	B0X8N9	HANFORD TOWNSITE	ONSITE	AT	07-Mar-00	ALPHA	0.000658	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0X8P0	HANFORD TOWNSITE	ONSITE	AT	21-Mar-00	ALPHA	0.00052	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0X8P1	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	ALPHA	0.0000917	pCi/m3	0.00014	0.00035	U		
SESPMNT	B0XWT6	HANFORD TOWNSITE	ONSITE	AT	18-Apr-00	ALPHA	0.00101	pCi/m3	0.0004	0.0005			
SESPMNT	B0XWT7	HANFORD TOWNSITE	ONSITE	AT	02-May-00	ALPHA	0.000451	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0XWT8	HANFORD TOWNSITE	ONSITE	AT	16-May-00	ALPHA	0.000555	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XWT9	HANFORD TOWNSITE	ONSITE	AT	30-May-00	ALPHA	0.000883	pCi/m3	0.00037	0.00047	J		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWV0	HANFORD TOWNSITE	ONSITE	AT	13-Jun-00	ALPHA	0.00016	pCi/m3	0.00016	0.0003	U		
SESPMNT	B0XWV1	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	ALPHA	0.000335	pCi/m3	0.00024	0.00035	U		
SESPMNT	B0YM01	HANFORD TOWNSITE	ONSITE	AT	10-Jul-00	ALPHA	0.000954	pCi/m3	0.00047	0.00061	J		
SESPMNT	B0YM02	HANFORD TOWNSITE	ONSITE	AT	25-Jul-00	ALPHA	0.000487	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YM03	HANFORD TOWNSITE	ONSITE	AT	09-Aug-00	ALPHA	0.000554	pCi/m3	0.00029	0.00038	J		
SESPMNT	B0YM04	HANFORD TOWNSITE	ONSITE	AT	23-Aug-00	ALPHA	0.00069	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YM05	HANFORD TOWNSITE	ONSITE	AT	06-Sep-00	ALPHA	0.00105	pCi/m3	0.0004	0.00051			
SESPMNT	B0YM06	HANFORD TOWNSITE	ONSITE	AT	22-Sep-00	ALPHA	0.000811	pCi/m3	0.00036	0.00045	J		
SESPMNT	B0YM07	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	ALPHA	0.00104	pCi/m3	0.00049	0.00062			
SESPMNT	B10D51	HANFORD TOWNSITE	ONSITE	AT	18-Oct-00	ALPHA	0.00057	pCi/m3	0.00037	0.00047	J		
SESPMNT	B10D52	HANFORD TOWNSITE	ONSITE	AT	30-Oct-00	ALPHA	0.000699	pCi/m3	0.00045	0.00058	J		
SESPMNT	B10D53	HANFORD TOWNSITE	ONSITE	AT	13-Nov-00	ALPHA	0.000796	pCi/m3	0.00043	0.00053	J		
SESPMNT	B10D54	HANFORD TOWNSITE	ONSITE	AT	28-Nov-00	ALPHA	0.00127	pCi/m3	0.00063	0.00069			
SESPMNT	B10D55	HANFORD TOWNSITE	ONSITE	AT	13-Dec-00	ALPHA	0.000415	pCi/m3	0.00043	0.00044	U		
SESPMNT	B10D56	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	ALPHA	0.00132	pCi/m3	0.00059	0.00065			
SESPMNT	B0X8B3	HORN RAPIDS SUBSTA	PERIMETER	AT	13-Jan-00	ALPHA	0.000721	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0X8B4	HORN RAPIDS SUBSTA	PERIMETER	AT	27-Jan-00	ALPHA	0.00101	pCi/m3	0.00042	0.00052			
SESPMNT	B0X8B5	HORN RAPIDS SUBSTA	PERIMETER	AT	11-Feb-00	ALPHA	0.000855	pCi/m3	0.00036	0.00048	J		
SESPMNT	B0X8B6	HORN RAPIDS SUBSTA	PERIMETER	AT	24-Feb-00	ALPHA	0.000702	pCi/m3	0.00038	0.00049	J		
SESPMNT	B0X8B7	HORN RAPIDS SUBSTA	PERIMETER	AT	09-Mar-00	ALPHA	0.00114	pCi/m3	0.00042	0.00053			
SESPMNT	B0X8B8	HORN RAPIDS SUBSTA	PERIMETER	AT	24-Mar-00	ALPHA	0.0000709	pCi/m3	0.000089	0.00026	U		
SESPMNT	B0X8B9	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Apr-00	ALPHA	0.000641	pCi/m3	0.00033	0.00044	J		
SESPMNT	B0XWF3	HORN RAPIDS SUBSTA	PERIMETER	AT	20-Apr-00	ALPHA	0.000674	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XWF4	HORN RAPIDS SUBSTA	PERIMETER	AT	05-May-00	ALPHA	0.000194	pCi/m3	0.00018	0.00031	U		
SESPMNT	B0XWF5	HORN RAPIDS SUBSTA	PERIMETER	AT	18-May-00	ALPHA	0.000484	pCi/m3	0.00029	0.0004	J		
SESPMNT	B0XWF6	HORN RAPIDS SUBSTA	PERIMETER	AT	01-Jun-00	ALPHA	0.00057	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XWF7	HORN RAPIDS SUBSTA	PERIMETER	AT	15-Jun-00	ALPHA	0.000645	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	ALPHA	0.000579	pCi/m3	0.00029	0.00038	J		
SESPMNT	B0YLL9	HORN RAPIDS SUBSTA	PERIMETER	AT	14-Jul-00	ALPHA	0.00115	pCi/m3	0.00042	0.00053			
SESPMNT	B0YLM0	HORN RAPIDS SUBSTA	PERIMETER	AT	27-Jul-00	ALPHA	0.00112	pCi/m3	0.00043	0.00055			
SESPMNT	B0YLM1	HORN RAPIDS SUBSTA	PERIMETER	AT	11-Aug-00	ALPHA	0.00106	pCi/m3	0.0004	0.00051			
SESPMNT	B0YLM2	HORN RAPIDS SUBSTA	PERIMETER	AT	25-Aug-00	ALPHA	0.00017	pCi/m3	0.00017	0.00032	U		
SESPMNT	B0YLM3	HORN RAPIDS SUBSTA	PERIMETER	AT	08-Sep-00	ALPHA	0.000447	pCi/m3	0.00027	0.00038	J		
SESPMNT	B0YLM4	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Sep-00	ALPHA	0.000852	pCi/m3	0.00042	0.00053	J		
SESPMNT	B0YLM5	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Oct-00	ALPHA	0.000838	pCi/m3	0.00042	0.00052	J		
SESPMNT	B10CT8	HORN RAPIDS SUBSTA	PERIMETER	AT	20-Oct-00	ALPHA	0.00113	pCi/m3	0.00048	0.0006			
SESPMNT	B10CT9	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Nov-00	ALPHA	0.000752	pCi/m3	0.00042	0.00053	J		
SESPMNT	B10CV0	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Nov-00	ALPHA	0.0025	pCi/m3	0.00073	0.0009			
SESPMNT	B10CV1	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Nov-00	ALPHA	0.00173	pCi/m3	0.00065	0.00075			
SESPMNT	B10CV2	HORN RAPIDS SUBSTA	PERIMETER	AT	15-Dec-00	ALPHA	0.000567	pCi/m3	0.00042	0.00044	J		
SESPMNT	B10CV3	HORN RAPIDS SUBSTA	PERIMETER	AT	29-Dec-00	ALPHA	0.000833	pCi/m3	0.00049	0.00053	J		
SESPMNT	B0X8J2	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Jan-00	ALPHA	0.000319	pCi/m3	0.00024	0.00036	U		
SESPMNT	B0X8J3	KENNEWICK-ELY STREET	COMMUNITY	AT	02-Feb-00	ALPHA	0.000932	pCi/m3	0.00041	0.00052	J		
SESPMNT	B0X8J4	KENNEWICK-ELY STREET	COMMUNITY	AT	18-Feb-00	ALPHA	0.000976	pCi/m3	0.00041	0.00051	J		
SESPMNT	B0X8J5	KENNEWICK-ELY STREET	COMMUNITY	AT	01-Mar-00	ALPHA	0.00112	pCi/m3	0.00049	0.00061			
SESPMNT	B0X8J6	KENNEWICK-ELY STREET	COMMUNITY	AT	16-Mar-00	ALPHA	0.000505	pCi/m3	0.00029	0.00038	J		
SESPMNT	B0X8J7	KENNEWICK-ELY STREET	COMMUNITY	AT	29-Mar-00	ALPHA	0.00075	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XWM1	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Apr-00	ALPHA	0.000832	pCi/m3	0.00041	0.00052	J	VERY DUSTY.	
SESPMNT	B0XWM2	KENNEWICK-ELY STREET	COMMUNITY	AT	26-Apr-00	ALPHA	0.000608	pCi/m3	0.0003	0.00039	J		
SESPMNT	B0XWM3	KENNEWICK-ELY STREET	COMMUNITY	AT	11-May-00	ALPHA	0.000865	pCi/m3	0.00037	0.00047	J		
SESPMNT	B0XWM4	KENNEWICK-ELY STREET	COMMUNITY	AT	24-May-00	ALPHA	0.000894	pCi/m3	0.00041	0.00051	J		
SESPMNT	B0XWM5	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Jun-00	ALPHA	0.000702	pCi/m3	0.00037	0.00048	J		
SESPMNT	B0XWM6	KENNEWICK-ELY STREET	COMMUNITY	AT	21-Jun-00	ALPHA	0.000134	pCi/m3	0.00013	0.00025	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	ALPHA	0.00111	pCi/m3	0.00054	0.00069			
SESPMNT	B0XWM7	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Jul-00	ALPHA	0.00084	pCi/m3	0.00043	0.00057	J	FLOW METER NOT WORKING.	
SESPMNT	B0YLT8	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Jul-00	ALPHA	0.000349	pCi/m3	0.00029	0.00044	U		
SESPMNT	B0YLT9	KENNEWICK-ELY STREET	COMMUNITY	AT	02-Aug-00	ALPHA	0.00114	pCi/m3	0.00041	0.00052			
SESPMNT	B0YLV0	KENNEWICK-ELY STREET	COMMUNITY	AT	16-Aug-00	ALPHA						NO SAMPLE. FILTER ARM WAS LYING ON GROUND.	
SESPMNT	B0YLV1	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Aug-00	ALPHA	0.00119	pCi/m3	0.00044	0.00056			
SESPMNT	B0YLV2	KENNEWICK-ELY STREET	COMMUNITY	AT	12-Sep-00	ALPHA	0.000959	pCi/m3	0.00041	0.00052	J		
SESPMNT	B0YLV3	KENNEWICK-ELY STREET	COMMUNITY	AT	27-Sep-00	ALPHA	0.00104	pCi/m3	0.00043	0.00054			
SESPMNT	B10D06	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Oct-00	ALPHA	0.000964	pCi/m3	0.00048	0.0006	J		
SESPMNT	B10D07	KENNEWICK-ELY STREET	COMMUNITY	AT	25-Oct-00	ALPHA	0.00148	pCi/m3	0.00047	0.0006			
SESPMNT	B10D08	KENNEWICK-ELY STREET	COMMUNITY	AT	09-Nov-00	ALPHA	0.000784	pCi/m3	0.00037	0.00047	J	MOISTURE AROUND SAMPLE.	
SESPMNT	B10D09	KENNEWICK-ELY STREET	COMMUNITY	AT	21-Nov-00	ALPHA	0.0026	pCi/m3	0.00083	0.00099		ICE ON FILTER.	
SESPMNT	B10D10	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Dec-00	ALPHA	0.00147	pCi/m3	0.00081	0.00069			
SESPMNT	B10D11	KENNEWICK-ELY STREET	COMMUNITY	AT	18-Dec-00	ALPHA	0.00178	pCi/m3	0.00067	0.00077			
SESPMNT	B10D12	KENNEWICK-ELY STREET	COMMUNITY	AT	03-Jan-01	ALPHA	0.00141	pCi/m3	0.00056	0.00063			
SESPMNT	B0X8L4	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Jan-00	ALPHA	0.000505	pCi/m3	0.00028	0.00038	J		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT LR NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X8L5	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Feb-00	ALPHA	0.000739	pCi/m3	0.0004	0.00051	J		
SESPMNT	B0X8L6	LESLIE GROVES-RCHLND	COMMUNITY	AT	15-Feb-00	ALPHA	0.000545	pCi/m3	0.00034	0.00045	J		
SESPMNT	B0X8L7	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Feb-00	ALPHA	0.000641	pCi/m3	0.00036	0.00047	J		
SESPMNT	B0X8L8	LESLIE GROVES-RCHLND	COMMUNITY	AT	14-Mar-00	ALPHA	0.000628	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0X8L9	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	ALPHA	-0.00000116	pCi/m3	0.0000028	0.00031	U		
SESPMNT	B0XWP4	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Apr-00	ALPHA	0.000699	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XWP5	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Apr-00	ALPHA	0.000473	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0XWP6	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-May-00	ALPHA	0.000623	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XWP7	LESLIE GROVES-RCHLND	COMMUNITY	AT	23-May-00	ALPHA	0.000555	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XWP8	LESLIE GROVES-RCHLND	COMMUNITY	AT	06-Jun-00	ALPHA	0.000416	pCi/m3	0.00026	0.00037	J		
SESPMNT	B0XWP9	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-Jun-00	ALPHA	0.000195	pCi/m3	0.00018	0.00031	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	ALPHA	0.000784	pCi/m3	0.00045	0.0006	J		
SESPMNT	B0XWR0	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	ALPHA						NO SAMPLE. SAMPLE RAN 12.7 HOURS ON ONE PUMP AND 100 HOURS ON SECOND PUMP FOR A COMBINED EXPOSURE OF 112.7 HOURS.	
SESPMNT	B0YLX0	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Jul-00	ALPHA	0.000678	pCi/m3	0.00033	0.00044	J		
SESPMNT	B0YLX1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Aug-00	ALPHA	0.000837	pCi/m3	0.00037	0.00047	J		
SESPMNT	B0YLX2	LESLIE GROVES-RCHLND	COMMUNITY	AT	15-Aug-00	ALPHA	0.000802	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0YLX3	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Aug-00	ALPHA	0.000748	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0YLX4	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Sep-00	ALPHA	0.000518	pCi/m3	0.0003	0.00041	J		
SESPMNT	B0YLX5	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	ALPHA	0.000238	pCi/m3	0.00022	0.00035	U		
SESPMNT	B10D29	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-Oct-00	ALPHA	0.00167	pCi/m3	0.00058	0.00072			
SESPMNT	B10D30	LESLIE GROVES-RCHLND	COMMUNITY	AT	24-Oct-00	ALPHA	0.00137	pCi/m3	0.00046	0.00058			
SESPMNT	B10D31	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Nov-00	ALPHA	0.0015	pCi/m3	0.00053	0.00066			
SESPMNT	B10D32	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-Nov-00	ALPHA	0.00324	pCi/m3	0.00085	0.0011			
SESPMNT	B10D33	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Dec-00	ALPHA	0.000718	pCi/m3	0.0005	0.00053	J		
SESPMNT	B10D34	LESLIE GROVES-RCHLND	COMMUNITY	AT	17-Dec-00	ALPHA	0.00183	pCi/m3	0.00071	0.00081			
SESPMNT	B10D35	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	ALPHA	0.000938	pCi/m3	0.00049	0.00053	J		
SESPMNT	B10C09	OTHELLO	COMMUNITY	AT	21-Nov-00	ALPHA	0.0018	pCi/m3	0.0007	0.00079			
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	ALPHA	0.000357	pCi/m3	0.00028	0.00046	U		
SESPMNT	B10D02	PASCO	COMMUNITY	AT	21-Nov-00	ALPHA	0.00205	pCi/m3	0.00069	0.00081			
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	ALPHA	0.00092	pCi/m3	0.00037	0.00047	J	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0X8D5	RATTLESNAKE SPRINGS	PERIMETER	AT	12-Jan-00	ALPHA	0.000683	pCi/m3	0.00033	0.00042	J		
SESPMNT	B0X8D6	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Jan-00	ALPHA	0.000798	pCi/m3	0.0004	0.00043	J		
SESPMNT	B0X8D7	RATTLESNAKE SPRINGS	PERIMETER	AT	10-Feb-00	ALPHA	0.000834	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0X8D8	RATTLESNAKE SPRINGS	PERIMETER	AT	23-Feb-00	ALPHA	0.000658	pCi/m3	0.00036	0.00047	J		
SESPMNT	B0X8D9	RATTLESNAKE SPRINGS	PERIMETER	AT	08-Mar-00	ALPHA	0.000519	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0X8F0	RATTLESNAKE SPRINGS	PERIMETER	AT	23-Mar-00	ALPHA	0.000965	pCi/m3	0.00037	0.00047	J		
SESPMNT	B0X8F1	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Apr-00	ALPHA	0.000366	pCi/m3	0.00027	0.00039	U		
SESPMNT	B0XWJ2	RATTLESNAKE SPRINGS	PERIMETER	AT	19-Apr-00	ALPHA	0.000606	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XWJ3	RATTLESNAKE SPRINGS	PERIMETER	AT	03-May-00	ALPHA	0.00069	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XWJ4	RATTLESNAKE SPRINGS	PERIMETER	AT	17-May-00	ALPHA	0.000614	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XWJ5	RATTLESNAKE SPRINGS	PERIMETER	AT	31-May-00	ALPHA	0.000536	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XWJ6	RATTLESNAKE SPRINGS	PERIMETER	AT	14-Jun-00	ALPHA	0.000481	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	ALPHA	0.0012	pCi/m3	0.00043	0.00054		POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0YLP1	RATTLESNAKE SPRINGS	PERIMETER	AT	12-Jul-00	ALPHA						NO SAMPLE. POWER OFF TO STATION DUE TO FIRE.	
SESPMNT	B0YLP2	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Jul-00	ALPHA	0.000252	pCi/m3	0.00028	0.00066	U		
SESPMNT	B0YLP3	RATTLESNAKE SPRINGS	PERIMETER	AT	10-Aug-00	ALPHA	0.000714	pCi/m3	0.00034	0.00043	J		
SESPMNT	B0YLP4	RATTLESNAKE SPRINGS	PERIMETER	AT	24-Aug-00	ALPHA	0.00067	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0YLP5	RATTLESNAKE SPRINGS	PERIMETER	AT	07-Sep-00	ALPHA	0.000789	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YLP6	RATTLESNAKE SPRINGS	PERIMETER	AT	20-Sep-00	ALPHA	0.001	pCi/m3	0.00043	0.00054	J		
SESPMNT	B0YLP7	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Oct-00	ALPHA	0.000611	pCi/m3	0.00034	0.00044	J		
SESPMNT	B10CW7	RATTLESNAKE SPRINGS	PERIMETER	AT	19-Oct-00	ALPHA	0.000788	pCi/m3	0.00042	0.00053	J		
SESPMNT	B10CW8	RATTLESNAKE SPRINGS	PERIMETER	AT	02-Nov-00	ALPHA	0.00106	pCi/m3	0.00046	0.00059			
SESPMNT	B10CW9	RATTLESNAKE SPRINGS	PERIMETER	AT	14-Nov-00	ALPHA	0.0018	pCi/m3	0.00064	0.0008			
SESPMNT	B10CX0	RATTLESNAKE SPRINGS	PERIMETER	AT	29-Nov-00	ALPHA						NO SAMPLE. POWER OUTAGE. SAVE FOR COMPOSITE.	
SESPMNT	B10CX1	RATTLESNAKE SPRINGS	PERIMETER	AT	14-Dec-00	ALPHA	0.000467	pCi/m3	0.00044	0.00045	J		
SESPMNT	B10CX2	RATTLESNAKE SPRINGS	PERIMETER	AT	28-Dec-00	ALPHA	0.000824	pCi/m3	0.00048	0.00052	J		
SESPMNT	B0X882	RINGOLD MET TOWER	PERIMETER	AT	20-Jan-00	ALPHA	0.000724	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X883	RINGOLD MET TOWER	PERIMETER	AT	03-Feb-00	ALPHA	0.000867	pCi/m3	0.00039	0.00049	J		
SESPMNT	B0X884	RINGOLD MET TOWER	PERIMETER	AT	18-Feb-00	ALPHA	0.000483	pCi/m3	0.0003	0.00041	J		
SESPMNT	B0X885	RINGOLD MET TOWER	PERIMETER	AT	02-Mar-00	ALPHA	0.000819	pCi/m3	0.00039	0.0005	J		
SESPMNT	B0X886	RINGOLD MET TOWER	PERIMETER	AT	16-Mar-00	ALPHA	0.000261	pCi/m3	0.00022	0.00036	U		
SESPMNT	B0X887	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	ALPHA	0.000552	pCi/m3	0.00028	0.00037	J		
SESPMNT	B0XWB9	RINGOLD MET TOWER	PERIMETER	AT	13-Apr-00	ALPHA	0.00065	pCi/m3	0.00034	0.00045	J		
SESPMNT	B0XWC0	RINGOLD MET TOWER	PERIMETER	AT	27-Apr-00	ALPHA	0.000398	pCi/m3	0.00025	0.00035	J		
SESPMNT	B0XWC1	RINGOLD MET TOWER	PERIMETER	AT	11-May-00	ALPHA	0.000499	pCi/m3	0.00028	0.00039	J		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWC2	RINGOLD MET TOWER	PERIMETER	AT	25-May-00	ALPHA	0.000352	pCi/m3	0.00025	0.00036	U		
SESPMNT	B0XWC3	RINGOLD MET TOWER	PERIMETER	AT	08-Jun-00	ALPHA	0.000584	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XWC4	RINGOLD MET TOWER	PERIMETER	AT	23-Jun-00	ALPHA	0.000296	pCi/m3	0.0002	0.0003	U		
SESPMNT	B0XWC5	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	ALPHA	0.000806	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YLJ8	RINGOLD MET TOWER	PERIMETER	AT	20-Jul-00	ALPHA	0.000882	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0YLJ9	RINGOLD MET TOWER	PERIMETER	AT	03-Aug-00	ALPHA	0.000485	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0YLK0	RINGOLD MET TOWER	PERIMETER	AT	18-Aug-00	ALPHA	0.00078	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YLK1	RINGOLD MET TOWER	PERIMETER	AT	31-Aug-00	ALPHA	0.000318	pCi/m3	0.00024	0.00037	U		
SESPMNT	B0YLK2	RINGOLD MET TOWER	PERIMETER	AT	13-Sep-00	ALPHA	0.000365	pCi/m3	0.00026	0.00038	U		
SESPMNT	B0YLK3	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	ALPHA	0.000769	pCi/m3	0.00038	0.00047	J		
SESPMNT	B10CP4	RINGOLD MET TOWER	PERIMETER	AT	11-Oct-00	ALPHA	0.00127	pCi/m3	0.00054	0.00067			
SESPMNT	B10CP5	RINGOLD MET TOWER	PERIMETER	AT	27-Oct-00	ALPHA	0.00108	pCi/m3	0.00043	0.00053			
SESPMNT	B10CP6	RINGOLD MET TOWER	PERIMETER	AT	09-Nov-00	ALPHA	0.000642	pCi/m3	0.00038	0.00047	J		
SESPMNT	B10CP7	RINGOLD MET TOWER	PERIMETER	AT	22-Nov-00	ALPHA	0.00159	pCi/m3	0.00074	0.00081			
SESPMNT	B10CP8	RINGOLD MET TOWER	PERIMETER	AT	08-Dec-00	ALPHA	0.000347	pCi/m3	0.00041	0.00042	U		
SESPMNT	B10CP9	RINGOLD MET TOWER	PERIMETER	AT	19-Dec-00	ALPHA	0.00111	pCi/m3	0.00061	0.00066			
SESPMNT	B10CR0	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	ALPHA	0.000404	pCi/m3	0.00042	0.00043	U		
SESPMNT	B0X8F9	S END VERNITA BRIDGE	PERIMETER	AT	19-Jan-00	ALPHA	0.000395	pCi/m3	0.00024	0.00034	J		
SESPMNT	B0X8H0	S END VERNITA BRIDGE	PERIMETER	AT	02-Feb-00	ALPHA	0.00101	pCi/m3	0.00044	0.00055			
SESPMNT	B0X8H1	S END VERNITA BRIDGE	PERIMETER	AT	17-Feb-00	ALPHA	0.00081	pCi/m3	0.00037	0.00047	J		
SESPMNT	B0X8H2	S END VERNITA BRIDGE	PERIMETER	AT	01-Mar-00	ALPHA	0.000249	pCi/m3	0.00023	0.00038	U		
SESPMNT	B0X8H3	S END VERNITA BRIDGE	PERIMETER	AT	15-Mar-00	ALPHA	0.000415	pCi/m3	0.00026	0.00036	J		
SESPMNT	B0X8H4	S END VERNITA BRIDGE	PERIMETER	AT	29-Mar-00	ALPHA	0.000324	pCi/m3	0.00023	0.00034	U		
SESPMNT	B0XWK6	S END VERNITA BRIDGE	PERIMETER	AT	12-Apr-00	ALPHA	0.000523	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XWK7	S END VERNITA BRIDGE	PERIMETER	AT	26-Apr-00	ALPHA	0.00057	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XWK8	S END VERNITA BRIDGE	PERIMETER	AT	10-May-00	ALPHA	0.000398	pCi/m3	0.00025	0.00035	J		
SESPMNT	B0XWK9	S END VERNITA BRIDGE	PERIMETER	AT	24-May-00	ALPHA	0.000499	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0XWL0	S END VERNITA BRIDGE	PERIMETER	AT	07-Jun-00	ALPHA	0.000495	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0XWL1	S END VERNITA BRIDGE	PERIMETER	AT	22-Jun-00	ALPHA	0.000207	pCi/m3	0.00018	0.0003	U		
SESPMNT	B0XWL2	S END VERNITA BRIDGE	PERIMETER	AT	06-Jul-00	ALPHA	0.000387	pCi/m3	0.00027	0.00038	U		
SESPMNT	B0YLR5	S END VERNITA BRIDGE	PERIMETER	AT	19-Jul-00	ALPHA	0.000363	pCi/m3	0.00026	0.00039	U		
SESPMNT	B0YLR6	S END VERNITA BRIDGE	PERIMETER	AT	02-Aug-00	ALPHA	0.000316	pCi/m3	0.00022	0.00033	U		
SESPMNT	B0YLR7	S END VERNITA BRIDGE	PERIMETER	AT	17-Aug-00	ALPHA	0.000613	pCi/m3	0.00032	0.00041	J		
SESPMNT	B0YLR8	S END VERNITA BRIDGE	PERIMETER	AT	30-Aug-00	ALPHA	0.000601	pCi/m3	0.00032	0.00043	J		
SESPMNT	B0YLR9	S END VERNITA BRIDGE	PERIMETER	AT	12-Sep-00	ALPHA	0.000364	pCi/m3	0.00027	0.00043	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER OUTAGE.	
SESPMNT	B0YLT0	S END VERNITA BRIDGE	PERIMETER	AT	28-Sep-00	ALPHA	0.000356	pCi/m3	0.00033	0.00058	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER BREAKER OFF.	
SESPMNT	B10CY1	S END VERNITA BRIDGE	PERIMETER	AT	10-Oct-00	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE. OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM.	
SESPMNT	B10CY2	S END VERNITA BRIDGE	PERIMETER	AT	26-Oct-00	ALPHA	0.00135	pCi/m3	0.00071	0.00091		SAMPLER WAS VANDALIZED AND RESTARTED 10/19/2000 10:00 A.M.	
SESPMNT	B10CY3	S END VERNITA BRIDGE	PERIMETER	AT	10-Nov-00	ALPHA	0.00158	pCi/m3	0.00054	0.00067			
SESPMNT	B10CY4	S END VERNITA BRIDGE	PERIMETER	AT	21-Nov-00	ALPHA	0.00148	pCi/m3	0.00071	0.00078			
SESPMNT	B10CY5	S END VERNITA BRIDGE	PERIMETER	AT	07-Dec-00	ALPHA	0.00055	pCi/m3	0.00044	0.00045	J		
SESPMNT	B10CY6	S END VERNITA BRIDGE	PERIMETER	AT	18-Dec-00	ALPHA	0.00139	pCi/m3	0.00065	0.00072			
SESPMNT	B10CY7	S END VERNITA BRIDGE	PERIMETER	AT	04-Jan-01	ALPHA	0.000903	pCi/m3	0.00048	0.00052	J		
SESPMNT	B0X7X2	S OF 200 E	ONSITE	AT	18-Jan-00	ALPHA	0.000442	pCi/m3	0.00026	0.00036	J		
SESPMNT	B0X7X3	S OF 200 E	ONSITE	AT	01-Feb-00	ALPHA	0.00114	pCi/m3	0.00047	0.00058			
SESPMNT	B0X7X4	S OF 200 E	ONSITE	AT	16-Feb-00	ALPHA	0.000816	pCi/m3	0.00039	0.00049	J		
SESPMNT	B0X7X5	S OF 200 E	ONSITE	AT	29-Feb-00	ALPHA	0.00116	pCi/m3	0.00047	0.00059			
SESPMNT	B0X7X6	S OF 200 E	ONSITE	AT	14-Mar-00	ALPHA	0.000593	pCi/m3	0.00032	0.00043	J		
SESPMNT	B0X7X7	S OF 200 E	ONSITE	AT	30-Mar-00	ALPHA	0.0000825	pCi/m3	0.0001	0.00026	U		
SESPMNT	B0XW11	S OF 200 E	ONSITE	AT	11-Apr-00	ALPHA	0.00213	pCi/m3	0.00061	0.00079			
SESPMNT	B0XW12	S OF 200 E	ONSITE	AT	25-Apr-00	ALPHA	0.000566	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0XW13	S OF 200 E	ONSITE	AT	09-May-00	ALPHA	0.000605	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XW14	S OF 200 E	ONSITE	AT	23-May-00	ALPHA	0.000466	pCi/m3	0.0003	0.00041	J		
SESPMNT	B0XW15	S OF 200 E	ONSITE	AT	06-Jun-00	ALPHA	0.000325	pCi/m3	0.00024	0.00035	U		
SESPMNT	B0XW16	S OF 200 E	ONSITE	AT	21-Jun-00	ALPHA	0.000208	pCi/m3	0.00018	0.00029	U		
SESPMNT	B0XW17	S OF 200 E	ONSITE	AT	05-Jul-00	ALPHA	0.00148	pCi/m3	0.00047	0.00061		FILTER PLUGGED, HEAVY BURN AREA DURING HANFORD FIRE.	
SESPMNT	B0YL58	S OF 200 E	ONSITE	AT	18-Jul-00	ALPHA	0.000559	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0YL59	S OF 200 E	ONSITE	AT	01-Aug-00	ALPHA	0.000495	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0YL60	S OF 200 E	ONSITE	AT	16-Aug-00	ALPHA	0.000496	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YL61	S OF 200 E	ONSITE	AT	29-Aug-00	ALPHA	0.000939	pCi/m3	0.0004	0.00051	J		
SESPMNT	B0YL62	S OF 200 E	ONSITE	AT	11-Sep-00	ALPHA	0.000399	pCi/m3	0.00027	0.00039	U		
SESPMNT	B0YL63	S OF 200 E	ONSITE	AT	26-Sep-00	ALPHA	0.000663	pCi/m3	0.00034	0.00043	J		
SESPMNT	B10C99	S OF 200 E	ONSITE	AT	09-Oct-00	ALPHA	0.00169	pCi/m3	0.00057	0.00072			
SESPMNT	B10CB0	S OF 200 E	ONSITE	AT	24-Oct-00	ALPHA	0.00143	pCi/m3	0.00049	0.00062			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR 1	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CB1	S OF 200 E	ONSITE	AT	07-Nov-00	ALPHA	0.000778	pCi/m3	0.00043	0.00054	J	FILTER VERY DIRTY.	
SESPMNT	B10CB2	S OF 200 E	ONSITE	AT	20-Nov-00	ALPHA	0.00199	pCi/m3	0.00078	0.00088			
SESPMNT	B10CB3	S OF 200 E	ONSITE	AT	06-Dec-00	ALPHA	0.000766	pCi/m3	0.00045	0.00048	J		
SESPMNT	B10CB4	S OF 200 E	ONSITE	AT	18-Dec-00	ALPHA	0.00159	pCi/m3	0.00068	0.00074			
SESPMNT	B10CB5	S OF 200 E	ONSITE	AT	02-Jan-01	ALPHA	0.00109	pCi/m3	0.00052	0.00057			
SESPMNT	B0YRC5	SW OF B/C CRIBS	ONSITE	AT	01-Aug-00	ALPHA	0.000681	pCi/m3	0.00033	0.00044	J		
SESPMNT	B0YRC6	SW OF B/C CRIBS	ONSITE	AT	16-Aug-00	ALPHA	0.000672	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0YRC7	SW OF B/C CRIBS	ONSITE	AT	29-Aug-00	ALPHA	0.000444	pCi/m3	0.00028	0.00039	J		
SESPMNT	B0YRC8	SW OF B/C CRIBS	ONSITE	AT	11-Sep-00	ALPHA	0.000924	pCi/m3	0.0004	0.00051	J		
SESPMNT	B0YRC9	SW OF B/C CRIBS	ONSITE	AT	26-Sep-00	ALPHA	0.000519	pCi/m3	0.00031	0.00041	J		
SESPMNT	B10CC5	SW OF B/C CRIBS	ONSITE	AT	09-Oct-00	ALPHA	0.00211	pCi/m3	0.00065	0.00082			
SESPMNT	B10CC6	SW OF B/C CRIBS	ONSITE	AT	24-Oct-00	ALPHA	0.00147	pCi/m3	0.00046	0.00061			
SESPMNT	B10CC7	SW OF B/C CRIBS	ONSITE	AT	07-Nov-00	ALPHA	0.00141	pCi/m3	0.00051	0.00064		FILTER VERY DIRTY.	
SESPMNT	B10CC8	SW OF B/C CRIBS	ONSITE	AT	20-Nov-00	ALPHA	0.00167	pCi/m3	0.00077	0.00085			
SESPMNT	B10CC9	SW OF B/C CRIBS	ONSITE	AT	06-Dec-00	ALPHA	0.000755	pCi/m3	0.00045	0.00048	J		
SESPMNT	B10CD0	SW OF B/C CRIBS	ONSITE	AT	18-Dec-00	ALPHA	0.000994	pCi/m3	0.00059	0.00064	J		
SESPMNT	B10CD1	SW OF B/C CRIBS	ONSITE	AT	02-Jan-01	ALPHA	0.000639	pCi/m3	0.00044	0.00046	J		
SESPMNT	B0X7B6	TOPPENISH	DISTANT	AT	12-Jan-00	ALPHA	0.000501	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0X7B7	TOPPENISH	DISTANT	AT	26-Jan-00	ALPHA	0.000806	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0X7B8	TOPPENISH	DISTANT	AT	09-Feb-00	ALPHA	0.000755	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0X7B9	TOPPENISH	DISTANT	AT	23-Feb-00	ALPHA	0.000727	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0X7C0	TOPPENISH	DISTANT	AT	08-Mar-00	ALPHA	0.0000313	pCi/m3	0.000052	0.00029	U		
SESPMNT	B0X7C1	TOPPENISH	DISTANT	AT	22-Mar-00	ALPHA	0.000321	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0X7C2	TOPPENISH	DISTANT	AT	05-Apr-00	ALPHA	0.0000941	pCi/m3	0.00011	0.00028	U		
SESPMNT	B0XVJ2	TOPPENISH	DISTANT	AT	19-Apr-00	ALPHA	0.00033	pCi/m3	0.00026	0.00038	U		
SESPMNT	B0XVJ3	TOPPENISH	DISTANT	AT	03-May-00	ALPHA	0.000662	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XVJ4	TOPPENISH	DISTANT	AT	17-May-00	ALPHA	0.000524	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0XVJ5	TOPPENISH	DISTANT	AT	31-May-00	ALPHA	0.000791	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XVJ6	TOPPENISH	DISTANT	AT	14-Jun-00	ALPHA	0.000308	pCi/m3	0.00023	0.00034	U		
SESPMNT	B0XVJ7	TOPPENISH	DISTANT	AT	28-Jun-00	ALPHA	0.000233	pCi/m3	0.0002	0.00034	U		
SESPMNT	B0YKN0	TOPPENISH	DISTANT	AT	12-Jul-00	ALPHA	0.000456	pCi/m3	0.00027	0.00037	J		
SESPMNT	B0YKN1	TOPPENISH	DISTANT	AT	26-Jul-00	ALPHA	0.000807	pCi/m3	0.00035	0.00045	J		
SESPMNT	B0YKN2	TOPPENISH	DISTANT	AT	09-Aug-00	ALPHA	0.000263	pCi/m3	0.00023	0.00037	U		
SESPMNT	B0YKN3	TOPPENISH	DISTANT	AT	23-Aug-00	ALPHA	0.000577	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0YKN4	TOPPENISH	DISTANT	AT	06-Sep-00	ALPHA	0.000589	pCi/m3	0.00031	0.0004	J		
SESPMNT	B0YKN5	TOPPENISH	DISTANT	AT	20-Sep-00	ALPHA	0.000714	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0YKN6	TOPPENISH	DISTANT	AT	04-Oct-00	ALPHA	0.00127	pCi/m3	0.00048	0.0006			
SESPMNT	B10BV9	TOPPENISH	DISTANT	AT	18-Oct-00	ALPHA	0.00107	pCi/m3	0.00046	0.00057			
SESPMNT	B10BW0	TOPPENISH	DISTANT	AT	01-Nov-00	ALPHA	0.000841	pCi/m3	0.00041	0.00051	J		
SESPMNT	B10BW1	TOPPENISH	DISTANT	AT	15-Nov-00	ALPHA	0.00165	pCi/m3	0.00057	0.00067			
SESPMNT	B10BW2	TOPPENISH	DISTANT	AT	29-Nov-00	ALPHA	0.00154	pCi/m3	0.00056	0.00065			
SESPMNT	B10BW3	TOPPENISH	DISTANT	AT	13-Dec-00	ALPHA	0.000736	pCi/m3	0.0005	0.00053	J		
SESPMNT	B10BW4	TOPPENISH	DISTANT	AT	29-Dec-00	ALPHA	0.000547	pCi/m3	0.0004	0.00042	J		
SESPMNT	B0X875	W END OF FIR ROAD	PERIMETER	AT	20-Jan-00	ALPHA	0.000288	pCi/m3	0.00022	0.00034	U		
SESPMNT	B0X876	W END OF FIR ROAD	PERIMETER	AT	03-Feb-00	ALPHA	0.000947	pCi/m3	0.00042	0.00053	J		
SESPMNT	B0X877	W END OF FIR ROAD	PERIMETER	AT	18-Feb-00	ALPHA	0.000687	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X878	W END OF FIR ROAD	PERIMETER	AT	02-Mar-00	ALPHA	0.000551	pCi/m3	0.00032	0.00043	J		
SESPMNT	B0X879	W END OF FIR ROAD	PERIMETER	AT	16-Mar-00	ALPHA	0.000155	pCi/m3	0.00015	0.00029	U		
SESPMNT	B0X880	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	ALPHA	0.000346	pCi/m3	0.00024	0.00034	U		
SESPMNT	B0XWB1	W END OF FIR ROAD	PERIMETER	AT	13-Apr-00	ALPHA	0.000726	pCi/m3	0.00039	0.0005	J		
SESPMNT	B0XWB2	W END OF FIR ROAD	PERIMETER	AT	27-Apr-00	ALPHA	0.000489	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0XWB3	W END OF FIR ROAD	PERIMETER	AT	11-May-00	ALPHA	0.000131	pCi/m3	0.00015	0.00031	U		
SESPMNT	B0XWB4	W END OF FIR ROAD	PERIMETER	AT	25-May-00	ALPHA	0.000344	pCi/m3	0.00025	0.00036	U		
SESPMNT	B0XWB5	W END OF FIR ROAD	PERIMETER	AT	08-Jun-00	ALPHA	0.000547	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0XWB6	W END OF FIR ROAD	PERIMETER	AT	23-Jun-00	ALPHA	0.000604	pCi/m3	0.00031	0.0004	J		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	ALPHA	0.000831	pCi/m3	0.0005	0.00069	J		
SESPMNT	B0XWB7	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	ALPHA	-0.000311	pCi/m3	0.00037	0.00037	U		
SESPMNT	B0YLJ1	W END OF FIR ROAD	PERIMETER	AT	20-Jul-00	ALPHA	0.000479	pCi/m3	0.00029	0.0004	J		
SESPMNT	B0YLJ2	W END OF FIR ROAD	PERIMETER	AT	03-Aug-00	ALPHA	0.000473	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YLJ3	W END OF FIR ROAD	PERIMETER	AT	18-Aug-00	ALPHA	0.000702	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0YLJ4	W END OF FIR ROAD	PERIMETER	AT	31-Aug-00	ALPHA	0.000227	pCi/m3	0.00019	0.00033	U		
SESPMNT	B0YLJ5	W END OF FIR ROAD	PERIMETER	AT	13-Sep-00	ALPHA	0.000478	pCi/m3	0.00029	0.0004	J		
SESPMNT	B0YLJ6	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	ALPHA	0.000772	pCi/m3	0.00037	0.00046	J		
SESPMNT	B10CN6	W END OF FIR ROAD	PERIMETER	AT	11-Oct-00	ALPHA	0.000905	pCi/m3	0.00044	0.00055	J		
SESPMNT	B10CN7	W END OF FIR ROAD	PERIMETER	AT	27-Oct-00	ALPHA	0.0011	pCi/m3	0.00042	0.00052			
SESPMNT	B10CN8	W END OF FIR ROAD	PERIMETER	AT	09-Nov-00	ALPHA	0.00036	pCi/m3	0.00027	0.00039	U		
SESPMNT	B10CN9	W END OF FIR ROAD	PERIMETER	AT	22-Nov-00	ALPHA	0.00209	pCi/m3	0.00072	0.00084			
SESPMNT	B10CP0	W END OF FIR ROAD	PERIMETER	AT	08-Dec-00	ALPHA	0.000412	pCi/m3	0.00036	0.00037	J		
SESPMNT	B10CP1	W END OF FIR ROAD	PERIMETER	AT	19-Dec-00	ALPHA	0.000689	pCi/m3	0.00056	0.00058	J		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CP2	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	ALPHA	0.00128	pCi/m3	0.0005	0.00057			
SESPMNT	B0X8F3	WAHLUKE SLOPE	PERIMETER	AT	19-Jan-00	ALPHA	0.0000904	pCi/m3	0.0001	0.00026	U		
SESPMNT	B0X8F4	WAHLUKE SLOPE	PERIMETER	AT	02-Feb-00	ALPHA	0.000734	pCi/m3	0.00038	0.00048	J		
SESPMNT	B0X8F5	WAHLUKE SLOPE	PERIMETER	AT	17-Feb-00	ALPHA	0.000797	pCi/m3	0.00038	0.00046	J		
SESPMNT	B0X8F6	WAHLUKE SLOPE	PERIMETER	AT	01-Mar-00	ALPHA	0.00105	pCi/m3	0.00042	0.00053			
SESPMNT	B0X8F7	WAHLUKE SLOPE	PERIMETER	AT	15-Mar-00	ALPHA	0.000513	pCi/m3	0.00031	0.00042	J		
SESPMNT	B0X8F8	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	ALPHA	0.000243	pCi/m3	0.00018	0.00029	U		
SESPMNT	B0XWJ9	WAHLUKE SLOPE	PERIMETER	AT	12-Apr-00	ALPHA	0.000668	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XWK0	WAHLUKE SLOPE	PERIMETER	AT	26-Apr-00	ALPHA	0.000429	pCi/m3	0.00026	0.00036	J		
SESPMNT	B0XWK1	WAHLUKE SLOPE	PERIMETER	AT	10-May-00	ALPHA	0.00087	pCi/m3	0.00036	0.00046	J		
SESPMNT	B0XWK2	WAHLUKE SLOPE	PERIMETER	AT	24-May-00	ALPHA	0.00044	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0XWK3	WAHLUKE SLOPE	PERIMETER	AT	07-Jun-00	ALPHA	0.000583	pCi/m3	0.00031	0.0004	J		
SESPMNT	B0XWK4	WAHLUKE SLOPE	PERIMETER	AT	22-Jun-00	ALPHA	0.000602	pCi/m3	0.00029	0.00038	J		
SESPMNT	B0XWK5	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	ALPHA	0.000216	pCi/m3	0.0002	0.00034	U		
SESPMNT	B0YLP9	WAHLUKE SLOPE	PERIMETER	AT	19-Jul-00	ALPHA	0.00083	pCi/m3	0.00038	0.00049	J		
SESPMNT	B0YLR0	WAHLUKE SLOPE	PERIMETER	AT	02-Aug-00	ALPHA	0.000743	pCi/m3	0.00035	0.00044	J		
SESPMNT	B0YLR1	WAHLUKE SLOPE	PERIMETER	AT	17-Aug-00	ALPHA	0.000282	pCi/m3	0.00023	0.00035	U		
SESPMNT	B0YLR2	WAHLUKE SLOPE	PERIMETER	AT	30-Aug-00	ALPHA	0.000474	pCi/m3	0.0003	0.00041	J		
SESPMNT	B0YLR3	WAHLUKE SLOPE	PERIMETER	AT	12-Sep-00	ALPHA	-0.000149	pCi/m3	0.00023	0.00023	U		
SESPMNT	B0YLR4	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	ALPHA	0.0011	pCi/m3	0.00042	0.00052			
SESPMNT	B10CX4	WAHLUKE SLOPE	PERIMETER	AT	10-Oct-00	ALPHA	0.00164	pCi/m3	0.00061	0.00076			
SESPMNT	B10CX5	WAHLUKE SLOPE	PERIMETER	AT	26-Oct-00	ALPHA	0.00115	pCi/m3	0.00044	0.00055			
SESPMNT	B10CX6	WAHLUKE SLOPE	PERIMETER	AT	10-Nov-00	ALPHA	0.000615	pCi/m3	0.00039	0.00049	J		
SESPMNT	B10CX7	WAHLUKE SLOPE	PERIMETER	AT	21-Nov-00	ALPHA	0.00187	pCi/m3	0.00078	0.00087			
SESPMNT	B10CX8	WAHLUKE SLOPE	PERIMETER	AT	07-Dec-00	ALPHA	0.000588	pCi/m3	0.00042	0.00044	J		
SESPMNT	B10CX9	WAHLUKE SLOPE	PERIMETER	AT	18-Dec-00	ALPHA	0.00132	pCi/m3	0.00068	0.00074			
SESPMNT	B10CY0	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	ALPHA	0.000576	pCi/m3	0.0004	0.00043	J		
SESPMNT	B0X867	WYE BARRICADE	ONSITE	AT	11-Jan-00	ALPHA	0.000553	pCi/m3	0.00038	0.00057	U		
SESPMNT	B0X868	WYE BARRICADE	ONSITE	AT	25-Jan-00	ALPHA	0.000367	pCi/m3	0.00027	0.00038	U		
SESPMNT	B0X869	WYE BARRICADE	ONSITE	AT	09-Feb-00	ALPHA	0.00107	pCi/m3	0.00044	0.00055			
SESPMNT	B0X870	WYE BARRICADE	ONSITE	AT	22-Feb-00	ALPHA	0.000379	pCi/m3	0.00028	0.00041	U		
SESPMNT	B0X871	WYE BARRICADE	ONSITE	AT	07-Mar-00	ALPHA	0.000636	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X872	WYE BARRICADE	ONSITE	AT	21-Mar-00	ALPHA	0.000391	pCi/m3	0.00024	0.00035	J		
SESPMNT	B0X873	WYE BARRICADE	ONSITE	AT	04-Apr-00	ALPHA	0.000292	pCi/m3	0.00025	0.00039	U		
SESPMNT	B0XW94	WYE BARRICADE	ONSITE	AT	18-Apr-00	ALPHA	0.000641	pCi/m3	0.00033	0.00043	J		
SESPMNT	B0XW95	WYE BARRICADE	ONSITE	AT	02-May-00	ALPHA	0.000527	pCi/m3	0.00029	0.00038	J		
SESPMNT	B0XW96	WYE BARRICADE	ONSITE	AT	16-May-00	ALPHA	0.000334	pCi/m3	0.00024	0.00035	U		
SESPMNT	B0XW97	WYE BARRICADE	ONSITE	AT	30-May-00	ALPHA	0.000654	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XW98	WYE BARRICADE	ONSITE	AT	13-Jun-00	ALPHA	0.00081	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XW99	WYE BARRICADE	ONSITE	AT	28-Jun-00	ALPHA	0.000248	pCi/m3	0.00019	0.0003	U		
SESPMNT	B0YLH3	WYE BARRICADE	ONSITE	AT	10-Jul-00	ALPHA	0.000954	pCi/m3	0.00046	0.0006	J		
SESPMNT	B0YLH4	WYE BARRICADE	ONSITE	AT	25-Jul-00	ALPHA	0.000149	pCi/m3	0.00016	0.0003	U		
SESPMNT	B0YLH5	WYE BARRICADE	ONSITE	AT	09-Aug-00	ALPHA	0.00057	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0YLH6	WYE BARRICADE	ONSITE	AT	23-Aug-00	ALPHA	0.00103	pCi/m3	0.0004	0.00051			
SESPMNT	B0YLH7	WYE BARRICADE	ONSITE	AT	06-Sep-00	ALPHA	0.00081	pCi/m3	0.00037	0.00047	J		
SESPMNT	B0YLH8	WYE BARRICADE	ONSITE	AT	22-Sep-00	ALPHA	0.000745	pCi/m3	0.00033	0.00042	J		
SESPMNT	B0YLH9	WYE BARRICADE	ONSITE	AT	03-Oct-00	ALPHA	0.00038	pCi/m3	0.00035	0.00053	U		
SESPMNT	B10CM9	WYE BARRICADE	ONSITE	AT	18-Oct-00	ALPHA	0.000953	pCi/m3	0.00044	0.00054	J		
SESPMNT	B10CN0	WYE BARRICADE	ONSITE	AT	30-Oct-00	ALPHA	0.00138	pCi/m3	0.00057	0.00071			
SESPMNT	B10CN1	WYE BARRICADE	ONSITE	AT	13-Nov-00	ALPHA	0.00143	pCi/m3	0.00051	0.00064			
SESPMNT	B10CN2	WYE BARRICADE	ONSITE	AT	28-Nov-00	ALPHA	0.00175	pCi/m3	0.00065	0.00075			
SESPMNT	B10CN3	WYE BARRICADE	ONSITE	AT	13-Dec-00	ALPHA	0.000398	pCi/m3	0.00043	0.00044	U		
SESPMNT	B10CN4	WYE BARRICADE	ONSITE	AT	27-Dec-00	ALPHA	0.00144	pCi/m3	0.00061	0.00068			
SESPMNT	B0X8J9	YAKIMA	DISTANT	AT	13-Jan-00	ALPHA	0.00134	pCi/m3	0.00046	0.0006			
SESPMNT	B0X8K0	YAKIMA	DISTANT	AT	27-Jan-00	ALPHA	0.000344	pCi/m3	0.00025	0.00037	U		
SESPMNT	B0X8K1	YAKIMA	DISTANT	AT	11-Feb-00	ALPHA	0.000606	pCi/m3	0.00037	0.00047	J		
SESPMNT	B0X8K2	YAKIMA	DISTANT	AT	24-Feb-00	ALPHA	0.000993	pCi/m3	0.00042	0.00053	J		
SESPMNT	B0X8K3	YAKIMA	DISTANT	AT	09-Mar-00	ALPHA	0.000362	pCi/m3	0.00025	0.00036	U		
SESPMNT	B0X8K4	YAKIMA	DISTANT	AT	24-Mar-00	ALPHA	0.000186	pCi/m3	0.00016	0.00028	U		
SESPMNT	B0X8K5	YAKIMA	DISTANT	AT	06-Apr-00	ALPHA	0.000147	pCi/m3	0.00016	0.00033	U		
SESPMNT	B0XWM9	YAKIMA	DISTANT	AT	20-Apr-00	ALPHA	0.000648	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XWN0	YAKIMA	DISTANT	AT	05-May-00	ALPHA	0.000383	pCi/m3	0.00025	0.00035	J		
SESPMNT	B0XWN1	YAKIMA	DISTANT	AT	18-May-00	ALPHA	0.000388	pCi/m3	0.00027	0.00038	U		
SESPMNT	B0XWN2	YAKIMA	DISTANT	AT	01-Jun-00	ALPHA	0.000548	pCi/m3	0.00031	0.00041	J		
SESPMNT	B0XWN3	YAKIMA	DISTANT	AT	15-Jun-00	ALPHA	0.000582	pCi/m3	0.0003	0.00039	J		
SESPMNT	B0XWN4	YAKIMA	DISTANT	AT	30-Jun-00	ALPHA	0.000509	pCi/m3	0.00028	0.00037	J		
SESPMNT	B0YLV5	YAKIMA	DISTANT	AT	14-Jul-00	ALPHA	0.000333	pCi/m3	0.00056	0.00057	U		
SESPMNT	B0YM09	YAKIMA	DISTANT	AT	14-Jul-00	ALPHA	0.000451	pCi/m3	0.00059	0.00061	U	FILTER PAPER REVERSED.	
SESPMNT	B0YM10	YAKIMA	DISTANT	AT	27-Jul-00	ALPHA	0.00039	pCi/m3	0.00069	0.0007	U		

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANALY UNITS RPTD	COUNTING ERROR	TOTAL ANALY ERROR	LABQ QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YLV6	YAKIMA	DISTANT	AT	27-Jul-00	ALPHA	0.00253	pCi/m3	0.0011	0.0012		FILTER PAPER REVERSED.	
SESPMNT	B0YM11	YAKIMA	DISTANT	AT	11-Aug-00	ALPHA	0.000954	pCi/m3	0.00071	0.00075	J		
SESPMNT	B0YLV7	YAKIMA	DISTANT	AT	11-Aug-00	ALPHA	0.00184	pCi/m3	0.00085	0.00094		FILTER PAPER REVERSED.	
SESPMNT	B0YM12	YAKIMA	DISTANT	AT	25-Aug-00	ALPHA	0.00125	pCi/m3	0.00077	0.00082			
SESPMNT	B0YLV8	YAKIMA	DISTANT	AT	25-Aug-00	ALPHA	0.00189	pCi/m3	0.00093	0.001		FILTER PAPER REVERSED.	
SESPMNT	B0YM13	YAKIMA	DISTANT	AT	08-Sep-00	ALPHA	0.000857	pCi/m3	0.0007	0.00073	J		
SESPMNT	B0YLV9	YAKIMA	DISTANT	AT	08-Sep-00	ALPHA	0.00178	pCi/m3	0.00083	0.00092		FILTER PAPER REVERSED.	
SESPMNT	B0YM14	YAKIMA	DISTANT	AT	21-Sep-00	ALPHA	0.000732	pCi/m3	0.00073	0.00075	U		
SESPMNT	B0YLW0	YAKIMA	DISTANT	AT	21-Sep-00	ALPHA	0.000862	pCi/m3	0.00079	0.00082	J	FILTER PAPER REVERSED.	
SESPMNT	B0YLW1	YAKIMA	DISTANT	AT	06-Oct-00	ALPHA	0.00236	pCi/m3	0.0011	0.0012			
SESPMNT	B0YM15	YAKIMA	DISTANT	AT	06-Oct-00	ALPHA	0.00553	pCi/m3	0.0015	0.0019		FILTER PAPER REVERSED. DISCONTINUED.	
SESPMNT	B10D14	YAKIMA	DISTANT	AT	20-Oct-00	ALPHA	0.00104	pCi/m3	0.00044	0.00055			
SESPMNT	B10D15	YAKIMA	DISTANT	AT	03-Nov-00	ALPHA	0.00113	pCi/m3	0.00045	0.00056			
SESPMNT	B10D16	YAKIMA	DISTANT	AT	16-Nov-00	ALPHA	0.00154	pCi/m3	0.00061	0.0007			
SESPMNT	B10D17	YAKIMA	DISTANT	AT	30-Nov-00	ALPHA	0.000726	pCi/m3	0.00049	0.00052	J		
SESPMNT	B10D18	YAKIMA	DISTANT	AT	15-Dec-00	ALPHA	0.000604	pCi/m3	0.00045	0.00047	J		
SESPMNT	B10D19	YAKIMA	DISTANT	AT	29-Dec-00	ALPHA	0.000883	pCi/m3	0.00048	0.00052	J		
SESPMNT	B0X8C8	YAKIMA BARRICADE	PERIMETER	AT	12-Jan-00	ALPHA	0.000585	pCi/m3	0.0003	0.0004	J		
SESPMNT	B0X8C9	YAKIMA BARRICADE	PERIMETER	AT	26-Jan-00	ALPHA	0.00054	pCi/m3	0.00038	0.00039	J		
SESPMNT	B0X8D0	YAKIMA BARRICADE	PERIMETER	AT	10-Feb-00	ALPHA	0.000531	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0X8D1	YAKIMA BARRICADE	PERIMETER	AT	23-Feb-00	ALPHA	0.000739	pCi/m3	0.00042	0.00054	J		
SESPMNT	B0X8D2	YAKIMA BARRICADE	PERIMETER	AT	08-Mar-00	ALPHA	0.000729	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0X8D3	YAKIMA BARRICADE	PERIMETER	AT	23-Mar-00	ALPHA	0.000416	pCi/m3	0.00025	0.00034	J		
SESPMNT	B0X8D4	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	ALPHA	0.000356	pCi/m3	0.00027	0.00039	U		
SESPMNT	B0XWH6	YAKIMA BARRICADE	PERIMETER	AT	19-Apr-00	ALPHA	0.00142	pCi/m3	0.00046	0.00059			
SESPMNT	B0XWH7	YAKIMA BARRICADE	PERIMETER	AT	03-May-00	ALPHA	0.000434	pCi/m3	0.00027	0.00038	J		
SESPMNT	B0XWH8	YAKIMA BARRICADE	PERIMETER	AT	17-May-00	ALPHA	0.000498	pCi/m3	0.00029	0.00039	J		
SESPMNT	B0XWH9	YAKIMA BARRICADE	PERIMETER	AT	31-May-00	ALPHA	0.000745	pCi/m3	0.00034	0.00044	J		
SESPMNT	B0XWJ0	YAKIMA BARRICADE	PERIMETER	AT	14-Jun-00	ALPHA	0.000657	pCi/m3	0.00032	0.00042	J		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	ALPHA	0.000455	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YLN4	YAKIMA BARRICADE	PERIMETER	AT	13-Jul-00	ALPHA	0.000447	pCi/m3	0.00028	0.00038	J		
SESPMNT	B0YLN5	YAKIMA BARRICADE	PERIMETER	AT	26-Jul-00	ALPHA	0.000535	pCi/m3	0.0003	0.00041	J		
SESPMNT	B0YLN6	YAKIMA BARRICADE	PERIMETER	AT	10-Aug-00	ALPHA	0.00054	pCi/m3	0.00029	0.00038	J		
SESPMNT	B0YLN7	YAKIMA BARRICADE	PERIMETER	AT	24-Aug-00	ALPHA	0.000442	pCi/m3	0.00027	0.00037	J		
SESPMNT	B0YLN8	YAKIMA BARRICADE	PERIMETER	AT	07-Sep-00	ALPHA	0.0000833	pCi/m3	0.0001	0.00028	U		
SESPMNT	B0YLN9	YAKIMA BARRICADE	PERIMETER	AT	20-Sep-00	ALPHA	0.00034	pCi/m3	0.00028	0.00038	U		
SESPMNT	B0YLP0	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	ALPHA	0.000625	pCi/m3	0.00034	0.00044	J		
SESPMNT	B10CW1	YAKIMA BARRICADE	PERIMETER	AT	19-Oct-00	ALPHA	0.00104	pCi/m3	0.00046	0.00058		FUSE BLOWN. ASSUMED 1.5 CFM AS END FLOW.	
SESPMNT	B10CW2	YAKIMA BARRICADE	PERIMETER	AT	02-Nov-00	ALPHA	0.00102	pCi/m3	0.00047	0.00058			
SESPMNT	B10CW3	YAKIMA BARRICADE	PERIMETER	AT	14-Nov-00	ALPHA	0.000884	pCi/m3	0.00047	0.0006	J		
SESPMNT	B10CW4	YAKIMA BARRICADE	PERIMETER	AT	29-Nov-00	ALPHA	0.0017	pCi/m3	0.0006	0.0007			
SESPMNT	B10CW5	YAKIMA BARRICADE	PERIMETER	AT	14-Dec-00	ALPHA	0.00114	pCi/m3	0.00052	0.00058			
SESPMNT	B10CW6	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	ALPHA	0.000795	pCi/m3	0.00045	0.00049	J		
SESPMNT	B0X7V2	100 D AREA	ONSITE	AT	11-Jan-00	BETA	0.00904	pCi/m3	0.001	0.0024			
SESPMNT	B0X7V3	100 D AREA	ONSITE	AT	25-Jan-00	BETA	0.0148	pCi/m3	0.0011	0.0028			
SESPMNT	B0X7V4	100 D AREA	ONSITE	AT	09-Feb-00	BETA	0.0178	pCi/m3	0.0012	0.0032			
SESPMNT	B0X7V5	100 D AREA	ONSITE	AT	22-Feb-00	BETA	0.0175	pCi/m3	0.0012	0.0033			
SESPMNT	B0X7V6	100 D AREA	ONSITE	AT	07-Mar-00	BETA	0.00733	pCi/m3	0.00072	0.0017			
SESPMNT	B0X7V7	100 D AREA	ONSITE	AT	21-Mar-00	BETA	0.00711	pCi/m3	0.0007	0.0016			
SESPMNT	B0X7V8	100 D AREA	ONSITE	AT	04-Apr-00	BETA	0.00984	pCi/m3	0.00086	0.0021			
SESPMNT	B0XVY0	100 D AREA	ONSITE	AT	18-Apr-00	BETA	0.0116	pCi/m3	0.00094	0.0023			
SESPMNT	B0XVY1	100 D AREA	ONSITE	AT	02-May-00	BETA	0.00943	pCi/m3	0.00083	0.002			
SESPMNT	B0XVY2	100 D AREA	ONSITE	AT	16-May-00	BETA	0.00732	pCi/m3	0.00073	0.0017			
SESPMNT	B0XVY3	100 D AREA	ONSITE	AT	30-May-00	BETA	0.0114	pCi/m3	0.00093	0.0023			
SESPMNT	B0XVY4	100 D AREA	ONSITE	AT	13-Jun-00	BETA	0.00817	pCi/m3	0.00077	0.0018			
SESPMNT	B0XVY5	100 D AREA	ONSITE	AT	28-Jun-00	BETA	0.00802	pCi/m3	0.00075	0.0018			
SESPMNT	B0YL38	100 D AREA	ONSITE	AT	10-Jul-00	BETA	0.00804	pCi/m3	0.00081	0.0019			
SESPMNT	B0YL39	100 D AREA	ONSITE	AT	25-Jul-00	BETA	0.0125	pCi/m3	0.00095	0.0024			
SESPMNT	B0YL40	100 D AREA	ONSITE	AT	09-Aug-00	BETA	0.00985	pCi/m3	0.00084	0.002			
SESPMNT	B0YL41	100 D AREA	ONSITE	AT	23-Aug-00	BETA	0.0105	pCi/m3	0.00089	0.0022			
SESPMNT	B0YL42	100 D AREA	ONSITE	AT	06-Sep-00	BETA	0.00962	pCi/m3	0.00085	0.002			
SESPMNT	B0YL43	100 D AREA	ONSITE	AT	22-Sep-00	BETA	0.0136	pCi/m3	0.00097	0.0026		OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER OUTAGE.	
SESPMNT	B0YL44	100 D AREA	ONSITE	AT	03-Oct-00	BETA	0.0236	pCi/m3	0.0016	0.0043			
SESPMNT	B10C78	100 D AREA	ONSITE	AT	18-Oct-00	BETA	0.0236	pCi/m3	0.0022	0.0046			
SESPMNT	B10D58	100 D AREA	ONSITE	AT	18-Oct-00	BETA	0.0246	pCi/m3	0.0023	0.0048			
SESPMNT	B10C79	100 D AREA	ONSITE	AT	30-Oct-00	BETA	0.0635	pCi/m3	0.0038	0.011			
SESPMNT	B10D59	100 D AREA	ONSITE	AT	30-Oct-00	BETA	0.0616	pCi/m3	0.0038	0.011			
SESPMNT	B10C80	100 D AREA	ONSITE	AT	13-Nov-00	BETA	0.0554	pCi/m3	0.0033	0.0096			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10D60	100 D AREA	ONSITE	AT	13-Nov-00	BETA	0.0625	pCi/m3	0.0035	0.011			
SESPMNT	B10C81	100 D AREA	ONSITE	AT	28-Nov-00	BETA	0.0841	pCi/m3	0.0038	0.014			
SESPMNT	B10D61	100 D AREA	ONSITE	AT	28-Nov-00	BETA	0.0701	pCi/m3	0.0035	0.012			
SESPMNT	B10C82	100 D AREA	ONSITE	AT	13-Dec-00	BETA	0.0232	pCi/m3	0.0022	0.0046			
SESPMNT	B10D62	100 D AREA	ONSITE	AT	13-Dec-00	BETA	0.025	pCi/m3	0.0023	0.0048			
SESPMNT	B10C83	100 D AREA	ONSITE	AT	27-Dec-00	BETA	0.0569	pCi/m3	0.0033	0.0098			
SESPMNT	B10D63	100 D AREA	ONSITE	AT	27-Dec-00	BETA	0.0647	pCi/m3	0.0035	0.011		DISCONTINUED.	
SESPMNT	B0X8M8	100 F MET TOWER	ONSITE	AT	11-Jan-00	BETA	0.00798	pCi/m3	0.00095	0.0022			
SESPMNT	B0X8M9	100 F MET TOWER	ONSITE	AT	25-Jan-00	BETA	0.0143	pCi/m3	0.0011	0.0027			
SESPMNT	B0X8N0	100 F MET TOWER	ONSITE	AT	09-Feb-00	BETA	0.0191	pCi/m3	0.0012	0.0034			
SESPMNT	B0X8N1	100 F MET TOWER	ONSITE	AT	22-Feb-00	BETA	0.0207	pCi/m3	0.0014	0.0038			
SESPMNT	B0X8N2	100 F MET TOWER	ONSITE	AT	07-Mar-00	BETA	0.00893	pCi/m3	0.00081	0.0019			
SESPMNT	B0X8N3	100 F MET TOWER	ONSITE	AT	21-Mar-00	BETA	0.00724	pCi/m3	0.00072	0.0017			
SESPMNT	B0X8N4	100 F MET TOWER	ONSITE	AT	04-Apr-00	BETA	0.00916	pCi/m3	0.00083	0.002			
SESPMNT	B0XWT0	100 F MET TOWER	ONSITE	AT	18-Apr-00	BETA	0.0103	pCi/m3	0.00088	0.0021			
SESPMNT	B0XWT1	100 F MET TOWER	ONSITE	AT	02-May-00	BETA	0.0087	pCi/m3	0.00079	0.0019			
SESPMNT	B0XWT2	100 F MET TOWER	ONSITE	AT	16-May-00	BETA	0.00797	pCi/m3	0.00075	0.0018			
SESPMNT	B0XWT3	100 F MET TOWER	ONSITE	AT	30-May-00	BETA	0.0112	pCi/m3	0.00092	0.0023			
SESPMNT	B0XWT4	100 F MET TOWER	ONSITE	AT	13-Jun-00	BETA	0.00796	pCi/m3	0.00076	0.0018			
SESPMNT	B0XWT5	100 F MET TOWER	ONSITE	AT	28-Jun-00	BETA	0.00841	pCi/m3	0.00077	0.0018			
SESPMNT	B0YLY4	100 F MET TOWER	ONSITE	AT	10-Jul-00	BETA	0.00858	pCi/m3	0.00084	0.002			
SESPMNT	B0YLY5	100 F MET TOWER	ONSITE	AT	25-Jul-00	BETA	0.0116	pCi/m3	0.00091	0.0023			
SESPMNT	B0YLY6	100 F MET TOWER	ONSITE	AT	09-Aug-00	BETA	0.0104	pCi/m3	0.00086	0.0021			
SESPMNT	B0YLY7	100 F MET TOWER	ONSITE	AT	23-Aug-00	BETA	0.0103	pCi/m3	0.00088	0.0021			
SESPMNT	B0YLY8	100 F MET TOWER	ONSITE	AT	06-Sep-00	BETA	0.00888	pCi/m3	0.0008	0.0019			
SESPMNT	B0YLY9	100 F MET TOWER	ONSITE	AT	22-Sep-00	BETA	0.0123	pCi/m3	0.00092	0.0024		OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER OUTAGE.	
SESPMNT	B0YM00	100 F MET TOWER	ONSITE	AT	03-Oct-00	BETA	0.0239	pCi/m3	0.0016	0.0044			
SESPMNT	B10D45	100 F MET TOWER	ONSITE	AT	18-Oct-00	BETA	0.0227	pCi/m3	0.0013	0.004			
SESPMNT	B10D46	100 F MET TOWER	ONSITE	AT	30-Oct-00	BETA	0.0302	pCi/m3	0.0017	0.0053			
SESPMNT	B10D47	100 F MET TOWER	ONSITE	AT	13-Nov-00	BETA	0.0282	pCi/m3	0.0015	0.0049			
SESPMNT	B10D48	100 F MET TOWER	ONSITE	AT	28-Nov-00	BETA	0.0448	pCi/m3	0.002	0.0074			
SESPMNT	B10D49	100 F MET TOWER	ONSITE	AT	13-Dec-00	BETA	0.0235	pCi/m3	0.0015	0.0041			
SESPMNT	B10D50	100 F MET TOWER	ONSITE	AT	27-Dec-00	BETA	0.0248	pCi/m3	0.0016	0.0043			
SESPMNT	B0X7R8	100 K AREA	ONSITE	AT	11-Jan-00	BETA	0.00947	pCi/m3	0.0011	0.0026			
SESPMNT	B0X7R9	100 K AREA	ONSITE	AT	25-Jan-00	BETA	0.0146	pCi/m3	0.0011	0.0028			
SESPMNT	B0X7T0	100 K AREA	ONSITE	AT	09-Feb-00	BETA	0.0216	pCi/m3	0.0013	0.0038			
SESPMNT	B0X7T1	100 K AREA	ONSITE	AT	22-Feb-00	BETA	0.0204	pCi/m3	0.0013	0.0037			
SESPMNT	B0X7T2	100 K AREA	ONSITE	AT	07-Mar-00	BETA	0.0094	pCi/m3	0.00084	0.002			
SESPMNT	B0X7T3	100 K AREA	ONSITE	AT	21-Mar-00	BETA	0.00769	pCi/m3	0.00074	0.0017			
SESPMNT	B0X7T4	100 K AREA	ONSITE	AT	04-Apr-00	BETA	0.0078	pCi/m3	0.00076	0.0018			
SESPMNT	B0XVW8	100 K AREA	ONSITE	AT	18-Apr-00	BETA	0.0111	pCi/m3	0.00092	0.0023			
SESPMNT	B0XVW9	100 K AREA	ONSITE	AT	02-May-00	BETA	0.00875	pCi/m3	0.0008	0.0019			
SESPMNT	B0XVX0	100 K AREA	ONSITE	AT	16-May-00	BETA	0.00933	pCi/m3	0.00083	0.002			
SESPMNT	B0XVX1	100 K AREA	ONSITE	AT	30-May-00	BETA	0.011	pCi/m3	0.00091	0.0022			
SESPMNT	B0XVX2	100 K AREA	ONSITE	AT	13-Jun-00	BETA	0.00895	pCi/m3	0.0008	0.0019			
SESPMNT	B0XVX3	100 K AREA	ONSITE	AT	28-Jun-00	BETA	0.00789	pCi/m3	0.00073	0.0017			
SESPMNT	B0YL24	100 K AREA	ONSITE	AT	10-Jul-00	BETA	0.007	pCi/m3	0.00074	0.0017			
SESPMNT	B0YL25	100 K AREA	ONSITE	AT	25-Jul-00	BETA	0.0112	pCi/m3	0.0009	0.0022			
SESPMNT	B0YL26	100 K AREA	ONSITE	AT	09-Aug-00	BETA	0.0109	pCi/m3	0.00088	0.0022			
SESPMNT	B0YL27	100 K AREA	ONSITE	AT	23-Aug-00	BETA	0.0111	pCi/m3	0.00092	0.0023			
SESPMNT	B0YL28	100 K AREA	ONSITE	AT	06-Sep-00	BETA	0.000153	pCi/m3	0.000032	0.00069	U		
SESPMNT	B0YL29	100 K AREA	ONSITE	AT	22-Sep-00	BETA	0.0107	pCi/m3	0.00085	0.0021			
SESPMNT	B0YL30	100 K AREA	ONSITE	AT	03-Oct-00	BETA	0.0244	pCi/m3	0.0016	0.0044			
SESPMNT	B10C66	100 K AREA	ONSITE	AT	18-Oct-00	BETA	0.024	pCi/m3	0.0014	0.0042			
SESPMNT	B10C67	100 K AREA	ONSITE	AT	30-Oct-00	BETA	0.0305	pCi/m3	0.0017	0.0053			
SESPMNT	B10C68	100 K AREA	ONSITE	AT	13-Nov-00	BETA	0.0254	pCi/m3	0.0014	0.0044			
SESPMNT	B10C69	100 K AREA	ONSITE	AT	28-Nov-00	BETA	0.0349	pCi/m3	0.0018	0.0059			
SESPMNT	B10C70	100 K AREA	ONSITE	AT	13-Dec-00	BETA	0.0218	pCi/m3	0.0014	0.0038			
SESPMNT	B10C71	100 K AREA	ONSITE	AT	27-Dec-00	BETA	0.0246	pCi/m3	0.0018	0.0043			
SESPMNT	B0X7T5	100 N-1325 CRIB	ONSITE	AT	11-Jan-00	BETA	0.00995	pCi/m3	0.0011	0.0025			
SESPMNT	B0X7T6	100 N-1325 CRIB	ONSITE	AT	25-Jan-00	BETA	0.0113	pCi/m3	0.00092	0.0023			
SESPMNT	B0X7T7	100 N-1325 CRIB	ONSITE	AT	09-Feb-00	BETA	0.0195	pCi/m3	0.0012	0.0035			
SESPMNT	B0X7T8	100 N-1325 CRIB	ONSITE	AT	22-Feb-00	BETA	0.0165	pCi/m3	0.0013	0.0033		OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM.	
SESPMNT	B0X7T9	100 N-1325 CRIB	ONSITE	AT	07-Mar-00	BETA	0.00784	pCi/m3	0.00075	0.0018			
SESPMNT	B0X7V0	100 N-1325 CRIB	ONSITE	AT	21-Mar-00	BETA	0.00811	pCi/m3	0.00076	0.0018			
SESPMNT	B0X7V1	100 N-1325 CRIB	ONSITE	AT	04-Apr-00	BETA	0.00837	pCi/m3	0.00079	0.0018			
SESPMNT	B0XVX4	100 N-1325 CRIB	ONSITE	AT	18-Apr-00	BETA	0.0102	pCi/m3	0.00088	0.0021			
SESPMNT	B0XVX5	100 N-1325 CRIB	ONSITE	AT	02-May-00	BETA						NO SAMPLE. PUMP OFF, SAVE FOR COMPOSITE.	

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XVX6	100 N-1325 CRIB	ONSITE	AT	16-May-00	BETA	0.0118	pCi/m3	0.00095	0.0024			
SESPMNT	B0XVX7	100 N-1325 CRIB	ONSITE	AT	30-May-00	BETA	0.0113	pCi/m3	0.00093	0.0023			
SESPMNT	B0XVX8	100 N-1325 CRIB	ONSITE	AT	13-Jun-00	BETA	0.00812	pCi/m3	0.00077	0.0018			
SESPMNT	B0XVX9	100 N-1325 CRIB	ONSITE	AT	28-Jun-00	BETA	0.00836	pCi/m3	0.00076	0.0018			
SESPMNT	B0YL31	100 N-1325 CRIB	ONSITE	AT	10-Jul-00	BETA	0.0102	pCi/m3	0.001	0.0024			
SESPMNT	B0YL32	100 N-1325 CRIB	ONSITE	AT	25-Jul-00	BETA	0.0114	pCi/m3	0.0009	0.0022			
SESPMNT	B0YL33	100 N-1325 CRIB	ONSITE	AT	09-Aug-00	BETA	0.0097	pCi/m3	0.00083	0.002			
SESPMNT	B0YL34	100 N-1325 CRIB	ONSITE	AT	23-Aug-00	BETA	0.0174	pCi/m3	0.0012	0.0032			
SESPMNT	B0YL35	100 N-1325 CRIB	ONSITE	AT	06-Sep-00	BETA	0.0236	pCi/m3	0.0014	0.0042			
SESPMNT	B0YL36	100 N-1325 CRIB	ONSITE	AT	22-Sep-00	BETA	0.0194	pCi/m3	0.0012	0.0035		OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER OUTAGE.	
SESPMNT	B0YL37	100 N-1325 CRIB	ONSITE	AT	03-Oct-00	BETA	0.000368	pCi/m3	0.000073	0.00088	U		
SESPMNT	B10C72	100 N-1325 CRIB	ONSITE	AT	18-Oct-00	BETA	0.0236	pCi/m3	0.0013	0.0041			
SESPMNT	B10C73	100 N-1325 CRIB	ONSITE	AT	30-Oct-00	BETA	0.029	pCi/m3	0.0017	0.0051			
SESPMNT	B10C74	100 N-1325 CRIB	ONSITE	AT	13-Nov-00	BETA	0.0258	pCi/m3	0.0015	0.0045			
SESPMNT	B10C75	100 N-1325 CRIB	ONSITE	AT	28-Nov-00	BETA	0.0119	pCi/m3	0.0011	0.0023			
SESPMNT	B10C76	100 N-1325 CRIB	ONSITE	AT	13-Dec-00	BETA	0.0204	pCi/m3	0.0014	0.0036			
SESPMNT	B10C77	100 N-1325 CRIB	ONSITE	AT	27-Dec-00	BETA	0.0244	pCi/m3	0.0016	0.0043			
SESPMNT	B0X7W6	200 ESE	ONSITE	AT	18-Jan-00	BETA	0.00488	pCi/m3	0.00056	0.0013			
SESPMNT	B0X7W7	200 ESE	ONSITE	AT	01-Feb-00	BETA	0.0217	pCi/m3	0.0013	0.0039			
SESPMNT	B0X7W8	200 ESE	ONSITE	AT	16-Feb-00	BETA	0.0153	pCi/m3	0.0011	0.0029			
SESPMNT	B0X7W9	200 ESE	ONSITE	AT	29-Feb-00	BETA	0.0152	pCi/m3	0.0011	0.0029			
SESPMNT	B0X7X0	200 ESE	ONSITE	AT	14-Mar-00	BETA	0.01	pCi/m3	0.00087	0.0021			
SESPMNT	B0X7X1	200 ESE	ONSITE	AT	30-Mar-00	BETA	0.00596	pCi/m3	0.0006	0.0014			
SESPMNT	B0XW04	200 ESE	ONSITE	AT	11-Apr-00	BETA	0.0114	pCi/m3	0.001	0.0024			
SESPMNT	B0XW05	200 ESE	ONSITE	AT	25-Apr-00	BETA	0.0109	pCi/m3	0.00091	0.0022			
SESPMNT	B0XW06	200 ESE	ONSITE	AT	09-May-00	BETA	0.00814	pCi/m3	0.00077	0.0018			
SESPMNT	B0XW07	200 ESE	ONSITE	AT	23-May-00	BETA	0.0113	pCi/m3	0.00093	0.0023			
SESPMNT	B0XW08	200 ESE	ONSITE	AT	06-Jun-00	BETA	0.0102	pCi/m3	0.00087	0.0021			
SESPMNT	B0XW09	200 ESE	ONSITE	AT	21-Jun-00	BETA	0.00636	pCi/m3	0.00065	0.0015			
SESPMNT	B0XW10	200 ESE	ONSITE	AT	05-Jul-00	BETA	0.0132	pCi/m3	0.0013	0.0029			
SESPMNT	B0YL52	200 ESE	ONSITE	AT	18-Jul-00	BETA	0.01	pCi/m3	0.0009	0.0021			
SESPMNT	B0YL53	200 ESE	ONSITE	AT	01-Aug-00	BETA	0.0108	pCi/m3	0.0009	0.0022			
SESPMNT	B0YL54	200 ESE	ONSITE	AT	16-Aug-00	BETA	0.013	pCi/m3	0.00097	0.0025			
SESPMNT	B0YL55	200 ESE	ONSITE	AT	29-Aug-00	BETA	0.00923	pCi/m3	0.00086	0.002			
SESPMNT	B0YL56	200 ESE	ONSITE	AT	11-Sep-00	BETA	0.00858	pCi/m3	0.00082	0.0019			
SESPMNT	B0YL57	200 ESE	ONSITE	AT	26-Sep-00	BETA	0.0159	pCi/m3	0.0011	0.0029			
SESPMNT	B10C92	200 ESE	ONSITE	AT	09-Oct-00	BETA	0.0283	pCi/m3	0.0016	0.0049			
SESPMNT	B10C93	200 ESE	ONSITE	AT	24-Oct-00	BETA	0.0207	pCi/m3	0.0013	0.0037			
SESPMNT	B10C94	200 ESE	ONSITE	AT	07-Nov-00	BETA	0.0264	pCi/m3	0.0015	0.0046		FILTER VERY DIRTY.	
SESPMNT	B10C95	200 ESE	ONSITE	AT	20-Nov-00	BETA	0.0546	pCi/m3	0.0023	0.009			
SESPMNT	B10C96	200 ESE	ONSITE	AT	06-Dec-00	BETA	0.0213	pCi/m3	0.0014	0.0037			
SESPMNT	B10C97	200 ESE	ONSITE	AT	18-Dec-00	BETA	0.03	pCi/m3	0.0019	0.0052			
SESPMNT	B10C98	200 ESE	ONSITE	AT	02-Jan-01	BETA	0.0289	pCi/m3	0.0016	0.0049			
SESPMNT	B0X802	200 TEL. EXCHANGE	ONSITE	AT	18-Jan-00	BETA	0.0057	pCi/m3	0.00062	0.0014			
SESPMNT	B0X803	200 TEL. EXCHANGE	ONSITE	AT	01-Feb-00	BETA	0.0175	pCi/m3	0.0012	0.0032			
SESPMNT	B0X804	200 TEL. EXCHANGE	ONSITE	AT	16-Feb-00	BETA	0.0115	pCi/m3	0.00091	0.0023			
SESPMNT	B0X805	200 TEL. EXCHANGE	ONSITE	AT	29-Feb-00	BETA	0.0136	pCi/m3	0.0011	0.0027			
SESPMNT	B0X806	200 TEL. EXCHANGE	ONSITE	AT	14-Mar-00	BETA	0.008	pCi/m3	0.00077	0.0018			
SESPMNT	B0X807	200 TEL. EXCHANGE	ONSITE	AT	30-Mar-00	BETA	0.00452	pCi/m3	0.0005	0.0012			
SESPMNT	B0XW34	200 TEL. EXCHANGE	ONSITE	AT	11-Apr-00	BETA	0.012	pCi/m3	0.001	0.0025			
SESPMNT	B0XW35	200 TEL. EXCHANGE	ONSITE	AT	25-Apr-00	BETA	0.00641	pCi/m3	0.00067	0.0015			
SESPMNT	B0XW36	200 TEL. EXCHANGE	ONSITE	AT	09-May-00	BETA	0.00629	pCi/m3	0.00066	0.0015			
SESPMNT	B0XW37	200 TEL. EXCHANGE	ONSITE	AT	23-May-00	BETA	0.00718	pCi/m3	0.00071	0.0017			
SESPMNT	B0XW38	200 TEL. EXCHANGE	ONSITE	AT	06-Jun-00	BETA	0.00626	pCi/m3	0.00065	0.0015			
SESPMNT	B0XW39	200 TEL. EXCHANGE	ONSITE	AT	21-Jun-00	BETA	0.00635	pCi/m3	0.00065	0.0015			
SESPMNT	B0XW40	200 TEL. EXCHANGE	ONSITE	AT	05-Jul-00	BETA	0.0103	pCi/m3	0.00087	0.0021		DIRTY FILTER, HEAVY BURN AREA DURING HANFORD FIRE.	
SESPMNT	B0YL78	200 TEL. EXCHANGE	ONSITE	AT	18-Jul-00	BETA	0.00908	pCi/m3	0.00084	0.002			
SESPMNT	B0YL79	200 TEL. EXCHANGE	ONSITE	AT	01-Aug-00	BETA	0.0102	pCi/m3	0.00088	0.0021			
SESPMNT	B0YL80	200 TEL. EXCHANGE	ONSITE	AT	16-Aug-00	BETA	0.012	pCi/m3	0.00093	0.0023			
SESPMNT	B0YL81	200 TEL. EXCHANGE	ONSITE	AT	29-Aug-00	BETA	0.01	pCi/m3	0.00089	0.0021			
SESPMNT	B0YL82	200 TEL. EXCHANGE	ONSITE	AT	11-Sep-00	BETA	0.00793	pCi/m3	0.00078	0.0018			
SESPMNT	B0YL83	200 TEL. EXCHANGE	ONSITE	AT	26-Sep-00	BETA	0.0142	pCi/m3	0.001	0.0027			
SESPMNT	B10CD9	200 TEL. EXCHANGE	ONSITE	AT	09-Oct-00	BETA	0.0288	pCi/m3	0.0016	0.005			
SESPMNT	B10CF0	200 TEL. EXCHANGE	ONSITE	AT	24-Oct-00	BETA	0.0197	pCi/m3	0.0012	0.0035			
SESPMNT	B10CF1	200 TEL. EXCHANGE	ONSITE	AT	07-Nov-00	BETA	0.0255	pCi/m3	0.0014	0.0044		FILTER VERY DIRTY.	
SESPMNT	B10CF2	200 TEL. EXCHANGE	ONSITE	AT	20-Nov-00	BETA	0.0543	pCi/m3	0.0023	0.0089			
SESPMNT	B10CF3	200 TEL. EXCHANGE	ONSITE	AT	06-Dec-00	BETA	0.0246	pCi/m3	0.0015	0.0042			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CF4	200 TEL. EXCHANGE	ONSITE	AT	18-Dec-00	BETA	0.0267	pCi/m3	0.0018	0.005			
SESPMNT	B10CF5	200 TEL. EXCHANGE	ONSITE	AT	02-Jan-01	BETA	0.0252	pCi/m3	0.0015	0.0044			
SESPMNT	B0X809	200 W SE	ONSITE	AT	18-Jan-00	BETA	0.00659	pCi/m3	0.00067	0.0016			
SESPMNT	B0X810	200 W SE	ONSITE	AT	01-Feb-00	BETA	0.0241	pCi/m3	0.0014	0.0042			
SESPMNT	B0X811	200 W SE	ONSITE	AT	16-Feb-00	BETA	0.0162	pCi/m3	0.0011	0.003			
SESPMNT	B0X812	200 W SE	ONSITE	AT	29-Feb-00	BETA	0.0155	pCi/m3	0.0011	0.003			
SESPMNT	B0X813	200 W SE	ONSITE	AT	14-Mar-00	BETA	0.00891	pCi/m3	0.00081	0.0019			
SESPMNT	B0X814	200 W SE	ONSITE	AT	30-Mar-00	BETA	0.005	pCi/m3	0.00054	0.0013			
SESPMNT	B0XW42	200 W SE	ONSITE	AT	11-Apr-00	BETA	0.0145	pCi/m3	0.0011	0.0029			
SESPMNT	B0XW43	200 W SE	ONSITE	AT	25-Apr-00	BETA	0.01	pCi/m3	0.00087	0.0021			
SESPMNT	B0XW44	200 W SE	ONSITE	AT	09-May-00	BETA	0.00792	pCi/m3	0.00076	0.0018			
SESPMNT	B0XW45	200 W SE	ONSITE	AT	23-May-00	BETA	0.0103	pCi/m3	0.00088	0.0021			
SESPMNT	B0XW46	200 W SE	ONSITE	AT	06-Jun-00	BETA	0.0103	pCi/m3	0.00088	0.0021			
SESPMNT	B0XW47	200 W SE	ONSITE	AT	21-Jun-00	BETA	0.00611	pCi/m3	0.00063	0.0015			
SESPMNT	B0XW48	200 W SE	ONSITE	AT	05-Jul-00	BETA	0.0105	pCi/m3	0.00089	0.0022			
SESPMNT	B0YL85	200 W SE	ONSITE	AT	18-Jul-00	BETA	0.00996	pCi/m3	0.00089	0.0021			
SESPMNT	B0YL86	200 W SE	ONSITE	AT	01-Aug-00	BETA	0.0102	pCi/m3	0.00088	0.0021			
SESPMNT	B0YL87	200 W SE	ONSITE	AT	16-Aug-00	BETA	0.0112	pCi/m3	0.0009	0.0022			
SESPMNT	B0YL88	200 W SE	ONSITE	AT	29-Aug-00	BETA	0.011	pCi/m3	0.00095	0.0023			
SESPMNT	B0YL89	200 W SE	ONSITE	AT	11-Sep-00	BETA	0.00707	pCi/m3	0.00073	0.0017			
SESPMNT	B0YL90	200 W SE	ONSITE	AT	26-Sep-00	BETA	0.00743	pCi/m3	0.00071	0.0017			
SESPMNT	B10CF7	200 W SE	ONSITE	AT	09-Oct-00	BETA	-0.000277	pCi/m3	0.000065	0.00069	U		
SESPMNT	B10CF8	200 W SE	ONSITE	AT	24-Oct-00	BETA	0.0179	pCi/m3	0.0012	0.0032			
SESPMNT	B10CF9	200 W SE	ONSITE	AT	07-Nov-00	BETA	0.0281	pCi/m3	0.0015	0.0048		FILTER VERY DIRTY.	
SESPMNT	B10CH0	200 W SE	ONSITE	AT	20-Nov-00	BETA	0.0555	pCi/m3	0.0024	0.0091			
SESPMNT	B10CH1	200 W SE	ONSITE	AT	06-Dec-00	BETA	0.0244	pCi/m3	0.0015	0.0042			
SESPMNT	B10CH2	200 W SE	ONSITE	AT	18-Dec-00	BETA	0.0299	pCi/m3	0.0019	0.0052			
SESPMNT	B10CH3	200 W SE	ONSITE	AT	02-Jan-01	BETA	0.028	pCi/m3	0.0016	0.0048			
SESPMNT	B0X768	300 NE	ONSITE	AT	12-Jan-00	BETA	0.0104	pCi/m3	0.00086	0.0021			
SESPMNT	B0X769	300 NE	ONSITE	AT	26-Jan-00	BETA	0.0163	pCi/m3	0.0012	0.0028			
SESPMNT	B0X770	300 NE	ONSITE	AT	10-Feb-00	BETA	0.0197	pCi/m3	0.0012	0.0035			
SESPMNT	B0X771	300 NE	ONSITE	AT	23-Feb-00	BETA	0.0199	pCi/m3	0.0013	0.0036			
SESPMNT	B0X772	300 NE	ONSITE	AT	08-Mar-00	BETA	0.00798	pCi/m3	0.00075	0.0018			
SESPMNT	B0X773	300 NE	ONSITE	AT	23-Mar-00	BETA	0.00839	pCi/m3	0.00076	0.0018			
SESPMNT	B0X774	300 NE	ONSITE	AT	05-Apr-00	BETA	0.0102	pCi/m3	0.00091	0.0022			
SESPMNT	B0XVC7	300 NE	ONSITE	AT	19-Apr-00	BETA	0.0124	pCi/m3	0.00098	0.0024			
SESPMNT	B0XVC8	300 NE	ONSITE	AT	03-May-00	BETA	0.0088	pCi/m3	0.00081	0.0019			
SESPMNT	B0XVC9	300 NE	ONSITE	AT	17-May-00	BETA	0.00904	pCi/m3	0.00083	0.002			
SESPMNT	B0XVD0	300 NE	ONSITE	AT	31-May-00	BETA	0.0104	pCi/m3	0.00089	0.0021			
SESPMNT	B0XVD1	300 NE	ONSITE	AT	14-Jun-00	BETA	0.00831	pCi/m3	0.00078	0.0018			
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	BETA	0.0108	pCi/m3	0.00088	0.0022			
SESPMNT	B0YKJ2	300 NE	ONSITE	AT	13-Jul-00	BETA	0.00948	pCi/m3	0.00084	0.002			
SESPMNT	B0YKJ3	300 NE	ONSITE	AT	26-Jul-00	BETA	0.013	pCi/m3	0.001	0.0026			
SESPMNT	B0YKJ4	300 NE	ONSITE	AT	10-Aug-00	BETA	0.00911	pCi/m3	0.00079	0.0019			
SESPMNT	B0YKJ5	300 NE	ONSITE	AT	24-Aug-00	BETA	0.0118	pCi/m3	0.00094	0.0023			
SESPMNT	B0YKJ6	300 NE	ONSITE	AT	07-Sep-00	BETA	0.00988	pCi/m3	0.00087	0.0021			
SESPMNT	B0YKJ7	300 NE	ONSITE	AT	20-Sep-00	BETA	0.0107	pCi/m3	0.00092	0.0022			
SESPMNT	B0YKJ8	300 NE	ONSITE	AT	05-Oct-00	BETA	0.0222	pCi/m3	0.0013	0.0039			
SESPMNT	B10BP4	300 NE	ONSITE	AT	19-Oct-00	BETA	0.026	pCi/m3	0.0015	0.0045			
SESPMNT	B10BP5	300 NE	ONSITE	AT	02-Nov-00	BETA	0.0264	pCi/m3	0.0015	0.0046			
SESPMNT	B10BP6	300 NE	ONSITE	AT	14-Nov-00	BETA	0.0293	pCi/m3	0.0017	0.0051			
SESPMNT	B10BP7	300 NE	ONSITE	AT	29-Nov-00	BETA	0.0443	pCi/m3	0.002	0.0073			
SESPMNT	B10BP8	300 NE	ONSITE	AT	14-Dec-00	BETA	0.0248	pCi/m3	0.0015	0.0043			
SESPMNT	B10BP9	300 NE	ONSITE	AT	28-Dec-00	BETA	0.0195	pCi/m3	0.0014	0.0035			
SESPMNT	B0X823	300 SOUTH GATE	ONSITE	AT	12-Jan-00	BETA	0.0075	pCi/m3	0.00074	0.0017			
SESPMNT	B0X824	300 SOUTH GATE	ONSITE	AT	26-Jan-00	BETA	0.0149	pCi/m3	0.0012	0.0026			
SESPMNT	B0X825	300 SOUTH GATE	ONSITE	AT	10-Feb-00	BETA	0.0155	pCi/m3	0.0011	0.0029			
SESPMNT	B0X826	300 SOUTH GATE	ONSITE	AT	23-Feb-00	BETA	0.014	pCi/m3	0.0011	0.0027			
SESPMNT	B0X827	300 SOUTH GATE	ONSITE	AT	08-Mar-00	BETA	0.00693	pCi/m3	0.00069	0.0016			
SESPMNT	B0X828	300 SOUTH GATE	ONSITE	AT	23-Mar-00	BETA	0.00806	pCi/m3	0.00075	0.0018			
SESPMNT	B0X829	300 SOUTH GATE	ONSITE	AT	05-Apr-00	BETA	0.00715	pCi/m3	0.00073	0.0017			
SESPMNT	B0XW56	300 SOUTH GATE	ONSITE	AT	19-Apr-00	BETA	0.00999	pCi/m3	0.00088	0.0021			
SESPMNT	B0XW57	300 SOUTH GATE	ONSITE	AT	03-May-00	BETA	0.00737	pCi/m3	0.00072	0.0017			
SESPMNT	B0XW58	300 SOUTH GATE	ONSITE	AT	17-May-00	BETA	0.00657	pCi/m3	0.00067	0.0016			
SESPMNT	B0XW59	300 SOUTH GATE	ONSITE	AT	31-May-00	BETA	0.00829	pCi/m3	0.00077	0.0018			
SESPMNT	B0XW60	300 SOUTH GATE	ONSITE	AT	14-Jun-00	BETA	0.00546	pCi/m3	0.0006	0.0014			
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	BETA	0.0102	pCi/m3	0.00085	0.0021			
SESPMNT	B0YL99	300 SOUTH GATE	ONSITE	AT	13-Jul-00	BETA	0.00942	pCi/m3	0.00084	0.002			
SESPMNT	B0YLB0	300 SOUTH GATE	ONSITE	AT	28-Jul-00	BETA	0.0115	pCi/m3	0.00097	0.0024			

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YLB1	300 SOUTH GATE	ONSITE	AT	10-Aug-00	BETA	0.0105	pCi/m3	0.00086	0.0021			
SESPMNT	B0YLB2	300 SOUTH GATE	ONSITE	AT	24-Aug-00	BETA	0.0119	pCi/m3	0.00095	0.0024			
SESPMNT	B0YLB3	300 SOUTH GATE	ONSITE	AT	07-Sep-00	BETA	0.00977	pCi/m3	0.00086	0.0021			
SESPMNT	B0YLB4	300 SOUTH GATE	ONSITE	AT	20-Sep-00	BETA	0.0107	pCi/m3	0.0009	0.0022			
SESPMNT	B0YLB5	300 SOUTH GATE	ONSITE	AT	05-Oct-00	BETA	0.0231	pCi/m3	0.0013	0.004			
SESPMNT	B10CJ1	300 SOUTH GATE	ONSITE	AT	19-Oct-00	BETA	0.0261	pCi/m3	0.0015	0.0045			
SESPMNT	B10CJ2	300 SOUTH GATE	ONSITE	AT	02-Nov-00	BETA	0.0262	pCi/m3	0.0015	0.0045			
SESPMNT	B10CJ3	300 SOUTH GATE	ONSITE	AT	14-Nov-00	BETA	0.0307	pCi/m3	0.0017	0.0053			
SESPMNT	B10CJ4	300 SOUTH GATE	ONSITE	AT	29-Nov-00	BETA	0.048	pCi/m3	0.002	0.0079			
SESPMNT	B10CJ5	300 SOUTH GATE	ONSITE	AT	14-Dec-00	BETA	0.0294	pCi/m3	0.0016	0.005			
SESPMNT	B10CJ6	300 SOUTH GATE	ONSITE	AT	28-Dec-00	BETA	0.0247	pCi/m3	0.0016	0.0043			
SESPMNT	B0X830	300 SOUTH WEST	ONSITE	AT	12-Jan-00	BETA	0.0142	pCi/m3	0.0011	0.0027			
SESPMNT	B0X831	300 SOUTH WEST	ONSITE	AT	26-Jan-00	BETA	0.018	pCi/m3	0.0013	0.0031			
SESPMNT	B0X832	300 SOUTH WEST	ONSITE	AT	10-Feb-00	BETA	0.0252	pCi/m3	0.0014	0.0044			
SESPMNT	B0X833	300 SOUTH WEST	ONSITE	AT	23-Feb-00	BETA	0.0222	pCi/m3	0.0014	0.004			
SESPMNT	B0X834	300 SOUTH WEST	ONSITE	AT	08-Mar-00	BETA	0.00882	pCi/m3	0.0008	0.0019			
SESPMNT	B0X835	300 SOUTH WEST	ONSITE	AT	23-Mar-00	BETA	0.00821	pCi/m3	0.00075	0.0018			
SESPMNT	B0X836	300 SOUTH WEST	ONSITE	AT	05-Apr-00	BETA	0.00958	pCi/m3	0.00087	0.0021			
SESPMNT	B0XW62	300 SOUTH WEST	ONSITE	AT	19-Apr-00	BETA	0.0104	pCi/m3	0.00088	0.0021			
SESPMNT	B0XW63	300 SOUTH WEST	ONSITE	AT	03-May-00	BETA	0.00808	pCi/m3	0.00076	0.0018			
SESPMNT	B0XW64	300 SOUTH WEST	ONSITE	AT	17-May-00	BETA	0.00948	pCi/m3	0.00083	0.002			
SESPMNT	B0XW65	300 SOUTH WEST	ONSITE	AT	31-May-00	BETA	0.0111	pCi/m3	0.00091	0.0022			
SESPMNT	B0XW66	300 SOUTH WEST	ONSITE	AT	14-Jun-00	BETA	0.00819	pCi/m3	0.00076	0.0018			
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	BETA	0.00987	pCi/m3	0.00084	0.002			
SESPMNT	B0YLB6	300 SOUTH WEST	ONSITE	AT	13-Jul-00	BETA	0.00924	pCi/m3	0.00082	0.002			
SESPMNT	B0YLB7	300 SOUTH WEST	ONSITE	AT	26-Jul-00	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B0YLB8	300 SOUTH WEST	ONSITE	AT	10-Aug-00	BETA	0.0104	pCi/m3	0.00088	0.0021			
SESPMNT	B0YLB9	300 SOUTH WEST	ONSITE	AT	24-Aug-00	BETA	0.0115	pCi/m3	0.00093	0.0023			
SESPMNT	B0YLC0	300 SOUTH WEST	ONSITE	AT	07-Sep-00	BETA	0.0106	pCi/m3	0.0009	0.0022			
SESPMNT	B0YLC1	300 SOUTH WEST	ONSITE	AT	20-Sep-00	BETA	0.0132	pCi/m3	0.001	0.0026			
SESPMNT	B0YLC2	300 SOUTH WEST	ONSITE	AT	05-Oct-00	BETA	0.0224	pCi/m3	0.0013	0.0039			
SESPMNT	B10CJ7	300 SOUTH WEST	ONSITE	AT	19-Oct-00	BETA	0.0253	pCi/m3	0.0014	0.0044			
SESPMNT	B10CJ8	300 SOUTH WEST	ONSITE	AT	02-Nov-00	BETA	0.0274	pCi/m3	0.0015	0.0047			
SESPMNT	B10CJ9	300 SOUTH WEST	ONSITE	AT	14-Nov-00	BETA	0.0322	pCi/m3	0.0018	0.0056			
SESPMNT	B10CK0	300 SOUTH WEST	ONSITE	AT	29-Nov-00	BETA	0.0511	pCi/m3	0.0021	0.0083			
SESPMNT	B10CK1	300 SOUTH WEST	ONSITE	AT	14-Dec-00	BETA	0.0284	pCi/m3	0.0016	0.0049			
SESPMNT	B10CK2	300 SOUTH WEST	ONSITE	AT	28-Dec-00	BETA	0.0233	pCi/m3	0.0015	0.0041			
SESPMNT	B0X761	300 TRENCH	ONSITE	AT	12-Jan-00	BETA	0.0126	pCi/m3	0.00098	0.0025			
SESPMNT	B0X762	300 TRENCH	ONSITE	AT	26-Jan-00	BETA	0.0187	pCi/m3	0.0013	0.0032			
SESPMNT	B0X763	300 TRENCH	ONSITE	AT	10-Feb-00	BETA	0.021	pCi/m3	0.0013	0.0037			
SESPMNT	B0X764	300 TRENCH	ONSITE	AT	23-Feb-00	BETA	0.0203	pCi/m3	0.0013	0.0037			
SESPMNT	B0X765	300 TRENCH	ONSITE	AT	08-Mar-00	BETA	0.0085	pCi/m3	0.00078	0.0019			
SESPMNT	B0X766	300 TRENCH	ONSITE	AT	23-Mar-00	BETA	0.00696	pCi/m3	0.00066	0.0016			
SESPMNT	B0X767	300 TRENCH	ONSITE	AT	05-Apr-00	BETA	0.00917	pCi/m3	0.00085	0.002			
SESPMNT	B0XVC1	300 TRENCH	ONSITE	AT	19-Apr-00	BETA	0.0117	pCi/m3	0.00095	0.0023			
SESPMNT	B0XVC2	300 TRENCH	ONSITE	AT	03-May-00	BETA	0.0079	pCi/m3	0.00076	0.0018			
SESPMNT	B0XVC3	300 TRENCH	ONSITE	AT	17-May-00	BETA	0.0102	pCi/m3	0.00089	0.0021			
SESPMNT	B0XVC4	300 TRENCH	ONSITE	AT	31-May-00	BETA	0.0111	pCi/m3	0.00092	0.0022			
SESPMNT	B0XVC5	300 TRENCH	ONSITE	AT	14-Jun-00	BETA	0.00821	pCi/m3	0.00078	0.0018			
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	BETA	0.00927	pCi/m3	0.00081	0.0019			
SESPMNT	B0YKH5	300 TRENCH	ONSITE	AT	13-Jul-00	BETA	0.00872	pCi/m3	0.00083	0.0019			
SESPMNT	B0YKH6	300 TRENCH	ONSITE	AT	26-Jul-00	BETA	0.0116	pCi/m3	0.00097	0.0024			
SESPMNT	B0YKH7	300 TRENCH	ONSITE	AT	10-Aug-00	BETA	0.00973	pCi/m3	0.00083	0.002			
SESPMNT	B0YKH8	300 TRENCH	ONSITE	AT	24-Aug-00	BETA	0.0128	pCi/m3	0.00098	0.0025			
SESPMNT	B0YKH9	300 TRENCH	ONSITE	AT	07-Sep-00	BETA	0.00873	pCi/m3	0.00081	0.0019			
SESPMNT	B0YKJ0	300 TRENCH	ONSITE	AT	20-Sep-00	BETA	0.014	pCi/m3	0.0011	0.0027			
SESPMNT	B0YKJ1	300 TRENCH	ONSITE	AT	05-Oct-00	BETA	0.0233	pCi/m3	0.0013	0.0041			
SESPMNT	B10BN8	300 TRENCH	ONSITE	AT	19-Oct-00	BETA	0.0254	pCi/m3	0.0014	0.0044			
SESPMNT	B10BN9	300 TRENCH	ONSITE	AT	02-Nov-00	BETA	0.0238	pCi/m3	0.0014	0.0042			
SESPMNT	B10BP0	300 TRENCH	ONSITE	AT	14-Nov-00	BETA	0.03	pCi/m3	0.0017	0.0052			
SESPMNT	B10BP1	300 TRENCH	ONSITE	AT	29-Nov-00	BETA	0.0488	pCi/m3	0.0021	0.008			
SESPMNT	B10BP2	300 TRENCH	ONSITE	AT	14-Dec-00	BETA	0.0279	pCi/m3	0.0016	0.0048			
SESPMNT	B10BP3	300 TRENCH	ONSITE	AT	28-Dec-00	BETA	0.0243	pCi/m3	0.0016	0.0043			
SESPMNT	B0X816	300 WATER INTAKE	ONSITE	AT	12-Jan-00	BETA	0.0116	pCi/m3	0.00094	0.0023			
SESPMNT	B0X817	300 WATER INTAKE	ONSITE	AT	26-Jan-00	BETA	0.0171	pCi/m3	0.0013	0.0029			
SESPMNT	B0X818	300 WATER INTAKE	ONSITE	AT	10-Feb-00	BETA	0.0198	pCi/m3	0.0012	0.0035			
SESPMNT	B0X819	300 WATER INTAKE	ONSITE	AT	23-Feb-00	BETA	0.0211	pCi/m3	0.0013	0.0038			
SESPMNT	B0X820	300 WATER INTAKE	ONSITE	AT	08-Mar-00	BETA	0.00863	pCi/m3	0.00079	0.0019			
SESPMNT	B0X821	300 WATER INTAKE	ONSITE	AT	23-Mar-00	BETA	0.00786	pCi/m3	0.00074	0.0017			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X822	300 WATER INTAKE	ONSITE	AT	05-Apr-00	BETA	0.0101	pCi/m3	0.0009	0.0021			
SESPMNT	B0XW50	300 WATER INTAKE	ONSITE	AT	19-Apr-00	BETA	0.0124	pCi/m3	0.00098	0.0024			
SESPMNT	B0XW51	300 WATER INTAKE	ONSITE	AT	03-May-00	BETA	0.00905	pCi/m3	0.00081	0.0019			
SESPMNT	B0XW52	300 WATER INTAKE	ONSITE	AT	17-May-00	BETA	0.0103	pCi/m3	0.00088	0.0021			
SESPMNT	B0XW53	300 WATER INTAKE	ONSITE	AT	31-May-00	BETA	0.0114	pCi/m3	0.00093	0.0023			
SESPMNT	B0XW54	300 WATER INTAKE	ONSITE	AT	14-Jun-00	BETA	0.00886	pCi/m3	0.0008	0.0019			
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	BETA	0.00986	pCi/m3	0.00083	0.002			
SESPMNT	B0YL92	300 WATER INTAKE	ONSITE	AT	13-Jul-00	BETA	0.00898	pCi/m3	0.00081	0.0019			
SESPMNT	B0YL93	300 WATER INTAKE	ONSITE	AT	26-Jul-00	BETA	0.0116	pCi/m3	0.00098	0.0024			
SESPMNT	B0YL94	300 WATER INTAKE	ONSITE	AT	10-Aug-00	BETA	0.0102	pCi/m3	0.00085	0.0021			
SESPMNT	B0YL95	300 WATER INTAKE	ONSITE	AT	24-Aug-00	BETA	0.0102	pCi/m3	0.00087	0.0021			
SESPMNT	B0YL96	300 WATER INTAKE	ONSITE	AT	07-Sep-00	BETA	0.00897	pCi/m3	0.00082	0.0019			
SESPMNT	B0YL97	300 WATER INTAKE	ONSITE	AT	20-Sep-00	BETA	0.0123	pCi/m3	0.001	0.0025			
SESPMNT	B0YL98	300 WATER INTAKE	ONSITE	AT	05-Oct-00	BETA	0.0221	pCi/m3	0.0013	0.0039			
SESPMNT	B10CH5	300 WATER INTAKE	ONSITE	AT	19-Oct-00	BETA	0.0256	pCi/m3	0.0015	0.0045			
SESPMNT	B10CH6	300 WATER INTAKE	ONSITE	AT	02-Nov-00	BETA	0.026	pCi/m3	0.0015	0.0045			
SESPMNT	B10CH7	300 WATER INTAKE	ONSITE	AT	14-Nov-00	BETA	0.0313	pCi/m3	0.0017	0.0054			
SESPMNT	B10CH8	300 WATER INTAKE	ONSITE	AT	29-Nov-00	BETA	-0.000379	pCi/m3	0.00051	0.00056	U		
SESPMNT	B10CH9	300 WATER INTAKE	ONSITE	AT	14-Dec-00	BETA	0.069	pCi/m3	0.0024	0.011			
SESPMNT	B10CJ0	300 WATER INTAKE	ONSITE	AT	28-Dec-00	BETA	0.0234	pCi/m3	0.0015	0.0041			
SESPMNT	B0X838	400 E	ONSITE	AT	11-Jan-00	BETA	0.0071	pCi/m3	0.00086	0.0021			
SESPMNT	B0X839	400 E	ONSITE	AT	25-Jan-00	BETA	0.0146	pCi/m3	0.0011	0.0028			
SESPMNT	B0X840	400 E	ONSITE	AT	09-Feb-00	BETA	0.0218	pCi/m3	0.0013	0.0039			
SESPMNT	B0X841	400 E	ONSITE	AT	22-Feb-00	BETA	0.0193	pCi/m3	0.0013	0.0035			
SESPMNT	B0X842	400 E	ONSITE	AT	07-Mar-00	BETA	0.00868	pCi/m3	0.00079	0.0019			
SESPMNT	B0X843	400 E	ONSITE	AT	21-Mar-00	BETA	0.0082	pCi/m3	0.00077	0.0018			
SESPMNT	B0X844	400 E	ONSITE	AT	04-Apr-00	BETA	0.00856	pCi/m3	0.0008	0.0019			
SESPMNT	B0XW69	400 E	ONSITE	AT	18-Apr-00	BETA	0.0113	pCi/m3	0.00093	0.0023			
SESPMNT	B0XW70	400 E	ONSITE	AT	02-May-00	BETA	0.00928	pCi/m3	0.00083	0.002			
SESPMNT	B0XW71	400 E	ONSITE	AT	16-May-00	BETA	0.00788	pCi/m3	0.00075	0.0018			
SESPMNT	B0XW72	400 E	ONSITE	AT	30-May-00	BETA	0.0119	pCi/m3	0.00095	0.0024			
SESPMNT	B0XW73	400 E	ONSITE	AT	13-Jun-00	BETA	0.00791	pCi/m3	0.00075	0.0018			
SESPMNT	B0XW74	400 E	ONSITE	AT	28-Jun-00	BETA	0.00748	pCi/m3	0.00071	0.0017			
SESPMNT	B0YLC4	400 E	ONSITE	AT	10-Jul-00	BETA	0.00972	pCi/m3	0.0009	0.0021			
SESPMNT	B0YLC5	400 E	ONSITE	AT	25-Jul-00	BETA	0.0119	pCi/m3	0.00093	0.0023			
SESPMNT	B0YLC6	400 E	ONSITE	AT	09-Aug-00	BETA	0.0104	pCi/m3	0.00086	0.0021			
SESPMNT	B0YLC7	400 E	ONSITE	AT	23-Aug-00	BETA	0.0121	pCi/m3	0.00096	0.0024			
SESPMNT	B0YLC8	400 E	ONSITE	AT	06-Sep-00	BETA	0.0107	pCi/m3	0.0009	0.0022			
SESPMNT	B0YLC9	400 E	ONSITE	AT	22-Sep-00	BETA	-0.000372	pCi/m3	0.000092	0.00054	U		
SESPMNT	B0YLD0	400 E	ONSITE	AT	03-Oct-00	BETA	0.0389	pCi/m3	0.002	0.0067			
SESPMNT	B10CK4	400 E	ONSITE	AT	18-Oct-00	BETA	0.0247	pCi/m3	0.0014	0.0043			
SESPMNT	B10CK5	400 E	ONSITE	AT	30-Oct-00	BETA	0.028	pCi/m3	0.0016	0.0049			
SESPMNT	B10CK6	400 E	ONSITE	AT	13-Nov-00	BETA	0.0263	pCi/m3	0.0015	0.0046			
SESPMNT	B10CK7	400 E	ONSITE	AT	28-Nov-00	BETA	0.0379	pCi/m3	0.0019	0.0064			
SESPMNT	B10CK8	400 E	ONSITE	AT	13-Dec-00	BETA	0.0243	pCi/m3	0.0015	0.0042			
SESPMNT	B10CK9	400 E	ONSITE	AT	27-Dec-00	BETA	0.0257	pCi/m3	0.0016	0.0045			
SESPMNT	B0X859	400 N	ONSITE	AT	11-Jan-00	BETA	0.00779	pCi/m3	0.00092	0.0022			
SESPMNT	B0X860	400 N	ONSITE	AT	25-Jan-00	BETA	0.0128	pCi/m3	0.001	0.0025			
SESPMNT	B0X861	400 N	ONSITE	AT	09-Feb-00	BETA	0.0216	pCi/m3	0.0013	0.0038			
SESPMNT	B0X862	400 N	ONSITE	AT	22-Feb-00	BETA	0.0172	pCi/m3	0.0012	0.0032			
SESPMNT	B0X863	400 N	ONSITE	AT	07-Mar-00	BETA	0.00958	pCi/m3	0.00084	0.002			
SESPMNT	B0X864	400 N	ONSITE	AT	21-Mar-00	BETA	0.00739	pCi/m3	0.00073	0.0017			
SESPMNT	B0X865	400 N	ONSITE	AT	04-Apr-00	BETA	0.0106	pCi/m3	0.0009	0.0022			
SESPMNT	B0XW87	400 N	ONSITE	AT	18-Apr-00	BETA	0.013	pCi/m3	0.001	0.0025			
SESPMNT	B0XW88	400 N	ONSITE	AT	02-May-00	BETA	0.00717	pCi/m3	0.00071	0.0017			
SESPMNT	B0XW89	400 N	ONSITE	AT	16-May-00	BETA	0.00878	pCi/m3	0.0008	0.0019			
SESPMNT	B0XW90	400 N	ONSITE	AT	30-May-00	BETA	0.0108	pCi/m3	0.0009	0.0022			
SESPMNT	B0XW91	400 N	ONSITE	AT	13-Jun-00	BETA	0.00933	pCi/m3	0.00082	0.002			
SESPMNT	B0XW92	400 N	ONSITE	AT	28-Jun-00	BETA	0.00885	pCi/m3	0.00078	0.0019			
SESPMNT	B0YLF5	400 N	ONSITE	AT	10-Jul-00	BETA	0.0115	pCi/m3	0.001	0.0024			
SESPMNT	B0YLF6	400 N	ONSITE	AT	25-Jul-00	BETA	0.0118	pCi/m3	0.00092	0.0023			
SESPMNT	B0YLF7	400 N	ONSITE	AT	09-Aug-00	BETA	0.0114	pCi/m3	0.0009	0.0022			
SESPMNT	B0YLF8	400 N	ONSITE	AT	23-Aug-00	BETA	0.0104	pCi/m3	0.00088	0.0021			
SESPMNT	B0YLF9	400 N	ONSITE	AT	06-Sep-00	BETA	0.0101	pCi/m3	0.00087	0.0021			
SESPMNT	B0YLH0	400 N	ONSITE	AT	22-Sep-00	BETA	0.0123	pCi/m3	0.00091	0.0024			
SESPMNT	B0YLH1	400 N	ONSITE	AT	03-Oct-00	BETA	0.0227	pCi/m3	0.0015	0.0042			
SESPMNT	B10CM2	400 N	ONSITE	AT	18-Oct-00	BETA	0.023	pCi/m3	0.0013	0.004			
SESPMNT	B10CM3	400 N	ONSITE	AT	30-Oct-00	BETA	0.0269	pCi/m3	0.0016	0.0047			
SESPMNT	B10CM4	400 N	ONSITE	AT	13-Nov-00	BETA	0.0309	pCi/m3	0.0016	0.0053			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONT SHORT NAME	LAB RESULT VALUE	ANALY UNITS RPTD	COUNTING ERROR	TOTAL ANALYTIC ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CM5	400 N	ONSITE	AT	28-Nov-00	BETA	0.0444	pCi/m3	0.002	0.0073			
SESPMNT	B10CM6	400 N	ONSITE	AT	13-Dec-00	BETA	0.0208	pCi/m3	0.0014	0.0037			
SESPMNT	B10CM7	400 N	ONSITE	AT	27-Dec-00	BETA	0.0269	pCi/m3	0.0016	0.0047			
SESPMNT	B0X852	400 S	ONSITE	AT	11-Jan-00	BETA	0.00986	pCi/m3	0.0011	0.0025			
SESPMNT	B0X8P3	400 S	ONSITE	AT	11-Jan-00	BETA	0.00734	pCi/m3	0.00088	0.0021			
SESPMNT	B0X853	400 S	ONSITE	AT	25-Jan-00	BETA	0.0144	pCi/m3	0.0011	0.0028			
SESPMNT	B0X8P4	400 S	ONSITE	AT	25-Jan-00	BETA	0.0127	pCi/m3	0.00099	0.0025			
SESPMNT	B0X854	400 S	ONSITE	AT	09-Feb-00	BETA	0.0199	pCi/m3	0.0012	0.0035			
SESPMNT	B0X8P5	400 S	ONSITE	AT	09-Feb-00	BETA	0.0222	pCi/m3	0.0013	0.0039			
SESPMNT	B0X855	400 S	ONSITE	AT	22-Feb-00	BETA	0.0207	pCi/m3	0.0013	0.0037			
SESPMNT	B0X8P6	400 S	ONSITE	AT	22-Feb-00	BETA	0.0175	pCi/m3	0.0012	0.0033			
SESPMNT	B0X856	400 S	ONSITE	AT	07-Mar-00	BETA	0.00722	pCi/m3	0.00071	0.0017			
SESPMNT	B0X8P7	400 S	ONSITE	AT	07-Mar-00	BETA	0.0119	pCi/m3	0.00095	0.0024			
SESPMNT	B0X857	400 S	ONSITE	AT	21-Mar-00	BETA	0.00697	pCi/m3	0.0007	0.0016			
SESPMNT	B0X8P8	400 S	ONSITE	AT	21-Mar-00	BETA	0.00629	pCi/m3	0.00066	0.0015			
SESPMNT	B0X858	400 S	ONSITE	AT	04-Apr-00	BETA	0.00953	pCi/m3	0.00085	0.002			
SESPMNT	B0X8P9	400 S	ONSITE	AT	04-Apr-00	BETA	0.00948	pCi/m3	0.00084	0.002		DISCONTINUED.	
SESPMNT	B0XW81	400 S	ONSITE	AT	18-Apr-00	BETA	0.0234	pCi/m3	0.0014	0.0041			
SESPMNT	B0XW82	400 S	ONSITE	AT	02-May-00	BETA	0.00772	pCi/m3	0.00074	0.0017			
SESPMNT	B0XW83	400 S	ONSITE	AT	16-May-00	BETA	0.00892	pCi/m3	0.0008	0.0019			
SESPMNT	B0XW84	400 S	ONSITE	AT	30-May-00	BETA	0.0118	pCi/m3	0.00095	0.0024			
SESPMNT	B0XW85	400 S	ONSITE	AT	13-Jun-00	BETA	0.00783	pCi/m3	0.00075	0.0018			
SESPMNT	B0XW86	400 S	ONSITE	AT	28-Jun-00	BETA	0.00517	pCi/m3	0.00062	0.0015			
SESPMNT	B0YLD8	400 S	ONSITE	AT	10-Jul-00	BETA	0.00982	pCi/m3	0.00091	0.0021			
SESPMNT	B0YLD9	400 S	ONSITE	AT	25-Jul-00	BETA	0.0124	pCi/m3	0.00095	0.0024			
SESPMNT	B0YLF0	400 S	ONSITE	AT	09-Aug-00	BETA	0.0113	pCi/m3	0.0009	0.0022			
SESPMNT	B0YLF1	400 S	ONSITE	AT	23-Aug-00	BETA	0.0106	pCi/m3	0.00089	0.0022			
SESPMNT	B0YLF2	400 S	ONSITE	AT	06-Sep-00	BETA	0.00873	pCi/m3	0.0008	0.0019			
SESPMNT	B0YLF3	400 S	ONSITE	AT	22-Sep-00	BETA	0.0133	pCi/m3	0.00096	0.0025			
SESPMNT	B0YLF4	400 S	ONSITE	AT	03-Oct-00	BETA	0.0238	pCi/m3	0.0016	0.0043			
SESPMNT	B10CL6	400 S	ONSITE	AT	18-Oct-00	BETA	0.0257	pCi/m3	0.0014	0.0044			
SESPMNT	B10CL7	400 S	ONSITE	AT	30-Oct-00	BETA	0.0269	pCi/m3	0.0016	0.0047			
SESPMNT	B10CL8	400 S	ONSITE	AT	13-Nov-00	BETA	0.0244	pCi/m3	0.0014	0.0043			
SESPMNT	B10CL9	400 S	ONSITE	AT	28-Nov-00	BETA	0.0416	pCi/m3	0.0019	0.0069			
SESPMNT	B10CM0	400 S	ONSITE	AT	13-Dec-00	BETA	0.0234	pCi/m3	0.0015	0.0041			
SESPMNT	B10CM1	400 S	ONSITE	AT	27-Dec-00	BETA	0.0281	pCi/m3	0.0017	0.0048			
SESPMNT	B0X845	400 W	ONSITE	AT	11-Jan-00	BETA	0.00645	pCi/m3	0.00083	0.002			
SESPMNT	B0X846	400 W	ONSITE	AT	25-Jan-00	BETA	0.0145	pCi/m3	0.0011	0.0028			
SESPMNT	B0X847	400 W	ONSITE	AT	09-Feb-00	BETA	0.0215	pCi/m3	0.0013	0.0038			
SESPMNT	B0X848	400 W	ONSITE	AT	22-Feb-00	BETA	0.0195	pCi/m3	0.0013	0.0036			
SESPMNT	B0X849	400 W	ONSITE	AT	07-Mar-00	BETA	0.00983	pCi/m3	0.00086	0.0021			
SESPMNT	B0X850	400 W	ONSITE	AT	21-Mar-00	BETA	0.00804	pCi/m3	0.00076	0.0018			
SESPMNT	B0X851	400 W	ONSITE	AT	04-Apr-00	BETA	0.0086	pCi/m3	0.0008	0.0019			
SESPMNT	B0XW75	400 W	ONSITE	AT	18-Apr-00	BETA	0.0124	pCi/m3	0.00098	0.0024			
SESPMNT	B0XW76	400 W	ONSITE	AT	02-May-00	BETA	0.00806	pCi/m3	0.00076	0.0018			
SESPMNT	B0XW77	400 W	ONSITE	AT	16-May-00	BETA	0.00891	pCi/m3	0.00081	0.0019			
SESPMNT	B0XW78	400 W	ONSITE	AT	30-May-00	BETA	0.0123	pCi/m3	0.00097	0.0024			
SESPMNT	B0XW79	400 W	ONSITE	AT	13-Jun-00	BETA	0.00825	pCi/m3	0.00077	0.0018			
SESPMNT	B0XW80	400 W	ONSITE	AT	28-Jun-00	BETA	0.00917	pCi/m3	0.00081	0.0019			
SESPMNT	B0YLD1	400 W	ONSITE	AT	10-Jul-00	BETA	0.0102	pCi/m3	0.00093	0.0022			
SESPMNT	B0YLD2	400 W	ONSITE	AT	25-Jul-00	BETA	0.0114	pCi/m3	0.00091	0.0023			
SESPMNT	B0YLD3	400 W	ONSITE	AT	09-Aug-00	BETA	0.0102	pCi/m3	0.00085	0.0021			
SESPMNT	B0YLD4	400 W	ONSITE	AT	23-Aug-00	BETA	0.0113	pCi/m3	0.00093	0.0023			
SESPMNT	B0YLD5	400 W	ONSITE	AT	06-Sep-00	BETA	0.0109	pCi/m3	0.0009	0.0022			
SESPMNT	B0YLD6	400 W	ONSITE	AT	22-Sep-00	BETA	0.0131	pCi/m3	0.00095	0.0025			
SESPMNT	B0YLD7	400 W	ONSITE	AT	03-Oct-00	BETA	0.000484	pCi/m3	0.000095	0.00087	U		
SESPMNT	B10CL0	400 W	ONSITE	AT	18-Oct-00	BETA	0.0435	pCi/m3	0.0018	0.0072			
SESPMNT	B10CL1	400 W	ONSITE	AT	30-Oct-00	BETA	0.0302	pCi/m3	0.0017	0.0053			
SESPMNT	B10CL2	400 W	ONSITE	AT	13-Nov-00	BETA	0.0261	pCi/m3	0.0015	0.0045			
SESPMNT	B10CL3	400 W	ONSITE	AT	28-Nov-00	BETA	0.0496	pCi/m3	0.0021	0.0081			
SESPMNT	B10CL4	400 W	ONSITE	AT	13-Dec-00	BETA	0.0241	pCi/m3	0.0015	0.0042			
SESPMNT	B10CL5	400 W	ONSITE	AT	27-Dec-00	BETA	0.0291	pCi/m3	0.0017	0.005			
SESPMNT	B0X7Y6	ARMY LOOP CAMP	ONSITE	AT	18-Jan-00	BETA	0.00568	pCi/m3	0.00062	0.0014			
SESPMNT	B0X7Y7	ARMY LOOP CAMP	ONSITE	AT	01-Feb-00	BETA	0.0209	pCi/m3	0.0013	0.0037			
SESPMNT	B0X7Y8	ARMY LOOP CAMP	ONSITE	AT	16-Feb-00	BETA	0.0151	pCi/m3	0.0011	0.0028			
SESPMNT	B0X7Y9	ARMY LOOP CAMP	ONSITE	AT	29-Feb-00	BETA	0.0147	pCi/m3	0.0011	0.0028			
SESPMNT	B0X800	ARMY LOOP CAMP	ONSITE	AT	14-Mar-00	BETA	0.0104	pCi/m3	0.00089	0.0021			
SESPMNT	B0X801	ARMY LOOP CAMP	ONSITE	AT	30-Mar-00	BETA	0.00614	pCi/m3	0.00061	0.0014			
SESPMNT	B0XW27	ARMY LOOP CAMP	ONSITE	AT	11-Apr-00	BETA	0.0161	pCi/m3	0.0012	0.0031			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANALI UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XW28	ARMY LOOP CAMP	ONSITE	AT	25-Apr-00	BETA	0.01	pCi/m3	0.00086	0.0021			
SESPMNT	B0XW29	ARMY LOOP CAMP	ONSITE	AT	09-May-00	BETA	0.00729	pCi/m3	0.00072	0.0017			
SESPMNT	B0XW30	ARMY LOOP CAMP	ONSITE	AT	23-May-00	BETA	0.0117	pCi/m3	0.00095	0.0023			
SESPMNT	B0XW31	ARMY LOOP CAMP	ONSITE	AT	06-Jun-00	BETA	0.0103	pCi/m3	0.00088	0.0021			
SESPMNT	B0XW32	ARMY LOOP CAMP	ONSITE	AT	21-Jun-00	BETA	0.00751	pCi/m3	0.00072	0.0017			
SESPMNT	B0XW33	ARMY LOOP CAMP	ONSITE	AT	05-Jul-00	BETA	0.011	pCi/m3	0.001	0.0024		DIRTY FILTER, HEAVY BURN AREA DURING HANFORD FIRE.	
SESPMNT	B0YL72	ARMY LOOP CAMP	ONSITE	AT	18-Jul-00	BETA	0.0114	pCi/m3	0.00096	0.0023			
SESPMNT	B0YL73	ARMY LOOP CAMP	ONSITE	AT	01-Aug-00	BETA	0.0116	pCi/m3	0.00094	0.0023			
SESPMNT	B0YL74	ARMY LOOP CAMP	ONSITE	AT	16-Aug-00	BETA	0.0123	pCi/m3	0.00094	0.0024			
SESPMNT	B0YL75	ARMY LOOP CAMP	ONSITE	AT	29-Aug-00	BETA	0.0113	pCi/m3	0.00096	0.0023			
SESPMNT	B0YL76	ARMY LOOP CAMP	ONSITE	AT	11-Sep-00	BETA	0.00792	pCi/m3	0.00077	0.0018			
SESPMNT	B0YL77	ARMY LOOP CAMP	ONSITE	AT	26-Sep-00	BETA	0.0148	pCi/m3	0.001	0.0028			
SESPMNT	B10CD2	ARMY LOOP CAMP	ONSITE	AT	09-Oct-00	BETA	0.0287	pCi/m3	0.0016	0.005			
SESPMNT	B10CD3	ARMY LOOP CAMP	ONSITE	AT	24-Oct-00	BETA	0.0195	pCi/m3	0.0012	0.0035			
SESPMNT	B10CD4	ARMY LOOP CAMP	ONSITE	AT	07-Nov-00	BETA	0.0284	pCi/m3	0.0015	0.0049		FILTER VERY DIRTY.	
SESPMNT	B10CD5	ARMY LOOP CAMP	ONSITE	AT	20-Nov-00	BETA	0.0534	pCi/m3	0.0023	0.0088			
SESPMNT	B10CD6	ARMY LOOP CAMP	ONSITE	AT	06-Dec-00	BETA	0.0247	pCi/m3	0.0015	0.0043			
SESPMNT	B10CD7	ARMY LOOP CAMP	ONSITE	AT	18-Dec-00	BETA	0.0323	pCi/m3	0.0019	0.0056			
SESPMNT	B10CD8	ARMY LOOP CAMP	ONSITE	AT	02-Jan-01	BETA	0.0275	pCi/m3	0.0016	0.0047			
SESPMNT	B0X7X9	B POND	ONSITE	AT	18-Jan-00	BETA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B0X7Y0	B POND	ONSITE	AT	01-Feb-00	BETA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B0X7Y1	B POND	ONSITE	AT	16-Feb-00	BETA	0.0164	pCi/m3	0.0011	0.003			
SESPMNT	B0X7Y2	B POND	ONSITE	AT	29-Feb-00	BETA	0.0145	pCi/m3	0.0011	0.0028			
SESPMNT	B0X7Y3	B POND	ONSITE	AT	14-Mar-00	BETA	0.0093	pCi/m3	0.00083	0.002			
SESPMNT	B0X7Y4	B POND	ONSITE	AT	30-Mar-00	BETA	0.00546	pCi/m3	0.00057	0.0013			
SESPMNT	B0XW19	B POND	ONSITE	AT	11-Apr-00	BETA	0.0126	pCi/m3	0.0011	0.0026			
SESPMNT	B0XW20	B POND	ONSITE	AT	25-Apr-00	BETA	0.0104	pCi/m3	0.00089	0.0022			
SESPMNT	B0XW21	B POND	ONSITE	AT	09-May-00	BETA	0.00684	pCi/m3	0.00069	0.0016			
SESPMNT	B0XW22	B POND	ONSITE	AT	23-May-00	BETA	0.0111	pCi/m3	0.00092	0.0023			
SESPMNT	B0XW23	B POND	ONSITE	AT	06-Jun-00	BETA	0.0106	pCi/m3	0.0009	0.0022			
SESPMNT	B0XW24	B POND	ONSITE	AT	21-Jun-00	BETA	0.0063	pCi/m3	0.00065	0.0015			
SESPMNT	B0XW25	B POND	ONSITE	AT	05-Jul-00	BETA	0.0117	pCi/m3	0.00095	0.0023			
SESPMNT	B0YL65	B POND	ONSITE	AT	18-Jul-00	BETA	0.00946	pCi/m3	0.00086	0.002			
SESPMNT	B0YL66	B POND	ONSITE	AT	01-Aug-00	BETA	0.0113	pCi/m3	0.00093	0.0023			
SESPMNT	B0YL67	B POND	ONSITE	AT	16-Aug-00	BETA	0.012	pCi/m3	0.00093	0.0023			
SESPMNT	B0YL68	B POND	ONSITE	AT	29-Aug-00	BETA	0.0104	pCi/m3	0.00092	0.0022			
SESPMNT	B0YL69	B POND	ONSITE	AT	11-Sep-00	BETA	0.00739	pCi/m3	0.00075	0.0017			
SESPMNT	B0YL70	B POND	ONSITE	AT	26-Sep-00	BETA	0.0146	pCi/m3	0.001	0.0027			
SESPMNT	B10CB7	B POND	ONSITE	AT	09-Oct-00	BETA	0.0276	pCi/m3	0.0016	0.0048			
SESPMNT	B10CB8	B POND	ONSITE	AT	24-Oct-00	BETA	0.0194	pCi/m3	0.0012	0.0035			
SESPMNT	B10CB9	B POND	ONSITE	AT	07-Nov-00	BETA	0.031	pCi/m3	0.0018	0.0053		FILTER VERY DIRTY.	
SESPMNT	B10CC0	B POND	ONSITE	AT	20-Nov-00	BETA	0.0584	pCi/m3	0.0024	0.0095			
SESPMNT	B10CC1	B POND	ONSITE	AT	06-Dec-00	BETA	0.026	pCi/m3	0.0015	0.0045			
SESPMNT	B10CC2	B POND	ONSITE	AT	18-Dec-00	BETA	0.0307	pCi/m3	0.0019	0.0053			
SESPMNT	B10CC3	B POND	ONSITE	AT	02-Jan-01	BETA	0.0282	pCi/m3	0.0018	0.0048			
SESPMNT	B0X8K7	BASIN CITY SCHOOL	COMMUNITY	AT	19-Jan-00	BETA	0.00639	pCi/m3	0.0007	0.0016			
SESPMNT	B0X8K8	BASIN CITY SCHOOL	COMMUNITY	AT	02-Feb-00	BETA	0.0164	pCi/m3	0.0011	0.0031			
SESPMNT	B0X8K9	BASIN CITY SCHOOL	COMMUNITY	AT	16-Feb-00	BETA	0.018	pCi/m3	0.0012	0.0033			
SESPMNT	B0X8L0	BASIN CITY SCHOOL	COMMUNITY	AT	01-Mar-00	BETA	0.0169	pCi/m3	0.0012	0.0031			
SESPMNT	B0X8L1	BASIN CITY SCHOOL	COMMUNITY	AT	15-Mar-00	BETA	0.00936	pCi/m3	0.00083	0.002			
SESPMNT	B0X8L2	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	BETA	0.00655	pCi/m3	0.00067	0.0016			
SESPMNT	B0XWN6	BASIN CITY SCHOOL	COMMUNITY	AT	12-Apr-00	BETA	0.015	pCi/m3	0.002	0.0034			
SESPMNT	B0XWV3	BASIN CITY SCHOOL	COMMUNITY	AT	12-Apr-00	BETA	0.0137	pCi/m3	0.0019	0.0032			
SESPMNT	B0XWN7	BASIN CITY SCHOOL	COMMUNITY	AT	26-Apr-00	BETA	0.00722	pCi/m3	0.0016	0.0022			
SESPMNT	B0XWV4	BASIN CITY SCHOOL	COMMUNITY	AT	26-Apr-00	BETA	0.00947	pCi/m3	0.0017	0.0026			
SESPMNT	B0XWN8	BASIN CITY SCHOOL	COMMUNITY	AT	10-May-00	BETA	0.00605	pCi/m3	0.0015	0.0021			
SESPMNT	B0XWV5	BASIN CITY SCHOOL	COMMUNITY	AT	10-May-00	BETA	0.00817	pCi/m3	0.0017	0.0024			
SESPMNT	B0XWN9	BASIN CITY SCHOOL	COMMUNITY	AT	24-May-00	BETA	0.0113	pCi/m3	0.0019	0.003			
SESPMNT	B0XWV6	BASIN CITY SCHOOL	COMMUNITY	AT	24-May-00	BETA	0.0129	pCi/m3	0.002	0.0032			
SESPMNT	B0XWP0	BASIN CITY SCHOOL	COMMUNITY	AT	07-Jun-00	BETA	0.0113	pCi/m3	0.0019	0.0029			
SESPMNT	B0XWV7	BASIN CITY SCHOOL	COMMUNITY	AT	07-Jun-00	BETA	0.0131	pCi/m3	0.002	0.0032			
SESPMNT	B0XWV8	BASIN CITY SCHOOL	COMMUNITY	AT	21-Jun-00	BETA	0.00681	pCi/m3	0.0016	0.0022			
SESPMNT	B0XWP1	BASIN CITY SCHOOL	COMMUNITY	AT	21-Jun-00	BETA	0.00988	pCi/m3	0.0018	0.0027		FILTER PAPER REVERSED.	
SESPMNT	B0XWP2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	BETA	0.00848	pCi/m3	0.0017	0.0025			
SESPMNT	B0XWV9	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	BETA	0.0128	pCi/m3	0.0019	0.0031		FILTER PAPER REVERSED. DISCONTINUED.	
SESPMNT	B0YLW3	BASIN CITY SCHOOL	COMMUNITY	AT	19-Jul-00	BETA	0.0124	pCi/m3	0.00098	0.0024			
SESPMNT	B0YLW4	BASIN CITY SCHOOL	COMMUNITY	AT	02-Aug-00	BETA	0.0118	pCi/m3	0.00095	0.0024			
SESPMNT	B0YLW5	BASIN CITY SCHOOL	COMMUNITY	AT	17-Aug-00	BETA	0.0139	pCi/m3	0.001	0.0026			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YLW6	BASIN CITY SCHOOL	COMMUNITY	AT	30-Aug-00	BETA	0.0119	pCi/m3	0.00098	0.0024			
SESPMNT	B0YLW7	BASIN CITY SCHOOL	COMMUNITY	AT	12-Sep-00	BETA	0.00785	pCi/m3	0.0008	0.0019			
SESPMNT	B0YLW8	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	BETA	0.0196	pCi/m3	0.0012	0.0035			
SESPMNT	B10D21	BASIN CITY SCHOOL	COMMUNITY	AT	10-Oct-00	BETA	0.027	pCi/m3	0.0015	0.0047			
SESPMNT	B10D22	BASIN CITY SCHOOL	COMMUNITY	AT	25-Oct-00	BETA	0.0179	pCi/m3	0.0012	0.0032			
SESPMNT	B10D23	BASIN CITY SCHOOL	COMMUNITY	AT	08-Nov-00	BETA	0.0219	pCi/m3	0.0013	0.0039			
SESPMNT	B10D24	BASIN CITY SCHOOL	COMMUNITY	AT	21-Nov-00	BETA	0.05	pCi/m3	0.0022	0.0082			
SESPMNT	B10D25	BASIN CITY SCHOOL	COMMUNITY	AT	06-Dec-00	BETA	0.0253	pCi/m3	0.0015	0.0044			
SESPMNT	B10D26	BASIN CITY SCHOOL	COMMUNITY	AT	18-Dec-00	BETA	0.0305	pCi/m3	0.0019	0.0053			
SESPMNT	B10D27	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	BETA	0.0287	pCi/m3	0.0016	0.0049			
SESPMNT	B0X7D1	BATTELLE COMPLEX	PERIMETER	AT	12-Jan-00	BETA	0.0147	pCi/m3	0.0011	0.0028			
SESPMNT	B0X7D2	BATTELLE COMPLEX	PERIMETER	AT	26-Jan-00	BETA	0.0177	pCi/m3	0.0013	0.003			
SESPMNT	B0X7D3	BATTELLE COMPLEX	PERIMETER	AT	10-Feb-00	BETA	0.0216	pCi/m3	0.0013	0.0038			
SESPMNT	B0X7D4	BATTELLE COMPLEX	PERIMETER	AT	23-Feb-00	BETA	0.0224	pCi/m3	0.0014	0.004			
SESPMNT	B0X7D5	BATTELLE COMPLEX	PERIMETER	AT	08-Mar-00	BETA	0.00678	pCi/m3	0.00079	0.0019			
SESPMNT	B0X7D6	BATTELLE COMPLEX	PERIMETER	AT	23-Mar-00	BETA	0.0074	pCi/m3	0.0007	0.0017			
SESPMNT	B0X7D7	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	BETA	0.00819	pCi/m3	0.0008	0.0019			
SESPMNT	B0XVK7	BATTELLE COMPLEX	PERIMETER	AT	19-Apr-00	BETA	0.0109	pCi/m3	0.00091	0.0022			
SESPMNT	B0XVK8	BATTELLE COMPLEX	PERIMETER	AT	03-May-00	BETA	0.00832	pCi/m3	0.00078	0.0018			
SESPMNT	B0XVK9	BATTELLE COMPLEX	PERIMETER	AT	17-May-00	BETA	0.00887	pCi/m3	0.0008	0.0019			
SESPMNT	B0XVL0	BATTELLE COMPLEX	PERIMETER	AT	31-May-00	BETA	0.00995	pCi/m3	0.00086	0.0021			
SESPMNT	B0XVL1	BATTELLE COMPLEX	PERIMETER	AT	14-Jun-00	BETA	0.00862	pCi/m3	0.00079	0.0019			
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	BETA	0.0104	pCi/m3	0.00086	0.0021			
SESPMNT	B0YKP5	BATTELLE COMPLEX	PERIMETER	AT	13-Jul-00	BETA	0.0103	pCi/m3	0.00088	0.0021			
SESPMNT	B0YKP6	BATTELLE COMPLEX	PERIMETER	AT	26-Jul-00	BETA	0.0104	pCi/m3	0.00091	0.0022			
SESPMNT	B0YKP7	BATTELLE COMPLEX	PERIMETER	AT	10-Aug-00	BETA	0.011	pCi/m3	0.00089	0.0022			
SESPMNT	B0YKP8	BATTELLE COMPLEX	PERIMETER	AT	24-Aug-00	BETA	0.0109	pCi/m3	0.00091	0.0022			
SESPMNT	B0YKP9	BATTELLE COMPLEX	PERIMETER	AT	07-Sep-00	BETA	0.0106	pCi/m3	0.0009	0.0022			
SESPMNT	B0YKR0	BATTELLE COMPLEX	PERIMETER	AT	20-Sep-00	BETA	0.0127	pCi/m3	0.001	0.0025			
SESPMNT	B0YKR1	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	BETA	0.0218	pCi/m3	0.0013	0.0038			
SESPMNT	B10BX4	BATTELLE COMPLEX	PERIMETER	AT	19-Oct-00	BETA	0.0246	pCi/m3	0.0014	0.0043			
SESPMNT	B10BX5	BATTELLE COMPLEX	PERIMETER	AT	02-Nov-00	BETA	0.0273	pCi/m3	0.0015	0.0047			
SESPMNT	B10BX6	BATTELLE COMPLEX	PERIMETER	AT	14-Nov-00	BETA	0.0296	pCi/m3	0.0017	0.0052			
SESPMNT	B10BX7	BATTELLE COMPLEX	PERIMETER	AT	29-Nov-00	BETA	0.0428	pCi/m3	0.0019	0.0071			
SESPMNT	B10BX8	BATTELLE COMPLEX	PERIMETER	AT	14-Dec-00	BETA	0.0262	pCi/m3	0.0016	0.0045			
SESPMNT	B10BX9	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	BETA	0.0216	pCi/m3	0.0015	0.0039			
SESPMNT	B0X7F0	BENTON CITY	COMMUNITY	AT	11-Jan-00	BETA	0.0106	pCi/m3	0.00093	0.0022			
SESPMNT	B0X7D9	BENTON CITY	COMMUNITY	AT	26-Jan-00	BETA	0.0121	pCi/m3	0.00093	0.0024			
SESPMNT	B0X7F1	BENTON CITY	COMMUNITY	AT	08-Feb-00	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B0X7F2	BENTON CITY	COMMUNITY	AT	23-Feb-00	BETA	0.0181	pCi/m3	0.0012	0.0033			
SESPMNT	B0X7F3	BENTON CITY	COMMUNITY	AT	08-Mar-00	BETA	0.00738	pCi/m3	0.00072	0.0017			
SESPMNT	B0X7F4	BENTON CITY	COMMUNITY	AT	22-Mar-00	BETA	0.00705	pCi/m3	0.00069	0.0016			
SESPMNT	B0X7F5	BENTON CITY	COMMUNITY	AT	04-Apr-00	BETA	0.00954	pCi/m3	0.0009	0.0021			
SESPMNT	B0XVL4	BENTON CITY	COMMUNITY	AT	19-Apr-00	BETA	0.0128	pCi/m3	0.00093	0.0024			
SESPMNT	B0XVL5	BENTON CITY	COMMUNITY	AT	03-May-00	BETA	0.00902	pCi/m3	0.00082	0.0019			
SESPMNT	B0XVL6	BENTON CITY	COMMUNITY	AT	17-May-00	BETA	0.0138	pCi/m3	0.0012	0.0029		PUMP WAS FOUND ON SIDE PROBABLY DUE TO WINDY CONDITIONS.	
SESPMNT	B0XVL7	BENTON CITY	COMMUNITY	AT	31-May-00	BETA	0.0137	pCi/m3	0.00093	0.0025		PUMP WAS FOUND TILTED OVER.	
SESPMNT	B0XVL8	BENTON CITY	COMMUNITY	AT	14-Jun-00	BETA	0.00809	pCi/m3	0.00078	0.0018			
SESPMNT	B0XVL9	BENTON CITY	COMMUNITY	AT	28-Jun-00	BETA	0.0098	pCi/m3	0.00086	0.0021			
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	BETA	0.0103	pCi/m3	0.0012	0.0027			
SESPMNT	B0YKR3	BENTON CITY	COMMUNITY	AT	12-Jul-00	BETA	0.00962	pCi/m3	0.0011	0.0027			
SESPMNT	B0YKR4	BENTON CITY	COMMUNITY	AT	26-Jul-00	BETA	0.0125	pCi/m3	0.00098	0.0025			
SESPMNT	B0YKR5	BENTON CITY	COMMUNITY	AT	09-Aug-00	BETA						NO SAMPLE. SAVE FOR COMPOSITE. ELECTRICITY TO PUMP FAILED.	
SESPMNT	B0YKR6	BENTON CITY	COMMUNITY	AT	23-Aug-00	BETA						NO SAMPLE. POWER OUTAGE. SAVE FOR COMPOSITE.	
SESPMNT	B0YKR7	BENTON CITY	COMMUNITY	AT	06-Sep-00	BETA	0.00954	pCi/m3	0.00086	0.002			
SESPMNT	B0YKR8	BENTON CITY	COMMUNITY	AT	20-Sep-00	BETA	0.0116	pCi/m3	0.00094	0.0023			
SESPMNT	B0YKR9	BENTON CITY	COMMUNITY	AT	04-Oct-00	BETA	0.0218	pCi/m3	0.0013	0.0039			
SESPMNT	B10BY1	BENTON CITY	COMMUNITY	AT	18-Oct-00	BETA	0.0232	pCi/m3	0.0013	0.0041			
SESPMNT	B10BY2	BENTON CITY	COMMUNITY	AT	01-Nov-00	BETA	0.0194	pCi/m3	0.0013	0.0036			
SESPMNT	B10BY3	BENTON CITY	COMMUNITY	AT	15-Nov-00	BETA	0.0308	pCi/m3	0.0017	0.0052			
SESPMNT	B10BY4	BENTON CITY	COMMUNITY	AT	29-Nov-00	BETA	0.0495	pCi/m3	0.0022	0.0081			
SESPMNT	B10BY5	BENTON CITY	COMMUNITY	AT	13-Dec-00	BETA	0.0274	pCi/m3	0.0016	0.0047			
SESPMNT	B10BY6	BENTON CITY	COMMUNITY	AT	26-Dec-00	BETA	0.0279	pCi/m3	0.0018	0.0049			
SESPMNT	B0X896	BYERS LANDING	PERIMETER	AT	20-Jan-00	BETA	0.0074	pCi/m3	0.00072	0.0017			
SESPMNT	B0X897	BYERS LANDING	PERIMETER	AT	03-Feb-00	BETA	0.0194	pCi/m3	0.0012	0.0035			
SESPMNT	B0X898	BYERS LANDING	PERIMETER	AT	18-Feb-00	BETA	0.0157	pCi/m3	0.0011	0.0029			
SESPMNT	B0X899	BYERS LANDING	PERIMETER	AT	02-Mar-00	BETA	0.0169	pCi/m3	0.0012	0.0032			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	1-SIGC COUNTING ERROR	TOTAL ANALZ ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X8B0	BYERS LANDING	PERIMETER	AT	16-Mar-00	BETA	0.00892	pCi/m3	0.00081	0.0019			
SESPMNT	B0X8B1	BYERS LANDING	PERIMETER	AT	31-Mar-00	BETA	0.00521	pCi/m3	0.00056	0.0013			
SESPMNT	B0XWD5	BYERS LANDING	PERIMETER	AT	13-Apr-00	BETA	0.013	pCi/m3	0.001	0.0026			
SESPMNT	B0XWD6	BYERS LANDING	PERIMETER	AT	27-Apr-00	BETA	0.00828	pCi/m3	0.00077	0.0018			
SESPMNT	B0XWD7	BYERS LANDING	PERIMETER	AT	11-May-00	BETA	0.00761	pCi/m3	0.00074	0.0017			
SESPMNT	B0XWD8	BYERS LANDING	PERIMETER	AT	25-May-00	BETA	0.0105	pCi/m3	0.00088	0.0022			
SESPMNT	B0XWD9	BYERS LANDING	PERIMETER	AT	08-Jun-00	BETA	0.0102	pCi/m3	0.00087	0.0021			
SESPMNT	B0XWF0	BYERS LANDING	PERIMETER	AT	23-Jun-00	BETA	0.00633	pCi/m3	0.00065	0.0015			
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	BETA	0.0133	pCi/m3	0.0014	0.0031			
SESPMNT	B0XWF1	BYERS LANDING	PERIMETER	AT	07-Jul-00	BETA	0.00688	pCi/m3	0.00091	0.0023			
SESPMNT	B0YLL2	BYERS LANDING	PERIMETER	AT	20-Jul-00	BETA	0.0109	pCi/m3	0.00094	0.0023			
SESPMNT	B0YLL3	BYERS LANDING	PERIMETER	AT	03-Aug-00	BETA	0.0106	pCi/m3	0.00089	0.0022			
SESPMNT	B0YLL4	BYERS LANDING	PERIMETER	AT	18-Aug-00	BETA	0.0131	pCi/m3	0.00097	0.0025			
SESPMNT	B0YLL5	BYERS LANDING	PERIMETER	AT	31-Aug-00	BETA	0.011	pCi/m3	0.00095	0.0023			
SESPMNT	B0YLL6	BYERS LANDING	PERIMETER	AT	13-Sep-00	BETA	0.00996	pCi/m3	0.00089	0.0021			
SESPMNT	B0YLL7	BYERS LANDING	PERIMETER	AT	29-Sep-00	BETA	0.0226	pCi/m3	0.0013	0.0039			
SESPMNT	B10CT0	BYERS LANDING	PERIMETER	AT	11-Oct-00	BETA	0.0237	pCi/m3	0.0015	0.0043			
SESPMNT	B10CT1	BYERS LANDING	PERIMETER	AT	27-Oct-00	BETA	0.0235	pCi/m3	0.0013	0.0041			
SESPMNT	B10CT2	BYERS LANDING	PERIMETER	AT	09-Nov-00	BETA	0.0202	pCi/m3	0.0013	0.0037			
SESPMNT	B10CT3	BYERS LANDING	PERIMETER	AT	22-Nov-00	BETA	0.0697	pCi/m3	0.0026	0.011			
SESPMNT	B10CT4	BYERS LANDING	PERIMETER	AT	08-Dec-00	BETA	0.024	pCi/m3	0.0014	0.0041			
SESPMNT	B10CT5	BYERS LANDING	PERIMETER	AT	19-Dec-00	BETA	0.029	pCi/m3	0.0019	0.0051			
SESPMNT	B10CT6	BYERS LANDING	PERIMETER	AT	05-Jan-01	BETA	0.0314	pCi/m3	0.0016	0.0053			
SESPMNT	B0X889	DOGWOOD MET TOWER	PERIMETER	AT	20-Jan-00	BETA	0.0078	pCi/m3	0.00075	0.0018			
SESPMNT	B0X890	DOGWOOD MET TOWER	PERIMETER	AT	03-Feb-00	BETA	0.0182	pCi/m3	0.0012	0.0033			
SESPMNT	B0X891	DOGWOOD MET TOWER	PERIMETER	AT	18-Feb-00	BETA	0.0184	pCi/m3	0.0011	0.003			
SESPMNT	B0X892	DOGWOOD MET TOWER	PERIMETER	AT	02-Mar-00	BETA	0.0163	pCi/m3	0.0012	0.0031			
SESPMNT	B0X893	DOGWOOD MET TOWER	PERIMETER	AT	16-Mar-00	BETA	0.00856	pCi/m3	0.00079	0.0019			
SESPMNT	B0X894	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	BETA	0.00674	pCi/m3	0.00067	0.0016			
SESPMNT	B0XWC7	DOGWOOD MET TOWER	PERIMETER	AT	13-Apr-00	BETA	0.0139	pCi/m3	0.0011	0.0027			
SESPMNT	B0XWC8	DOGWOOD MET TOWER	PERIMETER	AT	27-Apr-00	BETA	0.00764	pCi/m3	0.00074	0.0017			
SESPMNT	B0XWC9	DOGWOOD MET TOWER	PERIMETER	AT	11-May-00	BETA	0.00711	pCi/m3	0.00071	0.0017			
SESPMNT	B0XWD0	DOGWOOD MET TOWER	PERIMETER	AT	25-May-00	BETA	0.0123	pCi/m3	0.00097	0.0024			
SESPMNT	B0XWD1	DOGWOOD MET TOWER	PERIMETER	AT	08-Jun-00	BETA	0.0104	pCi/m3	0.00089	0.0022			
SESPMNT	B0XWD2	DOGWOOD MET TOWER	PERIMETER	AT	23-Jun-00	BETA	0.00329	pCi/m3	0.00043	0.0011			
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	BETA	0.0123	pCi/m3	0.0013	0.003			
SESPMNT	B0XWD3	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	BETA	0.00632	pCi/m3	0.00084	0.0022			
SESPMNT	B0YLK5	DOGWOOD MET TOWER	PERIMETER	AT	20-Jul-00	BETA	0.0111	pCi/m3	0.00095	0.0023			
SESPMNT	B0YLK6	DOGWOOD MET TOWER	PERIMETER	AT	03-Aug-00	BETA	0.0106	pCi/m3	0.00089	0.0022			
SESPMNT	B0YLK7	DOGWOOD MET TOWER	PERIMETER	AT	18-Aug-00	BETA	0.0125	pCi/m3	0.00095	0.0024			
SESPMNT	B0YLK8	DOGWOOD MET TOWER	PERIMETER	AT	31-Aug-00	BETA	0.00938	pCi/m3	0.00086	0.002			
SESPMNT	B0YLK9	DOGWOOD MET TOWER	PERIMETER	AT	13-Sep-00	BETA	0.00806	pCi/m3	0.00078	0.0018			
SESPMNT	B0YLL0	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	BETA	0.0207	pCi/m3	0.0012	0.0036			
SESPMNT	B10CR2	DOGWOOD MET TOWER	PERIMETER	AT	11-Oct-00	BETA	0.0249	pCi/m3	0.0015	0.0044			
SESPMNT	B10CR3	DOGWOOD MET TOWER	PERIMETER	AT	27-Oct-00	BETA	0.0214	pCi/m3	0.0012	0.0038			
SESPMNT	B10CR4	DOGWOOD MET TOWER	PERIMETER	AT	09-Nov-00	BETA	0.016	pCi/m3	0.0012	0.003			
SESPMNT	B10CR5	DOGWOOD MET TOWER	PERIMETER	AT	22-Nov-00	BETA	0.0503	pCi/m3	0.0023	0.0083			
SESPMNT	B10CR6	DOGWOOD MET TOWER	PERIMETER	AT	08-Dec-00	BETA	0.0187	pCi/m3	0.0013	0.0033			
SESPMNT	B10CR7	DOGWOOD MET TOWER	PERIMETER	AT	19-Dec-00	BETA	0.0308	pCi/m3	0.002	0.0054			
SESPMNT	B10CR8	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	BETA	0.029	pCi/m3	0.0015	0.0049			
SESPMNT	B0X7W0	E OF 200 E	ONSITE	AT	18-Jan-00	BETA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B0X7W1	E OF 200 E	ONSITE	AT	01-Feb-00	BETA						NO SAMPLE. POWER OUTAGE.	
SESPMNT	B0X7W2	E OF 200 E	ONSITE	AT	16-Feb-00	BETA	0.0151	pCi/m3	0.0011	0.0029			
SESPMNT	B0X7W3	E OF 200 E	ONSITE	AT	29-Feb-00	BETA	0.0172	pCi/m3	0.0012	0.0032			
SESPMNT	B0X7W4	E OF 200 E	ONSITE	AT	14-Mar-00	BETA	0.00904	pCi/m3	0.00081	0.0019			
SESPMNT	B0X7W5	E OF 200 E	ONSITE	AT	30-Mar-00	BETA	0.00659	pCi/m3	0.00064	0.0015			
SESPMNT	B0XVY7	E OF 200 E	ONSITE	AT	11-Apr-00	BETA	0.0144	pCi/m3	0.0011	0.0028			
SESPMNT	B0XVY8	E OF 200 E	ONSITE	AT	25-Apr-00	BETA	0.0103	pCi/m3	0.00088	0.0021			
SESPMNT	B0XVY9	E OF 200 E	ONSITE	AT	09-May-00	BETA	0.00689	pCi/m3	0.0007	0.0016			
SESPMNT	B0XW00	E OF 200 E	ONSITE	AT	23-May-00	BETA	0.000941	pCi/m3	0.00017	0.00078	J		
SESPMNT	B0XW01	E OF 200 E	ONSITE	AT	06-Jun-00	BETA	0.00952	pCi/m3	0.00084	0.002			
SESPMNT	B0XW02	E OF 200 E	ONSITE	AT	21-Jun-00	BETA	0.00615	pCi/m3	0.00064	0.0015			
SESPMNT	B0XW03	E OF 200 E	ONSITE	AT	05-Jul-00	BETA	0.00934	pCi/m3	0.00083	0.002			
SESPMNT	B0YL46	E OF 200 E	ONSITE	AT	18-Jul-00	BETA	0.0103	pCi/m3	0.00091	0.0022			
SESPMNT	B0YL47	E OF 200 E	ONSITE	AT	01-Aug-00	BETA	0.0102	pCi/m3	0.00089	0.0021		BLOWN FUSE.	
SESPMNT	B0YL48	E OF 200 E	ONSITE	AT	16-Aug-00	BETA	0.0114	pCi/m3	0.0009	0.0023			
SESPMNT	B0YL49	E OF 200 E	ONSITE	AT	29-Aug-00	BETA	0.0103	pCi/m3	0.00091	0.0022			
SESPMNT	B0YL50	E OF 200 E	ONSITE	AT	11-Sep-00	BETA	0.00827	pCi/m3	0.00079	0.0019			
SESPMNT	B0YL51	E OF 200 E	ONSITE	AT	26-Sep-00	BETA	0.0149	pCi/m3	0.0011	0.0028			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10C85	E OF 200 E	ONSITE	AT	09-Oct-00	BETA	0.0292	pCi/m3	0.0016	0.0051			
SESPMNT	B10C86	E OF 200 E	ONSITE	AT	24-Oct-00	BETA	0.0169	pCi/m3	0.0011	0.0031			
SESPMNT	B10C87	E OF 200 E	ONSITE	AT	07-Nov-00	BETA	0.0277	pCi/m3	0.0015	0.0048		FILTER VERY DIRTY.	
SESPMNT	B10C88	E OF 200 E	ONSITE	AT	20-Nov-00	BETA	0.0576	pCi/m3	0.0024	0.0094			
SESPMNT	B10C89	E OF 200 E	ONSITE	AT	06-Dec-00	BETA	0.0358	pCi/m3	0.0025	0.0064		POWER OUTAGE OBSERVED ZERO END FLOW ASSUMED 1.5 CFM.	
SESPMNT	B10C90	E OF 200 E	ONSITE	AT	18-Dec-00	BETA	0.0317	pCi/m3	0.0019	0.0055			
SESPMNT	B10C91	E OF 200 E	ONSITE	AT	02-Jan-01	BETA	0.0289	pCi/m3	0.0016	0.0049			
SESPMNT	B0X8M1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Jan-00	BETA	0.00553	pCi/m3	0.00062	0.0014			
SESPMNT	B0X8M2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Feb-00	BETA	0.0187	pCi/m3	0.0012	0.0034			
SESPMNT	B0X8M3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	16-Feb-00	BETA	0.0147	pCi/m3	0.0011	0.0028			
SESPMNT	B0X8M4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	01-Mar-00	BETA	0.0156	pCi/m3	0.0011	0.0029			
SESPMNT	B0X8M5	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	15-Mar-00	BETA	0.00809	pCi/m3	0.00077	0.0018		DIRTY AND WET FILTER.	
SESPMNT	B0X8M6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	BETA	0.00552	pCi/m3	0.0006	0.0014		DIRTY FILTER HEAD.	
SESPMNT	B0XWR2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	13-Apr-00	BETA	0.0137	pCi/m3	0.001	0.0026		FILTER DIRTY, WET.	
SESPMNT	B0XWR3	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	26-Apr-00	BETA	0.00748	pCi/m3	0.00074	0.0017		DIRTY FILTER HEAD.	
SESPMNT	B0XWR4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-May-00	BETA	0.00914	pCi/m3	0.00083	0.002			
SESPMNT	B0XWR5	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	24-May-00	BETA	0.0124	pCi/m3	0.00098	0.0025		DIRTY FILTER HEAD.	
SESPMNT	B0XWR6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	07-Jun-00	BETA	0.0107	pCi/m3	0.00089	0.0022		DIRTY FILTER HEAD.	
SESPMNT	B0XWR7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	21-Jun-00	BETA	0.00713	pCi/m3	0.00072	0.0017		DIRTY FILTER HEAD.	
SESPMNT	B0XWR8	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	BETA	0.0106	pCi/m3	0.00088	0.0022		DIRTY FILTER HEAD.	
SESPMNT	B0YLX7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Jul-00	BETA	0.0109	pCi/m3	0.00091	0.0022		DIRTY FILTER HEAD.	
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Aug-00	BETA	0.0122	pCi/m3	0.00097	0.0024		DIRTY FILTER HEAD.	
SESPMNT	B0YLX9	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	16-Aug-00	BETA	0.0136	pCi/m3	0.001	0.0026		DIRTY FILTER HEAD.	
SESPMNT	B0YLY0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	30-Aug-00	BETA	0.0118	pCi/m3	0.00095	0.0024		DIRTY FILTER HEAD.	
SESPMNT	B0YLY1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	12-Sep-00	BETA	0.00877	pCi/m3	0.00083	0.0019			
SESPMNT	B0YLY2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	BETA	0.0199	pCi/m3	0.0012	0.0036			
SESPMNT	B10D37	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-Oct-00	BETA	0.029	pCi/m3	0.0016	0.005		DIRTY AND WET.	
SESPMNT	B10D38	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	25-Oct-00	BETA	0.0166	pCi/m3	0.0011	0.0031		DIRTY FILTER HEAD.	
SESPMNT	B10D39	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	08-Nov-00	BETA	0.0214	pCi/m3	0.0013	0.0038		DIRTY AND WET FILTER HEAD.	
SESPMNT	B10D40	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	21-Nov-00	BETA	0.053	pCi/m3	0.0023	0.0087		WET, FROSTY FILTER.	
SESPMNT	B10D41	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	06-Dec-00	BETA	0.0253	pCi/m3	0.0015	0.0044		DIRTY WET FILTER HEAD.	
SESPMNT	B10D42	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	18-Dec-00	BETA	0.026	pCi/m3	0.0016	0.0045			
SESPMNT	B10D43	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	BETA	0.0288	pCi/m3	0.0016	0.0049		WET FILTER HEAD.	
SESPMNT	B0X8N5	HANFORD TOWNSITE	ONSITE	AT	11-Jan-00	BETA	0.0071	pCi/m3	0.0009	0.0022			
SESPMNT	B0X8N6	HANFORD TOWNSITE	ONSITE	AT	25-Jan-00	BETA	0.0134	pCi/m3	0.001	0.0026			
SESPMNT	B0X8N7	HANFORD TOWNSITE	ONSITE	AT	09-Feb-00	BETA	0.0177	pCi/m3	0.0012	0.0032			
SESPMNT	B0X8N8	HANFORD TOWNSITE	ONSITE	AT	22-Feb-00	BETA	0.0193	pCi/m3	0.0013	0.0036			
SESPMNT	B0X8N9	HANFORD TOWNSITE	ONSITE	AT	07-Mar-00	BETA	0.00831	pCi/m3	0.00076	0.0018			
SESPMNT	B0X8P0	HANFORD TOWNSITE	ONSITE	AT	21-Mar-00	BETA	0.0079	pCi/m3	0.00075	0.0018			
SESPMNT	B0X8P1	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	BETA	0.0107	pCi/m3	0.0009	0.0022			
SESPMNT	B0XWT6	HANFORD TOWNSITE	ONSITE	AT	18-Apr-00	BETA	0.0124	pCi/m3	0.00098	0.0024			
SESPMNT	B0XWT7	HANFORD TOWNSITE	ONSITE	AT	02-May-00	BETA	0.00853	pCi/m3	0.00079	0.0019			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWT8	HANFORD TOWNSITE	ONSITE	AT	16-May-00	BETA	0.00722	pCi/m3	0.00072	0.0017			
SESPMNT	B0XWT9	HANFORD TOWNSITE	ONSITE	AT	30-May-00	BETA	0.0105	pCi/m3	0.00089	0.0022			
SESPMNT	B0XWV0	HANFORD TOWNSITE	ONSITE	AT	13-Jun-00	BETA	0.00919	pCi/m3	0.00082	0.002			
SESPMNT	B0XWV1	HANFORD TOWNSITE	ONSITE	AT	26-Jun-00	BETA	0.00915	pCi/m3	0.0008	0.0019			
SESPMNT	B0YM01	HANFORD TOWNSITE	ONSITE	AT	10-Jul-00	BETA	0.012	pCi/m3	0.0011	0.0027			
SESPMNT	B0YM02	HANFORD TOWNSITE	ONSITE	AT	25-Jul-00	BETA	0.0117	pCi/m3	0.00092	0.0023			
SESPMNT	B0YM03	HANFORD TOWNSITE	ONSITE	AT	09-Aug-00	BETA	0.00997	pCi/m3	0.00084	0.002			
SESPMNT	B0YM04	HANFORD TOWNSITE	ONSITE	AT	23-Aug-00	BETA	0.0117	pCi/m3	0.00095	0.0023			
SESPMNT	B0YM05	HANFORD TOWNSITE	ONSITE	AT	06-Sep-00	BETA	0.0102	pCi/m3	0.00088	0.0021			
SESPMNT	B0YM06	HANFORD TOWNSITE	ONSITE	AT	22-Sep-00	BETA	0.012	pCi/m3	0.0009	0.0023			
SESPMNT	B0YM07	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	BETA	0.0226	pCi/m3	0.0015	0.0042			
SESPMNT	B10D51	HANFORD TOWNSITE	ONSITE	AT	18-Oct-00	BETA	0.0253	pCi/m3	0.0014	0.0044			
SESPMNT	B10D52	HANFORD TOWNSITE	ONSITE	AT	30-Oct-00	BETA	0.0272	pCi/m3	0.0016	0.0048			
SESPMNT	B10D53	HANFORD TOWNSITE	ONSITE	AT	13-Nov-00	BETA	0.0262	pCi/m3	0.0015	0.0046			
SESPMNT	B10D54	HANFORD TOWNSITE	ONSITE	AT	28-Nov-00	BETA	0.0468	pCi/m3	0.002	0.0077			
SESPMNT	B10D55	HANFORD TOWNSITE	ONSITE	AT	13-Dec-00	BETA	0.0237	pCi/m3	0.0015	0.0041			
SESPMNT	B10D56	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	BETA	0.0289	pCi/m3	0.0017	0.005			
SESPMNT	B0X8B3	HORN RAPIDS SUBSTA	PERIMETER	AT	13-Jan-00	BETA	0.00985	pCi/m3	0.00086	0.0021			
SESPMNT	B0X8B4	HORN RAPIDS SUBSTA	PERIMETER	AT	27-Jan-00	BETA	0.015	pCi/m3	0.0011	0.0028			
SESPMNT	B0X8B5	HORN RAPIDS SUBSTA	PERIMETER	AT	11-Feb-00	BETA	0.0216	pCi/m3	0.0013	0.0038			
SESPMNT	B0X8B6	HORN RAPIDS SUBSTA	PERIMETER	AT	24-Feb-00	BETA	0.0207	pCi/m3	0.0013	0.0038			
SESPMNT	B0X8B7	HORN RAPIDS SUBSTA	PERIMETER	AT	09-Mar-00	BETA	0.00918	pCi/m3	0.00083	0.002			
SESPMNT	B0X8B8	HORN RAPIDS SUBSTA	PERIMETER	AT	24-Mar-00	BETA	0.00657	pCi/m3	0.00066	0.0015			
SESPMNT	B0X8B9	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Apr-00	BETA	0.00934	pCi/m3	0.00086	0.002			
SESPMNT	B0XWF3	HORN RAPIDS SUBSTA	PERIMETER	AT	20-Apr-00	BETA	0.0116	pCi/m3	0.00094	0.0023			
SESPMNT	B0XWF4	HORN RAPIDS SUBSTA	PERIMETER	AT	05-May-00	BETA	0.00699	pCi/m3	0.00068	0.0016			
SESPMNT	B0XWF5	HORN RAPIDS SUBSTA	PERIMETER	AT	18-May-00	BETA	0.00823	pCi/m3	0.0008	0.0019			
SESPMNT	B0XWF6	HORN RAPIDS SUBSTA	PERIMETER	AT	01-Jun-00	BETA	0.0108	pCi/m3	0.0009	0.0022			
SESPMNT	B0XWF7	HORN RAPIDS SUBSTA	PERIMETER	AT	15-Jun-00	BETA	0.00814	pCi/m3	0.00076	0.0018			
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	BETA	0.0102	pCi/m3	0.00085	0.0021			
SESPMNT	B0YLL9	HORN RAPIDS SUBSTA	PERIMETER	AT	14-Jul-00	BETA	0.00922	pCi/m3	0.00083	0.002			
SESPMNT	B0YLM0	HORN RAPIDS SUBSTA	PERIMETER	AT	27-Jul-00	BETA	0.0131	pCi/m3	0.001	0.0026			
SESPMNT	B0YLM1	HORN RAPIDS SUBSTA	PERIMETER	AT	11-Aug-00	BETA	0.0104	pCi/m3	0.00086	0.0021			
SESPMNT	B0YLM2	HORN RAPIDS SUBSTA	PERIMETER	AT	25-Aug-00	BETA	0.0116	pCi/m3	0.00094	0.0023			
SESPMNT	B0YLM3	HORN RAPIDS SUBSTA	PERIMETER	AT	08-Sep-00	BETA	0.0101	pCi/m3	0.00087	0.0021			
SESPMNT	B0YLM4	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Sep-00	BETA	0.0171	pCi/m3	0.0012	0.0032			
SESPMNT	B0YLM5	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Oct-00	BETA	0.0219	pCi/m3	0.0013	0.0039			
SESPMNT	B10CT8	HORN RAPIDS SUBSTA	PERIMETER	AT	20-Oct-00	BETA	0.0243	pCi/m3	0.0014	0.0043			
SESPMNT	B10CT9	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Nov-00	BETA	0.0262	pCi/m3	0.0015	0.0046			
SESPMNT	B10CV0	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Nov-00	BETA	0.0373	pCi/m3	0.002	0.0063			
SESPMNT	B10CV1	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Nov-00	BETA	0.043	pCi/m3	0.002	0.0071			
SESPMNT	B10CV2	HORN RAPIDS SUBSTA	PERIMETER	AT	15-Dec-00	BETA	0.0256	pCi/m3	0.0015	0.0044			
SESPMNT	B10CV3	HORN RAPIDS SUBSTA	PERIMETER	AT	29-Dec-00	BETA	0.0225	pCi/m3	0.0015	0.004			
SESPMNT	B0X8J2	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Jan-00	BETA	0.00752	pCi/m3	0.00074	0.0017			
SESPMNT	B0X8J3	KENNEWICK-ELY STREET	COMMUNITY	AT	02-Feb-00	BETA	0.0216	pCi/m3	0.0013	0.0039			
SESPMNT	B0X8J4	KENNEWICK-ELY STREET	COMMUNITY	AT	18-Feb-00	BETA	0.0185	pCi/m3	0.0012	0.0033			
SESPMNT	B0X8J5	KENNEWICK-ELY STREET	COMMUNITY	AT	01-Mar-00	BETA	0.0184	pCi/m3	0.0013	0.0035			
SESPMNT	B0X8J6	KENNEWICK-ELY STREET	COMMUNITY	AT	16-Mar-00	BETA	0.0105	pCi/m3	0.00087	0.0021			
SESPMNT	B0X8J7	KENNEWICK-ELY STREET	COMMUNITY	AT	29-Mar-00	BETA	0.00772	pCi/m3	0.00076	0.0018			
SESPMNT	B0XWM1	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Apr-00	BETA	0.0119	pCi/m3	0.001	0.0024		VERY DUSTY.	
SESPMNT	B0XWM2	KENNEWICK-ELY STREET	COMMUNITY	AT	26-Apr-00	BETA	0.0116	pCi/m3	0.00089	0.0023			
SESPMNT	B0XWM3	KENNEWICK-ELY STREET	COMMUNITY	AT	11-May-00	BETA	0.00838	pCi/m3	0.00077	0.0018			
SESPMNT	B0XWM4	KENNEWICK-ELY STREET	COMMUNITY	AT	24-May-00	BETA	0.0146	pCi/m3	0.0011	0.0028			
SESPMNT	B0XWM5	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Jun-00	BETA	0.011	pCi/m3	0.00099	0.0024			
SESPMNT	B0XWM6	KENNEWICK-ELY STREET	COMMUNITY	AT	21-Jun-00	BETA	0.00811	pCi/m3	0.00073	0.0017			
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	BETA	0.0162	pCi/m3	0.0014	0.0033			
SESPMNT	B0XWM7	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Jul-00	BETA	0.00868	pCi/m3	0.0009	0.0021		FLOW METER NOT WORKING.	
SESPMNT	B0YLT8	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Jul-00	BETA	0.013	pCi/m3	0.0011	0.0027			
SESPMNT	B0YLT9	KENNEWICK-ELY STREET	COMMUNITY	AT	02-Aug-00	BETA	0.0121	pCi/m3	0.00094	0.0024			
SESPMNT	B0YLV0	KENNEWICK-ELY STREET	COMMUNITY	AT	16-Aug-00	BETA						NO SAMPLE. FILTER ARM WAS LYING ON GROUND.	
SESPMNT	B0YLV1	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Aug-00	BETA	0.0129	pCi/m3	0.00099	0.0025			
SESPMNT	B0YLV2	KENNEWICK-ELY STREET	COMMUNITY	AT	12-Sep-00	BETA	0.00927	pCi/m3	0.00085	0.002			
SESPMNT	B0YLV3	KENNEWICK-ELY STREET	COMMUNITY	AT	27-Sep-00	BETA	0.0189	pCi/m3	0.0012	0.0034			
SESPMNT	B10D06	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Oct-00	BETA	0.029	pCi/m3	0.0016	0.005			
SESPMNT	B10D07	KENNEWICK-ELY STREET	COMMUNITY	AT	25-Oct-00	BETA	0.0159	pCi/m3	0.0011	0.0029			
SESPMNT	B10D08	KENNEWICK-ELY STREET	COMMUNITY	AT	09-Nov-00	BETA	0.0221	pCi/m3	0.0013	0.0039		MOISTURE AROUND SAMPLE.	
SESPMNT	B10D09	KENNEWICK-ELY STREET	COMMUNITY	AT	21-Nov-00	BETA	0.0532	pCi/m3	0.0023	0.0088		ICE ON FILTER.	
SESPMNT	B10D10	KENNEWICK-ELY STREET	COMMUNITY	AT	05-Dec-00	BETA	0.0301	pCi/m3	0.0017	0.0052			
SESPMNT	B10D11	KENNEWICK-ELY STREET	COMMUNITY	AT	18-Dec-00	BETA	0.0349	pCi/m3	0.0019	0.006			

OWNER ID	SAMP. NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	RN SHORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10D12	KENNEWICK-ELY STREET	COMMUNITY	AT	03-Jan-01	BETA	0.0337	pCi/m3	0.0017	0.0057			
SESPMNT	B0X8L4	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Jan-00	BETA	0.00534	pCi/m3	0.0006	0.0014			
SESPMNT	B0X8L5	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Feb-00	BETA	0.0237	pCi/m3	0.0014	0.0042			
SESPMNT	B0X8L6	LESLIE GROVES-RCHLND	COMMUNITY	AT	15-Feb-00	BETA	0.0177	pCi/m3	0.0012	0.0032			
SESPMNT	B0X8L7	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Feb-00	BETA	0.0188	pCi/m3	0.0012	0.0034			
SESPMNT	B0X8L8	LESLIE GROVES-RCHLND	COMMUNITY	AT	14-Mar-00	BETA	0.0109	pCi/m3	0.00091	0.0022			
SESPMNT	B0X8L9	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	BETA	0.00618	pCi/m3	0.00085	0.0015			
SESPMNT	B0XWP4	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Apr-00	BETA	0.0105	pCi/m3	0.0009	0.0022			
SESPMNT	B0XWP5	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Apr-00	BETA	0.00982	pCi/m3	0.00086	0.0021			
SESPMNT	B0XWP6	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-May-00	BETA	0.00909	pCi/m3	0.00082	0.0019			
SESPMNT	B0XWP7	LESLIE GROVES-RCHLND	COMMUNITY	AT	23-May-00	BETA	0.011	pCi/m3	0.00091	0.0022			
SESPMNT	B0XWP8	LESLIE GROVES-RCHLND	COMMUNITY	AT	06-Jun-00	BETA	0.00992	pCi/m3	0.00086	0.0021			
SESPMNT	B0XWP9	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-Jun-00	BETA	0.00706	pCi/m3	0.00071	0.0016			
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	BETA	0.0114	pCi/m3	0.0011	0.0026			
SESPMNT	B0XWR0	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	BETA						NO SAMPLE. SAMPLE RAN 12.7 HOURS ON ONE PUMP AND 100 HOURS ON SECOND PUMP FOR A COMBINED EXPOSURE OF 112.7 HOURS.	
SESPMNT	B0YLX0	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Jul-00	BETA	0.0116	pCi/m3	0.00095	0.0023			
SESPMNT	B0YLX1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Aug-00	BETA	0.0116	pCi/m3	0.00094	0.0023			
SESPMNT	B0YLX2	LESLIE GROVES-RCHLND	COMMUNITY	AT	15-Aug-00	BETA	0.0115	pCi/m3	0.00094	0.0023			
SESPMNT	B0YLX3	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Aug-00	BETA	0.0127	pCi/m3	0.00099	0.0025			
SESPMNT	B0YLX4	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Sep-00	BETA	0.00809	pCi/m3	0.00078	0.0018			
SESPMNT	B0YLX5	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	BETA	0.0167	pCi/m3	0.0011	0.0031			
SESPMNT	B10D29	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-Oct-00	BETA	0.0315	pCi/m3	0.0017	0.0054			
SESPMNT	B10D30	LESLIE GROVES-RCHLND	COMMUNITY	AT	24-Oct-00	BETA	0.0175	pCi/m3	0.0011	0.0032			
SESPMNT	B10D31	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Nov-00	BETA	0.0253	pCi/m3	0.0014	0.0044			
SESPMNT	B10D32	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-Nov-00	BETA	0.0503	pCi/m3	0.0023	0.0083			
SESPMNT	B10D33	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Dec-00	BETA	0.0353	pCi/m3	0.0018	0.0059			
SESPMNT	B10D34	LESLIE GROVES-RCHLND	COMMUNITY	AT	17-Dec-00	BETA	0.0336	pCi/m3	0.002	0.0058			
SESPMNT	B10D35	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	BETA	0.0276	pCi/m3	0.0015	0.0047			
SESPMNT	B0X7F7	MATTAWA	COMMUNITY	AT	17-Jan-00	BETA	0.00699	pCi/m3	0.0007	0.0016			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0X7F8	MATTAWA	COMMUNITY	AT	31-Jan-00	BETA	0.0168	pCi/m3	0.0012	0.0031			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0X7F9	MATTAWA	COMMUNITY	AT	14-Feb-00	BETA	0.0184	pCi/m3	0.0013	0.0034			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0X7H0	MATTAWA	COMMUNITY	AT	28-Feb-00	BETA	0.0198	pCi/m3	0.0013	0.0036			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0X7H1	MATTAWA	COMMUNITY	AT	13-Mar-00	BETA	0.0112	pCi/m3	0.00092	0.0023			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0X7H2	MATTAWA	COMMUNITY	AT	27-Mar-00	BETA	0.00732	pCi/m3	0.00072	0.0017			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM1	MATTAWA	COMMUNITY	AT	10-Apr-00	BETA	0.0114	pCi/m3	0.00094	0.0023			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM2	MATTAWA	COMMUNITY	AT	24-Apr-00	BETA	0.0132	pCi/m3	0.001	0.0026			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM3	MATTAWA	COMMUNITY	AT	08-May-00	BETA	0.00959	pCi/m3	0.00085	0.002			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM4	MATTAWA	COMMUNITY	AT	22-May-00	BETA	0.0134	pCi/m3	0.0011	0.0027			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM5	MATTAWA	COMMUNITY	AT	05-Jun-00	BETA	0.0135	pCi/m3	0.001	0.0026		PUMP NOT RUNNING, TIME OFF IS ESTIMATE.	AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM6	MATTAWA	COMMUNITY	AT	19-Jun-00	BETA						NO SAMPLE. SAVE FOR COMPOSITE. CITY EMPLOYEES MOVED SAMPLER AND DIDN'T RESTORE POWER.	
SESPMNT	B0XVM7	MATTAWA	COMMUNITY	AT	03-Jul-00	BETA	0.0109	pCi/m3	0.001	0.0024		POWER RESTORED TO STATION ON 6/23/2000 AT 15:40.	AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT1	MATTAWA	COMMUNITY	AT	17-Jul-00	BETA	0.00817	pCi/m3	0.00076	0.0018			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT2	MATTAWA	COMMUNITY	AT	31-Jul-00	BETA	0.0114	pCi/m3	0.00095	0.0023			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT3	MATTAWA	COMMUNITY	AT	14-Aug-00	BETA	0.0124	pCi/m3	0.00098	0.0025			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT4	MATTAWA	COMMUNITY	AT	28-Aug-00	BETA	0.0108	pCi/m3	0.00094	0.0023		MOVING OF PUMP BOX BACK TO ORIGINAL LOCATION ACCOUNTS FOR LACK OF EXPOSURE HOURS.	AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT5	MATTAWA	COMMUNITY	AT	11-Sep-00	BETA	0.00835	pCi/m3	0.00078	0.0018			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT6	MATTAWA	COMMUNITY	AT	25-Sep-00	BETA	0.0143	pCi/m3	0.0011	0.0028			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10BY8	MATTAWA	COMMUNITY	AT	09-Oct-00	BETA	0.0311	pCi/m3	0.0016	0.0053			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY9	MATTAWA	COMMUNITY	AT	23-Oct-00	BETA	0.0165	pCi/m3	0.0012	0.0032			
SESPMNT	B10C00	MATTAWA	COMMUNITY	AT	06-Nov-00	BETA	-0.000294	pCi/m3	0.000068	0.00062	U		
SESPMNT	B10C01	MATTAWA	COMMUNITY	AT	20-Nov-00	BETA						NO SAMPLE. SAMPLE WAS NOT COLLECTED AND REMAINED IN FIELD AN ADDITIONAL TWO-WEEKS.	
SESPMNT	B10C02	MATTAWA	COMMUNITY	AT	04-Dec-00	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE DUE TO PUMP PROBLEMS. SAMPLE ALSO RAN 4-WEEKS INSTEAD OF 2-WEEKS 11/06/00 THRU 12/04/00.	
SESPMNT	B10C03	MATTAWA	COMMUNITY	AT	17-Dec-00	BETA	0.0287	pCi/m3	0.0017	0.005			
SESPMNT	B10C04	MATTAWA	COMMUNITY	AT	04-Jan-01	BETA	0.0293	pCi/m3	0.0015	0.0049			
SESPMNT	B0X7C4	N OF 200 E	ONSITE	AT	18-Jan-00	BETA	0.00718	pCi/m3	0.00071	0.0017			
SESPMNT	B0X7C5	N OF 200 E	ONSITE	AT	01-Feb-00	BETA	0.0241	pCi/m3	0.0014	0.0042			
SESPMNT	B0X7C6	N OF 200 E	ONSITE	AT	16-Feb-00	BETA	0.0191	pCi/m3	0.0012	0.0034			
SESPMNT	B0X7C7	N OF 200 E	ONSITE	AT	29-Feb-00	BETA	0.0183	pCi/m3	0.0012	0.0034			
SESPMNT	B0X7C8	N OF 200 E	ONSITE	AT	14-Mar-00	BETA	0.00921	pCi/m3	0.00083	0.002			
SESPMNT	B0X7C9	N OF 200 E	ONSITE	AT	30-Mar-00	BETA	0.00451	pCi/m3	0.00051	0.0012			
SESPMNT	B0XVJ9	N OF 200 E	ONSITE	AT	11-Apr-00	BETA	0.0115	pCi/m3	0.001	0.0024			
SESPMNT	B0XVK0	N OF 200 E	ONSITE	AT	25-Apr-00	BETA	0.00961	pCi/m3	0.00084	0.002			
SESPMNT	B0XVK1	N OF 200 E	ONSITE	AT	09-May-00	BETA	0.0072	pCi/m3	0.00071	0.0017			
SESPMNT	B0XVK2	N OF 200 E	ONSITE	AT	23-May-00	BETA	0.0122	pCi/m3	0.00097	0.0024			
SESPMNT	B0XVK3	N OF 200 E	ONSITE	AT	06-Jun-00	BETA	0.0101	pCi/m3	0.00087	0.0021			
SESPMNT	B0XVK4	N OF 200 E	ONSITE	AT	21-Jun-00	BETA	0.00531	pCi/m3	0.00059	0.0014			
SESPMNT	B0XVK5	N OF 200 E	ONSITE	AT	05-Jul-00	BETA	0.00879	pCi/m3	0.00081	0.0019			
SESPMNT	B0YKN8	N OF 200 E	ONSITE	AT	18-Jul-00	BETA	0.00902	pCi/m3	0.00084	0.002			
SESPMNT	B0YKN9	N OF 200 E	ONSITE	AT	01-Aug-00	BETA	0.00932	pCi/m3	0.00083	0.002			
SESPMNT	B0YKP0	N OF 200 E	ONSITE	AT	16-Aug-00	BETA	0.0131	pCi/m3	0.00098	0.0025			
SESPMNT	B0YKP1	N OF 200 E	ONSITE	AT	29-Aug-00	BETA	0.00981	pCi/m3	0.00089	0.0021			
SESPMNT	B0YKP2	N OF 200 E	ONSITE	AT	11-Sep-00	BETA	0.00736	pCi/m3	0.00075	0.0017			
SESPMNT	B0YKP3	N OF 200 E	ONSITE	AT	26-Sep-00	BETA	0.0144	pCi/m3	0.001	0.0027			
SESPMNT	B10BW6	N OF 200 E	ONSITE	AT	09-Oct-00	BETA	0.028	pCi/m3	0.0016	0.0049			
SESPMNT	B10BW7	N OF 200 E	ONSITE	AT	24-Oct-00	BETA	0.0189	pCi/m3	0.0012	0.0034			
SESPMNT	B10BW8	N OF 200 E	ONSITE	AT	07-Nov-00	BETA	0.0285	pCi/m3	0.0015	0.0049		FILTER VERY DIRTY.	
SESPMNT	B10BW9	N OF 200 E	ONSITE	AT	20-Nov-00	BETA	0.0522	pCi/m3	0.0023	0.0086			
SESPMNT	B10BX0	N OF 200 E	ONSITE	AT	06-Dec-00	BETA	0.0253	pCi/m3	0.0015	0.0044			
SESPMNT	B10BX1	N OF 200 E	ONSITE	AT	18-Dec-00	BETA	0.0299	pCi/m3	0.0019	0.0052			
SESPMNT	B10BX2	N OF 200 E	ONSITE	AT	02-Jan-01	BETA	0.0281	pCi/m3	0.0016	0.0048			
SESPMNT	B0X7H4	OTHELLO	COMMUNITY	AT	18-Jan-00	BETA	0.00578	pCi/m3	0.00062	0.0015			
SESPMNT	B0X7H5	OTHELLO	COMMUNITY	AT	31-Jan-00	BETA	0.0163	pCi/m3	0.0012	0.0031			
SESPMNT	B0X7H6	OTHELLO	COMMUNITY	AT	15-Feb-00	BETA	0.0174	pCi/m3	0.0011	0.0032			
SESPMNT	B0X7H7	OTHELLO	COMMUNITY	AT	01-Mar-00	BETA	0.0172	pCi/m3	0.0012	0.0032			
SESPMNT	B0X7H8	OTHELLO	COMMUNITY	AT	15-Mar-00	BETA	0.00961	pCi/m3	0.00082	0.002			
SESPMNT	B0X7H9	OTHELLO	COMMUNITY	AT	27-Mar-00	BETA	0.0064	pCi/m3	0.00071	0.0017			
SESPMNT	B0XVM9	OTHELLO	COMMUNITY	AT	10-Apr-00	BETA	0.00895	pCi/m3	0.00082	0.0019			
SESPMNT	B0XVN0	OTHELLO	COMMUNITY	AT	24-Apr-00	BETA	0.0119	pCi/m3	0.00095	0.0024			
SESPMNT	B0XVN1	OTHELLO	COMMUNITY	AT	10-May-00	BETA	0.0077	pCi/m3	0.0007	0.0017			
SESPMNT	B0XVN2	OTHELLO	COMMUNITY	AT	23-May-00	BETA	0.0116	pCi/m3	0.00097	0.0024			
SESPMNT	B0XVN3	OTHELLO	COMMUNITY	AT	07-Jun-00	BETA	0.00918	pCi/m3	0.0008	0.0019			
SESPMNT	B0XVN4	OTHELLO	COMMUNITY	AT	20-Jun-00	BETA	0.00646	pCi/m3	0.00069	0.0016			
SESPMNT	B0XVN5	OTHELLO	COMMUNITY	AT	05-Jul-00	BETA	0.00863	pCi/m3	0.00077	0.0018			
SESPMNT	B0YKT8	OTHELLO	COMMUNITY	AT	17-Jul-00	BETA	0.00842	pCi/m3	0.00083	0.0019			
SESPMNT	B0YKT9	OTHELLO	COMMUNITY	AT	01-Aug-00	BETA	0.00984	pCi/m3	0.00083	0.002			
SESPMNT	B0YKV0	OTHELLO	COMMUNITY	AT	17-Aug-00	BETA	0.0119	pCi/m3	0.0009	0.0023			
SESPMNT	B0YKV1	OTHELLO	COMMUNITY	AT	29-Aug-00	BETA	0.00961	pCi/m3	0.00091	0.0021			
SESPMNT	B0YKV2	OTHELLO	COMMUNITY	AT	11-Sep-00	BETA	0.00672	pCi/m3	0.00071	0.0016			
SESPMNT	B0YKV3	OTHELLO	COMMUNITY	AT	28-Sep-00	BETA	0.0171	pCi/m3	0.0011	0.0031			
SESPMNT	B10C06	OTHELLO	COMMUNITY	AT	09-Oct-00	BETA	0.0244	pCi/m3	0.0016	0.0044			
SESPMNT	B10C07	OTHELLO	COMMUNITY	AT	23-Oct-00	BETA	0.0189	pCi/m3	0.0013	0.0035			
SESPMNT	B10C08	OTHELLO	COMMUNITY	AT	07-Nov-00	BETA	0.0238	pCi/m3	0.0015	0.0041			
SESPMNT	B10C09	OTHELLO	COMMUNITY	AT	21-Nov-00	BETA	0.0447	pCi/m3	0.0021	0.0074			
SESPMNT	B10C10	OTHELLO	COMMUNITY	AT	05-Dec-00	BETA	0.0244	pCi/m3	0.0016	0.0043			
SESPMNT	B10C11	OTHELLO	COMMUNITY	AT	18-Dec-00	BETA	0.0267	pCi/m3	0.0017	0.0047			
SESPMNT	B10C12	OTHELLO	COMMUNITY	AT	02-Jan-01	BETA	0.022	pCi/m3	0.0015	0.0039			
SESPMNT	B0X8H6	PASCO	COMMUNITY	AT	18-Jan-00	BETA	0.00461	pCi/m3	0.00054	0.0013			
SESPMNT	B0X8H7	PASCO	COMMUNITY	AT	01-Feb-00	BETA	0.0192	pCi/m3	0.0012	0.0035			
SESPMNT	B0X8H8	PASCO	COMMUNITY	AT	15-Feb-00	BETA	0.0179	pCi/m3	0.0012	0.0033			
SESPMNT	B0X8H9	PASCO	COMMUNITY	AT	29-Feb-00	BETA	0.0181	pCi/m3	0.0012	0.0033			
SESPMNT	B0X8J0	PASCO	COMMUNITY	AT	14-Mar-00	BETA	0.0107	pCi/m3	0.0009	0.0022			
SESPMNT	B0X8J1	PASCO	COMMUNITY	AT	28-Mar-00	BETA	0.00628	pCi/m3	0.00066	0.0015			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWL4	PASCO	COMMUNITY	AT	11-Apr-00	BETA	0.0119	pCi/m3	0.00096	0.0024			
SESPMNT	B0XWL5	PASCO	COMMUNITY	AT	25-Apr-00	BETA	0.011	pCi/m3	0.00091	0.0022			
SESPMNT	B0XWL6	PASCO	COMMUNITY	AT	09-May-00	BETA	0.00777	pCi/m3	0.00075	0.0017			
SESPMNT	B0XWL7	PASCO	COMMUNITY	AT	23-May-00	BETA	0.0111	pCi/m3	0.00092	0.0023			
SESPMNT	B0XWL8	PASCO	COMMUNITY	AT	06-Jun-00	BETA	0.01	pCi/m3	0.00087	0.0021			
SESPMNT	B0XWL9	PASCO	COMMUNITY	AT	20-Jun-00	BETA	0.00751	pCi/m3	0.00073	0.0017			
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	BETA	0.0118	pCi/m3	0.0011	0.0027			
SESPMNT	B0XWM0	PASCO	COMMUNITY	AT	05-Jul-00	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B0YLT2	PASCO	COMMUNITY	AT	18-Jul-00	BETA	0.0102	pCi/m3	0.0009	0.0022			
SESPMNT	B0YLT3	PASCO	COMMUNITY	AT	02-Aug-00	BETA	0.0105	pCi/m3	0.00085	0.0021			
SESPMNT	B0YLT4	PASCO	COMMUNITY	AT	16-Aug-00	BETA	0.0125	pCi/m3	0.00099	0.0025			
SESPMNT	B0YLT5	PASCO	COMMUNITY	AT	29-Aug-00	BETA	0.011	pCi/m3	0.00094	0.0023			
SESPMNT	B0YLT6	PASCO	COMMUNITY	AT	12-Sep-00	BETA	0.00958	pCi/m3	0.00085	0.002			
SESPMNT	B0YLT7	PASCO	COMMUNITY	AT	26-Sep-00	BETA	0.0172	pCi/m3	0.0012	0.0032			
SESPMNT	B10CY9	PASCO	COMMUNITY	AT	10-Oct-00	BETA	0.0319	pCi/m3	0.0016	0.0054			
SESPMNT	B10D00	PASCO	COMMUNITY	AT	24-Oct-00	BETA	0.0135	pCi/m3	0.001	0.0026			
SESPMNT	B10D01	PASCO	COMMUNITY	AT	07-Nov-00	BETA	0.0248	pCi/m3	0.0014	0.0043			
SESPMNT	B10D02	PASCO	COMMUNITY	AT	21-Nov-00	BETA	0.0477	pCi/m3	0.002	0.0078			
SESPMNT	B10D03	PASCO	COMMUNITY	AT	05-Dec-00	BETA	0.0291	pCi/m3	0.0017	0.005			
SESPMNT	B10D04	PASCO	COMMUNITY	AT	19-Dec-00	BETA	0.0298	pCi/m3	0.0017	0.0051			
SESPMNT	B10D05	PASCO	COMMUNITY	AT	03-Jan-01	BETA	0.0342	pCi/m3	0.0019	0.0058			
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	BETA	0.00942	pCi/m3	0.00084	0.002		OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0X8D5	RATTLESNAKE SPRINGS	PERIMETER	AT	12-Jan-00	BETA	0.0115	pCi/m3	0.00094	0.0023			
SESPMNT	B0X8D6	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Jan-00	BETA	0.0159	pCi/m3	0.0012	0.0027			
SESPMNT	B0X8D7	RATTLESNAKE SPRINGS	PERIMETER	AT	10-Feb-00	BETA	0.0178	pCi/m3	0.0012	0.0032			
SESPMNT	B0X8D8	RATTLESNAKE SPRINGS	PERIMETER	AT	23-Feb-00	BETA	0.018	pCi/m3	0.0012	0.0033			
SESPMNT	B0X8D9	RATTLESNAKE SPRINGS	PERIMETER	AT	08-Mar-00	BETA	0.00878	pCi/m3	0.0008	0.0019			
SESPMNT	B0X8F0	RATTLESNAKE SPRINGS	PERIMETER	AT	23-Mar-00	BETA	0.00716	pCi/m3	0.00069	0.0016			
SESPMNT	B0X8F1	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Apr-00	BETA	0.00785	pCi/m3	0.00077	0.0018			
SESPMNT	B0XWJ2	RATTLESNAKE SPRINGS	PERIMETER	AT	19-Apr-00	BETA	0.0108	pCi/m3	0.00091	0.0022			
SESPMNT	B0XWJ3	RATTLESNAKE SPRINGS	PERIMETER	AT	03-May-00	BETA	0.00878	pCi/m3	0.0008	0.0019			
SESPMNT	B0XWJ4	RATTLESNAKE SPRINGS	PERIMETER	AT	17-May-00	BETA	0.00833	pCi/m3	0.00078	0.0018			
SESPMNT	B0XWJ5	RATTLESNAKE SPRINGS	PERIMETER	AT	31-May-00	BETA	0.0102	pCi/m3	0.00087	0.0021			
SESPMNT	B0XWJ6	RATTLESNAKE SPRINGS	PERIMETER	AT	14-Jun-00	BETA	0.00882	pCi/m3	0.00081	0.0019			
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	BETA	0.00954	pCi/m3	0.00084	0.002		POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0YLP1	RATTLESNAKE SPRINGS	PERIMETER	AT	12-Jul-00	BETA						NO SAMPLE. POWER OFF TO STATION DUE TO FIRE.	
SESPMNT	B0YLP2	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Jul-00	BETA	0.00967	pCi/m3	0.0012	0.0028			
SESPMNT	B0YLP3	RATTLESNAKE SPRINGS	PERIMETER	AT	10-Aug-00	BETA	0.011	pCi/m3	0.00089	0.0022			
SESPMNT	B0YLP4	RATTLESNAKE SPRINGS	PERIMETER	AT	24-Aug-00	BETA	0.0106	pCi/m3	0.00088	0.0022			
SESPMNT	B0YLP5	RATTLESNAKE SPRINGS	PERIMETER	AT	07-Sep-00	BETA	0.00909	pCi/m3	0.00082	0.002			
SESPMNT	B0YLP6	RATTLESNAKE SPRINGS	PERIMETER	AT	20-Sep-00	BETA	0.0113	pCi/m3	0.00095	0.0023			
SESPMNT	B0YLP7	RATTLESNAKE SPRINGS	PERIMETER	AT	05-Oct-00	BETA	0.0211	pCi/m3	0.0013	0.0037			
SESPMNT	B10CW7	RATTLESNAKE SPRINGS	PERIMETER	AT	19-Oct-00	BETA	0.0246	pCi/m3	0.0014	0.0043			
SESPMNT	B10CW8	RATTLESNAKE SPRINGS	PERIMETER	AT	02-Nov-00	BETA	0.0261	pCi/m3	0.0015	0.0045			
SESPMNT	B10CW9	RATTLESNAKE SPRINGS	PERIMETER	AT	14-Nov-00	BETA	0.0302	pCi/m3	0.0017	0.0053			
SESPMNT	B10CX0	RATTLESNAKE SPRINGS	PERIMETER	AT	29-Nov-00	BETA						NO SAMPLE. POWER OUTAGE. SAVE FOR COMPOSITE.	
SESPMNT	B10CX1	RATTLESNAKE SPRINGS	PERIMETER	AT	14-Dec-00	BETA	0.0246	pCi/m3	0.0017	0.0044			
SESPMNT	B10CX2	RATTLESNAKE SPRINGS	PERIMETER	AT	28-Dec-00	BETA	0.0204	pCi/m3	0.0015	0.0037			
SESPMNT	B0X882	RINGOLD MET TOWER	PERIMETER	AT	20-Jan-00	BETA	0.00829	pCi/m3	0.00078	0.0018			
SESPMNT	B0X883	RINGOLD MET TOWER	PERIMETER	AT	03-Feb-00	BETA	0.0192	pCi/m3	0.0012	0.0035			
SESPMNT	B0X884	RINGOLD MET TOWER	PERIMETER	AT	18-Feb-00	BETA	0.0109	pCi/m3	0.0009	0.0022			
SESPMNT	B0X885	RINGOLD MET TOWER	PERIMETER	AT	02-Mar-00	BETA	0.0121	pCi/m3	0.00099	0.0024			
SESPMNT	B0X886	RINGOLD MET TOWER	PERIMETER	AT	16-Mar-00	BETA	0.00902	pCi/m3	0.00081	0.0019			
SESPMNT	B0X887	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	BETA	0.00755	pCi/m3	0.00071	0.0017			
SESPMNT	B0XWB9	RINGOLD MET TOWER	PERIMETER	AT	13-Apr-00	BETA	0.0131	pCi/m3	0.001	0.0026			
SESPMNT	B0XWC0	RINGOLD MET TOWER	PERIMETER	AT	27-Apr-00	BETA	0.00843	pCi/m3	0.00078	0.0018			
SESPMNT	B0XWC1	RINGOLD MET TOWER	PERIMETER	AT	11-May-00	BETA	0.00828	pCi/m3	0.00078	0.0018			
SESPMNT	B0XWC2	RINGOLD MET TOWER	PERIMETER	AT	25-May-00	BETA	0.0121	pCi/m3	0.00096	0.0024			
SESPMNT	B0XWC3	RINGOLD MET TOWER	PERIMETER	AT	08-Jun-00	BETA	0.00954	pCi/m3	0.00084	0.002			
SESPMNT	B0XWC4	RINGOLD MET TOWER	PERIMETER	AT	23-Jun-00	BETA	0.00508	pCi/m3	0.00056	0.0013			
SESPMNT	B0XWC5	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	BETA	0.0099	pCi/m3	0.00086	0.0021			
SESPMNT	B0YLJ8	RINGOLD MET TOWER	PERIMETER	AT	20-Jul-00	BETA	0.0102	pCi/m3	0.0009	0.0022			
SESPMNT	B0YLJ9	RINGOLD MET TOWER	PERIMETER	AT	03-Aug-00	BETA	0.0109	pCi/m3	0.00091	0.0022			
SESPMNT	B0YLK0	RINGOLD MET TOWER	PERIMETER	AT	18-Aug-00	BETA	0.0118	pCi/m3	0.00092	0.0023			
SESPMNT	B0YLK1	RINGOLD MET TOWER	PERIMETER	AT	31-Aug-00	BETA	0.0092	pCi/m3	0.00085	0.002			
SESPMNT	B0YLK2	RINGOLD MET TOWER	PERIMETER	AT	13-Sep-00	BETA	0.00943	pCi/m3	0.00087	0.0021			
SESPMNT	B0YLK3	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	BETA	0.0246	pCi/m3	0.0013	0.0042			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CP4	RINGOLD MET TOWER	PERIMETER	AT	11-Oct-00	BETA	0.0241	pCi/m3	0.0015	0.0043			
SESPMNT	B10CP5	RINGOLD MET TOWER	PERIMETER	AT	27-Oct-00	BETA	0.0247	pCi/m3	0.0013	0.0043			
SESPMNT	B10CP6	RINGOLD MET TOWER	PERIMETER	AT	09-Nov-00	BETA	0.0181	pCi/m3	0.0012	0.0033			
SESPMNT	B10CP7	RINGOLD MET TOWER	PERIMETER	AT	22-Nov-00	BETA	0.0542	pCi/m3	0.0023	0.0089			
SESPMNT	B10CP8	RINGOLD MET TOWER	PERIMETER	AT	08-Dec-00	BETA	0.0237	pCi/m3	0.0014	0.0041			
SESPMNT	B10CP9	RINGOLD MET TOWER	PERIMETER	AT	19-Dec-00	BETA	0.0265	pCi/m3	0.0019	0.0047			
SESPMNT	B10CR0	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	BETA	0.0263	pCi/m3	0.0015	0.0045			
SESPMNT	B0X8F9	S END VERNITA BRIDGE	PERIMETER	AT	19-Jan-00	BETA	0.00678	pCi/m3	0.00068	0.0016			
SESPMNT	B0X8H0	S END VERNITA BRIDGE	PERIMETER	AT	02-Feb-00	BETA	0.0201	pCi/m3	0.0013	0.0036			
SESPMNT	B0X8H1	S END VERNITA BRIDGE	PERIMETER	AT	17-Feb-00	BETA	0.017	pCi/m3	0.0011	0.0031			
SESPMNT	B0X8H2	S END VERNITA BRIDGE	PERIMETER	AT	01-Mar-00	BETA	0.0179	pCi/m3	0.0012	0.0033			
SESPMNT	B0X8H3	S END VERNITA BRIDGE	PERIMETER	AT	15-Mar-00	BETA	0.00945	pCi/m3	0.00085	0.002			
SESPMNT	B0X8H4	S END VERNITA BRIDGE	PERIMETER	AT	29-Mar-00	BETA	0.00519	pCi/m3	0.00059	0.0014			
SESPMNT	B0XWK6	S END VERNITA BRIDGE	PERIMETER	AT	12-Apr-00	BETA	0.0116	pCi/m3	0.00094	0.0023			
SESPMNT	B0XWK7	S END VERNITA BRIDGE	PERIMETER	AT	26-Apr-00	BETA	0.00833	pCi/m3	0.00078	0.0018			
SESPMNT	B0XWK8	S END VERNITA BRIDGE	PERIMETER	AT	10-May-00	BETA	0.0072	pCi/m3	0.00072	0.0017			
SESPMNT	B0XWK9	S END VERNITA BRIDGE	PERIMETER	AT	24-May-00	BETA	0.0106	pCi/m3	0.00089	0.0022			
SESPMNT	B0XWL0	S END VERNITA BRIDGE	PERIMETER	AT	07-Jun-00	BETA	0.00978	pCi/m3	0.00085	0.002			
SESPMNT	B0XWL1	S END VERNITA BRIDGE	PERIMETER	AT	22-Jun-00	BETA	0.00717	pCi/m3	0.0007	0.0016			
SESPMNT	B0XWL2	S END VERNITA BRIDGE	PERIMETER	AT	06-Jul-00	BETA	0.00885	pCi/m3	0.0008	0.0019			
SESPMNT	B0YLR5	S END VERNITA BRIDGE	PERIMETER	AT	19-Jul-00	BETA	0.0105	pCi/m3	0.00091	0.0022			
SESPMNT	B0YLR6	S END VERNITA BRIDGE	PERIMETER	AT	02-Aug-00	BETA	0.00985	pCi/m3	0.00085	0.0021			
SESPMNT	B0YLR7	S END VERNITA BRIDGE	PERIMETER	AT	17-Aug-00	BETA	0.0121	pCi/m3	0.00094	0.0024			
SESPMNT	B0YLR8	S END VERNITA BRIDGE	PERIMETER	AT	30-Aug-00	BETA	0.00891	pCi/m3	0.00084	0.002			
SESPMNT	B0YLR9	S END VERNITA BRIDGE	PERIMETER	AT	12-Sep-00	BETA	0.00682	pCi/m3	0.00077	0.0018		OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER OUTAGE.	
SESPMNT	B0YLT0	S END VERNITA BRIDGE	PERIMETER	AT	26-Sep-00	BETA	0.0151	pCi/m3	0.0014	0.0033		OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. POWER BREAKER OFF.	
SESPMNT	B10CY1	S END VERNITA BRIDGE	PERIMETER	AT	10-Oct-00	BETA						NO SAMPLE. SAVE FOR COMPOSITE. OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM.	
SESPMNT	B10CY2	S END VERNITA BRIDGE	PERIMETER	AT	26-Oct-00	BETA	0.0254	pCi/m3	0.0019	0.0049		SAMPLER WAS VANDALIZED AND RESTARTED 10/19/2000 10:00 A.M.	
SESPMNT	B10CY3	S END VERNITA BRIDGE	PERIMETER	AT	10-Nov-00	BETA	0.027	pCi/m3	0.0015	0.0047			
SESPMNT	B10CY4	S END VERNITA BRIDGE	PERIMETER	AT	21-Nov-00	BETA	0.0468	pCi/m3	0.0024	0.0079			
SESPMNT	B10CY5	S END VERNITA BRIDGE	PERIMETER	AT	07-Dec-00	BETA	0.0244	pCi/m3	0.0015	0.0042			
SESPMNT	B10CY6	S END VERNITA BRIDGE	PERIMETER	AT	18-Dec-00	BETA	0.0291	pCi/m3	0.0019	0.0051			
SESPMNT	B10CY7	S END VERNITA BRIDGE	PERIMETER	AT	04-Jan-01	BETA	0.0291	pCi/m3	0.0015	0.0049			
SESPMNT	B0X7X2	S OF 200 E	ONSITE	AT	18-Jan-00	BETA	0.00712	pCi/m3	0.00071	0.0017			
SESPMNT	B0X7X3	S OF 200 E	ONSITE	AT	01-Feb-00	BETA	0.0216	pCi/m3	0.0013	0.0038			
SESPMNT	B0X7X4	S OF 200 E	ONSITE	AT	16-Feb-00	BETA	0.0181	pCi/m3	0.0012	0.0033			
SESPMNT	B0X7X5	S OF 200 E	ONSITE	AT	29-Feb-00	BETA	0.0175	pCi/m3	0.0012	0.0033			
SESPMNT	B0X7X6	S OF 200 E	ONSITE	AT	14-Mar-00	BETA	0.00864	pCi/m3	0.00079	0.0019			
SESPMNT	B0X7X7	S OF 200 E	ONSITE	AT	30-Mar-00	BETA	0.00437	pCi/m3	0.00049	0.0012			
SESPMNT	B0XW11	S OF 200 E	ONSITE	AT	11-Apr-00	BETA	0.0144	pCi/m3	0.0011	0.0028			
SESPMNT	B0XW12	S OF 200 E	ONSITE	AT	25-Apr-00	BETA	0.00953	pCi/m3	0.00084	0.002			
SESPMNT	B0XW13	S OF 200 E	ONSITE	AT	09-May-00	BETA	0.00785	pCi/m3	0.00075	0.0018			
SESPMNT	B0XW14	S OF 200 E	ONSITE	AT	23-May-00	BETA	0.0118	pCi/m3	0.00095	0.0024			
SESPMNT	B0XW15	S OF 200 E	ONSITE	AT	06-Jun-00	BETA	0.00999	pCi/m3	0.00086	0.0021			
SESPMNT	B0XW16	S OF 200 E	ONSITE	AT	21-Jun-00	BETA	0.00583	pCi/m3	0.00062	0.0014			
SESPMNT	B0XW17	S OF 200 E	ONSITE	AT	05-Jul-00	BETA	0.00707	pCi/m3	0.0007	0.0016		FILTER PLUGGED, HEAVY BURN AREA DURING HANFORD FIRE.	
SESPMNT	B0YL58	S OF 200 E	ONSITE	AT	18-Jul-00	BETA	0.00905	pCi/m3	0.00084	0.002			
SESPMNT	B0YL59	S OF 200 E	ONSITE	AT	01-Aug-00	BETA	0.011	pCi/m3	0.00091	0.0022			
SESPMNT	B0YL60	S OF 200 E	ONSITE	AT	16-Aug-00	BETA	0.0116	pCi/m3	0.00092	0.0023			
SESPMNT	B0YL61	S OF 200 E	ONSITE	AT	29-Aug-00	BETA	0.00966	pCi/m3	0.00088	0.0021			
SESPMNT	B0YL62	S OF 200 E	ONSITE	AT	11-Sep-00	BETA	0.00846	pCi/m3	0.00081	0.0019			
SESPMNT	B0YL63	S OF 200 E	ONSITE	AT	26-Sep-00	BETA	0.0145	pCi/m3	0.001	0.0027			
SESPMNT	B10C99	S OF 200 E	ONSITE	AT	09-Oct-00	BETA	0.0291	pCi/m3	0.0016	0.005			
SESPMNT	B10CB0	S OF 200 E	ONSITE	AT	24-Oct-00	BETA	0.0194	pCi/m3	0.0012	0.0035			
SESPMNT	B10CB1	S OF 200 E	ONSITE	AT	07-Nov-00	BETA	0.0279	pCi/m3	0.0015	0.0048		FILTER VERY DIRTY.	
SESPMNT	B10CB2	S OF 200 E	ONSITE	AT	20-Nov-00	BETA	0.054	pCi/m3	0.0023	0.0089			
SESPMNT	B10CB3	S OF 200 E	ONSITE	AT	06-Dec-00	BETA	0.0221	pCi/m3	0.0014	0.0039			
SESPMNT	B10CB4	S OF 200 E	ONSITE	AT	18-Dec-00	BETA	0.0332	pCi/m3	0.002	0.0057			
SESPMNT	B10CB5	S OF 200 E	ONSITE	AT	02-Jan-01	BETA	0.0273	pCi/m3	0.0016	0.0047			
SESPMNT	B0YRC5	SW OF B/C CRIBS	ONSITE	AT	01-Aug-00	BETA	0.0107	pCi/m3	0.00093	0.0022			
SESPMNT	B0YRC6	SW OF B/C CRIBS	ONSITE	AT	16-Aug-00	BETA	0.0121	pCi/m3	0.00094	0.0024			
SESPMNT	B0YRC7	SW OF B/C CRIBS	ONSITE	AT	29-Aug-00	BETA	0.0117	pCi/m3	0.00098	0.0024			
SESPMNT	B0YRC8	SW OF B/C CRIBS	ONSITE	AT	11-Sep-00	BETA	0.00901	pCi/m3	0.00084	0.002			
SESPMNT	B0YRC9	SW OF B/C CRIBS	ONSITE	AT	26-Sep-00	BETA	0.0161	pCi/m3	0.0011	0.003			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CC5	SW OF B/C CRIBS	ONSITE	AT	09-Oct-00	BETA	0.0313	pCi/m3	0.0017	0.0054			
SESPMNT	B10CC6	SW OF B/C CRIBS	ONSITE	AT	24-Oct-00	BETA	0.0207	pCi/m3	0.0013	0.0037			
SESPMNT	B10CC7	SW OF B/C CRIBS	ONSITE	AT	07-Nov-00	BETA	0.0266	pCi/m3	0.0015	0.0046		FILTER VERY DIRTY.	
SESPMNT	B10CC8	SW OF B/C CRIBS	ONSITE	AT	20-Nov-00	BETA	0.046	pCi/m3	0.0025	0.0078			
SESPMNT	B10CC9	SW OF B/C CRIBS	ONSITE	AT	06-Dec-00	BETA	0.0228	pCi/m3	0.0014	0.004			
SESPMNT	B10CD0	SW OF B/C CRIBS	ONSITE	AT	18-Dec-00	BETA	0.0292	pCi/m3	0.0019	0.0051			
SESPMNT	B10CD1	SW OF B/C CRIBS	ONSITE	AT	02-Jan-01	BETA	0.0273	pCi/m3	0.0016	0.0047			
SESPMNT	B0X7B6	TOPPENISH	DISTANT	AT	12-Jan-00	BETA	0.0112	pCi/m3	0.00092	0.0023			
SESPMNT	B0X7B7	TOPPENISH	DISTANT	AT	26-Jan-00	BETA	0.0129	pCi/m3	0.001	0.0025			
SESPMNT	B0X7B8	TOPPENISH	DISTANT	AT	09-Feb-00	BETA	0.0177	pCi/m3	0.0012	0.0032			
SESPMNT	B0X7B9	TOPPENISH	DISTANT	AT	23-Feb-00	BETA	0.0161	pCi/m3	0.0011	0.003			
SESPMNT	B0X7C0	TOPPENISH	DISTANT	AT	08-Mar-00	BETA	0.0078	pCi/m3	0.00075	0.0018			
SESPMNT	B0X7C1	TOPPENISH	DISTANT	AT	22-Mar-00	BETA	0.00628	pCi/m3	0.00066	0.0015			
SESPMNT	B0X7C2	TOPPENISH	DISTANT	AT	05-Apr-00	BETA	0.00796	pCi/m3	0.00076	0.0018			
SESPMNT	B0XVJ2	TOPPENISH	DISTANT	AT	19-Apr-00	BETA	0.0118	pCi/m3	0.00096	0.0024			
SESPMNT	B0XVJ3	TOPPENISH	DISTANT	AT	03-May-00	BETA	0.00822	pCi/m3	0.00078	0.0018			
SESPMNT	B0XVJ4	TOPPENISH	DISTANT	AT	17-May-00	BETA	0.00823	pCi/m3	0.00078	0.0018			
SESPMNT	B0XVJ5	TOPPENISH	DISTANT	AT	31-May-00	BETA	0.00899	pCi/m3	0.00081	0.0019			
SESPMNT	B0XVJ6	TOPPENISH	DISTANT	AT	14-Jun-00	BETA	0.00804	pCi/m3	0.00076	0.0018			
SESPMNT	B0XVJ7	TOPPENISH	DISTANT	AT	28-Jun-00	BETA	0.00876	pCi/m3	0.00081	0.0019			
SESPMNT	B0YKN0	TOPPENISH	DISTANT	AT	12-Jul-00	BETA	0.00842	pCi/m3	0.00078	0.0018			
SESPMNT	B0YKN1	TOPPENISH	DISTANT	AT	26-Jul-00	BETA	0.0102	pCi/m3	0.00088	0.0021			
SESPMNT	B0YKN2	TOPPENISH	DISTANT	AT	09-Aug-00	BETA	0.0097	pCi/m3	0.00087	0.0021			
SESPMNT	B0YKN3	TOPPENISH	DISTANT	AT	23-Aug-00	BETA	0.0101	pCi/m3	0.00086	0.0021			
SESPMNT	B0YKN4	TOPPENISH	DISTANT	AT	06-Sep-00	BETA	0.00875	pCi/m3	0.00078	0.0019			
SESPMNT	B0YKN5	TOPPENISH	DISTANT	AT	20-Sep-00	BETA	0.0113	pCi/m3	0.00093	0.0023			
SESPMNT	B0YKN6	TOPPENISH	DISTANT	AT	04-Oct-00	BETA	0.0201	pCi/m3	0.0013	0.0036			
SESPMNT	B10BV9	TOPPENISH	DISTANT	AT	18-Oct-00	BETA	0.0265	pCi/m3	0.0015	0.0046			
SESPMNT	B10BW0	TOPPENISH	DISTANT	AT	01-Nov-00	BETA	0.02	pCi/m3	0.0012	0.0036			
SESPMNT	B10BW1	TOPPENISH	DISTANT	AT	15-Nov-00	BETA	0.0253	pCi/m3	0.0015	0.0044			
SESPMNT	B10BW2	TOPPENISH	DISTANT	AT	29-Nov-00	BETA	0.038	pCi/m3	0.0018	0.0063			
SESPMNT	B10BW3	TOPPENISH	DISTANT	AT	13-Dec-00	BETA	0.0258	pCi/m3	0.0016	0.0045			
SESPMNT	B10BW4	TOPPENISH	DISTANT	AT	29-Dec-00	BETA	0.0244	pCi/m3	0.0015	0.0042			
SESPMNT	B0X875	W END OF FIR ROAD	PERIMETER	AT	20-Jan-00	BETA	0.00652	pCi/m3	0.00067	0.0016			
SESPMNT	B0X876	W END OF FIR ROAD	PERIMETER	AT	03-Feb-00	BETA	0.0179	pCi/m3	0.0012	0.0033			
SESPMNT	B0X877	W END OF FIR ROAD	PERIMETER	AT	18-Feb-00	BETA	0.0157	pCi/m3	0.0011	0.0029			
SESPMNT	B0X878	W END OF FIR ROAD	PERIMETER	AT	02-Mar-00	BETA	0.0154	pCi/m3	0.0011	0.0029			
SESPMNT	B0X879	W END OF FIR ROAD	PERIMETER	AT	16-Mar-00	BETA	0.00895	pCi/m3	0.00082	0.0019			
SESPMNT	B0X880	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	BETA	0.00579	pCi/m3	0.0006	0.0014			
SESPMNT	B0XWB1	W END OF FIR ROAD	PERIMETER	AT	13-Apr-00	BETA	0.0128	pCi/m3	0.001	0.0026			
SESPMNT	B0XWB2	W END OF FIR ROAD	PERIMETER	AT	27-Apr-00	BETA	0.00715	pCi/m3	0.00071	0.0017			
SESPMNT	B0XWB3	W END OF FIR ROAD	PERIMETER	AT	11-May-00	BETA	0.0072	pCi/m3	0.00072	0.0017			
SESPMNT	B0XWB4	W END OF FIR ROAD	PERIMETER	AT	25-May-00	BETA	0.0112	pCi/m3	0.00092	0.0023			
SESPMNT	B0XWB5	W END OF FIR ROAD	PERIMETER	AT	08-Jun-00	BETA	0.00993	pCi/m3	0.00086	0.0021			
SESPMNT	B0XWB6	W END OF FIR ROAD	PERIMETER	AT	23-Jun-00	BETA	0.00778	pCi/m3	0.00073	0.0017			
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	BETA	0.0133	pCi/m3	0.0013	0.0031			
SESPMNT	B0XWB7	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	BETA	0.00569	pCi/m3	0.0008	0.0021			
SESPMNT	B0YLJ1	W END OF FIR ROAD	PERIMETER	AT	20-Jul-00	BETA	0.0132	pCi/m3	0.001	0.0026			
SESPMNT	B0YLJ2	W END OF FIR ROAD	PERIMETER	AT	03-Aug-00	BETA	0.0101	pCi/m3	0.00086	0.0021			
SESPMNT	B0YLJ3	W END OF FIR ROAD	PERIMETER	AT	18-Aug-00	BETA	0.00942	pCi/m3	0.00081	0.002			
SESPMNT	B0YLJ4	W END OF FIR ROAD	PERIMETER	AT	31-Aug-00	BETA	0.00606	pCi/m3	0.00066	0.0015			
SESPMNT	B0YLJ5	W END OF FIR ROAD	PERIMETER	AT	13-Sep-00	BETA	0.00587	pCi/m3	0.00065	0.0015			
SESPMNT	B0YLJ6	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	BETA	0.0222	pCi/m3	0.0013	0.0039			
SESPMNT	B10CN6	W END OF FIR ROAD	PERIMETER	AT	11-Oct-00	BETA	0.018	pCi/m3	0.0013	0.0034			
SESPMNT	B10CN7	W END OF FIR ROAD	PERIMETER	AT	27-Oct-00	BETA	0.0227	pCi/m3	0.0013	0.004			
SESPMNT	B10CN8	W END OF FIR ROAD	PERIMETER	AT	09-Nov-00	BETA	0.0157	pCi/m3	0.0011	0.003			
SESPMNT	B10CN9	W END OF FIR ROAD	PERIMETER	AT	22-Nov-00	BETA	0.0401	pCi/m3	0.002	0.0067			
SESPMNT	B10CP0	W END OF FIR ROAD	PERIMETER	AT	08-Dec-00	BETA	0.0127	pCi/m3	0.0011	0.0024			
SESPMNT	B10CP1	W END OF FIR ROAD	PERIMETER	AT	19-Dec-00	BETA	0.0288	pCi/m3	0.0019	0.0051			
SESPMNT	B10CP2	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	BETA	0.0291	pCi/m3	0.0015	0.0049			
SESPMNT	B0X8F3	WAHLUKE SLOPE	PERIMETER	AT	19-Jan-00	BETA	0.00634	pCi/m3	0.00066	0.0015			
SESPMNT	B0X8F4	WAHLUKE SLOPE	PERIMETER	AT	02-Feb-00	BETA	0.018	pCi/m3	0.0012	0.0033			
SESPMNT	B0X8F5	WAHLUKE SLOPE	PERIMETER	AT	17-Feb-00	BETA	0.0156	pCi/m3	0.0011	0.0029			
SESPMNT	B0X8F6	WAHLUKE SLOPE	PERIMETER	AT	01-Mar-00	BETA	0.015	pCi/m3	0.0011	0.0029			
SESPMNT	B0X8F7	WAHLUKE SLOPE	PERIMETER	AT	15-Mar-00	BETA	0.00892	pCi/m3	0.00082	0.0019			
SESPMNT	B0X8F8	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	BETA	0.00535	pCi/m3	0.00059	0.0014			
SESPMNT	B0XWJ9	WAHLUKE SLOPE	PERIMETER	AT	12-Apr-00	BETA	0.0109	pCi/m3	0.00091	0.0022			
SESPMNT	B0XWK0	WAHLUKE SLOPE	PERIMETER	AT	26-Apr-00	BETA	0.00866	pCi/m3	0.0008	0.0019			
SESPMNT	B0XWK1	WAHLUKE SLOPE	PERIMETER	AT	10-May-00	BETA	0.00631	pCi/m3	0.00067	0.0015			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWK2	WAHLUKE SLOPE	PERIMETER	AT	24-May-00	BETA	0.0104	pCi/m3	0.00088	0.0021			
SESPMNT	B0XWK3	WAHLUKE SLOPE	PERIMETER	AT	07-Jun-00	BETA	0.0113	pCi/m3	0.00092	0.0023			
SESPMNT	B0XWK4	WAHLUKE SLOPE	PERIMETER	AT	22-Jun-00	BETA	0.00713	pCi/m3	0.0007	0.0016			
SESPMNT	B0XWK5	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	BETA	0.00914	pCi/m3	0.00082	0.002			
SESPMNT	B0YLP9	WAHLUKE SLOPE	PERIMETER	AT	19-Jul-00	BETA	0.01	pCi/m3	0.0009	0.0021			
SESPMNT	B0YLR0	WAHLUKE SLOPE	PERIMETER	AT	02-Aug-00	BETA	0.00985	pCi/m3	0.00085	0.0021			
SESPMNT	B0YLR1	WAHLUKE SLOPE	PERIMETER	AT	17-Aug-00	BETA	0.011	pCi/m3	0.00089	0.0022			
SESPMNT	B0YLR2	WAHLUKE SLOPE	PERIMETER	AT	30-Aug-00	BETA	0.0105	pCi/m3	0.00092	0.0022			
SESPMNT	B0YLR3	WAHLUKE SLOPE	PERIMETER	AT	12-Sep-00	BETA	0.00738	pCi/m3	0.00075	0.0017			
SESPMNT	B0YLR4	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	BETA	0.0183	pCi/m3	0.0011	0.0033			
SESPMNT	B10CX4	WAHLUKE SLOPE	PERIMETER	AT	10-Oct-00	BETA	0.0271	pCi/m3	0.0016	0.0048			
SESPMNT	B10CX5	WAHLUKE SLOPE	PERIMETER	AT	26-Oct-00	BETA	0.0218	pCi/m3	0.0012	0.0038			
SESPMNT	B10CX6	WAHLUKE SLOPE	PERIMETER	AT	10-Nov-00	BETA	0.0245	pCi/m3	0.0014	0.0043			
SESPMNT	B10CX7	WAHLUKE SLOPE	PERIMETER	AT	21-Nov-00	BETA	0.0496	pCi/m3	0.0025	0.0083			
SESPMNT	B10CX8	WAHLUKE SLOPE	PERIMETER	AT	07-Dec-00	BETA	0.0229	pCi/m3	0.0014	0.004			
SESPMNT	B10CX9	WAHLUKE SLOPE	PERIMETER	AT	18-Dec-00	BETA	0.0318	pCi/m3	0.002	0.0055			
SESPMNT	B10CY0	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	BETA	0.0283	pCi/m3	0.0015	0.0046			
SESPMNT	B0X867	WYE BARRICADE	ONSITE	AT	11-Jan-00	BETA	0.00482	pCi/m3	0.00066	0.0018			
SESPMNT	B0X868	WYE BARRICADE	ONSITE	AT	25-Jan-00	BETA	0.0136	pCi/m3	0.001	0.0026			
SESPMNT	B0X869	WYE BARRICADE	ONSITE	AT	09-Feb-00	BETA	0.0224	pCi/m3	0.0013	0.0039			
SESPMNT	B0X870	WYE BARRICADE	ONSITE	AT	22-Feb-00	BETA	0.0179	pCi/m3	0.0012	0.0033			
SESPMNT	B0X871	WYE BARRICADE	ONSITE	AT	07-Mar-00	BETA	0.00927	pCi/m3	0.00083	0.002			
SESPMNT	B0X872	WYE BARRICADE	ONSITE	AT	21-Mar-00	BETA	0.00685	pCi/m3	0.00069	0.0016			
SESPMNT	B0X873	WYE BARRICADE	ONSITE	AT	04-Apr-00	BETA	0.00856	pCi/m3	0.00079	0.0019			
SESPMNT	B0XW94	WYE BARRICADE	ONSITE	AT	18-Apr-00	BETA	0.0112	pCi/m3	0.00093	0.0023			
SESPMNT	B0XW95	WYE BARRICADE	ONSITE	AT	02-May-00	BETA	0.00839	pCi/m3	0.00078	0.0018			
SESPMNT	B0XW96	WYE BARRICADE	ONSITE	AT	16-May-00	BETA	0.00857	pCi/m3	0.0008	0.0019			
SESPMNT	B0XW97	WYE BARRICADE	ONSITE	AT	30-May-00	BETA	0.0111	pCi/m3	0.00091	0.0022			
SESPMNT	B0XW98	WYE BARRICADE	ONSITE	AT	13-Jun-00	BETA	0.00933	pCi/m3	0.00083	0.002			
SESPMNT	B0XW99	WYE BARRICADE	ONSITE	AT	28-Jun-00	BETA	0.00846	pCi/m3	0.00076	0.0018			
SESPMNT	B0YLH3	WYE BARRICADE	ONSITE	AT	10-Jul-00	BETA	0.00856	pCi/m3	0.00092	0.0021			
SESPMNT	B0YLH4	WYE BARRICADE	ONSITE	AT	25-Jul-00	BETA	0.0117	pCi/m3	0.00091	0.0023			
SESPMNT	B0YLH5	WYE BARRICADE	ONSITE	AT	09-Aug-00	BETA	0.00994	pCi/m3	0.00084	0.002			
SESPMNT	B0YLH6	WYE BARRICADE	ONSITE	AT	23-Aug-00	BETA	0.0101	pCi/m3	0.00087	0.0021			
SESPMNT	B0YLH7	WYE BARRICADE	ONSITE	AT	06-Sep-00	BETA	0.00981	pCi/m3	0.00085	0.0021			
SESPMNT	B0YLH8	WYE BARRICADE	ONSITE	AT	22-Sep-00	BETA	0.0127	pCi/m3	0.00093	0.0024			
SESPMNT	B0YLH9	WYE BARRICADE	ONSITE	AT	03-Oct-00	BETA	0.0236	pCi/m3	0.0016	0.0043			
SESPMNT	B10CM9	WYE BARRICADE	ONSITE	AT	18-Oct-00	BETA	0.0247	pCi/m3	0.0014	0.0043			
SESPMNT	B10CN0	WYE BARRICADE	ONSITE	AT	30-Oct-00	BETA	0.0286	pCi/m3	0.0016	0.005			
SESPMNT	B10CN1	WYE BARRICADE	ONSITE	AT	13-Nov-00	BETA	0.0267	pCi/m3	0.0015	0.0046			
SESPMNT	B10CN2	WYE BARRICADE	ONSITE	AT	28-Nov-00	BETA	0.0447	pCi/m3	0.002	0.0074			
SESPMNT	B10CN3	WYE BARRICADE	ONSITE	AT	13-Dec-00	BETA	0.0245	pCi/m3	0.0015	0.0042			
SESPMNT	B10CN4	WYE BARRICADE	ONSITE	AT	27-Dec-00	BETA	0.0311	pCi/m3	0.0017	0.0053			
SESPMNT	B0X8J9	YAKIMA	DISTANT	AT	13-Jan-00	BETA	0.0174	pCi/m3	0.0012	0.0032			
SESPMNT	B0X8K0	YAKIMA	DISTANT	AT	27-Jan-00	BETA	0.0118	pCi/m3	0.00095	0.0024			
SESPMNT	B0X8K1	YAKIMA	DISTANT	AT	11-Feb-00	BETA	0.0176	pCi/m3	0.0011	0.0032			
SESPMNT	B0X8K2	YAKIMA	DISTANT	AT	24-Feb-00	BETA	0.015	pCi/m3	0.0011	0.0029			
SESPMNT	B0X8K3	YAKIMA	DISTANT	AT	09-Mar-00	BETA	0.0062	pCi/m3	0.00065	0.0015			
SESPMNT	B0X8K4	YAKIMA	DISTANT	AT	24-Mar-00	BETA	0.00485	pCi/m3	0.00055	0.0013			
SESPMNT	B0X8K5	YAKIMA	DISTANT	AT	06-Apr-00	BETA	0.00782	pCi/m3	0.00077	0.0018			
SESPMNT	B0XWM9	YAKIMA	DISTANT	AT	20-Apr-00	BETA	0.0125	pCi/m3	0.00098	0.0025			
SESPMNT	B0XWN0	YAKIMA	DISTANT	AT	05-May-00	BETA	0.00666	pCi/m3	0.00067	0.0016			
SESPMNT	B0XWN1	YAKIMA	DISTANT	AT	18-May-00	BETA	0.01	pCi/m3	0.0009	0.0021			
SESPMNT	B0XWN2	YAKIMA	DISTANT	AT	01-Jun-00	BETA	0.00963	pCi/m3	0.00085	0.002			
SESPMNT	B0XWN3	YAKIMA	DISTANT	AT	15-Jun-00	BETA	0.00721	pCi/m3	0.00072	0.0017			
SESPMNT	B0XWN4	YAKIMA	DISTANT	AT	30-Jun-00	BETA	0.00925	pCi/m3	0.0008	0.0019			
SESPMNT	B0YLV5	YAKIMA	DISTANT	AT	14-Jul-00	BETA	0.00867	pCi/m3	0.0017	0.0025			
SESPMNT	B0YM09	YAKIMA	DISTANT	AT	14-Jul-00	BETA	0.0085	pCi/m3	0.0017	0.0025		FILTER PAPER REVERSED.	
SESPMNT	B0YM10	YAKIMA	DISTANT	AT	27-Jul-00	BETA	0.0202	pCi/m3	0.0023	0.0043			
SESPMNT	B0YLV6	YAKIMA	DISTANT	AT	27-Jul-00	BETA	0.0249	pCi/m3	0.0025	0.005		FILTER PAPER REVERSED.	
SESPMNT	B0YM11	YAKIMA	DISTANT	AT	11-Aug-00	BETA	0.0183	pCi/m3	0.002	0.0038			
SESPMNT	B0YLV7	YAKIMA	DISTANT	AT	11-Aug-00	BETA	0.0248	pCi/m3	0.0023	0.0048		FILTER PAPER REVERSED.	
SESPMNT	B0YM12	YAKIMA	DISTANT	AT	25-Aug-00	BETA	0.0188	pCi/m3	0.0022	0.004			
SESPMNT	B0YLV8	YAKIMA	DISTANT	AT	25-Aug-00	BETA	0.0253	pCi/m3	0.0024	0.005		FILTER PAPER REVERSED.	
SESPMNT	B0YM13	YAKIMA	DISTANT	AT	08-Sep-00	BETA	0.013	pCi/m3	0.0019	0.0031			
SESPMNT	B0YLV9	YAKIMA	DISTANT	AT	08-Sep-00	BETA	0.0148	pCi/m3	0.002	0.0034		FILTER PAPER REVERSED.	
SESPMNT	B0YM14	YAKIMA	DISTANT	AT	21-Sep-00	BETA	0.023	pCi/m3	0.0024	0.0047			
SESPMNT	B0YLW0	YAKIMA	DISTANT	AT	21-Sep-00	BETA	0.0222	pCi/m3	0.0024	0.0046		FILTER PAPER REVERSED.	
SESPMNT	B0YLW1	YAKIMA	DISTANT	AT	06-Oct-00	BETA	0.0462	pCi/m3	0.0032	0.0082			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YM15	YAKIMA	DISTANT	AT	06-Oct-00	BETA	0.0594	pCi/m3	0.0036	0.01		FILTER PAPER REVERSED. DISCONTINUED.	
SESPMNT	B10D14	YAKIMA	DISTANT	AT	20-Oct-00	BETA	0.0251	pCi/m3	0.0014	0.0044			
SESPMNT	B10D15	YAKIMA	DISTANT	AT	03-Nov-00	BETA	0.0235	pCi/m3	0.0014	0.0041			
SESPMNT	B10D16	YAKIMA	DISTANT	AT	16-Nov-00	BETA	0.0295	pCi/m3	0.0018	0.0051			
SESPMNT	B10D17	YAKIMA	DISTANT	AT	30-Nov-00	BETA	0.0253	pCi/m3	0.0016	0.0044			
SESPMNT	B10D18	YAKIMA	DISTANT	AT	15-Dec-00	BETA	0.0287	pCi/m3	0.0016	0.0049			
SESPMNT	B10D19	YAKIMA	DISTANT	AT	29-Dec-00	BETA	0.0171	pCi/m3	0.0014	0.0032			
SESPMNT	B0X8C8	YAKIMA BARRICADE	PERIMETER	AT	12-Jan-00	BETA	0.0113	pCi/m3	0.00093	0.0023			
SESPMNT	B0X8C9	YAKIMA BARRICADE	PERIMETER	AT	26-Jan-00	BETA	0.017	pCi/m3	0.0013	0.0029			
SESPMNT	B0X8D0	YAKIMA BARRICADE	PERIMETER	AT	10-Feb-00	BETA	0.0213	pCi/m3	0.0013	0.0036			
SESPMNT	B0X8D1	YAKIMA BARRICADE	PERIMETER	AT	23-Feb-00	BETA	0.0207	pCi/m3	0.0013	0.0036			
SESPMNT	B0X8D2	YAKIMA BARRICADE	PERIMETER	AT	08-Mar-00	BETA	0.0083	pCi/m3	0.00078	0.0018			
SESPMNT	B0X8D3	YAKIMA BARRICADE	PERIMETER	AT	23-Mar-00	BETA	0.00774	pCi/m3	0.00072	0.0017			
SESPMNT	B0X8D4	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	BETA	0.00859	pCi/m3	0.00082	0.0019			
SESPMNT	B0XWH6	YAKIMA BARRICADE	PERIMETER	AT	19-Apr-00	BETA	0.0117	pCi/m3	0.00094	0.0023			
SESPMNT	B0XWH7	YAKIMA BARRICADE	PERIMETER	AT	03-May-00	BETA	0.00773	pCi/m3	0.00075	0.0017			
SESPMNT	B0XWH8	YAKIMA BARRICADE	PERIMETER	AT	17-May-00	BETA	0.00905	pCi/m3	0.00082	0.0019			
SESPMNT	B0XWH9	YAKIMA BARRICADE	PERIMETER	AT	31-May-00	BETA	0.0104	pCi/m3	0.00088	0.0021			
SESPMNT	B0XWJ0	YAKIMA BARRICADE	PERIMETER	AT	14-Jun-00	BETA	0.00653	pCi/m3	0.00079	0.0019			
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	BETA	0.0104	pCi/m3	0.00086	0.0021			
SESPMNT	B0YLN4	YAKIMA BARRICADE	PERIMETER	AT	13-Jul-00	BETA	0.00877	pCi/m3	0.0008	0.0019			
SESPMNT	B0YLN5	YAKIMA BARRICADE	PERIMETER	AT	26-Jul-00	BETA	0.0117	pCi/m3	0.00097	0.0024			
SESPMNT	B0YLN6	YAKIMA BARRICADE	PERIMETER	AT	10-Aug-00	BETA	0.0107	pCi/m3	0.00087	0.0021			
SESPMNT	B0YLN7	YAKIMA BARRICADE	PERIMETER	AT	24-Aug-00	BETA	0.0104	pCi/m3	0.00088	0.0021			
SESPMNT	B0YLN8	YAKIMA BARRICADE	PERIMETER	AT	07-Sep-00	BETA	0.0078	pCi/m3	0.00075	0.0018			
SESPMNT	B0YLN9	YAKIMA BARRICADE	PERIMETER	AT	20-Sep-00	BETA	0.0124	pCi/m3	0.001	0.0025			
SESPMNT	B0YLP0	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	BETA	0.0201	pCi/m3	0.0012	0.0036			
SESPMNT	B10CW1	YAKIMA BARRICADE	PERIMETER	AT	19-Oct-00	BETA	0.0221	pCi/m3	0.0014	0.004		FUSE BLOWN, ASSUMED 1.5 CFM AS END FLOW.	
SESPMNT	B10CW2	YAKIMA BARRICADE	PERIMETER	AT	02-Nov-00	BETA	0.0282	pCi/m3	0.0015	0.0046			
SESPMNT	B10CW3	YAKIMA BARRICADE	PERIMETER	AT	14-Nov-00	BETA	0.0297	pCi/m3	0.0017	0.0052			
SESPMNT	B10CW4	YAKIMA BARRICADE	PERIMETER	AT	29-Nov-00	BETA	0.0342	pCi/m3	0.0017	0.0057			
SESPMNT	B10CW5	YAKIMA BARRICADE	PERIMETER	AT	14-Dec-00	BETA	0.0246	pCi/m3	0.0015	0.0043			
SESPMNT	B10CW6	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	BETA	0.02	pCi/m3	0.0014	0.0036			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	BE-7	0.0765	pCi/m3	0.013	0.013			
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	BE-7	0.156	pCi/m3	0.026	0.026			
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	BE-7	0.0935	pCi/m3	0.022	0.022			
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	BE-7	0.0748	pCi/m3	0.014	0.014			
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	BE-7	0.0658	pCi/m3	0.021	0.021			
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	BE-7	0.0423	pCi/m3	0.0091	0.0091			
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	BE-7	0.105	pCi/m3	0.018	0.018			
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	BE-7	0.133	pCi/m3	0.026	0.026			
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	BE-7	0.0764	pCi/m3	0.013	0.013			
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	BE-7	0.0984	pCi/m3	0.021	0.021			
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	BE-7	0.148	pCi/m3	0.025	0.025			
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	BE-7	0.136	pCi/m3	0.026	0.026			
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	BE-7	0.0697	pCi/m3	0.013	0.013			
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	BE-7	0.0595	pCi/m3	0.024	0.024			
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	BE-7	0.153	pCi/m3	0.029	0.029			
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	BE-7	0.117	pCi/m3	0.04	0.04			
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	BE-7	0.0737	pCi/m3	0.017	0.017			
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	BE-7	0.0734	pCi/m3	0.013	0.013			
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	BE-7	0.131	pCi/m3	0.021	0.021			
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	BE-7	0.103	pCi/m3	0.023	0.023			
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	BE-7	0.072	pCi/m3	0.013	0.013			
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	BE-7	0.082	pCi/m3	0.022	0.022			
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	BE-7	0.141	pCi/m3	0.031	0.031			
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	BE-7	0.149	pCi/m3	0.052	0.052			
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	BE-7	0.111	pCi/m3	0.039	0.039			
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	BE-7	0.0639	pCi/m3	0.018	0.018			
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	BE-7	0.121	pCi/m3	0.043	0.043			
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	BE-7	0.135	pCi/m3	0.042	0.042			
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	BE-7	0.0956	pCi/m3	0.028	0.028			
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	BE-7	0.166	pCi/m3	0.037	0.037			
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	BE-7	0.127	pCi/m3	0.041	0.041			
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	BE-7	0.0864	pCi/m3	0.04	0.04			
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	BE-7	0.0665	pCi/m3	0.017	0.017			
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	BE-7	0.127	pCi/m3	0.042	0.042			
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	BE-7	0.0775	pCi/m3	0.013	0.013			
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	BE-7	0.133	pCi/m3	0.02	0.02			
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	BE-7	0.0944	pCi/m3	0.019	0.019			
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	BE-7	0.0671	pCi/m3	0.011	0.011			
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	BE-7	0.0829	pCi/m3	0.026	0.026			
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	BE-7	0.0529	pCi/m3	0.021	0.021			
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	BE-7	0.117	pCi/m3	0.029	0.029			
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	BE-7	0.154	pCi/m3	0.038	0.038			
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	BE-7	0.0653	pCi/m3	0.021	0.021			
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	BE-7	0.0547	pCi/m3	0.012	0.012			
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	BE-7	0.162	pCi/m3	0.052	0.052			
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	BE-7	0.157	pCi/m3	0.041	0.041			
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	BE-7	0.141	pCi/m3	0.044	0.044			
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	BE-7	0.0563	pCi/m3	0.018	0.018			
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	BE-7	0.086	pCi/m3	0.018	0.018			
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	BE-7	0.173	pCi/m3	0.033	0.033			
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	BE-7	0.0907	pCi/m3	0.049	0.049			
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	BE-7	0.143	pCi/m3	0.041	0.041			
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	BE-7	0.0623	pCi/m3	0.022	0.022			
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	BE-7	0.0713	pCi/m3	0.024	0.024			
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	BE-7	0.139	pCi/m3	0.035	0.035			
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	BE-7	0.0858	pCi/m3	0.057	0.057			
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	BE-7	0.0934	pCi/m3	0.047	0.047			
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	BE-7	0.0914	pCi/m3	0.024	0.024			
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	BE-7	0.0538	pCi/m3	0.02	0.02	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	BE-7	0.0983	pCi/m3	0.066	0.066	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	BE-7	0.157	pCi/m3	0.033	0.033			
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	BE-7	0.155	pCi/m3	0.042	0.042			
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	BE-7	0.0726	pCi/m3	0.018	0.018			
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	BE-7	0.0888	pCi/m3	0.022	0.022			

SAMP OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANALS UNITS RPTD	COUNTING ERROR	TOTAL ANALS ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	BE-7	0.162	pCi/m3	0.061	0.061	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	BE-7	0.125	pCi/m3	0.026	0.026			
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	BE-7	0.155	pCi/m3	0.046	0.046			
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	BE-7	0.0567	pCi/m3	0.019	0.019			
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	BE-7	0.0523	pCi/m3	0.013	0.013			
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	BE-7	0.171	pCi/m3	0.031	0.031			
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	BE-7	0.135	pCi/m3	0.045	0.045			
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	BE-7	0.0522	pCi/m3	0.016	0.016			
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	BE-7	0.0738	pCi/m3	0.016	0.016			
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	BE-7	0.15	pCi/m3	0.027	0.027			
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	BE-7	0.118	pCi/m3	0.03	0.03			
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	BE-7	0.0768	pCi/m3	0.016	0.016			
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	BE-7	0.131	pCi/m3	0.044	0.044			
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	BE-7	0.141	pCi/m3	0.067	0.067			
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	BE-7	0.0875	pCi/m3	0.023	0.023			
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	BE-7	0.0975	pCi/m3	0.042	0.042			
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	BE-7	0.0619	pCi/m3	0.015	0.015			
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	BE-7	0.117	pCi/m3	0.042	0.042			
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	BE-7	0.0773	pCi/m3	0.018	0.018			
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	BE-7	0.0901	pCi/m3	0.024	0.024			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	BE-7	0.0874	pCi/m3	0.024	0.024			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	BE-7	0.135	pCi/m3	0.04	0.04			AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	BE-7	0.0907	pCi/m3	0.024	0.024			
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	BE-7	0.0822	pCi/m3	0.027	0.027			
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	BE-7	0.122	pCi/m3	0.026	0.026			
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	26-Sep-00	BE-7	0.0831	pCi/m3	0.037	0.037			
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	BE-7	0.0646	pCi/m3	0.016	0.016			
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	BE-7	0.0483	pCi/m3	0.014	0.014			
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	BE-7	0.127	pCi/m3	0.028	0.028			
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	BE-7	0.124	pCi/m3	0.043	0.043			
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	BE-7	0.0566	pCi/m3	0.019	0.019			
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	BE-7	0.127	pCi/m3	0.056	0.056	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	BE-7	0.0664	pCi/m3	0.016	0.016			
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	BE-7	0.0932	pCi/m3	0.051	0.051		OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	BE-7	0.14	pCi/m3	0.023	0.023			
SESPMNT	B0YLL6	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	BE-7	0.149	pCi/m3	0.036	0.036			
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	BE-7	0.0731	pCi/m3	0.016	0.016			
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	BE-7	0.121	pCi/m3	0.049	0.049		POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	BE-7	0.0557	pCi/m3	0.027	0.027			
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	BE-7	0.129	pCi/m3	0.025	0.025			
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	BE-7	0.139	pCi/m3	0.039	0.039			
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	BE-7	0.0678	pCi/m3	0.018	0.018			
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	BE-7	0.0801	pCi/m3	0.025	0.025			
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	BE-7	0.139	pCi/m3	0.032	0.032			
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	BE-7	0.0985	pCi/m3	0.044	0.044			
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	BE-7	0.0812	pCi/m3	0.021	0.021			
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	BE-7	0.0906	pCi/m3	0.019	0.019			
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	BE-7	0.163	pCi/m3	0.026	0.026			
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	BE-7	0.16	pCi/m3	0.035	0.035			
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	BE-7	0.0809	pCi/m3	0.016	0.016			
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	BE-7	0.0545	pCi/m3	0.019	0.019			
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	BE-7	0.103	pCi/m3	0.071	0.071			
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	BE-7	0.106	pCi/m3	0.027	0.027			
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	BE-7	0.155	pCi/m3	0.046	0.046			
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	BE-7	0.0658	pCi/m3	0.019	0.019			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON7 SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR 2	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	BE-7	0.0814	pCi/m3	0.018	0.018			
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	BE-7	0.139	pCi/m3	0.024	0.024			
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	BE-7	0.106	pCi/m3	0.034	0.034			
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	BE-7	0.0593	pCi/m3	0.015	0.015			
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	BE-7	0.0914	pCi/m3	0.024	0.024			
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	BE-7	0.144	pCi/m3	0.029	0.029			
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	BE-7	0.101	pCi/m3	0.033	0.033			
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	BE-7	0.0762	pCi/m3	0.023	0.023			
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	BE-7	0.0764	pCi/m3	0.022	0.022			
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	BE-7	0.146	pCi/m3	0.034	0.034			
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	BE-7	0.251	pCi/m3	0.08	0.08			
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	BE-7	0.233	pCi/m3	0.087	0.087			
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	BE-7	0.0833	pCi/m3	0.022	0.022			
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	BE-7	0.0753	pCi/m3	0.019	0.019			
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	BE-7	0.114	pCi/m3	0.053	0.053			
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	BE-7	0.162	pCi/m3	0.026	0.026			
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	BE-7	0.123	pCi/m3	0.03	0.03			
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	BE-7	0.0913	pCi/m3	0.018	0.018			
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	CO-60	0.000193	pCi/m3	0.00018	0.00018	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	CO-60	-0.000037	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	CO-60	0.00101	pCi/m3	0.0004	0.0004	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	CO-60	0.000203	pCi/m3	0.0003	0.0003	U		
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	CO-60	0.000145	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	CO-60	0.000244	pCi/m3	0.00027	0.00027	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	CO-60	0.000177	pCi/m3	0.00025	0.00025	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	CO-60	-0.00000694	pCi/m3	0.00022	0.00022	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	CO-60	-0.000279	pCi/m3	0.00022	0.00022	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	CO-60	0.000194	pCi/m3	0.00032	0.00032	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	CO-60	0.0000297	pCi/m3	0.00031	0.00031	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	CO-60	-0.000144	pCi/m3	0.00029	0.00029	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	CO-60	-0.0000232	pCi/m3	0.00019	0.00019	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	CO-60	0.000178	pCi/m3	0.00062	0.00062	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	CO-60	-0.000452	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	CO-60	-0.0000991	pCi/m3	0.00065	0.00065	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	CO-60	-0.0000713	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	CO-60	0.0000309	pCi/m3	0.00019	0.00019	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	CO-60	0.000101	pCi/m3	0.00026	0.00026	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	CO-60	0.000209	pCi/m3	0.00025	0.00025	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	CO-60	0.000219	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	CO-60	0.0000896	pCi/m3	0.00053	0.00053	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	CO-60	0.000155	pCi/m3	0.00041	0.00041	U		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	CO-60	0.00377	pCi/m3	0.0025	0.0025	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	CO-60	-0.000021	pCi/m3	0.00049	0.00049	U		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	CO-60	-0.000464	pCi/m3	0.00069	0.00069	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	CO-60	-0.000696	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	CO-60	-0.00105	pCi/m3	0.0025	0.0025	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	CO-60	-0.0000439	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	CO-60	0.000172	pCi/m3	0.00068	0.00068	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	CO-60	0.00134	pCi/m3	0.0019	0.0019	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	CO-60	0.000141	pCi/m3	0.00055	0.00055	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	CO-60	0.000959	pCi/m3	0.00073	0.00073	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	CO-60	-0.00137	pCi/m3	0.0025	0.0025	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	CO-60	0.0000477	pCi/m3	0.00018	0.00018	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	CO-60	-0.000101	pCi/m3	0.00019	0.00019	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	CO-60	-0.0000367	pCi/m3	0.000092	0.000092	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	CO-60	-0.0000796	pCi/m3	0.00017	0.00017	U		
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	CO-60	-0.0001	pCi/m3	0.00056	0.00056	U		
SESPMNT	B0X7X6	B POND	ONSITE	AT	30-Mar-00	CO-60	0.000393	pCi/m3	0.00073	0.00073	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	CO-60	-0.000201	pCi/m3	0.0006	0.0006	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	CO-60	0.000233	pCi/m3	0.00061	0.00061	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	CO-60	-0.000252	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	CO-60	-0.000393	pCi/m3	0.00067	0.00067	U		

OWNER ID	SAMP. NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONF ABBRV NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	CO-60	0.000348	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	CO-60	-0.000453	pCi/m3	0.00065	0.00065	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	CO-60	0.000304	pCi/m3	0.00059	0.00059	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	CO-60	0.000249	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	CO-60	0.000118	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	CO-60	0.000326	pCi/m3	0.00078	0.00078	U		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	CO-60	-0.00103	pCi/m3	0.002	0.002	U		
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	CO-60	0.000351	pCi/m3	0.00057	0.00057	U		
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	CO-60	-0.0000667	pCi/m3	0.00067	0.00067	U		
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	CO-60	0.00000288	pCi/m3	0.00054	0.00054	U		
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	CO-60	-0.0000493	pCi/m3	0.00042	0.00042	U		
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	CO-60	-0.0026	pCi/m3	0.0049	0.0049	U		
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	CO-60	-0.000444	pCi/m3	0.00079	0.00079	U		
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	CO-60	0.000218	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	CO-60	0.0000862	pCi/m3	0.00085	0.00085	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	CO-60	0.00052	pCi/m3	0.0049	0.0049	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	CO-60	0.000292	pCi/m3	0.00062	0.00062	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	CO-60	-0.00031	pCi/m3	0.00055	0.00055	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	CO-60	-0.00000657	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	CO-60	-0.000429	pCi/m3	0.00056	0.00056	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	CO-60	-0.00118	pCi/m3	0.0047	0.0047	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	CO-60	0.000138	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	CO-60	0.0000162	pCi/m3	0.00051	0.00051	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	CO-60	-0.000218	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	CO-60	0.000236	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	CO-60	0.00035	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	CO-60	-0.000101	pCi/m3	0.00067	0.00067	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	CO-60	0.000235	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	CO-60	-0.000154	pCi/m3	0.00027	0.00027	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	CO-60	0.0000368	pCi/m3	0.00034	0.00034	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	CO-60	0.000203	pCi/m3	0.00026	0.00026	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	CO-60	0.000213	pCi/m3	0.00043	0.00043	U		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	CO-60	-0.000525	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	CO-60	-0.000319	pCi/m3	0.0029	0.0029	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	CO-60	0.000696	pCi/m3	0.00064	0.00064	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	CO-60	-0.00172	pCi/m3	0.0043	0.0043	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	CO-60	-0.0000108	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	CO-60	-0.000212	pCi/m3	0.00053	0.00053	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	CO-60	0.0000478	pCi/m3	0.00055	0.00055	U		
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	CO-60	-0.0000833	pCi/m3	0.00064	0.00064	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	CO-60	-0.0000728	pCi/m3	0.00051	0.00051	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	CO-60	-0.000502	pCi/m3	0.00055	0.00055	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	CO-60	-0.000477	pCi/m3	0.00067	0.00067	U		
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	CO-60	-0.000544	pCi/m3	0.00063	0.00063	U		
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	CO-60	-0.0004	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	26-Sep-00	CO-60	0.0000733	pCi/m3	0.00068	0.00068	U		
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	CO-60	0.000187	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	CO-60	-0.0000995	pCi/m3	0.00043	0.00043	U		
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	CO-60	-0.000122	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	CO-60	-0.000388	pCi/m3	0.00063	0.00063	U		
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	CO-60	-0.000353	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	CO-60	0.00177	pCi/m3	0.0036	0.0036	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	CO-60	-0.0000254	pCi/m3	0.00023	0.00023	U		
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	CO-60	0.000312	pCi/m3	0.0018	0.0018	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	CO-60	-0.0000452	pCi/m3	0.0003	0.0003	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	CO-60	0.000157	pCi/m3	0.00031	0.00031	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	CO-60	0.000129	pCi/m3	0.00028	0.00028	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON. SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	CO-60	-0.000863	pCi/m3	0.0028	0.0028	U	POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	CO-60	0.000263	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	CO-60	-0.0000266	pCi/m3	0.00035	0.00035	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	CO-60	0.00000697	pCi/m3	0.00051	0.00051	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	CO-60	0.000105	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	CO-60	-0.000125	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	CO-60	0.000139	pCi/m3	0.00038	0.00038	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	CO-60	0.00000235	pCi/m3	0.00059	0.00059	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	CO-60	-0.0000127	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	CO-60	0.000145	pCi/m3	0.00032	0.00032	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	CO-60	-0.0000171	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	CO-60	-0.000155	pCi/m3	0.00039	0.00039	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	CO-60	0.000752	pCi/m3	0.0004	0.0004	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	CO-60	-0.0000374	pCi/m3	0.00061	0.00061	U		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	CO-60	-0.00297	pCi/m3	0.0041	0.0041	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	CO-60	-0.00007	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	CO-60	0.000376	pCi/m3	0.00057	0.00057	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	CO-60	-0.000454	pCi/m3	0.00054	0.00054	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	CO-60	-0.000233	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	CO-60	-0.00000849	pCi/m3	0.00036	0.00036	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	CO-60	0.000263	pCi/m3	0.00035	0.00035	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	CO-60	-0.0000676	pCi/m3	0.00029	0.00029	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	CO-60	-0.000102	pCi/m3	0.00064	0.00064	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	CO-60	-0.000064	pCi/m3	0.00063	0.00063	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	CO-60	0.000246	pCi/m3	0.00055	0.00055	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	CO-60	0.000622	pCi/m3	0.00056	0.00056	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	CO-60	0.000195	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	CO-60	-0.00016	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	CO-60	-0.000166	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	CO-60	0.000411	pCi/m3	0.00095	0.00095	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	CO-60	0.000147	pCi/m3	0.00066	0.00066	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	CO-60	0.000175	pCi/m3	0.00031	0.00031	U		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	CO-60	0.0000791	pCi/m3	0.0021	0.0021	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	CO-60	-0.0000501	pCi/m3	0.00033	0.00033	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	CO-60	0.000164	pCi/m3	0.00029	0.00029	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	CO-60	-0.000255	pCi/m3	0.00041	0.00041	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	CS-134	0.00000684	pCi/m3	0.00021	0.00021	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	CS-134	-0.00000718	pCi/m3	0.00024	0.00024	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	CS-134	-0.0000655	pCi/m3	0.00019	0.00019	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	CS-134	-0.000173	pCi/m3	0.00028	0.00028	U		
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	CS-134	-0.00089	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	CS-134	-0.0000461	pCi/m3	0.00023	0.00023	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	CS-134	-0.000213	pCi/m3	0.00021	0.00021	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	CS-134	0.0000717	pCi/m3	0.0002	0.0002	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	CS-134	-0.000146	pCi/m3	0.00018	0.00018	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	CS-134	-0.000132	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	CS-134	-0.000169	pCi/m3	0.0003	0.0003	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	CS-134	-0.000206	pCi/m3	0.00023	0.00023	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	CS-134	-0.000217	pCi/m3	0.00021	0.00021	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	CS-134	-0.000235	pCi/m3	0.00061	0.00061	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	CS-134	-0.000231	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	CS-134	-0.000419	pCi/m3	0.00062	0.00062	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	CS-134	-0.000267	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	CS-134	-0.000295	pCi/m3	0.00018	0.00018	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	CS-134	-0.000176	pCi/m3	0.00023	0.00023	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	CS-134	-0.00018	pCi/m3	0.0002	0.0002	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	CS-134	-0.0000468	pCi/m3	0.00021	0.00021	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	CS-134	-0.000104	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	CS-134	-0.000228	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	CS-134	-0.000571	pCi/m3	0.0022	0.0022	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	CS-134	0.000213	pCi/m3	0.00053	0.00053	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONC SHORT NAME	VALUE RPTD	ANALY UNITS RPTD	COUNTING ERROR	TOTAL ANALY ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	CS-134	-0.000548	pCi/m3	0.00059	0.00059	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	CS-134	-0.0000907	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	CS-134	-0.000544	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	CS-134	-0.000365	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	CS-134	-0.000425	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	CS-134	0.000562	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	CS-134	-0.00098	pCi/m3	0.00062	0.00062	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	CS-134	-0.0000983	pCi/m3	0.00055	0.00055	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	CS-134	-0.00186	pCi/m3	0.0019	0.0019	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	CS-134	-0.0000708	pCi/m3	0.00014	0.00014	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	CS-134	-0.000182	pCi/m3	0.00016	0.00016	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	CS-134	-0.00006	pCi/m3	0.00012	0.00012	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	CS-134	-0.000134	pCi/m3	0.00019	0.00019	U		
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	CS-134	-0.00015	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	CS-134	-0.000609	pCi/m3	0.00085	0.00085	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	CS-134	-0.000158	pCi/m3	0.00054	0.00054	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	CS-134	-0.0000172	pCi/m3	0.00052	0.00052	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	CS-134	-0.000687	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	CS-134	-0.000158	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	CS-134	-0.000393	pCi/m3	0.00089	0.00089	U		
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	CS-134	-0.00112	pCi/m3	0.00083	0.00083	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	CS-134	-0.000121	pCi/m3	0.00056	0.00056	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	CS-134	-0.000338	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	CS-134	0.00000519	pCi/m3	0.00037	0.00037	U		
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	CS-134	-0.000026	pCi/m3	0.00054	0.00054	U		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	CS-134	-0.000803	pCi/m3	0.0019	0.0019	U		
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	CS-134	0.0000181	pCi/m3	0.00049	0.00049	U		
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	CS-134	-0.00068	pCi/m3	0.00055	0.00055	U		
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	CS-134	0.000117	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	CS-134	-0.000523	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	CS-134	0.000325	pCi/m3	0.0036	0.0036	U		
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	CS-134	-0.000781	pCi/m3	0.0007	0.0007	U		
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	CS-134	-0.000508	pCi/m3	0.00056	0.00056	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	CS-134	0.000229	pCi/m3	0.00063	0.00063	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	CS-134	-0.00337	pCi/m3	0.0041	0.0041	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	CS-134	0.000593	pCi/m3	0.00062	0.00062	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	CS-134	-0.00044	pCi/m3	0.00057	0.00057	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	CS-134	-0.000669	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	CS-134	-0.000165	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	CS-134	-0.00195	pCi/m3	0.0034	0.0034	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	CS-134	-0.000227	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	CS-134	0.000271	pCi/m3	0.00051	0.00051	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	CS-134	-0.000141	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	CS-134	-0.000128	pCi/m3	0.00037	0.00037	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	CS-134	-0.000263	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	CS-134	-0.000792	pCi/m3	0.00061	0.00061	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	CS-134	-0.000289	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	CS-134	-0.0000547	pCi/m3	0.00024	0.00024	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	CS-134	-0.000316	pCi/m3	0.00038	0.00038	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	CS-134	0.00000248	pCi/m3	0.0003	0.0003	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	CS-134	-0.000338	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	CS-134	-0.00117	pCi/m3	0.002	0.002	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	CS-134	-0.00194	pCi/m3	0.0027	0.0027	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	CS-134	-0.000489	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	CS-134	-0.00315	pCi/m3	0.0027	0.0027	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	CS-134	-0.000247	pCi/m3	0.00041	0.00041	U		
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	CS-134	0.000235	pCi/m3	0.00049	0.00049	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	CS-134	-0.000734	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	CS-134	-0.000282	pCi/m3	0.00054	0.00054	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	CS-134	-0.000323	pCi/m3	0.00055	0.00055	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	CS-134	-0.000399	pCi/m3	0.00056	0.00056	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	CS-134	-0.00068	pCi/m3	0.00074	0.00074	U		
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	CS-134	-0.000473	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	CS-134	0.000613	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	26-Sep-00	CS-134	-0.000219	pCi/m3	0.00056	0.00056	U		
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	CS-134	-0.000168	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	CS-134	0.000158	pCi/m3	0.00035	0.00035	U		
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	CS-134	-0.000435	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	CS-134	-0.000671	pCi/m3	0.00057	0.00057	U		
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	CS-134	-0.000448	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	CS-134	0.0003	pCi/m3	0.0032	0.0032	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	CS-134	-0.0000152	pCi/m3	0.00023	0.00023	U		
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	CS-134	0.000486	pCi/m3	0.0018	0.0018	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	CS-134	-0.000155	pCi/m3	0.00026	0.00026	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	CS-134	-0.000138	pCi/m3	0.00029	0.00029	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	CS-134	-0.000237	pCi/m3	0.00031	0.00031	U		
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	CS-134	-0.00328	pCi/m3	0.0021	0.0021	U	POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	CS-134	-0.00041	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	CS-134	-0.000235	pCi/m3	0.00042	0.00042	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	CS-134	-0.000179	pCi/m3	0.00051	0.00051	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	CS-134	-0.000295	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	CS-134	-0.000073	pCi/m3	0.00042	0.00042	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	CS-134	-0.0000169	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	CS-134	-0.000429	pCi/m3	0.00045	0.00045	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	CS-134	0.000318	pCi/m3	0.0006	0.0006	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	CS-134	-0.000204	pCi/m3	0.00036	0.00036	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	CS-134	-0.000149	pCi/m3	0.00027	0.00027	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	CS-134	-0.000191	pCi/m3	0.00039	0.00039	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	CS-134	-0.0003	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	CS-134	-0.000595	pCi/m3	0.00054	0.00054	U		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	CS-134	-0.00586	pCi/m3	0.0041	0.0041	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	CS-134	-0.000223	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	CS-134	-0.000237	pCi/m3	0.00054	0.00054	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	CS-134	0.000279	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	CS-134	-0.000149	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	CS-134	-0.000121	pCi/m3	0.00031	0.00031	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	CS-134	0.000223	pCi/m3	0.00042	0.00042	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	CS-134	-0.0000491	pCi/m3	0.00031	0.00031	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	CS-134	-0.000523	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	CS-134	-0.0000108	pCi/m3	0.00057	0.00057	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	CS-134	-0.000491	pCi/m3	0.00048	0.00048	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	CS-134	-0.0000593	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	CS-134	-0.0000988	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	CS-134	-0.000411	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	CS-134	-0.000299	pCi/m3	0.00099	0.00099	U		
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	CS-134	-0.000674	pCi/m3	0.001	0.001	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	CS-134	0.0000673	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	CS-134	-0.000132	pCi/m3	0.00024	0.00024	U		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	CS-134	0.000439	pCi/m3	0.0021	0.0021	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	CS-134	-0.000194	pCi/m3	0.0003	0.0003	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	CS-134	-0.000488	pCi/m3	0.00032	0.00032	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	CS-134	-0.0000221	pCi/m3	0.00036	0.00036	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	CS-137	0.0000797	pCi/m3	0.0002	0.0002	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	CS-137	0.000132	pCi/m3	0.00022	0.00022	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	CS-137	0.000284	pCi/m3	0.00023	0.00023	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	CS-137	0.000131	pCi/m3	0.00024	0.00024	U		

AIR GAMMA

OWNER ID	SAMP # NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONS SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR RPTD	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	CS-137	-0.000641	pCi/m3	0.00081	0.00081	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	CS-137	-0.000073	pCi/m3	0.00025	0.00025	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	CS-137	0.0000701	pCi/m3	0.0002	0.0002	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	CS-137	-0.0000943	pCi/m3	0.00018	0.00018	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	CS-137	-0.000035	pCi/m3	0.00017	0.00017	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	CS-137	0.0000122	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	CS-137	0.0000681	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	CS-137	0.000155	pCi/m3	0.00019	0.00019	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	CS-137	-0.0000373	pCi/m3	0.00017	0.00017	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	CS-137	-0.00000524	pCi/m3	0.00057	0.00057	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	CS-137	-0.0000356	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	CS-137	-0.000351	pCi/m3	0.00063	0.00063	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	CS-137	0.000337	pCi/m3	0.00038	0.00038	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	CS-137	-0.0000573	pCi/m3	0.0002	0.0002	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	CS-137	0.000016	pCi/m3	0.00021	0.00021	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	CS-137	0.0000701	pCi/m3	0.00018	0.00018	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	CS-137	0.000018	pCi/m3	0.00018	0.00018	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	CS-137	-0.0000574	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	CS-137	0.000258	pCi/m3	0.00057	0.00057	U		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	CS-137	-0.000582	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	CS-137	-0.000224	pCi/m3	0.00039	0.00039	U		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	CS-137	0.0000358	pCi/m3	0.00063	0.00063	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	CS-137	-0.000469	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	CS-137	-0.000201	pCi/m3	0.0017	0.0017	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	CS-137	-0.0000753	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	CS-137	-0.000609	pCi/m3	0.00056	0.00056	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	CS-137	-0.00152	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	CS-137	-0.000134	pCi/m3	0.00046	0.00046	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	CS-137	-0.0000888	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	CS-137	0.000194	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	CS-137	0.000129	pCi/m3	0.00016	0.00016	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	CS-137	0.000103	pCi/m3	0.00014	0.00014	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	CS-137	0.000123	pCi/m3	0.00011	0.00011	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	CS-137	0.0000295	pCi/m3	0.00014	0.00014	U		
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	CS-137	0.0000783	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	CS-137	0.000541	pCi/m3	0.00087	0.00087	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	CS-137	0.000172	pCi/m3	0.00053	0.00053	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	CS-137	0.000171	pCi/m3	0.00045	0.00045	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	CS-137	-0.0000117	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	CS-137	0.000377	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	CS-137	0.000568	pCi/m3	0.00095	0.00095	U		
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	CS-137	0.0000201	pCi/m3	0.00065	0.00065	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	CS-137	0.0000903	pCi/m3	0.00049	0.00049	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	CS-137	-0.000528	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	CS-137	-0.000161	pCi/m3	0.00034	0.00034	U		
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	CS-137	-0.0000542	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	CS-137	0.00122	pCi/m3	0.002	0.002	U		
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	CS-137	0.000124	pCi/m3	0.00039	0.00039	U		
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	CS-137	0.000523	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	CS-137	-0.00011	pCi/m3	0.0004	0.0004	U		
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	CS-137	-0.000108	pCi/m3	0.00057	0.00057	U		
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	CS-137	0.000936	pCi/m3	0.0043	0.0043	U		
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	CS-137	-0.00000847	pCi/m3	0.00052	0.00052	U		
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	CS-137	0.000545	pCi/m3	0.00053	0.00053	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	CS-137	0.000233	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	CS-137	0.00102	pCi/m3	0.0042	0.0042	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	CS-137	0.00022	pCi/m3	0.00059	0.00059	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	CS-137	0.000197	pCi/m3	0.00047	0.00047	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	CS-137	-0.0000358	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	CS-137	0.000139	pCi/m3	0.00042	0.00042	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	CS-137	-0.000334	pCi/m3	0.0037	0.0037	U		

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RRTD	ANAL UNITS RRTD	COUNTING ERROR 2	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	CS-137	-0.000278	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	CS-137	-0.000362	pCi/m3	0.00053	0.00053	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	CS-137	0.0000682	pCi/m3	0.0004	0.0004	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	CS-137	0.000078	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	CS-137	-0.000175	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	CS-137	-0.000507	pCi/m3	0.00049	0.00049	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	CS-137	0.000144	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	CS-137	0.0000098	pCi/m3	0.00025	0.00025	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	CS-137	-0.0000557	pCi/m3	0.00035	0.00035	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	CS-137	0.000168	pCi/m3	0.00022	0.00022	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	CS-137	0.000113	pCi/m3	0.00029	0.00029	U		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	CS-137	-0.000123	pCi/m3	0.002	0.002	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	CS-137	0.00139	pCi/m3	0.0022	0.0022	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	CS-137	-0.000427	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	CS-137	0.00206	pCi/m3	0.0031	0.0031	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	CS-137	-0.000175	pCi/m3	0.0004	0.0004	U		
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	CS-137	-0.0000623	pCi/m3	0.00045	0.00045	U		
SESPMNT	B10D2B	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	CS-137	0.00012	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	CS-137	0.000309	pCi/m3	0.00057	0.00057	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	CS-137	-0.0000306	pCi/m3	0.00051	0.00051	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	CS-137	0.000246	pCi/m3	0.0005	0.0005	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	CS-137	0.000104	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	CS-137	-0.0000369	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	CS-137	-0.000215	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	26-Sep-00	CS-137	0.000208	pCi/m3	0.00054	0.00054	U		
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	CS-137	0.000272	pCi/m3	0.00043	0.00043	U		
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	CS-137	-0.0000541	pCi/m3	0.00043	0.00043	U		
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	CS-137	-0.0002	pCi/m3	0.00043	0.00043	U		
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	CS-137	-0.000153	pCi/m3	0.00055	0.00055	U		
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	CS-137	-0.00018	pCi/m3	0.00041	0.00041	U		
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	CS-137	-0.0000275	pCi/m3	0.0034	0.0034	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	CS-137	-0.0000558	pCi/m3	0.0002	0.0002	U		
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	CS-137	-0.000829	pCi/m3	0.0019	0.0019	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	CS-137	0.000136	pCi/m3	0.00025	0.00025	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	CS-137	-0.000216	pCi/m3	0.00027	0.00027	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	CS-137	0.0000812	pCi/m3	0.00029	0.00029	U		
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	CS-137	-0.00139	pCi/m3	0.0021	0.0021	U	POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	CS-137	0.000367	pCi/m3	0.00059	0.00059	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	CS-137	0.000155	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	CS-137	-0.0000305	pCi/m3	0.00044	0.00044	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	CS-137	0.000383	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	CS-137	0.000371	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	CS-137	-0.00000559	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	CS-137	-0.000202	pCi/m3	0.0004	0.0004	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	CS-137	-0.000106	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	CS-137	-0.000183	pCi/m3	0.00027	0.00027	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	CS-137	0.000112	pCi/m3	0.00025	0.00025	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	CS-137	0.000106	pCi/m3	0.00029	0.00029	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	CS-137	-0.000138	pCi/m3	0.00025	0.00025	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	CS-137	0.0000718	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	CS-137	0.000887	pCi/m3	0.0032	0.0032	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	CS-137	0.000174	pCi/m3	0.00038	0.00038	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	CS-137	0.000437	pCi/m3	0.00049	0.00049	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	CS-137	-0.000165	pCi/m3	0.00048	0.00048	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	CS-137	0.000123	pCi/m3	0.00032	0.00032	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	CS-137	0.000204	pCi/m3	0.00026	0.00026	U		

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONC SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANALT ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	CS-137	0.0000363	pCi/m3	0.00031	0.00031	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	CS-137	-0.000167	pCi/m3	0.00028	0.00028	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	CS-137	-0.0000619	pCi/m3	0.00054	0.00054	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	26-Jun-00	CS-137	-0.0000323	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	CS-137	-0.0000413	pCi/m3	0.00039	0.00039	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	CS-137	-0.000129	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	CS-137	-0.0000101	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	CS-137	0.000073	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	CS-137	-0.000521	pCi/m3	0.00079	0.00079	U		
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	CS-137	0.0003	pCi/m3	0.00089	0.00089	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	CS-137	-0.000288	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	CS-137	0.00016	pCi/m3	0.00025	0.00025	U		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	CS-137	0.000465	pCi/m3	0.0021	0.0021	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	CS-137	0.0000538	pCi/m3	0.00026	0.00026	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	CS-137	-0.000172	pCi/m3	0.0003	0.0003	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	CS-137	-0.0000489	pCi/m3	0.00036	0.00036	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	EU-154	-0.000099	pCi/m3	0.00045	0.00045	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	26-Jun-00	EU-154	0.000344	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	EU-154	0.000577	pCi/m3	0.00066	0.00066	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	EU-154	-0.0000373	pCi/m3	0.00066	0.00066	U		
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	EU-154	0.00274	pCi/m3	0.0028	0.0028	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	EU-154	0.0000829	pCi/m3	0.00071	0.00071	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	EU-154	-0.000464	pCi/m3	0.0006	0.0006	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	EU-154	-0.000126	pCi/m3	0.00076	0.00076	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	EU-154	0.000222	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	EU-154	0.000131	pCi/m3	0.00074	0.00074	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	EU-154	-0.00021	pCi/m3	0.00081	0.00081	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	EU-154	0.000447	pCi/m3	0.00075	0.00075	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	EU-154	-0.000172	pCi/m3	0.0006	0.0006	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	EU-154	0.00164	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	EU-154	0.00225	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	EU-154	-0.000914	pCi/m3	0.0017	0.0017	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	EU-154	-0.000972	pCi/m3	0.0017	0.0017	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	EU-154	-0.0000829	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	EU-154	-0.0000817	pCi/m3	0.00069	0.00069	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	EU-154	0.0000202	pCi/m3	0.0005	0.0005	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	EU-154	0.000105	pCi/m3	0.00079	0.00079	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	EU-154	-0.000224	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	EU-154	0.00106	pCi/m3	0.0017	0.0017	U		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	EU-154	0.00124	pCi/m3	0.008	0.008	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	EU-154	0.000371	pCi/m3	0.0012	0.0012	U		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	EU-154	-0.00142	pCi/m3	0.0017	0.0017	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	EU-154	-0.00285	pCi/m3	0.0044	0.0044	U		
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	EU-154	-0.000846	pCi/m3	0.0067	0.0067	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	EU-154	-0.00141	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	EU-154	0.000526	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	EU-154	-0.00305	pCi/m3	0.0062	0.0062	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	EU-154	0.000147	pCi/m3	0.0012	0.0012	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	EU-154	-0.000293	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	EU-154	0.00227	pCi/m3	0.0062	0.0062	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	EU-154	-0.000427	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	EU-154	0.000439	pCi/m3	0.00056	0.00056	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	EU-154	0.00016	pCi/m3	0.00038	0.00038	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	EU-154	-0.0000102	pCi/m3	0.00054	0.00054	U		
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	EU-154	0.000532	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	EU-154	0.00254	pCi/m3	0.0028	0.0028	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	EU-154	0.00148	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	EU-154	-0.0000745	pCi/m3	0.0017	0.0017	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	EU-154	-0.000704	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	EU-154	0.0000329	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	EU-154	-0.00197	pCi/m3	0.0028	0.0028	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	EU-154	-0.00147	pCi/m3	0.0024	0.0024	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	EU-154	-0.000304	pCi/m3	0.0017	0.0017	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	EU-154	0.00134	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	EU-154	-0.000103	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	EU-154	0.00111	pCi/m3	0.0017	0.0017	U		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	EU-154	-0.00287	pCi/m3	0.0058	0.0058	U		
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	EU-154	-0.000221	pCi/m3	0.0014	0.0014	U		
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	EU-154	-0.000717	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	EU-154	0.000609	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	EU-154	0.000441	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	EU-154	0.000754	pCi/m3	0.013	0.013	U		
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	EU-154	-0.00154	pCi/m3	0.0021	0.0021	U		
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	EU-154	0.000233	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	EU-154	-0.000418	pCi/m3	0.0021	0.0021	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	EU-154	0.00152	pCi/m3	0.011	0.011	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	EU-154	0.000864	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	EU-154	-0.00041	pCi/m3	0.0016	0.0016	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	EU-154	0.000698	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	EU-154	-0.000736	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	EU-154	0.00605	pCi/m3	0.013	0.013	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	EU-154	-0.000321	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	EU-154	0.000332	pCi/m3	0.0014	0.0014	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	EU-154	0.000477	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	EU-154	0.000573	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	EU-154	0.000403	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	EU-154	-0.000421	pCi/m3	0.0018	0.0018	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	EU-154	-0.0000552	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	EU-154	0.000328	pCi/m3	0.00086	0.00086	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	EU-154	0.0000166	pCi/m3	0.00096	0.00096	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	EU-154	-0.000407	pCi/m3	0.00069	0.00069	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	EU-154	0.000694	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	EU-154	0.00367	pCi/m3	0.0062	0.0062	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	EU-154	0.00138	pCi/m3	0.0078	0.0078	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	EU-154	0.000633	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	EU-154	-0.0035	pCi/m3	0.012	0.012	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	EU-154	-0.000214	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	EU-154	-0.000177	pCi/m3	0.00086	0.00086	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	EU-154	0.000823	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	EU-154	0.000774	pCi/m3	0.0014	0.0014	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	EU-154	-0.000722	pCi/m3	0.0017	0.0017	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	EU-154	0.000427	pCi/m3	0.0014	0.0014	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	EU-154	0.000497	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	EU-154	-0.00058	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	EU-154	-0.00116	pCi/m3	0.0017	0.0017	U		
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	28-Sep-00	EU-154	0.00094	pCi/m3	0.0018	0.0018	U		
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	EU-154	-0.000115	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	EU-154	-0.00103	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	EU-154	0.000649	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	EU-154	-0.000416	pCi/m3	0.0018	0.0018	U		
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	EU-154	0.000361	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	EU-154	-0.00357	pCi/m3	0.01	0.01	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	EU-154	0.000214	pCi/m3	0.00066	0.00066	U		
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	EU-154	0.0039	pCi/m3	0.0057	0.0057	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	EU-154	-0.000109	pCi/m3	0.00062	0.00062	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	EU-154	0.000293	pCi/m3	0.00087	0.00087	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	EU-154	0.000287	pCi/m3	0.0008	0.0008	U		

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONN SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	EU-154	0.00061	pCi/m3	0.0075	0.0075	U	POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	EU-154	-0.00222	pCi/m3	0.002	0.002	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	EU-154	-0.000116	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	EU-154	-0.000159	pCi/m3	0.0013	0.0013	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	EU-154	-0.00116	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	EU-154	0.000608	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	EU-154	-0.000259	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	EU-154	-0.00121	pCi/m3	0.0017	0.0017	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	EU-154	-0.000643	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	EU-154	0.000478	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	EU-154	-0.000857	pCi/m3	0.00077	0.00077	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	EU-154	0.000275	pCi/m3	0.0012	0.0012	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	EU-154	-0.0000611	pCi/m3	0.00084	0.00084	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	EU-154	-0.000776	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	EU-154	-0.00202	pCi/m3	0.012	0.012	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	EU-154	-0.000336	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	EU-154	0.0012	pCi/m3	0.0016	0.0016	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	EU-154	0.000375	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	EU-154	-0.000399	pCi/m3	0.001	0.001	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	EU-154	0.000192	pCi/m3	0.00075	0.00075	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	EU-154	-0.000217	pCi/m3	0.00091	0.00091	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	EU-154	0.000469	pCi/m3	0.001	0.001	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	EU-154	-0.000217	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	EU-154	0.00209	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	EU-154	-0.000477	pCi/m3	0.0012	0.0012	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	EU-154	-0.0019	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	EU-154	-0.0007	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	EU-154	0.000944	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	EU-154	0.000536	pCi/m3	0.0028	0.0028	U		
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	EU-154	-0.000353	pCi/m3	0.0018	0.0018	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	EU-154	0.000128	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	EU-154	-0.000929	pCi/m3	0.00085	0.00085	U		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	EU-154	-0.00436	pCi/m3	0.0069	0.0069	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	EU-154	0.000679	pCi/m3	0.00086	0.00086	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	EU-154	0.000213	pCi/m3	0.001	0.001	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	EU-154	0.000272	pCi/m3	0.00099	0.00099	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	EU-155	-0.000065	pCi/m3	0.00033	0.00033	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	EU-155	0.000352	pCi/m3	0.00042	0.00042	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	EU-155	0.0000441	pCi/m3	0.00035	0.00035	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	EU-155	0.000019	pCi/m3	0.00046	0.00046	U		
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	EU-155	-0.00153	pCi/m3	0.0019	0.0019	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	EU-155	0.000162	pCi/m3	0.00042	0.00042	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	EU-155	-0.000169	pCi/m3	0.00041	0.00041	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	EU-155	-0.000249	pCi/m3	0.00037	0.00037	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	EU-155	-0.000108	pCi/m3	0.0003	0.0003	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	EU-155	0.000204	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	EU-155	-0.000408	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	EU-155	0.000017	pCi/m3	0.00036	0.00036	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	EU-155	-0.000173	pCi/m3	0.00035	0.00035	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	EU-155	-0.000414	pCi/m3	0.00094	0.00094	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	EU-155	0.000996	pCi/m3	0.0009	0.0009	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	EU-155	-0.0000549	pCi/m3	0.00088	0.00088	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	EU-155	0.00037	pCi/m3	0.00071	0.00071	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	EU-155	0.0000123	pCi/m3	0.00033	0.00033	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	EU-155	-0.000457	pCi/m3	0.00047	0.00047	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	EU-155	-0.000103	pCi/m3	0.00037	0.00037	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	EU-155	-0.00024	pCi/m3	0.00038	0.00038	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	EU-155	-0.000622	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	EU-155	-0.000993	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	EU-155	0.00156	pCi/m3	0.0038	0.0038	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	EU-155	-0.000521	pCi/m3	0.00067	0.00067	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	EU-155	0.000194	pCi/m3	0.00096	0.00096	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	EU-155	-0.000478	pCi/m3	0.0024	0.0024	U		
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	EU-155	0.00169	pCi/m3	0.0027	0.0027	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	EU-155	0.0000231	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	EU-155	-0.00059	pCi/m3	0.00097	0.00097	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	EU-155	0.000853	pCi/m3	0.0025	0.0025	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	EU-155	0.000283	pCi/m3	0.00071	0.00071	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	EU-155	0.000283	pCi/m3	0.00088	0.00088	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	EU-155	-0.000761	pCi/m3	0.0029	0.0029	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	EU-155	-0.000396	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	EU-155	-0.000373	pCi/m3	0.0003	0.0003	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	EU-155	0.0000634	pCi/m3	0.00023	0.00023	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	EU-155	-0.0000605	pCi/m3	0.00029	0.00029	U		
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	EU-155	-0.000748	pCi/m3	0.00089	0.00089	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	EU-155	-0.000469	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	EU-155	0.000629	pCi/m3	0.0008	0.0008	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	EU-155	-0.000273	pCi/m3	0.00092	0.00092	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	EU-155	0.000593	pCi/m3	0.00078	0.00078	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	EU-155	0.0000141	pCi/m3	0.00079	0.00079	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	EU-155	0.000827	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	EU-155	-0.000794	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	EU-155	0.000384	pCi/m3	0.0009	0.0009	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	EU-155	-0.000513	pCi/m3	0.00077	0.00077	U		
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	EU-155	0.000165	pCi/m3	0.00056	0.00056	U		
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	EU-155	-0.0000531	pCi/m3	0.00082	0.00082	U		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	EU-155	-0.000649	pCi/m3	0.003	0.003	U		
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	EU-155	0.000199	pCi/m3	0.00073	0.00073	U		
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	EU-155	-0.000635	pCi/m3	0.00093	0.00093	U		
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	EU-155	0.000253	pCi/m3	0.00084	0.00084	U		
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	EU-155	-0.000619	pCi/m3	0.00095	0.00095	U		
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	EU-155	0.00753	pCi/m3	0.0083	0.0083	U		
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	EU-155	0.0014	pCi/m3	0.0011	0.0011	U		
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	EU-155	0.00053	pCi/m3	0.00086	0.00086	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	EU-155	0.000454	pCi/m3	0.001	0.001	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	EU-155	-0.00452	pCi/m3	0.0066	0.0066	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	EU-155	0.000918	pCi/m3	0.001	0.001	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	EU-155	0.0000728	pCi/m3	0.001	0.001	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	EU-155	0.000108	pCi/m3	0.00075	0.00075	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	EU-155	0.00043	pCi/m3	0.00086	0.00086	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	EU-155	-0.007	pCi/m3	0.0059	0.0059	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	EU-155	-0.000416	pCi/m3	0.00081	0.00081	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	EU-155	-0.000191	pCi/m3	0.00077	0.00077	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	EU-155	-0.00043	pCi/m3	0.0008	0.0008	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	EU-155	-0.000253	pCi/m3	0.00077	0.00077	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	EU-155	-0.000812	pCi/m3	0.00088	0.00088	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	EU-155	-0.0000471	pCi/m3	0.001	0.001	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	EU-155	0.0000381	pCi/m3	0.00071	0.00071	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	EU-155	0.0000997	pCi/m3	0.00038	0.00038	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	EU-155	0.000199	pCi/m3	0.0007	0.0007	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	EU-155	-0.000171	pCi/m3	0.00059	0.00059	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	EU-155	-0.000145	pCi/m3	0.0005	0.0005	U		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	EU-155	0.000708	pCi/m3	0.0029	0.0029	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	EU-155	-0.00106	pCi/m3	0.0038	0.0038	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	EU-155	-0.000357	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	EU-155	0.000344	pCi/m3	0.005	0.005	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	EU-155	0.0000998	pCi/m3	0.0007	0.0007	U		
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	EU-155	0.0000724	pCi/m3	0.0008	0.0008	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	EU-155	0.000654	pCi/m3	0.0009	0.0009	U		
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	EU-155	0.000104	pCi/m3	0.00093	0.00093	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	EU-155	0.0000882	pCi/m3	0.0012	0.0012	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	EU-155	0.00000771	pCi/m3	0.00083	0.00083	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	EU-155	-0.000127	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	EU-155	-0.000298	pCi/m3	0.00095	0.00095	U		
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	EU-155	-0.000431	pCi/m3	0.00093	0.00093	U		
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	26-Sep-00	EU-155	-0.000117	pCi/m3	0.00097	0.00097	U		
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	EU-155	0.0000947	pCi/m3	0.00083	0.00083	U		
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	EU-155	0.000293	pCi/m3	0.00077	0.00077	U		
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	EU-155	0.000679	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	EU-155	-0.000317	pCi/m3	0.00098	0.00098	U		
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	EU-155	-0.0002	pCi/m3	0.00086	0.00086	U		
SESPMNT	B0YN88	PASCO	COMMUNITY	AT	30-Jun-00	EU-155	-0.00128	pCi/m3	0.0056	0.0056	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	EU-155	0.00000118	pCi/m3	0.00038	0.00038	U		
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	EU-155	-0.00079	pCi/m3	0.0027	0.0027	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	EU-155	-0.0001	pCi/m3	0.00044	0.00044	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	EU-155	-0.000134	pCi/m3	0.0005	0.0005	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	EU-155	0.000217	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	EU-155	0.000445	pCi/m3	0.004	0.004	U	POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	EU-155	-0.000318	pCi/m3	0.00099	0.00099	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	EU-155	0.000504	pCi/m3	0.0007	0.0007	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	EU-155	0.000772	pCi/m3	0.00089	0.00089	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	EU-155	0.000485	pCi/m3	0.00088	0.00088	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	EU-155	-0.0000795	pCi/m3	0.00091	0.00091	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	EU-155	-0.000095	pCi/m3	0.00069	0.00069	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	EU-155	0.000166	pCi/m3	0.00066	0.00066	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	EU-155	0.000124	pCi/m3	0.00089	0.00089	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	EU-155	-0.000646	pCi/m3	0.00077	0.00077	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	EU-155	0.000146	pCi/m3	0.00059	0.00059	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	EU-155	0.00014	pCi/m3	0.00057	0.00057	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	EU-155	-0.000137	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	EU-155	-0.0000162	pCi/m3	0.00093	0.00093	U		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	EU-155	-0.00249	pCi/m3	0.0054	0.0054	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	EU-155	0.000434	pCi/m3	0.00075	0.00075	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	EU-155	-0.000151	pCi/m3	0.00077	0.00077	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	EU-155	0.000743	pCi/m3	0.00079	0.00079	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	EU-155	0.000544	pCi/m3	0.00059	0.00059	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	EU-155	0.0000342	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	EU-155	0.000254	pCi/m3	0.00057	0.00057	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	EU-155	-0.00000727	pCi/m3	0.00056	0.00056	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	EU-155	0.000126	pCi/m3	0.00091	0.00091	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	EU-155	-0.000153	pCi/m3	0.00099	0.00099	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	EU-155	-0.000327	pCi/m3	0.00074	0.00074	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	EU-155	0.000106	pCi/m3	0.00079	0.00079	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	EU-155	-0.000557	pCi/m3	0.00081	0.00081	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	EU-155	0.000457	pCi/m3	0.0009	0.0009	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	EU-155	0.000207	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	EU-155	0.000236	pCi/m3	0.0015	0.0015	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	EU-155	0.000583	pCi/m3	0.00083	0.00083	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	EU-155	-0.000348	pCi/m3	0.00053	0.00053	U		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	EU-155	-0.000443	pCi/m3	0.0034	0.0034	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	EU-155	-0.00000245	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	EU-155	0.0000915	pCi/m3	0.00056	0.00056	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	EU-155	-0.000111	pCi/m3	0.00057	0.00057	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	K-40	0.00644	pCi/m3	0.0049	0.0049	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	K-40	0.00157	pCi/m3	0.0051	0.0051	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	K-40	-0.00017	pCi/m3	0.0041	0.0041	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	K-40	0.00477	pCi/m3	0.0053	0.0053	U		
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	K-40	0.0514	pCi/m3	0.022	0.022	U		

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	K-40	0.0129	pCi/m3	0.0069	0.0069	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	K-40	0.00546	pCi/m3	0.0057	0.0057	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	K-40	0.00193	pCi/m3	0.0043	0.0043	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	K-40	0.00168	pCi/m3	0.0046	0.0046	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	K-40	-0.0000612	pCi/m3	0.0063	0.0063	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	K-40	0.0014	pCi/m3	0.0062	0.0062	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	K-40	0.00269	pCi/m3	0.0069	0.0069	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	K-40	0.00188	pCi/m3	0.0042	0.0042	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	K-40	-0.00839	pCi/m3	0.013	0.013	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	K-40	0.00798	pCi/m3	0.014	0.014	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	K-40	0.0104	pCi/m3	0.013	0.013	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	K-40	0.00514	pCi/m3	0.012	0.012	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	K-40	0.0000722	pCi/m3	0.0052	0.0052	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	K-40	0.00271	pCi/m3	0.0051	0.0051	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	K-40	0.00124	pCi/m3	0.004	0.004	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	K-40	0.00331	pCi/m3	0.0058	0.0058	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	K-40	0.0054	pCi/m3	0.009	0.009	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	K-40	0.009	pCi/m3	0.01	0.01	U		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	K-40	0.0557	pCi/m3	0.052	0.052	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	K-40	0.00237	pCi/m3	0.0091	0.0091	U		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	K-40	0.00858	pCi/m3	0.013	0.013	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	K-40	-0.00964	pCi/m3	0.026	0.026	U		
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	K-40	0.0153	pCi/m3	0.042	0.042	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	K-40	0.00594	pCi/m3	0.011	0.011	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	K-40	0.000946	pCi/m3	0.014	0.014	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	K-40	0.0309	pCi/m3	0.06	0.06	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	K-40	-0.00709	pCi/m3	0.0099	0.0099	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	K-40	0.0112	pCi/m3	0.016	0.016	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	K-40	0.0209	pCi/m3	0.045	0.045	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	K-40	0.00347	pCi/m3	0.0032	0.0032			
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	K-40	0.000326	pCi/m3	0.0037	0.0037	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	K-40	0.00481	pCi/m3	0.0032	0.0032			
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	K-40	0.00118	pCi/m3	0.0035	0.0035	U		
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	K-40	0.00371	pCi/m3	0.011	0.011	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	K-40	0.00779	pCi/m3	0.024	0.024	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	K-40	-0.00486	pCi/m3	0.013	0.013	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	K-40	0.00462	pCi/m3	0.015	0.015	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	K-40	-0.00611	pCi/m3	0.0095	0.0095	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	K-40	-0.00163	pCi/m3	0.011	0.011	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	K-40	-0.0156	pCi/m3	0.019	0.019	U		
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	K-40	-0.00546	pCi/m3	0.012	0.012	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	K-40	0.00277	pCi/m3	0.013	0.013	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	K-40	0.00629	pCi/m3	0.0098	0.0098	U		
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	K-40	0.000764	pCi/m3	0.0061	0.0061	U		
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	K-40	0.0035	pCi/m3	0.011	0.011	U		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	K-40	0.0366	pCi/m3	0.039	0.039	U		
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	K-40	0.0164	pCi/m3	0.012	0.012			
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	K-40	0.00943	pCi/m3	0.013	0.013	U		
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	K-40	-0.00125	pCi/m3	0.01	0.01	U		
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	K-40	0.00572	pCi/m3	0.015	0.015	U		
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	K-40	-0.0198	pCi/m3	0.063	0.063	U		
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	K-40	-0.00927	pCi/m3	0.012	0.012	U		
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	K-40	0.00961	pCi/m3	0.013	0.013	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	K-40	-0.00247	pCi/m3	0.014	0.014	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	K-40	-0.0824	pCi/m3	0.11	0.11	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	K-40	0.0391	pCi/m3	0.018	0.018			
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	K-40	0.00421	pCi/m3	0.012	0.012	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	K-40	0.0219	pCi/m3	0.015	0.015			
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	K-40	0.00598	pCi/m3	0.012	0.012	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	K-40	-0.0812	pCi/m3	0.068	0.068	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	K-40	0.0047	pCi/m3	0.01	0.01	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	K-40	0.00822	pCi/m3	0.014	0.014	U		

SAMP OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	K-40	0.00895	pCi/m3	0.01	0.01	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	K-40	0.00158	pCi/m3	0.0073	0.0073	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	K-40	0.0063	pCi/m3	0.014	0.014	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	K-40	-0.0087	pCi/m3	0.011	0.011	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	K-40	0.00368	pCi/m3	0.012	0.012	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	K-40	0.00184	pCi/m3	0.0039	0.0039	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	K-40	-0.00248	pCi/m3	0.0071	0.0071	U		
SESPMNT	B0YLV3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	K-40	0.00127	pCi/m3	0.0062	0.0062	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	K-40	0.00361	pCi/m3	0.0072	0.0072	U		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	K-40	-0.024	pCi/m3	0.043	0.043	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	K-40	0.00322	pCi/m3	0.046	0.046	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	K-40	0.0037	pCi/m3	0.0098	0.0098	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	K-40	0.0852	pCi/m3	0.081	0.081			
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	K-40	-0.00498	pCi/m3	0.0097	0.0097	U		
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	K-40	0.00447	pCi/m3	0.011	0.011	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	K-40	0.00302	pCi/m3	0.013	0.013	U		
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	K-40	0.00711	pCi/m3	0.016	0.016	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	K-40	0.00436	pCi/m3	0.01	0.01	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	K-40	-0.00467	pCi/m3	0.013	0.013	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	K-40	0.00338	pCi/m3	0.014	0.014	U		
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	K-40	0.00574	pCi/m3	0.012	0.012	U		
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	K-40	0.00479	pCi/m3	0.014	0.014	U		
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	26-Sep-00	K-40	-0.00679	pCi/m3	0.011	0.011	U		
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	K-40	0.0118	pCi/m3	0.01	0.01	U		
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	K-40	-0.00385	pCi/m3	0.0069	0.0069	U		
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	K-40	0.0124	pCi/m3	0.0085	0.0085			
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	K-40	0.000884	pCi/m3	0.011	0.011	U		
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	K-40	0.00903	pCi/m3	0.01	0.01	U		
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	K-40	0.0809	pCi/m3	0.12	0.12	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	K-40	0.00208	pCi/m3	0.0038	0.0038	U		
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	K-40	-0.016	pCi/m3	0.03	0.03	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	K-40	0.0019	pCi/m3	0.004	0.004	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	K-40	0.0111	pCi/m3	0.0063	0.0063			
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	K-40	0.0018	pCi/m3	0.0077	0.0077	U		
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	K-40	0.0112	pCi/m3	0.05	0.05	U	POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	K-40	0.0281	pCi/m3	0.017	0.017	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	K-40	0.000486	pCi/m3	0.0062	0.0062	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	K-40	0.0138	pCi/m3	0.015	0.015	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	K-40	-0.000295	pCi/m3	0.0095	0.0095	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	K-40	0.000771	pCi/m3	0.01	0.01	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	K-40	0.0093	pCi/m3	0.0081	0.0081	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	K-40	0.00538	pCi/m3	0.012	0.012	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	K-40	0.00655	pCi/m3	0.011	0.011	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	K-40	0.0013	pCi/m3	0.0059	0.0059	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	K-40	0.00173	pCi/m3	0.0071	0.0071	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	K-40	0.00935	pCi/m3	0.0073	0.0073	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	K-40	0.00469	pCi/m3	0.0075	0.0075	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	K-40	0.0143	pCi/m3	0.015	0.015	U		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	K-40	0.0526	pCi/m3	0.12	0.12	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	K-40	-0.00246	pCi/m3	0.0095	0.0095	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	K-40	0.00209	pCi/m3	0.013	0.013	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	K-40	0.000801	pCi/m3	0.011	0.011	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	K-40	0.0051	pCi/m3	0.0079	0.0079	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	K-40	0.00911	pCi/m3	0.0049	0.0049			
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	K-40	0.0041	pCi/m3	0.007	0.007	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	K-40	0.0000603	pCi/m3	0.0065	0.0065	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	K-40	0.0064	pCi/m3	0.014	0.014	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	K-40	0.00325	pCi/m3	0.015	0.015	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	K-40	0.00817	pCi/m3	0.0092	0.0092	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	K-40	0.0117	pCi/m3	0.014	0.014	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	K-40	0.00187	pCi/m3	0.012	0.012	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	K-40	0.00776	pCi/m3	0.012	0.012	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	K-40	0.031	pCi/m3	0.025	0.025	U		
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	K-40	0.0199	pCi/m3	0.019	0.019	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	K-40	0.013	pCi/m3	0.014	0.014	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	K-40	-0.00166	pCi/m3	0.0056	0.0056	U		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	K-40	0.0723	pCi/m3	0.065	0.065			
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	K-40	-0.00286	pCi/m3	0.0065	0.0065	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	K-40	0.00814	pCi/m3	0.0062	0.0062	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	K-40	0.0125	pCi/m3	0.0097	0.0097			
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	RU-106	0.000144	pCi/m3	0.0021	0.0021	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	RU-106	-0.00153	pCi/m3	0.0023	0.0023	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	RU-106	0.00121	pCi/m3	0.0021	0.0021	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	RU-106	0.000613	pCi/m3	0.0021	0.0021	U		
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	RU-106	-0.00252	pCi/m3	0.0084	0.0084	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	RU-106	0.000814	pCi/m3	0.0022	0.0022	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	RU-106	0.000899	pCi/m3	0.002	0.002	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	RU-106	-0.000234	pCi/m3	0.0021	0.0021	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	RU-106	0.000114	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	RU-106	-0.000134	pCi/m3	0.0027	0.0027	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	RU-106	-0.00133	pCi/m3	0.0027	0.0027	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	RU-106	0.000397	pCi/m3	0.0022	0.0022	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	RU-106	-0.0000987	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	RU-106	0.002	pCi/m3	0.0053	0.0053	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	RU-106	-0.00254	pCi/m3	0.0046	0.0046	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	RU-106	0.00132	pCi/m3	0.005	0.005	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	RU-106	-0.000269	pCi/m3	0.0042	0.0042	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	RU-106	0.000192	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	RU-106	0.000248	pCi/m3	0.0022	0.0022	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	RU-106	0.000379	pCi/m3	0.0021	0.0021	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	RU-106	0.00000275	pCi/m3	0.002	0.002	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	RU-106	-0.00141	pCi/m3	0.0041	0.0041	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	RU-106	0.00693	pCi/m3	0.0052	0.0052	U		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	RU-106	0.0129	pCi/m3	0.019	0.019	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	RU-106	0.00118	pCi/m3	0.0041	0.0041	U		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	RU-106	-0.00141	pCi/m3	0.0056	0.0056	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	RU-106	0.00488	pCi/m3	0.013	0.013	U		
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	RU-106	0.00494	pCi/m3	0.016	0.016	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	RU-106	-0.000958	pCi/m3	0.0046	0.0046	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	RU-106	0.00186	pCi/m3	0.006	0.006	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	RU-106	-0.00268	pCi/m3	0.015	0.015	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	RU-106	0.00131	pCi/m3	0.0046	0.0046	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	RU-106	-0.0000273	pCi/m3	0.0042	0.0042	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	RU-106	-0.000224	pCi/m3	0.015	0.015	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	RU-106	0.000166	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	RU-106	-0.000187	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	RU-106	-0.000313	pCi/m3	0.0013	0.0013	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	RU-106	-0.00124	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	RU-106	-0.00247	pCi/m3	0.0046	0.0046	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	RU-106	-0.00694	pCi/m3	0.0079	0.0079	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	RU-106	-0.00088	pCi/m3	0.0047	0.0047	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	RU-106	-0.00183	pCi/m3	0.0049	0.0049	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	RU-106	-0.00102	pCi/m3	0.0038	0.0038	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	RU-106	0.00403	pCi/m3	0.0045	0.0045	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	RU-106	-0.0018	pCi/m3	0.01	0.01	U		
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	RU-106	0.00123	pCi/m3	0.0071	0.0071	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	RU-106	-0.00415	pCi/m3	0.006	0.006	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	RU-106	0.00165	pCi/m3	0.0039	0.0039	U		

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONS SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	RU-106	-0.0000763	pCi/m3	0.0033	0.0033	U		
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	RU-106	-0.000764	pCi/m3	0.0045	0.0045	U		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	RU-106	-0.00329	pCi/m3	0.017	0.017	U		
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	RU-106	-0.00234	pCi/m3	0.0047	0.0047	U		
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	RU-106	0.000305	pCi/m3	0.0048	0.0048	U		
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	RU-106	-0.00275	pCi/m3	0.0053	0.0053	U		
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	RU-106	0.00214	pCi/m3	0.0053	0.0053	U		
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	RU-106	0.0357	pCi/m3	0.041	0.041	U		
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	RU-106	-0.00632	pCi/m3	0.0058	0.0058	U		
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	RU-106	0.00338	pCi/m3	0.0046	0.0046	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	RU-106	-0.00113	pCi/m3	0.0054	0.0054	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	RU-106	-0.023	pCi/m3	0.043	0.043	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	RU-106	-0.00102	pCi/m3	0.0056	0.0056	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	RU-106	0.00267	pCi/m3	0.0063	0.0063	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	RU-106	0.00192	pCi/m3	0.0038	0.0038	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	RU-106	0.00181	pCi/m3	0.0044	0.0044	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	RU-106	-0.0166	pCi/m3	0.028	0.028	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	RU-106	0.00297	pCi/m3	0.0044	0.0044	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	RU-106	0.00335	pCi/m3	0.005	0.005	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	RU-106	-0.00183	pCi/m3	0.0048	0.0048	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	RU-106	-0.00148	pCi/m3	0.004	0.004	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	RU-106	0.00138	pCi/m3	0.0048	0.0048	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	RU-106	-0.00688	pCi/m3	0.006	0.006	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	RU-106	0.00393	pCi/m3	0.0043	0.0043	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	RU-106	0.000818	pCi/m3	0.0019	0.0019	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	RU-106	-0.000952	pCi/m3	0.0031	0.0031	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	RU-106	-0.00196	pCi/m3	0.0028	0.0028	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	RU-106	-0.00109	pCi/m3	0.0034	0.0034	U		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	RU-106	0.00362	pCi/m3	0.017	0.017	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	RU-106	-0.00344	pCi/m3	0.022	0.022	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	RU-106	-0.00519	pCi/m3	0.0049	0.0049	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	RU-106	0.00175	pCi/m3	0.029	0.029	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	RU-106	-0.00197	pCi/m3	0.0041	0.0041	U		
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	RU-106	0.00186	pCi/m3	0.0056	0.0056	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	RU-106	-0.00301	pCi/m3	0.0042	0.0042	U		
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	RU-106	-0.0022	pCi/m3	0.0051	0.0051	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	RU-106	-0.0000223	pCi/m3	0.0051	0.0051	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	RU-106	0.00261	pCi/m3	0.0047	0.0047	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	RU-106	0.00188	pCi/m3	0.0056	0.0056	U		
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	RU-106	-0.000789	pCi/m3	0.0054	0.0054	U		
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	RU-106	0.000644	pCi/m3	0.0043	0.0043	U		
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	26-Sep-00	RU-106	0.002	pCi/m3	0.0063	0.0063	U		
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	RU-106	-0.000352	pCi/m3	0.0038	0.0038	U		
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	RU-106	-0.00267	pCi/m3	0.0039	0.0039	U		
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	RU-106	0.00126	pCi/m3	0.0044	0.0044	U		
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	RU-106	0.00204	pCi/m3	0.0056	0.0056	U		
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	RU-106	0.000809	pCi/m3	0.0044	0.0044	U		
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	RU-106	-0.00669	pCi/m3	0.025	0.025	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	RU-106	-0.000358	pCi/m3	0.002	0.002	U		
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	RU-106	0.00671	pCi/m3	0.017	0.017	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	RU-106	0.000394	pCi/m3	0.0026	0.0026	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	RU-106	0.00166	pCi/m3	0.003	0.003	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	RU-106	-0.000851	pCi/m3	0.0029	0.0029	U		
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	RU-106	-0.00409	pCi/m3	0.018	0.018	U	POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	RU-106	0.000645	pCi/m3	0.0059	0.0059	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	RU-106	-0.00311	pCi/m3	0.0041	0.0041	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	RU-106	0.00471	pCi/m3	0.0054	0.0054	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	RU-106	0.00218	pCi/m3	0.0043	0.0043	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	RU-106	0.00449	pCi/m3	0.0045	0.0045	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	RU-106	-0.00515	pCi/m3	0.0045	0.0045	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	RU-106	-0.000762	pCi/m3	0.0047	0.0047	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	RU-106	-0.00215	pCi/m3	0.0047	0.0047	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	RU-106	-0.00111	pCi/m3	0.0032	0.0032	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	RU-106	-0.00293	pCi/m3	0.0028	0.0028	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	RU-106	0.00227	pCi/m3	0.0038	0.0038	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	RU-106	-0.000762	pCi/m3	0.0024	0.0024	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	RU-106	-0.000759	pCi/m3	0.005	0.005	U		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	RU-106	0.000434	pCi/m3	0.031	0.031	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	RU-106	0.00173	pCi/m3	0.0044	0.0044	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	RU-106	-0.00485	pCi/m3	0.0052	0.0052	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	RU-106	0.00122	pCi/m3	0.0044	0.0044	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	RU-106	-0.00133	pCi/m3	0.0035	0.0035	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	RU-106	0.00112	pCi/m3	0.0026	0.0026	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	RU-106	0.000913	pCi/m3	0.0032	0.0032	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	RU-106	-0.00025	pCi/m3	0.0027	0.0027	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	RU-106	-0.00502	pCi/m3	0.0049	0.0049	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	RU-106	0.0000996	pCi/m3	0.0055	0.0055	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	RU-106	-0.00411	pCi/m3	0.0048	0.0048	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	RU-106	-0.00285	pCi/m3	0.0052	0.0052	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	RU-106	-0.0028	pCi/m3	0.004	0.004	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	RU-106	0.0024	pCi/m3	0.005	0.005	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	RU-106	0.000809	pCi/m3	0.009	0.009	U		
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	RU-106	0.000866	pCi/m3	0.0099	0.0099	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	RU-106	-0.0000464	pCi/m3	0.0045	0.0045	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	RU-106	0.00127	pCi/m3	0.0026	0.0026	U		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	RU-106	-0.00134	pCi/m3	0.02	0.02	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	RU-106	-0.0000988	pCi/m3	0.003	0.003	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	RU-106	-0.00189	pCi/m3	0.0036	0.0036	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	RU-106	0.00154	pCi/m3	0.0032	0.0032	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	SB-125	-0.0000854	pCi/m3	0.00039	0.00039	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	SB-125	-0.00018	pCi/m3	0.00055	0.00055	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	SB-125	-0.0000287	pCi/m3	0.00044	0.00044	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	SB-125	0.0000291	pCi/m3	0.00063	0.00063	U		
SESPMNT	B10D57	100 D AREA	ONSITE	AT	27-Dec-00	SB-125	0.00113	pCi/m3	0.0024	0.0024	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	SB-125	-0.000266	pCi/m3	0.00065	0.00065	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	SB-125	-0.000106	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	SB-125	-0.000013	pCi/m3	0.00053	0.00053	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	SB-125	-0.000114	pCi/m3	0.00049	0.00049	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	SB-125	0.000483	pCi/m3	0.0007	0.0007	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	SB-125	0.000312	pCi/m3	0.00068	0.00068	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	SB-125	0.000128	pCi/m3	0.00052	0.00052	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	SB-125	-0.000364	pCi/m3	0.00041	0.00041	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	SB-125	0.000872	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	SB-125	0.00000795	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	SB-125	-0.000239	pCi/m3	0.0013	0.0013	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	SB-125	0.000465	pCi/m3	0.00095	0.00095	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	SB-125	-0.0000811	pCi/m3	0.00046	0.00046	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	SB-125	-0.000329	pCi/m3	0.00058	0.00058	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	SB-125	-0.00043	pCi/m3	0.00048	0.00048	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	SB-125	0.000385	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	SB-125	0.0000505	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	SB-125	0.0000229	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0XVD2	300 NE	ONSITE	AT	29-Jun-00	SB-125	-0.00015	pCi/m3	0.005	0.005	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	SB-125	0.0000609	pCi/m3	0.00094	0.00094	U		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	SB-125	-0.000719	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0XW61	300 SOUTH GATE	ONSITE	AT	29-Jun-00	SB-125	0.000331	pCi/m3	0.0036	0.0036	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE DETD	ANALYSIS UNITS DETD	COUNTING ERROR	TOTAL ANALYSIS ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XW67	300 SOUTH WEST	ONSITE	AT	29-Jun-00	SB-125	-0.00118	pCi/m3	0.004	0.004	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	SB-125	0.000729	pCi/m3	0.001	0.001	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	SB-125	-0.00098	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0XVC6	300 TRENCH	ONSITE	AT	29-Jun-00	SB-125	-0.000853	pCi/m3	0.0039	0.0039	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	SB-125	0.000125	pCi/m3	0.0011	0.0011	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	SB-125	0.00044	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0XW55	300 WATER INTAKE	ONSITE	AT	29-Jun-00	SB-125	-0.000134	pCi/m3	0.004	0.004	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	SB-125	-0.000361	pCi/m3	0.0004	0.0004	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	SB-125	0.0000974	pCi/m3	0.00038	0.00038	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	SB-125	0.000119	pCi/m3	0.00031	0.00031	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	SB-125	0.000118	pCi/m3	0.00037	0.00037	U		
SESPMNT	B0X8P2	400 S	ONSITE	AT	04-Apr-00	SB-125	0.000335	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	SB-125	0.00104	pCi/m3	0.0021	0.0021	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	SB-125	-0.000417	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	SB-125	-0.00104	pCi/m3	0.0013	0.0013	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	SB-125	-0.00149	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	SB-125	-0.0000466	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	SB-125	-0.000703	pCi/m3	0.0022	0.0022	U		
SESPMNT	B0XWV2	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	SB-125	-0.00126	pCi/m3	0.0018	0.0018	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	SB-125	-0.000184	pCi/m3	0.0013	0.0013	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	SB-125	-0.000439	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0X7D0	BATTELLE COMPLEX	PERIMETER	AT	05-Apr-00	SB-125	0.000224	pCi/m3	0.00094	0.00094	U		
SESPMNT	B0XVK6	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	SB-125	-0.0000689	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0XVL2	BATTELLE COMPLEX	PERIMETER	AT	29-Jun-00	SB-125	-0.00202	pCi/m3	0.0044	0.0044	U		
SESPMNT	B0YKP4	BATTELLE COMPLEX	PERIMETER	AT	05-Oct-00	SB-125	-0.000694	pCi/m3	0.0011	0.0011	U		
SESPMNT	B10BX3	BATTELLE COMPLEX	PERIMETER	AT	28-Dec-00	SB-125	-0.000569	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X7D8	BENTON CITY	COMMUNITY	AT	04-Apr-00	SB-125	-0.0000536	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0XVL3	BENTON CITY	COMMUNITY	AT	05-Jul-00	SB-125	0.000663	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YN70	BENTON CITY	COMMUNITY	AT	05-Jul-00	SB-125	-0.00518	pCi/m3	0.01	0.01	U		
SESPMNT	B0YKR2	BENTON CITY	COMMUNITY	AT	04-Oct-00	SB-125	-0.000643	pCi/m3	0.0014	0.0014	U		
SESPMNT	B10BY0	BENTON CITY	COMMUNITY	AT	26-Dec-00	SB-125	-0.000168	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	SB-125	-0.0000734	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YN67	BYERS LANDING	PERIMETER	AT	30-Jun-00	SB-125	0.00308	pCi/m3	0.011	0.011	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	SB-125	-0.000163	pCi/m3	0.0016	0.0016	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	SB-125	-0.000341	pCi/m3	0.0012	0.0012	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	SB-125	0.000749	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	SB-125	-0.000713	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0YN66	DOGWOOD MET TOWER	PERIMETER	AT	30-Jun-00	SB-125	0.00245	pCi/m3	0.0073	0.0073	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	SB-125	-0.0000856	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	SB-125	0.000243	pCi/m3	0.0013	0.0013	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	SB-125	-0.00013	pCi/m3	0.00097	0.00097	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	SB-125	0.000302	pCi/m3	0.001	0.001	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	SB-125	-0.000341	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	SB-125	-0.000404	pCi/m3	0.0013	0.0013	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	SB-125	0.000652	pCi/m3	0.001	0.001	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	SB-125	-0.000311	pCi/m3	0.00059	0.00059	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	SB-125	-0.000148	pCi/m3	0.0008	0.0008	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	SB-125	-0.0000993	pCi/m3	0.00069	0.00069	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	SB-125	0.000489	pCi/m3	0.0007	0.0007	U		
SESPMNT	B0XWF8	HORN RAPIDS SUBSTA	PERIMETER	AT	30-Jun-00	SB-125	0.00149	pCi/m3	0.0041	0.0041	U		
SESPMNT	B0YN69	KENNEWICK-ELY STREET	COMMUNITY	AT	30-Jun-00	SB-125	-0.00378	pCi/m3	0.0056	0.0056	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	SB-125	-0.000725	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0YN61	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Jun-00	SB-125	0.0059	pCi/m3	0.0068	0.0068	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	SB-125	-0.000526	pCi/m3	0.00095	0.00095	U		
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	SB-125	-0.00015	pCi/m3	0.0011	0.0011	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	SB-125	-0.0000749	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0X7F6	MATTAWA	COMMUNITY	AT	27-Mar-00	SB-125	0.000384	pCi/m3	0.0011	0.0011	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B0XVM0	MATTAWA	COMMUNITY	AT	03-Jul-00	SB-125	0.000323	pCi/m3	0.0014	0.0014	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YKT0	MATTAWA	COMMUNITY	AT	25-Sep-00	SB-125	0.00086	pCi/m3	0.0013	0.0013	U		AIR CALIBRATOR OUT OF CALIBRATION AND MAY HAVE BEEN AS MUCH AS 2.6 TIMES HIGHER THAN THE 1.5 CFM RECORDED.
SESPMNT	B10BY7	MATTAWA	COMMUNITY	AT	04-Jan-01	SB-125	0.00139	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0X7C3	N OF 200 E	ONSITE	AT	30-Mar-00	SB-125	0.000133	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0XVJ8	N OF 200 E	ONSITE	AT	05-Jul-00	SB-125	-0.000675	pCi/m3	0.0013	0.0013	U		
SESPMNT	B0YKN7	N OF 200 E	ONSITE	AT	26-Sep-00	SB-125	-0.000497	pCi/m3	0.0012	0.0012	U		
SESPMNT	B10BW5	N OF 200 E	ONSITE	AT	02-Jan-01	SB-125	0.00089	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X7H3	OTHELLO	COMMUNITY	AT	27-Mar-00	SB-125	-0.0000928	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0XVM8	OTHELLO	COMMUNITY	AT	05-Jul-00	SB-125	-0.000465	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0YKT7	OTHELLO	COMMUNITY	AT	28-Sep-00	SB-125	0.000199	pCi/m3	0.0013	0.0013	U		
SESPMNT	B10C05	OTHELLO	COMMUNITY	AT	02-Jan-01	SB-125	-0.000782	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0YN68	PASCO	COMMUNITY	AT	30-Jun-00	SB-125	0.00399	pCi/m3	0.0091	0.0091	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	SB-125	0.000167	pCi/m3	0.00052	0.00052	U		
SESPMNT	B0XWH4	PROSSER BARRICADE	PERIMETER	AT	29-Jun-00	SB-125	0.00206	pCi/m3	0.0043	0.0043	U	OBSERVED ZERO END FLOW, ASSUMED 1.5 CFM. SAMPLER NOT RUNNING DUE TO HANFORD FIRE.	
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	SB-125	-0.00041	pCi/m3	0.00059	0.00059	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	SB-125	0.000312	pCi/m3	0.00061	0.00061	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	SB-125	-0.000193	pCi/m3	0.00068	0.00068	U		
SESPMNT	B0XWJ7	RATTLESNAKE SPRINGS	PERIMETER	AT	30-Jun-00	SB-125	0.0039	pCi/m3	0.0049	0.0049	U	POWER OFF TO STATION DUE TO FIRE. CREW REPLACING POWER POLES NORTH OF STATION.	
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	SB-125	0.0016	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	SB-125	0.000000254	pCi/m3	0.00084	0.00084	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	SB-125	0.000951	pCi/m3	0.0011	0.0011	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	SB-125	-0.000582	pCi/m3	0.00088	0.00088	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	SB-125	0.000339	pCi/m3	0.001	0.001	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	SB-125	-0.00062	pCi/m3	0.00099	0.00099	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	SB-125	-0.00007	pCi/m3	0.0011	0.0011	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	SB-125	0.000321	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	SB-125	-0.000163	pCi/m3	0.00078	0.00078	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	SB-125	-0.000329	pCi/m3	0.00077	0.00077	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	SB-125	0.000434	pCi/m3	0.00083	0.00083	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	SB-125	-0.000186	pCi/m3	0.00065	0.00065	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	SB-125	0.000557	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0YN65	W END OF FIR ROAD	PERIMETER	AT	30-Jun-00	SB-125	0.00666	pCi/m3	0.0086	0.0086	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	SB-125	0.000977	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	SB-125	0.000274	pCi/m3	0.0011	0.0011	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	SB-125	0.000443	pCi/m3	0.0011	0.0011	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	SB-125	-0.0000685	pCi/m3	0.00089	0.00089	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	SB-125	-0.000224	pCi/m3	0.00051	0.00051	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	SB-125	-0.0000824	pCi/m3	0.00086	0.00086	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	SB-125	-0.0000247	pCi/m3	0.00077	0.00077	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	SB-125	-0.000106	pCi/m3	0.0014	0.0014	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	SB-125	-0.000262	pCi/m3	0.0015	0.0015	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	SB-125	-0.00013	pCi/m3	0.00094	0.00094	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	SB-125	-0.000159	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	SB-125	0.000204	pCi/m3	0.001	0.001	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	SB-125	-0.000211	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	SB-125	-0.00143	pCi/m3	0.0023	0.0023	U		
SESPMNT	B0YM08	YAKIMA	DISTANT	AT	06-Oct-00	SB-125	-0.000184	pCi/m3	0.0023	0.0023	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	SB-125	-0.00114	pCi/m3	0.0012	0.0012	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	SB-125	-0.000183	pCi/m3	0.00067	0.00067	U		
SESPMNT	B0XWJ1	YAKIMA BARRICADE	PERIMETER	AT	29-Jun-00	SB-125	-0.003	pCi/m3	0.0048	0.0048	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	SB-125	0.000301	pCi/m3	0.00075	0.00075	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	SB-125	-0.000357	pCi/m3	0.00073	0.00073	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	SB-125	-0.000655	pCi/m3	0.00079	0.00079	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7N9	200 ESE	ONSITE	AT	30-Mar-00	I-129	0.000017531	pCi/m3		1.71804E-06			
SESPMNT	B0XVV0	200 ESE	ONSITE	AT	21-Jun-00	I-129	0.000017555	pCi/m3		1.61506E-06			
SESPMNT	B0YL06	200 ESE	ONSITE	AT	09-Oct-00	I-129	0.000025877	pCi/m3		2.43244E-06			
SESPMNT	B10C49	200 ESE	ONSITE	AT	02-Jan-01	I-129	0.000018508	pCi/m3		1.73975E-06			
SESPMNT	B0X7P8	BYERS LANDING	PERIMETER	AT	13-Apr-00	I-129	0.000001196	pCi/m3		1.36344E-07			
SESPMNT	B0XVV8	BYERS LANDING	PERIMETER	AT	07-Jul-00	I-129	0.000000743	pCi/m3		8.3216E-08			
SESPMNT	B0YL15	BYERS LANDING	PERIMETER	AT	29-Sep-00	I-129	0.000000561	pCi/m3		5.7222E-08			
SESPMNT	B10C57	BYERS LANDING	PERIMETER	AT	19-Dec-00	I-129	0.000000891	pCi/m3		7.6626E-08			
SESPMNT	B0X7P3	RINGOLD MET TOWER	PERIMETER	AT	13-Apr-00	I-129	0.000000459	pCi/m3		4.131E-08			
SESPMNT	B0XVV4	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	I-129	0.000000288	pCi/m3		3.1104E-08			
SESPMNT	B0YL11	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	I-129	0.000000354	pCi/m3		3.3276E-08			
SESPMNT	B10C53	RINGOLD MET TOWER	PERIMETER	AT	19-Dec-00	I-129	0.000000294	pCi/m3		2.7636E-08			
SESPMNT	B0X7R3	YAKIMA	DISTANT	AT	24-Mar-00	I-129	0.000000055	pCi/m3		3.63E-09			
SESPMNT	B0XVW2	YAKIMA	DISTANT	AT	14-Jul-00	I-129	0.000000024	pCi/m3		2.064E-09			
SESPMNT	B0YL19	YAKIMA	DISTANT	AT	06-Oct-00	I-129	0.000000221	pCi/m3		1.4586E-08			
SESPMNT	B10C61	YAKIMA	DISTANT	AT	29-Dec-00	I-129	0.000000064	pCi/m3		7.552E-09			
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	PU-238	-0.000000724	pCi/m3	0.00000058	0.00000058	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	PU-238	-0.000000466	pCi/m3	0.00000057	0.00000057	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	PU-238	-0.000000174	pCi/m3	0.00000015	0.00000015	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	PU-238	0.00000016	pCi/m3	0.00000032	0.0000011	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	PU-238	-0.000000608	pCi/m3	0.00000053	0.00000053	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	PU-238	-0.000000189	pCi/m3	0.00000074	0.00000074	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	PU-238	-2.03E-08	pCi/m3	0.000000073	0.0000013	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	PU-238	0.000000145	pCi/m3	0.0000003	0.00000061	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	PU-238	0.000000889	pCi/m3	0.0000016	0.0000027	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	PU-238	0.000000326	pCi/m3	0.00000065	0.0000015	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	PU-238	-0.000000632	pCi/m3	0.00000059	0.00000059	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	PU-238	-0.000000902	pCi/m3	0.00000068	0.00000068	U		
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	PU-238	0.000000937	pCi/m3	0.0000011	0.0000014	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	PU-238	-4.08E-08	pCi/m3	0.00000015	0.00000015	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	PU-238	-0.000000267	pCi/m3	0.000001	0.000001	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	PU-238	-0.000000107	pCi/m3	0.00000033	0.00000033	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	PU-238	-7.17E-08	pCi/m3	0.00000023	0.00000023	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	PU-238	-0.000000248	pCi/m3	0.00000022	0.00000022	U		
SESPMNT	B0X758	300 NE	ONSITE	AT	05-Apr-00	PU-238	-0.000000343	pCi/m3	0.00000029	0.00000029	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	PU-238	-1.71E-08	pCi/m3	0.000000081	0.0000012	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	PU-238	5.49E-09	pCi/m3	0.00000002	0.00000039	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	PU-238	-0.000000166	pCi/m3	0.00000055	0.00000055	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	PU-238	-0.000000332	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	PU-238	-9.63E-08	pCi/m3	0.00000029	0.00000029	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	PU-238	-0.000000255	pCi/m3	0.0000015	0.0000015	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	PU-238	-0.000000191	pCi/m3	0.00000064	0.00000064	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	PU-238	-0.000000316	pCi/m3	0.00000024	0.00000024	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	PU-238	0.000000311	pCi/m3	0.00000079	0.0000018	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	PU-238	-0.000000127	pCi/m3	0.00000056	0.00000056	U		
SESPMNT	B0XVB8	300 NE	ONSITE	AT	29-Jun-00	PU-238	3.74E-08	pCi/m3	0.000000075	0.00000049	U		
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	PU-238	-0.00000037	pCi/m3	0.0000003	0.0000003	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	PU-238	-0.000000258	pCi/m3	0.0000004	0.0000004	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	PU-238	-0.000000748	pCi/m3	0.0000026	0.0000026	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	PU-238	0.00000146	pCi/m3	0.0000015	0.0000018	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	PU-238	-0.000000335	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	PU-238	-9.71E-08	pCi/m3	0.00000033	0.00000033	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	PU-238	0.000000169	pCi/m3	0.00000034	0.000001	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	PU-238	-0.00000017	pCi/m3	0.00000067	0.00000067	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	PU-238	-0.000000114	pCi/m3	0.00000035	0.00000035	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	PU-238	0.00000129	pCi/m3	0.0000033	0.0000033	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	PU-238	-0.000000415	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	PU-238	-0.000000164	pCi/m3	0.00000058	0.00000058	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	PU-238	-0.000000332	pCi/m3	0.000001	0.000001	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	PU-238	0.000000247	pCi/m3	0.00000049	0.0000012	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	PU-238	5.99E-08	pCi/m3	0.00000012	0.00000083	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	PU-238	0.000000252	pCi/m3	0.0000005	0.0000012	U		
SESPSPEC	B106C3	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	PU-238	-0.00198	pCi/sample	0.01	0.01	U	TOTAL VOLUME 1012 CF/SAMPLE.	
SESPSPEC	B106C4	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	PU-238	0.000882	pCi/sample	0.0057	0.006	U	TOTAL VOLUME 1000 CF/SAMPLE.	
SESPSPEC	B106C5	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	PU-238	-0.00198	pCi/sample	0.037	0.037	U	TOTAL VOLUME 1090.6 CF/SAMPLE.	
SESPSPEC	B106C6	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	PU-238	0.00425	pCi/sample	0.012	0.013	U	TOTAL VOLUME 1081.7 CF/SAMPLE.	
SESPSPEC	B106C8	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	PU-238	0.000129	pCi/sample	0.0076	0.0077	U	TOTAL VOLUME 1015.2 CF/SAMPLE.	
SESPSPEC	B106C7	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	PU-238	-0.00521	pCi/sample	0.0037	0.0041	U	TOTAL VOLUME 974.9 CF/SAMPLE.	
SESPSPEC	B106D0	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	PU-238	-0.00795	pCi/sample	0.015	0.015	U	TOTAL VOLUME 974.3 CF/SAMPLE.	
SESPSPEC	B106C9	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	PU-238	-0.00301	pCi/sample	0.0021	0.0026	U	TOTAL VOLUME 979.4 CF/SAMPLE.	
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	PU-238	-0.000000755	pCi/m3	0.00000034	0.00000081	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	PU-238	-0.000000589	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	PU-238	-0.000000306	pCi/m3	0.000001	0.0000013	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	PU-238	-4.87E-08	pCi/m3	0.00000032	0.00000041	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	PU-238	-0.000000106	pCi/m3	0.00000033	0.00000041	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	PU-238	-0.000000583	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	PU-238	-4.37E-08	pCi/m3	0.0000003	0.00000039	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	PU-238	-0.000000766	pCi/m3	0.00000036	0.00000082	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	PU-238	-0.000000186	pCi/m3	0.00000042	0.00000042	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	PU-238	-0.000000582	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	PU-238	-0.000000582	pCi/m3	0.0000016	0.0000016	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	PU-238	-0.000000582	pCi/m3	0.0000016	0.0000016	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	PU-238	-0.00000035	pCi/m3	0.0000008	0.0000008	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	PU-238	-7.56E-08	pCi/m3	0.00000018	0.00000018	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	PU-238	-0.00000103	pCi/m3	0.00000059	0.00000088	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	PU-238	8.59E-08	pCi/m3	0.00000067	0.00000069	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	PU-238	0.000000445	pCi/m3	0.00000047	0.00000049	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	PU-238	-0.0000005	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	PU-238	4.11E-08	pCi/m3	0.00000039	0.00000045	U		
SESPMNT	B0YKH2	300 NE	ONSITE	AT	05-Oct-00	PU-238	-0.000000332	pCi/m3	0.00000016	0.00000035	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	PU-238	-0.000000223	pCi/m3	0.00000011	0.00000024	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	PU-238	-0.000000366	pCi/m3	0.00000049	0.00000058	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	PU-238	-0.00000102	pCi/m3	0.0000024	0.0000024	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	PU-238	-0.00000143	pCi/m3	0.000000079	0.00000014	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	PU-238	-0.00000186	pCi/m3	0.0000011	0.0000014	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	PU-238	5.88E-08	pCi/m3	0.00000042	0.00000048	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	PU-238	0.000000231	pCi/m3	0.00000043	0.00000046	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	PU-238	6.88E-08	pCi/m3	0.00000067	0.00000071	U		
SESPMNT	B10BN5	300 NE	ONSITE	AT	28-Dec-00	PU-238	-0.000000291	pCi/m3	0.00000068	0.00000068	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	PU-238	7.24E-08	pCi/m3	0.00000048	0.00000054	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	PU-238	-0.000000392	pCi/m3	0.0000002	0.0000042	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	PU-238	-0.000000545	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	PU-238	-0.000000582	pCi/m3	0.0000015	0.0000015	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	PU-238	-0.000000667	pCi/m3	0.00000034	0.00000071	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	PU-238	-0.000000499	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	PU-238	-0.000000652	pCi/m3	0.00000031	0.0000007	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	PU-238	0.000000243	pCi/m3	0.00000047	0.00000052	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	PU-238	-0.000000228	pCi/m3	0.00000011	0.00000024	U		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	PU-238	-0.000000203	pCi/m3	0.00000011	0.00000022	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	PU-238	-0.000000252	pCi/m3	0.0000019	0.000002	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	PU-238	-0.000000501	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	PU-238	-0.000000163	pCi/m3	0.00000037	0.00000037	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	PU-238	0.000000172	pCi/m3	0.0000012	0.0000014	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	PU-238	0.00000021	pCi/m3	0.0000018	0.0000019	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	PU-238	-0.000000837	pCi/m3	0.00000048	0.00000079	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	PU-238	-0.000000299	pCi/m3	0.00000071	0.00000071	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	PU-239/240	-0.00000024	pCi/m3	0.00000048	0.00000059	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	PU-239/240	0.000000441	pCi/m3	0.00000079	0.00000085	U		
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	PU-239/240	-7.98E-08	pCi/m3	0.00000016	0.00000019	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	PU-239/240	0.00000168	pCi/m3	0.0000022	0.0000023	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONT ANALYSIS NAME	VALUE REPORTED	ANALYSIS UNITS REPORTED	COUNTING ERROR REPORTED	TOTAL ANALYSIS ERROR REPORTED	VALIDATION QUALIFIER	SAMP COMMENT	VALIDATION COMMENT
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	PU-239/240	-7.49E-08	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	PU-239/240	0.000000854	pCi/m3	0.00000099	0.0000011	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	PU-239/240	0.000000287	pCi/m3	0.000001	0.0000014	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	PU-239/240	0.000000101	pCi/m3	0.0000004	0.00000053	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	PU-239/240	-0.0000012	pCi/m3	0.0000014	0.0000015	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	PU-239/240	0.000000635	pCi/m3	0.0000013	0.0000015	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	PU-239/240	-0.000000619	pCi/m3	0.00000095	0.00000099	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	PU-239/240	-0.000000158	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	PU-239/240	0.000000346	pCi/m3	0.00000069	0.00000083	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	PU-239/240	-5.85E-08	pCi/m3	0.000000083	0.000000096	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	PU-239/240	-0.000000238	pCi/m3	0.00000048	0.00000056	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	PU-239/240	-0.000000125	pCi/m3	0.00000018	0.0000002	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	PU-239/240	0.000000727	pCi/m3	0.00000054	0.00000057	J		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	PU-239/240	0.000000151	pCi/m3	0.0000003	0.00000037	U		
SESPMNT	B0X758	300 NE	ONSITE	AT	05-Apr-00	PU-239/240	-0.000000119	pCi/m3	0.00000024	0.00000027	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	PU-239/240	-0.000000167	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	PU-239/240	8.62E-08	pCi/m3	0.00000031	0.0000004	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	PU-239/240	1.28E-08	pCi/m3	0.00000015	0.00000054	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	PU-239/240	-0.000000401	pCi/m3	0.00000057	0.00000064	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	PU-239/240	0.000000281	pCi/m3	0.00000038	0.00000043	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	PU-239/240	0.00000069	pCi/m3	0.0000018	0.000002	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	PU-239/240	0.000000468	pCi/m3	0.00000066	0.00000076	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	PU-239/240	0.000000281	pCi/m3	0.0000004	0.00000047	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	PU-239/240	0.000000509	pCi/m3	0.000001	0.0000013	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	PU-239/240	0.000000112	pCi/m3	0.0000004	0.00000051	U		
SESPMNT	B0XVB8	300 NE	ONSITE	AT	29-Jun-00	PU-239/240	-0.000000128	pCi/m3	0.00000026	0.0000003	U		
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	PU-239/240	9.71E-08	pCi/m3	0.00000035	0.00000054	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	PU-239/240	7.08E-09	pCi/m3	0.000000081	0.00000036	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	PU-239/240	-0.00000164	pCi/m3	0.000002	0.000002	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	PU-239/240	0.000000207	pCi/m3	0.00000074	0.0000011	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	PU-239/240	3.04E-08	pCi/m3	0.00000035	0.0000011	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	PU-239/240	0.000000346	pCi/m3	0.00000052	0.00000057	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	PU-239/240	0.00000425	pCi/m3	0.000003	0.0000031	J		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	PU-239/240	0.000000773	pCi/m3	0.00000089	0.00000096	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	PU-239/240	0.000000394	pCi/m3	0.00000046	0.0000005	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	PU-239/240	0.00000166	pCi/m3	0.0000025	0.0000027	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	PU-239/240	0.00000019	pCi/m3	0.00000068	0.00000099	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	PU-239/240	0.000000154	pCi/m3	0.00000061	0.00000076	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	PU-239/240	-0.000000225	pCi/m3	0.00000045	0.00000053	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	PU-239/240	-0.000000754	pCi/m3	0.00000087	0.00000091	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	PU-239/240	0.000000251	pCi/m3	0.00000099	0.0000013	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	PU-239/240	-8.18E-08	pCi/m3	0.0000015	0.0000015	U		
SESPSPEC	B106C3	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	PU-239/240	-0.00198	pCi/sample	0.0032	0.0041	U	TOTAL VOLUME 1012 CF/SAMPLE.	
SESPSPEC	B106C4	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	PU-239/240	-0.00151	pCi/sample	0.0023	0.0034	U	TOTAL VOLUME 1000 CF/SAMPLE.	
SESPSPEC	B106C5	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	PU-239/240	0.0146	pCi/sample	0.03	0.03	U	TOTAL VOLUME 1090.6 CF/SAMPLE.	
SESPSPEC	B106C6	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	PU-239/240	-0.00535	pCi/sample	0.007	0.0075	U	TOTAL VOLUME 1061.7 CF/SAMPLE.	
SESPSPEC	B106C8	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	PU-239/240	0.00666	pCi/sample	0.0099	0.01	U	TOTAL VOLUME 1015.2 CF/SAMPLE.	
SESPSPEC	B106C7	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	PU-239/240	-0.00144	pCi/sample	0.0021	0.0033	U	TOTAL VOLUME 974.9 CF/SAMPLE.	
SESPSPEC	B106D0	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	PU-239/240	-0.00368	pCi/sample	0.0089	0.0092	U	TOTAL VOLUME 974.3 CF/SAMPLE.	
SESPSPEC	B106C9	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	PU-239/240	-0.00345	pCi/sample	0.0036	0.0044	U	TOTAL VOLUME 979.4 CF/SAMPLE.	
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	PU-239/240	0.00000064	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	PU-239/240	0.000000203	pCi/m3	0.00000083	0.00000094	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	PU-239/240	0.00000639	pCi/m3	0.0000035	0.0000037			
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	PU-239/240	0.0000032	pCi/m3	0.0000015	0.0000015	J		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	PU-239/240	0.000000997	pCi/m3	0.00000081	0.00000083	J		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	PU-239/240	-0.000000208	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	PU-239/240	0.00000128	pCi/m3	0.0000009	0.00000093	J		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	PU-239/240	-0.000000121	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	PU-239/240	0.000000354	pCi/m3	0.00000049	0.00000051	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	PU-239/240	0.000000744	pCi/m3	0.0000013	0.0000014	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	PU-239/240	0.00000189	pCi/m3	0.0000024	0.0000024	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	PU-239/240	0.00000195	pCi/m3	0.0000024	0.0000025	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	PU-239/240	0.000000422	pCi/m3	0.00000077	0.00000082	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	PU-239/240	0.000000937	pCi/m3	0.0000005	0.00000052	J		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	PU-239/240	0.000000748	pCi/m3	0.0000015	0.0000016	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	PU-239/240	0.000000423	pCi/m3	0.00000062	0.00000063	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	PU-239/240	0.00000554	pCi/m3	0.0000013	0.0000016			
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	PU-239/240	-0.000000178	pCi/m3	0.000001	0.000001	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	PU-239/240	0.00000113	pCi/m3	0.0000008	0.00000082	J		
SESPMNT	B0YKH2	300 NE	ONSITE	AT	05-Oct-00	PU-239/240	0.000000514	pCi/m3	0.0000007	0.00000073	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	PU-239/240	0.00000105	pCi/m3	0.00000078	0.00000081	J		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	PU-239/240	0.00000434	pCi/m3	0.0000019	0.000002	J		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	PU-239/240	0.00000044	pCi/m3	0.0000016	0.0000018	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	PU-239/240	0.000000151	pCi/m3	0.00000025	0.00000026	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	PU-239/240	0.0000021	pCi/m3	0.0000026	0.0000027	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	PU-239/240	2.51E-08	pCi/m3	0.00000031	0.00000034	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	PU-239/240	0.000000761	pCi/m3	0.00000066	0.00000067	J		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	PU-239/240	1.83E-08	pCi/m3	0.00000071	0.00000072	U		
SESPMNT	B10BN5	300 NE	ONSITE	AT	28-Dec-00	PU-239/240	-5.65E-08	pCi/m3	0.00000054	0.00000058	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	PU-239/240	0.000000588	pCi/m3	0.00000066	0.00000068	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	PU-239/240	0.000000299	pCi/m3	0.00000074	0.00000077	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	PU-239/240	-0.000000105	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	PU-239/240	0.000000635	pCi/m3	0.0000015	0.0000016	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	PU-239/240	-0.000000177	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	PU-239/240	0.000000472	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	PU-239/240	5.42E-08	pCi/m3	0.00000083	0.00000091	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	PU-239/240	0.00000193	pCi/m3	0.0000011	0.0000011	J		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	PU-239/240	0.00000208	pCi/m3	0.0000011	0.0000012	J		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	PU-239/240	0.00000161	pCi/m3	0.00000039	0.00000041	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	PU-239/240	0.000000179	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	PU-239/240	0.000000489	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	PU-239/240	0.000000019	pCi/m3	0.00000028	0.0000003	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	PU-239/240	0.000000659	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	PU-239/240	0.000000646	pCi/m3	0.0000022	0.0000023	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	PU-239/240	-0.000000347	pCi/m3	0.00000034	0.00000051	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	PU-239/240	0.00000127	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	SR-90	0.0000748	pCi/m3	0.000037	0.00007	U		
SESPMNT	B0X8H5	TRI CITIES	COMMUNITY	AT	29-Mar-00	SR-90	0.000109	pCi/m3	0.000024	0.000039			
SESPMNT	B0X8F2	WAHLUKE SLOPE	PERIMETER	AT	29-Mar-00	SR-90	0.0000312	pCi/m3	0.000014	0.000024	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	SR-90	0.000138	pCi/m3	0.000051	0.000083			
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	SR-90	0.0000814	pCi/m3	0.000041	0.000076	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	SR-90	0.0000294	pCi/m3	0.000017	0.000034	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	SR-90	0.000335	pCi/m3	0.000078	0.00013			
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	SR-90	0.0000919	pCi/m3	0.000024	0.000038	J		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	SR-90	0.000118	pCi/m3	0.000055	0.0001	U		
SESPMNT	B0X695	BYERS LANDING	PERIMETER	AT	31-Mar-00	SR-90	-0.0000284	pCi/m3	0.000058	0.000058	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	SR-90	-0.0000276	pCi/m3	0.000059	0.000059	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	SR-90	0.0000129	pCi/m3	0.000011	0.000059	U		
SESPMNT	B0X881	RINGOLD MET TOWER	PERIMETER	AT	31-Mar-00	SR-90	-0.00000959	pCi/m3	0.000016	0.000036	U		
SESPMNT	B0X837	400 AREA	ONSITE	AT	04-Apr-00	SR-90	0.0000112	pCi/m3	0.0000055	0.00001	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	SR-90	0.000013	pCi/m3	0.000011	0.000056	U		
SESPMNT	B0X8M7	HANFORD TOWNSITE	ONSITE	AT	04-Apr-00	SR-90	0.00000625	pCi/m3	0.000005	0.000017	U		
SESPMNT	B0X7R7	100 AREAS	ONSITE	AT	04-Apr-00	SR-90	0.0000146	pCi/m3	0.0000072	0.000013	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	SR-90	0.0000586	pCi/m3	0.000016	0.000026	J		
SESPMNT	B0X758	300 NE	ONSITE	AT	05-Apr-00	SR-90	-0.000000222	pCi/m3	0.00000022	0.000023	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	SR-90	-0.0000244	pCi/m3	0.000047	0.000047	U		
SESPMNT	B0X8C7	YAKIMA BARRICADE	PERIMETER	AT	05-Apr-00	SR-90	0.0000658	pCi/m3	0.000017	0.000027	J		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	SR-90	0.0000503	pCi/m3	0.00002	0.000034	J		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	SR-90	0.0000093	pCi/m3	0.0000078	0.000048	U		
SESPMNT	B0XW68	400 AREA	ONSITE	AT	28-Jun-00	SR-90	0.00000597	pCi/m3	0.0000039	0.000014	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	SHORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	SR-90	0.0000223	pCi/m3	0.000017	0.000057	U		
SESPMNT	B0XWR9	HANFORD TOWNSITE	ONSITE	AT	28-Jun-00	SR-90	0.0000213	pCi/m3	0.000013	0.000031	U		
SESPMNT	B0XVW7	100 AREAS	ONSITE	AT	28-Jun-00	SR-90	0.0000057	pCi/m3	0.0000051	0.000022	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	SR-90	0.0000629	pCi/m3	0.000034	0.000067	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	SR-90	0.0000206	pCi/m3	0.000011	0.000022	U		
SESPMNT	B0XVB8	300 NE	ONSITE	AT	29-Jun-00	SR-90	0.00000242	pCi/m3	0.0000022	0.000031	U		
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	SR-90	0.00000486	pCi/m3	0.0000043	0.000028	U		
SESPMNT	B0XWH5	YAKIMA BARRICADE	PERIMETER	AT	30-Jun-00	SR-90	-0.00000388	pCi/m3	0.0000058	0.000016	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	SR-90	0.0000599	pCi/m3	0.00003	0.000063	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	SR-90	-0.0000233	pCi/m3	0.000045	0.000045	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	SR-90	0.0000125	pCi/m3	0.000011	0.000051	U		
SESPMNT	B0XWL3	TRI CITIES	COMMUNITY	AT	05-Jul-00	SR-90	0.0000148	pCi/m3	0.0000075	0.000016	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	SR-90	0.0000342	pCi/m3	0.000021	0.000055	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	SR-90	0.0000019	pCi/m3	0.000002	0.000026	U		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	SR-90	0.0000403	pCi/m3	0.000014	0.000024	J		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	SR-90	0.00000953	pCi/m3	0.000095	0.000098	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	SR-90	0.00000462	pCi/m3	0.0000044	0.000048	U		
SESPMNT	B0XWJ8	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	SR-90	0.0000052	pCi/m3	0.0000047	0.000025	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	SR-90	-0.0000099	pCi/m3	0.000013	0.000047	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	SR-90	0.0000106	pCi/m3	0.0000093	0.000051	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	SR-90	0.0000293	pCi/m3	0.000019	0.000052	U		
SESPMNT	B0XWB8	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	SR-90	0.0000603	pCi/m3	0.000032	0.000061	U		
SESPSPEC	B106C3	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	SR-90	-0.321	pCi/sample	0.24	0.26	U	TOTAL VOLUME 1012 CF/SAMPLE.	
SESPSPEC	B106C4	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	SR-90	-0.144	pCi/sample	0.26	0.27	U	TOTAL VOLUME 1000 CF/SAMPLE.	
SESPSPEC	B106C5	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	SR-90	-0.14	pCi/sample	0.32	0.37	U	TOTAL VOLUME 1090.6 CF/SAMPLE.	
SESPSPEC	B106C6	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	SR-90	-0.544	pCi/sample	0.29	0.3	U	TOTAL VOLUME 1061.7 CF/SAMPLE.	
SESPSPEC	B106C8	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	SR-90	-0.18	pCi/sample	0.18	0.27	U	TOTAL VOLUME 1015.2 CF/SAMPLE.	
SESPSPEC	B106C7	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	SR-90	-0.318	pCi/sample	0.29	0.29	U	TOTAL VOLUME 974.9 CF/SAMPLE.	
SESPSPEC	B106D0	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	SR-90	-0.0844	pCi/sample	0.26	0.27	U	TOTAL VOLUME 974.3 CF/SAMPLE.	
SESPSPEC	B106C9	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	SR-90	-0.207	pCi/sample	0.2	0.27	U	TOTAL VOLUME 979.4 CF/SAMPLE.	
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	SR-90	0.00000105	pCi/m3	0.000056	0.00006	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	SR-90	-0.0000785	pCi/m3	0.000059	0.000059	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	SR-90	0.0000299	pCi/m3	0.000057	0.000061	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	SR-90	0.00000814	pCi/m3	0.000021	0.000022	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	SR-90	0.0000245	pCi/m3	0.000025	0.000027	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	SR-90	-0.0000466	pCi/m3	0.000056	0.000056	U		
SESPMNT	B0YLT1	TRI CITIES	COMMUNITY	AT	27-Sep-00	SR-90	-0.0000072	pCi/m3	0.000018	0.000019	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	SR-90	0.0000323	pCi/m3	0.000055	0.00006	U		
SESPMNT	B0YLP8	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	SR-90	0.0000139	pCi/m3	0.000022	0.000024	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	SR-90	-0.00000499	pCi/m3	0.00005	0.000055	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	SR-90	-0.0000378	pCi/m3	0.00004	0.000056	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	SR-90	-0.000028	pCi/m3	0.000049	0.000049	U		
SESPMNT	B0YLJ7	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	SR-90	-0.00000412	pCi/m3	0.000028	0.000033	U		
SESPMNT	B0YLC3	400 AREA	ONSITE	AT	03-Oct-00	SR-90	0.00000469	pCi/m3	0.0000078	0.0000089	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	SR-90	-0.000032	pCi/m3	0.00004	0.000048	U		
SESPMNT	B0YLY3	HANFORD TOWNSITE	ONSITE	AT	03-Oct-00	SR-90	0.00000169	pCi/m3	0.000014	0.000015	U		
SESPMNT	B0YL23	100 AREAS	ONSITE	AT	03-Oct-00	SR-90	0.0000621	pCi/m3	0.000015	0.000022	J		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	SR-90	0.0000123	pCi/m3	0.000045	0.000052	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	SR-90	-0.00000386	pCi/m3	0.000016	0.000017	U		
SESPMNT	B0YKH2	300 NE	ONSITE	AT	05-Oct-00	SR-90	0.00000262	pCi/m3	0.000028	0.000031	U		
SESPMNT	B0YLN3	YAKIMA BARRICADE	PERIMETER	AT	05-Oct-00	SR-90	-0.000000631	pCi/m3	0.000014	0.000015	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	SR-90	0.0000232	pCi/m3	0.000026	0.000029	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	SR-90	-0.0000844	pCi/m3	0.000067	0.000093	U		
SESPMNT	B10CK3	400 AREA	ONSITE	AT	27-Dec-00	SR-90	0.0000412	pCi/m3	0.000013	0.000017	J		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	SR-90	0.0000516	pCi/m3	0.000062	0.000069	U		
SESPMNT	B10D44	HANFORD TOWNSITE	ONSITE	AT	27-Dec-00	SR-90	-0.0000075	pCi/m3	0.000016	0.000017	U		
SESPMNT	B10C65	100 AREAS	ONSITE	AT	27-Dec-00	SR-90	0.0000146	pCi/m3	0.000017	0.000018	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	SR-90	0.0000142	pCi/m3	0.000019	0.00002	U		
SESPMNT	B10BN5	300 NE	ONSITE	AT	28-Dec-00	SR-90	0.00000995	pCi/m3	0.000028	0.000032	U		
SESPMNT	B10CW0	YAKIMA BARRICADE	PERIMETER	AT	28-Dec-00	SR-90	0.0000085	pCi/m3	0.00002	0.000022	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	SR-90	0.00000859	pCi/m3	0.000029	0.000031	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	SR-90	-0.0000069	pCi/m3	0.000055	0.000059	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	SR-90	0.0000154	pCi/m3	0.00006	0.000066	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	SR-90	0.00000574	pCi/m3	0.000045	0.000048	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	SR-90	0.0000386	pCi/m3	0.000055	0.000081	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	SR-90	0.0000209	pCi/m3	0.000046	0.000051	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	SR-90	0.000033	pCi/m3	0.000019	0.000023	J		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	SR-90	0.0000432	pCi/m3	0.000021	0.000025	J		
SESPMNT	B10CY8	TRI CITIES	COMMUNITY	AT	03-Jan-01	SR-90	0.0000403	pCi/m3	0.000018	0.000022	J		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	SR-90	-0.0000135	pCi/m3	0.00004	0.000043	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	SR-90	0.0000149	pCi/m3	0.000049	0.000051	U		
SESPMNT	B10CX3	WAHLUKE SLOPE	PERIMETER	AT	04-Jan-01	SR-90	0.00000258	pCi/m3	0.000016	0.000017	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	SR-90	-0.0000149	pCi/m3	0.000039	0.000049	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	SR-90	0.0000135	pCi/m3	0.000046	0.000051	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	SR-90	-0.00000827	pCi/m3	0.000048	0.000052	U		
SESPMNT	B10CP3	RINGOLD MET TOWER	PERIMETER	AT	05-Jan-01	SR-90	0.00000308	pCi/m3	0.000027	0.000028	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	U-234	0.00000334	pCi/m3	0.0000019	0.0000026	J		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	U-234	0.00000471	pCi/m3	0.0000021	0.0000027	J		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	U-234	0.00000614	pCi/m3	0.0000031	0.0000037	J		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	U-234	0.00000507	pCi/m3	0.0000018	0.0000021	J		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	U-234	0.00000516	pCi/m3	0.0000028	0.0000034	J		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	U-234	0.00000566	pCi/m3	0.0000016	0.000002	J		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	U-234	0.00000577	pCi/m3	0.0000033	0.0000042	J		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	U-234	0.00000937	pCi/m3	0.0000036	0.0000042	J		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	U-234	0.00000629	pCi/m3	0.0000034	0.000004	J		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	U-234	0.00000441	pCi/m3	0.0000023	0.0000029	J		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	U-234	0.00000359	pCi/m3	0.0000023	0.0000029	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	U-234	0.00000429	pCi/m3	0.0000014	0.0000016	J		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	U-234	0.00000765	pCi/m3	0.0000032	0.0000038	J		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	U-234	0.00000826	pCi/m3	0.000003	0.0000036	J		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	U-234	0.00000481	pCi/m3	0.0000027	0.0000032	J		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	U-234	0.00000442	pCi/m3	0.0000016	0.0000019	J		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	U-234	0.00000552	pCi/m3	0.0000027	0.0000032	J		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	U-234	0.00000836	pCi/m3	0.0000043	0.0000059	J		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	U-234	0.000023	pCi/m3	0.0000083	0.00001	J		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	U-234	0.0000221	pCi/m3	0.000005	0.0000065	J		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	U-234	0.0000367	pCi/m3	0.00001	0.000013	J		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	U-234	0.0000448	pCi/m3	0.000011	0.000014	J		
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	U-234	0.0000106	pCi/m3	0.0000042	0.000005	J		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	U-234	0.0000137	pCi/m3	0.0000057	0.0000073	J		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	U-234	0.0000164	pCi/m3	0.0000071	0.0000086	J		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	U-234	0.00000876	pCi/m3	0.0000044	0.0000058	J		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	U-234	0.0000169	pCi/m3	0.0000065	0.000008	J		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	U-234	0.0000162	pCi/m3	0.0000043	0.0000055	J		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	U-234	0.000012	pCi/m3	0.0000033	0.0000041	J		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	U-234	0.0000418	pCi/m3	0.000015	0.000017	J		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	U-234	0.0000496	pCi/m3	0.000014	0.000018	J		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	U-234	0.000051	pCi/m3	0.000011	0.000015			
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	U-234	0.0000388	pCi/m3	0.000012	0.000015	J		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	U-234	0.000021	pCi/m3	0.0000081	0.0000097	J		
SESPSPEC	B106C3	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	U-234	0.0126	pCi/sample	0.018	0.02	U	TOTAL VOLUME 1012 CF/SAMPLE.	
SESPSPEC	B106C4	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	U-234	-0.00218	pCi/sample	0.011	0.013	U	TOTAL VOLUME 1000 CF/SAMPLE.	
SESPSPEC	B106C5	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	U-234	0.0225	pCi/sample	0.021	0.022		TOTAL VOLUME 1090.6 CF/SAMPLE.	
SESPSPEC	B106C6	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	U-234	0.00167	pCi/sample	0.03	0.031	U	TOTAL VOLUME 1061.7 CF/SAMPLE.	
SESPSPEC	B106C8	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-234	0.094	pCi/sample	0.038	0.043		TOTAL VOLUME 1015.2 CF/SAMPLE.	
SESPSPEC	B106C7	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-234	0.0172	pCi/sample	0.027	0.028	U	TOTAL VOLUME 974.9 CF/SAMPLE.	
SESPSPEC	B106D0	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-234	0.0191	pCi/sample	0.019	0.021	U	TOTAL VOLUME 974.3 CF/SAMPLE.	
SESPSPEC	B106C9	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-234	0.0257	pCi/sample	0.023	0.024		TOTAL VOLUME 979.4 CF/SAMPLE.	
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	U-234	0.0000184	pCi/m3	0.0000086	0.0000094	J		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	U-234	0.0000101	pCi/m3	0.0000057	0.0000062	J		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	RADION SHORT NAME	VALUE RESULT	UNITS ID	COUNTING ERROR	TOTAL VOLUME ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	U-234	0.0000169	pCi/m3	0.000008	0.0000087	J		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	U-234	0.00000977	pCi/m3	0.0000034	0.0000039	J		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	U-234	0.0000106	pCi/m3	0.0000034	0.000004	J		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	U-234	0.0000376	pCi/m3	0.000013	0.000014	J		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	U-234	0.0000322	pCi/m3	0.000013	0.000014	J		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	U-234	0.000135	pCi/m3	0.000021	0.000032			
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	U-234	0.0000523	pCi/m3	0.000014	0.000017			
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	U-234	0.0000257	pCi/m3	0.0000085	0.0000099	J		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	U-234	0.0000172	pCi/m3	0.0000072	0.000008	J		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	U-234	0.0000227	pCi/m3	0.0000078	0.0000089	J		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	U-234	0.0000279	pCi/m3	0.0000049	0.0000069	J		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	U-234	0.0000735	pCi/m3	0.000013	0.000018			
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	U-234	0.0000297	pCi/m3	0.0000084	0.00001	J		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	U-234	0.0000275	pCi/m3	0.0000059	0.0000077	J		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	U-234	0.0000277	pCi/m3	0.000016	0.000019	J		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	U-234	0.0000113	pCi/m3	0.0000059	0.0000064	J		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	U-234	0.00000675	pCi/m3	0.0000025	0.0000028	J		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	U-234	0.00000953	pCi/m3	0.0000057	0.0000062	J		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	U-234	0.0000103	pCi/m3	0.0000059	0.0000064	J		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	U-234	0.00000795	pCi/m3	0.0000036	0.000004	J		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	U-234	0.00000864	pCi/m3	0.0000054	0.0000058	J		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	U-234	0.0000116	pCi/m3	0.0000061	0.0000066	J		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	U-234	0.0000125	pCi/m3	0.0000071	0.0000076	J		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	U-234	0.0000125	pCi/m3	0.0000058	0.0000064	J		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	U-234	0.000024	pCi/m3	0.0000093	0.00001	J		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	U-234	0.00000899	pCi/m3	0.0000029	0.0000032	J		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	U-234	0.00000968	pCi/m3	0.0000038	0.0000042	J		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	U-234	0.0000112	pCi/m3	0.0000057	0.0000062	J		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	U-234	0.00000385	pCi/m3	0.0000052	0.0000054	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	U-234	0.0000141	pCi/m3	0.000007	0.0000076	J		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	U-234	0.0000123	pCi/m3	0.0000061	0.0000066	J		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	U-234	0.00000675	pCi/m3	0.0000045	0.0000048	J		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	U-235	-0.000000249	pCi/m3	0.00000098	0.0000011	U		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	U-235	-0.000000295	pCi/m3	0.00000095	0.00000095	U		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	U-235	0.000000457	pCi/m3	0.00000069	0.0000016	U		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	U-235	0.000000304	pCi/m3	0.00000042	0.0000008	U		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	U-235	0.000000836	pCi/m3	0.000001	0.0000017	U		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	U-235	2.99E-08	pCi/m3	0.000000062	0.00000047	U		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	U-235	0.000000042	pCi/m3	0.000000077	0.0000016	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	U-235	-0.000000237	pCi/m3	0.00000093	0.0000011	U		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	U-235	0.0000018	pCi/m3	0.0000016	0.0000022	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	U-235	-0.000000436	pCi/m3	0.00000085	0.00000085	U		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	U-235	-0.000000648	pCi/m3	0.00000089	0.00000089	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	U-235	0.000000307	pCi/m3	0.00000036	0.00000055	U		
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	U-235	0.00000182	pCi/m3	0.0000015	0.000002	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	U-235	0.000000183	pCi/m3	0.0000003	0.0000011	U		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	U-235	0.000000324	pCi/m3	0.00000054	0.0000013	U		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	U-235	-0.000000302	pCi/m3	0.00000041	0.00000041	U		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	U-235	0.000000401	pCi/m3	0.00000055	0.0000012	U		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	U-235	0.00000135	pCi/m3	0.0000013	0.0000029	U		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	U-235	-0.000000482	pCi/m3	0.00000096	0.000002	U		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	U-235	0.000000205	pCi/m3	0.00000034	0.0000011	U		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	U-235	0.0000016	pCi/m3	0.0000016	0.0000031	U		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	U-235	0.00000242	pCi/m3	0.0000022	0.0000035	U		
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	U-235	-0.000000387	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	U-235	-0.000000588	pCi/m3	0.0000012	0.0000018	U		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	U-235	0.00000121	pCi/m3	0.0000018	0.0000036	U		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	U-235	-0.00000073	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	U-235	0.000000257	pCi/m3	0.00000036	0.0000022	U		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	U-235	-0.000000257	pCi/m3	0.00000051	0.00000078	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	U-235	0.000000562	pCi/m3	0.00000056	0.000001	U		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	U-235	-0.00000224	pCi/m3	0.0000035	0.0000035	U		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	U-235	0.00000137	pCi/m3	0.0000025	0.0000046	U		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	U-235	0.00000198	pCi/m3	0.0000019	0.0000032	U		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	U-235	-0.000000549	pCi/m3	0.0000036	0.0000038	U		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	U-235	-0.00000127	pCi/m3	0.0000022	0.0000022	U		
SESPSPEC	B106C3	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	U-235	-0.000237	pCi/sample	0.009	0.011	U	TOTAL VOLUME 1012 CF/SAMPLE.	
SESPSPEC	B106C4	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	U-235	-0.00155	pCi/sample	0.0093	0.011	U	TOTAL VOLUME 1000 CF/SAMPLE.	
SESPSPEC	B106C5	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	U-235	-0.00288	pCi/sample	0.0095	0.011	U	TOTAL VOLUME 1090.6 CF/SAMPLE.	
SESPSPEC	B106C6	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	U-235	0.0115	pCi/sample	0.022	0.023	U	TOTAL VOLUME 1061.7 CF/SAMPLE.	
SESPSPEC	B106C8	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-235	0.0309	pCi/sample	0.023	0.024		TOTAL VOLUME 1015.2 CF/SAMPLE.	
SESPSPEC	B106C7	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-235	0.00601	pCi/sample	0.019	0.02	U	TOTAL VOLUME 974.9 CF/SAMPLE.	
SESPSPEC	B106D0	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-235	-0.00477	pCi/sample	0.0066	0.0086	U	TOTAL VOLUME 974.3 CF/SAMPLE.	
SESPSPEC	B106C9	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-235	-0.00662	pCi/sample	0.01	0.01	U	TOTAL VOLUME 979.4 CF/SAMPLE.	
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	U-235	0.00000046	pCi/m3	0.0000025	0.0000027	U		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	U-235	0.00000262	pCi/m3	0.0000032	0.0000034	U		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	U-235	-0.00000131	pCi/m3	0.0000022	0.0000022	U		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	U-235	0.00000091	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	U-235	-2.88E-08	pCi/m3	0.00000075	0.00000084	U		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	U-235	-0.00000208	pCi/m3	0.0000011	0.0000016	U		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	U-235	0.00000224	pCi/m3	0.0000044	0.0000045	U		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	U-235	0.00000428	pCi/m3	0.0000045	0.0000047	U		
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	U-235	0.00000224	pCi/m3	0.0000043	0.0000045	U		
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	U-235	0.00000193	pCi/m3	0.0000029	0.0000031	U		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	U-235	-0.00000115	pCi/m3	0.0000019	0.0000019	U		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	U-235	-0.000000134	pCi/m3	0.0000018	0.000002	U		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	U-235	0.000000441	pCi/m3	0.00000082	0.00000089	U		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	U-235	0.000000901	pCi/m3	0.0000023	0.0000025	U		
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	U-235	-0.000000452	pCi/m3	0.0000017	0.0000019	U		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	U-235	0.000000656	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	U-235	0.000007	pCi/m3	0.0000089	0.0000093	U		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	U-235	-0.00000179	pCi/m3	0.00000073	0.0000013	U		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	U-235	-0.000000307	pCi/m3	0.00000044	0.00000057	U		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	U-235	-0.00000129	pCi/m3	0.0000019	0.0000019	U		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	U-235	-0.00000129	pCi/m3	0.000002	0.000002	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	U-235	0.000000278	pCi/m3	0.0000013	0.0000014	U		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	U-235	-0.00000121	pCi/m3	0.0000019	0.0000019	U		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	U-235	-0.00000129	pCi/m3	0.0000019	0.0000019	U		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	U-235	-0.000000494	pCi/m3	0.0000024	0.0000026	U		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	U-235	-0.000000774	pCi/m3	0.0000012	0.0000015	U		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	U-235	-0.00000142	pCi/m3	0.00000063	0.0000011	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	U-235	0.000000534	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	U-235	-0.000000017	pCi/m3	0.00000092	0.00000097	U		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	U-235	0.000000563	pCi/m3	0.0000026	0.0000028	U		
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	U-235	0.00000105	pCi/m3	0.0000029	0.0000031	U		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	U-235	0.000000118	pCi/m3	0.0000022	0.0000024	U		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	U-235	0.000000323	pCi/m3	0.0000024	0.0000025	U		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	U-235	0.000000569	pCi/m3	0.0000019	0.0000022	U		
SESPMNT	B0X8L3	LESLIE GROVES-RCHLND	COMMUNITY	AT	28-Mar-00	U-238	0.00000348	pCi/m3	0.000002	0.0000028	J		
SESPMNT	B0X8M0	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	29-Mar-00	U-238	0.00000467	pCi/m3	0.0000022	0.0000029	J		
SESPMNT	B0X8K6	BASIN CITY SCHOOL	COMMUNITY	AT	29-Mar-00	U-238	0.00000493	pCi/m3	0.0000025	0.0000033	J		
SESPMNT	B0X7Y5	200 W SOUTH EAST	ONSITE	AT	30-Mar-00	U-238	0.00000408	pCi/m3	0.0000017	0.0000021	J		
SESPMNT	B0X808	200 WEST	ONSITE	AT	30-Mar-00	U-238	0.00000597	pCi/m3	0.0000027	0.0000035	J		
SESPMNT	B0X7V9	200 E AREA	ONSITE	AT	30-Mar-00	U-238	0.00000391	pCi/m3	0.0000013	0.0000016	J		
SESPMNT	B0X7X8	B POND	ONSITE	AT	30-Mar-00	U-238	0.00000294	pCi/m3	0.0000024	0.0000039	U		
SESPMNT	B0X895	BYERS LANDING	PERIMETER	AT	31-Mar-00	U-238	0.00000748	pCi/m3	0.000003	0.0000037	J		
SESPMNT	B0X888	DOGWOOD MET TOWER	PERIMETER	AT	31-Mar-00	U-238	0.00000526	pCi/m3	0.0000033	0.0000041	U		
SESPMNT	B0X874	W END OF FIR ROAD	PERIMETER	AT	31-Mar-00	U-238	0.00000564	pCi/m3	0.0000026	0.0000034	J		
SESPMNT	B0X866	WYE BARRICADE	ONSITE	AT	04-Apr-00	U-238	-0.000000486	pCi/m3	0.0000026	0.0000031	U		
SESPMNT	B0X815	300 AREA	ONSITE	AT	05-Apr-00	U-238	0.00000442	pCi/m3	0.0000014	0.0000017	J		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON REPORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	DATA QUALIFIER	SAMP COMMENT	DEFAULT COMMENT
SESPMNT	B0X759	300 TRENCH	ONSITE	AT	05-Apr-00	U-238	0.00000225	pCi/m3	0.0000022	0.0000033	U		
SESPMNT	B0X760	300 NE	ONSITE	AT	05-Apr-00	U-238	0.00000927	pCi/m3	0.0000031	0.0000038	J		
SESPMNT	B0X7B5	TOPPENISH	DISTANT	AT	05-Apr-00	U-238	0.00000433	pCi/m3	0.0000024	0.0000031	J		
SESPMNT	B0X8B2	PROSSER BARRICADE	PERIMETER	AT	06-Apr-00	U-238	0.00000262	pCi/m3	0.0000014	0.0000017	J		
SESPMNT	B0X8J8	YAKIMA	DISTANT	AT	06-Apr-00	U-238	0.00000505	pCi/m3	0.0000027	0.0000034	J		
SESPMNT	B0XW93	WYE BARRICADE	ONSITE	AT	28-Jun-00	U-238	0.0000109	pCi/m3	0.0000047	0.0000067	J		
SESPMNT	B0XVJ1	TOPPENISH	DISTANT	AT	28-Jun-00	U-238	0.0000171	pCi/m3	0.000007	0.000009	J		
SESPMNT	B0XW49	300 AREA	ONSITE	AT	29-Jun-00	U-238	0.0000105	pCi/m3	0.0000034	0.0000042	J		
SESPMNT	B0XVB9	300 TRENCH	ONSITE	AT	29-Jun-00	U-238	0.0000303	pCi/m3	0.0000089	0.000011	J		
SESPMNT	B0XVC0	300 NE	ONSITE	AT	29-Jun-00	U-238	0.0000427	pCi/m3	0.000011	0.000014	J		
SESPMNT	B0XWF2	PROSSER BARRICADE	PERIMETER	AT	30-Jun-00	U-238	0.0000093	pCi/m3	0.0000038	0.0000049	J		
SESPMNT	B0XWM8	YAKIMA	DISTANT	AT	30-Jun-00	U-238	0.0000144	pCi/m3	0.0000058	0.0000077	J		
SESPMNT	B0XWP3	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	U-238	0.0000222	pCi/m3	0.0000083	0.00001	J		
SESPMNT	B0XW18	B POND	ONSITE	AT	05-Jul-00	U-238	0.0000147	pCi/m3	0.0000057	0.0000075	J		
SESPMNT	B0XW41	200 WEST	ONSITE	AT	05-Jul-00	U-238	0.0000196	pCi/m3	0.000007	0.0000089	J		
SESPMNT	B0XW26	200 W SOUTH EAST	ONSITE	AT	05-Jul-00	U-238	0.0000132	pCi/m3	0.0000038	0.0000049	J		
SESPMNT	B0XVY6	200 E AREA	ONSITE	AT	05-Jul-00	U-238	0.0000116	pCi/m3	0.0000032	0.0000041	J		
SESPMNT	B0XWN5	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	U-238	0.0000329	pCi/m3	0.000013	0.000015	J		
SESPMNT	B0XWR1	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	U-238	0.0000363	pCi/m3	0.000012	0.000015	J		
SESPMNT	B0XWD4	BYERS LANDING	PERIMETER	AT	07-Jul-00	U-238	0.000036	pCi/m3	0.0000091	0.000012	J		
SESPMNT	B0XWC6	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	U-238	0.0000403	pCi/m3	0.000013	0.000015	J		
SESPMNT	B0XWB0	W END OF FIR ROAD	PERIMETER	AT	07-Jul-00	U-238	0.0000229	pCi/m3	0.0000083	0.00001	J		
SESPSPEC	B106C3	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	U-238	0.0138	pCi/sample	0.019	0.022	U	TOTAL VOLUME 1012 CF/SAMPLE.	
SESPSPEC	B106C4	MULE DRY FIRE-MABTON	OFFSITE	AT	25-Aug-00	U-238	0.00723	pCi/sample	0.017	0.02	U	TOTAL VOLUME 1000 CF/SAMPLE.	
SESPSPEC	B106C5	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	U-238	0.00558	pCi/sample	0.017	0.019	U	TOTAL VOLUME 1090.6 CF/SAMPLE.	
SESPSPEC	B106C6	MULE DRY FIRE-MABTON	OFFSITE	AT	26-Aug-00	U-238	0.00224	pCi/sample	0.025	0.027	U	TOTAL VOLUME 1061.7 CF/SAMPLE.	
SESPSPEC	B106C8	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-238	0.028	pCi/sample	0.025	0.027		TOTAL VOLUME 1015.2 CF/SAMPLE.	
SESPSPEC	B106C7	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-238	-0.00412	pCi/sample	0.025	0.026	U	TOTAL VOLUME 974.9 CF/SAMPLE.	
SESPSPEC	B106D0	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-238	0.00965	pCi/sample	0.017	0.02	U	TOTAL VOLUME 974.3 CF/SAMPLE.	
SESPSPEC	B106C9	MULE DRY FIRE-MABTON	OFFSITE	AT	31-Aug-00	U-238	0.0292	pCi/sample	0.024	0.027		TOTAL VOLUME 979.4 CF/SAMPLE.	
SESPMNT	B0YLW9	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	U-238	0.0000313	pCi/m3	0.000011	0.000013	J		
SESPMNT	B0YL64	B POND	ONSITE	AT	26-Sep-00	U-238	0.00000988	pCi/m3	0.0000059	0.0000065	J		
SESPMNT	B0YL84	200 WEST	ONSITE	AT	26-Sep-00	U-238	0.0000126	pCi/m3	0.0000071	0.0000078	J		
SESPMNT	B0YL71	200 W SOUTH EAST	ONSITE	AT	26-Sep-00	U-238	0.0000173	pCi/m3	0.0000045	0.0000055	J		
SESPMNT	B0YL45	200 E AREA	ONSITE	AT	26-Sep-00	U-238	0.0000108	pCi/m3	0.0000035	0.000004	J		
SESPMNT	B0YLX6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	U-238	0.0000324	pCi/m3	0.000013	0.000014	J		
SESPMNT	B0YLW2	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	U-238	0.0000226	pCi/m3	0.000011	0.000012	J		
SESPMNT	B0YLL1	BYERS LANDING	PERIMETER	AT	29-Sep-00	U-238	0.000136	pCi/m3	0.000021	0.000032			
SESPMNT	B0YLK4	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	U-238	0.0000537	pCi/m3	0.000015	0.000018			
SESPMNT	B0YLJ0	W END OF FIR ROAD	PERIMETER	AT	29-Sep-00	U-238	0.0000305	pCi/m3	0.0000093	0.000011	J		
SESPMNT	B0YLH2	WYE BARRICADE	ONSITE	AT	03-Oct-00	U-238	0.0000115	pCi/m3	0.0000061	0.0000068	J		
SESPMNT	B0YKM9	TOPPENISH	DISTANT	AT	04-Oct-00	U-238	0.0000277	pCi/m3	0.0000086	0.00001	J		
SESPMNT	B0YL91	300 AREA	ONSITE	AT	05-Oct-00	U-238	0.0000245	pCi/m3	0.0000046	0.0000064	J		
SESPMNT	B0YKH3	300 TRENCH	ONSITE	AT	05-Oct-00	U-238	0.0000799	pCi/m3	0.000014	0.00002			
SESPMNT	B0YKH4	300 NE	ONSITE	AT	05-Oct-00	U-238	0.0000312	pCi/m3	0.0000086	0.00001	J		
SESPMNT	B0YLL8	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	U-238	0.0000341	pCi/m3	0.0000066	0.000009	J		
SESPMNT	B0YLV4	YAKIMA	DISTANT	AT	06-Oct-00	U-238	0.000023	pCi/m3	0.000015	0.000018	J		
SESPMNT	B10CM8	WYE BARRICADE	ONSITE	AT	27-Dec-00	U-238	0.00000975	pCi/m3	0.0000058	0.0000064	J		
SESPMNT	B10CH4	300 AREA	ONSITE	AT	28-Dec-00	U-238	0.00000938	pCi/m3	0.0000029	0.0000034	J		
SESPMNT	B10BN6	300 TRENCH	ONSITE	AT	28-Dec-00	U-238	0.00000526	pCi/m3	0.0000047	0.0000052	J		
SESPMNT	B10BN7	300 NE	ONSITE	AT	28-Dec-00	U-238	0.00000588	pCi/m3	0.0000054	0.0000059	U		
SESPMNT	B10CT7	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	U-238	0.00000493	pCi/m3	0.000003	0.0000033	J		
SESPMNT	B10BV8	TOPPENISH	DISTANT	AT	29-Dec-00	U-238	0.00000636	pCi/m3	0.0000053	0.0000058	J		
SESPMNT	B10D13	YAKIMA	DISTANT	AT	29-Dec-00	U-238	0.00000712	pCi/m3	0.0000053	0.0000059	J		
SESPMNT	B10CB6	B POND	ONSITE	AT	02-Jan-01	U-238	0.00000771	pCi/m3	0.000006	0.0000064	J		
SESPMNT	B10D28	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-Jan-01	U-238	0.00000744	pCi/m3	0.0000047	0.0000052	J		
SESPMNT	B10CF6	200 WEST	ONSITE	AT	02-Jan-01	U-238	0.00000399	pCi/m3	0.0000048	0.0000052	U		
SESPMNT	B10CC4	200 W SOUTH EAST	ONSITE	AT	02-Jan-01	U-238	0.00000752	pCi/m3	0.0000029	0.0000033	J		
SESPMNT	B10C84	200 E AREA	ONSITE	AT	02-Jan-01	U-238	0.0000106	pCi/m3	0.0000038	0.0000044	J		
SESPMNT	B10D36	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	03-Jan-01	U-238	0.00000807	pCi/m3	0.0000049	0.0000054	J		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10D20	BASIN CITY SCHOOL	COMMUNITY	AT	03-Jan-01	U-238	0.00000811	pCi/m3	0.0000063	0.0000067	J		
SESPMNT	B10CR9	BYERS LANDING	PERIMETER	AT	05-Jan-01	U-238	0.0000128	pCi/m3	0.0000068	0.0000075	J		
SESPMNT	B10CR1	DOGWOOD MET TOWER	PERIMETER	AT	05-Jan-01	U-238	0.0000141	pCi/m3	0.0000066	0.0000074	J		
SESPMNT	B10CN5	W END OF FIR ROAD	PERIMETER	AT	05-Jan-01	U-238	0.00000431	pCi/m3	0.0000041	0.0000045	U		
SESPMNT	B0X9F5	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Jan-00	TRITIUM	7.23	pCi/m3	0.39	1.1			
SESPMNT	B0X9D8	200 ESE	ONSITE	AT	18-Jan-00	TRITIUM	7.38	pCi/m3	0.45	1.4			
SESPMNT	B0X9D9	200 TEL. EXCHANGE	ONSITE	AT	18-Jan-00	TRITIUM	1.83	pCi/m3	0.14	0.71			
SESPMNT	B0X9F3	WAHLUKE SLOPE	PERIMETER	AT	19-Jan-00	TRITIUM	6.06	pCi/m3	0.43	2.8			
SESPMNT	B0X9F6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	19-Jan-00	TRITIUM	8.15	pCi/m3	0.39	0.99			
SESPMNT	B0X9F4	BASIN CITY SCHOOL	COMMUNITY	AT	19-Jan-00	TRITIUM	1.75	pCi/m3	0.11	0.43			
SESPMNT	B0X9F2	BYERS LANDING	PERIMETER	AT	20-Jan-00	TRITIUM	4.47	pCi/m3	0.26	0.74			
SESPMNT	B0X9F1	DOGWOOD MET TOWER	PERIMETER	AT	20-Jan-00	TRITIUM	8.49	pCi/m3	0.41	1			
SESPMNT	B0X9F0	RINGOLD MET TOWER	PERIMETER	AT	20-Jan-00	TRITIUM	2.55	pCi/m3	0.17	0.63			
SESPMNT	B0X9H4	400 E	ONSITE	AT	25-Jan-00	TRITIUM	6.42	pCi/m3	0.39	1.3			
SESPMNT	B0X9H0	100 N-1325 CRIB	ONSITE	AT	25-Jan-00	TRITIUM	3.64	pCi/m3	0.24	1			
SESPMNT	B0X9F9	100 K AREA	ONSITE	AT	25-Jan-00	TRITIUM	2.36	pCi/m3	0.15	0.68			
SESPMNT	B0X9F7	300 SOUTH GATE	ONSITE	AT	26-Jan-00	TRITIUM						NO SAMPLE. BAD CONNECTION.	
SESPMNT	B0X9H1	300 SOUTH GATE	ONSITE	AT	26-Jan-00	TRITIUM	23.2	pCi/m3	0.79	2.1			
SESPMNT	B0X9H7	300 WATER INTAKE	ONSITE	AT	26-Jan-00	TRITIUM	19.2	pCi/m3	0.73	1.9			
SESPMNT	B0X9H8	300 SOUTH WEST	ONSITE	AT	26-Jan-00	TRITIUM	8.5	pCi/m3	0.4	1			
SESPMNT	B0X9H2	300 TRENCH	ONSITE	AT	26-Jan-00	TRITIUM	21.9	pCi/m3	0.87	2.2			
SESPMNT	B0X9H3	300 NE	ONSITE	AT	26-Jan-00	TRITIUM	11.8	pCi/m3	0.55	1.5			
SESPMNT	B0X9F8	TOPPENISH	DISTANT	AT	26-Jan-00	TRITIUM	0.452	pCi/m3	0.035	0.65	U		
SESPMNT	B0X9H5	PROSSER BARRICADE	PERIMETER	AT	27-Jan-00	TRITIUM	1.51	pCi/m3	0.11	0.73			
SESPMNT	B0X9H6	YAKIMA	DISTANT	AT	27-Jan-00	TRITIUM	2.03	pCi/m3	0.14	0.91			
SESPMNT	B0XJR6	LESLIE GROVES-RCHLND	COMMUNITY	AT	15-Feb-00	TRITIUM	4.59	pCi/m3	0.27	1.1			
SESPMNT	B0XJP9	200 ESE	ONSITE	AT	16-Feb-00	TRITIUM	2.36	pCi/m3	0.16	1.3			
SESPMNT	B0XJR0	200 TEL. EXCHANGE	ONSITE	AT	16-Feb-00	TRITIUM	2.96	pCi/m3	0.19	1.1			
SESPMNT	B0XJR7	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	16-Feb-00	TRITIUM	1.55	pCi/m3	0.11	0.73			
SESPMNT	B0XJR5	BASIN CITY SCHOOL	COMMUNITY	AT	16-Feb-00	TRITIUM	0.398	pCi/m3	0.029	0.39	U		
SESPMNT	B0XJR4	WAHLUKE SLOPE	PERIMETER	AT	17-Feb-00	TRITIUM	3.26	pCi/m3	0.21	0.98			
SESPMNT	B0XJR3	BYERS LANDING	PERIMETER	AT	18-Feb-00	TRITIUM	9.14	pCi/m3	0.4	1.1			
SESPMNT	B0XJR2	DOGWOOD MET TOWER	PERIMETER	AT	18-Feb-00	TRITIUM	3.58	pCi/m3	0.2	0.69			
SESPMNT	B0XJR1	RINGOLD MET TOWER	PERIMETER	AT	18-Feb-00	TRITIUM	2.1	pCi/m3	0.14	0.79			
SESPMNT	B0XKW3	400 E	ONSITE	AT	22-Feb-00	TRITIUM	2.02	pCi/m3	0.13	0.75			
SESPMNT	B0XKV9	100 N-1325 CRIB	ONSITE	AT	22-Feb-00	TRITIUM	2.12	pCi/m3	0.15	1.3			
SESPMNT	B0XKV8	100 K AREA	ONSITE	AT	22-Feb-00	TRITIUM	1.46	pCi/m3	0.099	0.74			
SESPMNT	B0XKW0	300 SOUTH GATE	ONSITE	AT	23-Feb-00	TRITIUM	3.05	pCi/m3	0.19	0.83			
SESPMNT	B0XKV3	300 SOUTH GATE	ONSITE	AT	23-Feb-00	TRITIUM	2.79	pCi/m3	0.17	0.76			
SESPMNT	B0XKW8	300 WATER INTAKE	ONSITE	AT	23-Feb-00	TRITIUM	2.37	pCi/m3	0.15	0.78			
SESPMNT	B0XKW9	300 SOUTH WEST	ONSITE	AT	23-Feb-00	TRITIUM	2.37	pCi/m3	0.16	0.91			
SESPMNT	B0XKW1	300 TRENCH	ONSITE	AT	23-Feb-00	TRITIUM						NO SAMPLE. BAD CONNECTION, NO COLOR CHANGE.	
SESPMNT	B0XKW2	300 NE	ONSITE	AT	23-Feb-00	TRITIUM	9.39	pCi/m3	0.45	1.3			
SESPMNT	B0XKV4	TOPPENISH	DISTANT	AT	23-Feb-00	TRITIUM	0.746	pCi/m3	0.053	0.67	U		
SESPMNT	B0XKW4	PROSSER BARRICADE	PERIMETER	AT	24-Feb-00	TRITIUM	1.69	pCi/m3	0.11	0.7			
SESPMNT	B0XKW5	YAKIMA	DISTANT	AT	24-Feb-00	TRITIUM	2.24	pCi/m3	0.15	0.93			
SESPMNT	B0XP92	LESLIE GROVES-RCHLND	COMMUNITY	AT	14-Mar-00	TRITIUM	2.54	pCi/m3	0.17	0.7			
SESPMNT	B0XP86	200 TEL. EXCHANGE	ONSITE	AT	14-Mar-00	TRITIUM	4.65	pCi/m3	0.28	0.88			
SESPMNT	B0XP85	200 ESE	ONSITE	AT	14-Mar-00	TRITIUM	1.98	pCi/m3	0.15	0.93			
SESPMNT	B0XP90	WAHLUKE SLOPE	PERIMETER	AT	15-Mar-00	TRITIUM	3.16	pCi/m3	0.2	0.78			
SESPMNT	B0XP93	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	15-Mar-00	TRITIUM	2.27	pCi/m3	0.15	0.74			
SESPMNT	B0XP91	BASIN CITY SCHOOL	COMMUNITY	AT	15-Mar-00	TRITIUM	2.22	pCi/m3	0.13	0.49			
SESPMNT	B0XP89	BYERS LANDING	PERIMETER	AT	16-Mar-00	TRITIUM	6.6	pCi/m3	0.36	1.1			
SESPMNT	B0XP88	DOGWOOD MET TOWER	PERIMETER	AT	16-Mar-00	TRITIUM	0.482	pCi/m3	0.038	0.89	U		
SESPMNT	B0XP87	RINGOLD MET TOWER	PERIMETER	AT	16-Mar-00	TRITIUM	-0.232	pCi/m3	0.019	2.2	U		
SESPMNT	B0XPK4	400 E	ONSITE	AT	21-Mar-00	TRITIUM	3.19	pCi/m3	0.21	0.78			
SESPMNT	B0XPK0	100 N-1325 CRIB	ONSITE	AT	21-Mar-00	TRITIUM	3.38	pCi/m3	0.23	0.99			
SESPMNT	B0XPJ9	100 K AREA	ONSITE	AT	21-Mar-00	TRITIUM	1.5	pCi/m3	0.11	0.7			
SESPMNT	B0XPJ4	TOPPENISH	DISTANT	AT	22-Mar-00	TRITIUM	0.754	pCi/m3	0.059	0.57	U		
SESPMNT	B0XPJ3	300 SOUTH GATE	ONSITE	AT	23-Mar-00	TRITIUM	4.14	pCi/m3	0.25	0.85			

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	RADIONUCLIDE SHORT NAME	VALUE RPTD	RADIAL UNITS RPTD	COUNTING ERROR %	TOTAL RADIAL ERROR %	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XPK1	300 SOUTH GATE	ONSITE	AT	23-Mar-00	TRITIUM	7.49	pCi/m3	0.44	1.4			
SESPMNT	B0XPR3	300 WATER INTAKE	ONSITE	AT	23-Mar-00	TRITIUM	9.31	pCi/m3	0.45	1.3			
SESPMNT	B0XPR4	300 SOUTH WEST	ONSITE	AT	23-Mar-00	TRITIUM	5.06	pCi/m3	0.29	0.96			
SESPMNT	B0XPK2	300 TRENCH	ONSITE	AT	23-Mar-00	TRITIUM	7.33	pCi/m3	0.41	1.2			
SESPMNT	B0XPK3	300 NE	ONSITE	AT	23-Mar-00	TRITIUM	11.2	pCi/m3	0.56	1.6			
SESPMNT	B0XPK5	PROSSER BARRICADE	PERIMETER	AT	24-Mar-00	TRITIUM	0.548	pCi/m3	0.044	0.59	U		
SESPMNT	B0XPK6	YAKIMA	DISTANT	AT	24-Mar-00	TRITIUM	6.12	pCi/m3	0.35	0.99			
SESPMNT	B0XY47	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Apr-00	TRITIUM	14.3	pCi/m3	0.61	1.5			
SESPMNT	B0XY40	200 ESE	ONSITE	AT	11-Apr-00	TRITIUM						NO SAMPLE. UNKNOWN END FLOW, METER WAS AT FULL SCALE WHEN ARRIVING AT STATION.	
SESPMNT	B0XY41	200 TEL. EXCHANGE	ONSITE	AT	11-Apr-00	TRITIUM	1.4	pCi/m3	0.11	0.67			
SESPMNT	B0XY45	WAHLUKE SLOPE	PERIMETER	AT	12-Apr-00	TRITIUM	0.981	pCi/m3	0.077	0.62	J		
SESPMNT	B0XY46	BASIN CITY SCHOOL	COMMUNITY	AT	12-Apr-00	TRITIUM	14.7	pCi/m3	0.52	1.3			
SESPMNT	B0XY48	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	13-Apr-00	TRITIUM	1.96	pCi/m3	0.14	0.63			
SESPMNT	B0XY44	BYERS LANDING	PERIMETER	AT	13-Apr-00	TRITIUM	2	pCi/m3	0.15	0.86			
SESPMNT	B0XY43	DOGWOOD MET TOWER	PERIMETER	AT	13-Apr-00	TRITIUM	4.91	pCi/m3	0.32	1.2			
SESPMNT	B0XY42	RINGOLD MET TOWER	PERIMETER	AT	13-Apr-00	TRITIUM	2.25	pCi/m3	0.16	0.71			
SESPMNT	B0Y0K2	400 E	ONSITE	AT	18-Apr-00	TRITIUM	0.871	pCi/m3	0.068	0.53	J		
SESPMNT	B0Y0J8	100 N-1325 CRIB	ONSITE	AT	18-Apr-00	TRITIUM	0.385	pCi/m3	0.033	1.1	U		
SESPMNT	B0Y0J7	100 K AREA	ONSITE	AT	18-Apr-00	TRITIUM	1.63	pCi/m3	0.12	0.78			
SESPMNT	B0Y0J9	300 SOUTH GATE	ONSITE	AT	19-Apr-00	TRITIUM	2.71	pCi/m3	0.19	0.8			
SESPMNT	B0Y0J5	300 SOUTH GATE	ONSITE	AT	19-Apr-00	TRITIUM	4.8	pCi/m3	0.3	0.97			
SESPMNT	B0Y0K5	300 WATER INTAKE	ONSITE	AT	19-Apr-00	TRITIUM	2.22	pCi/m3	0.16	0.84			
SESPMNT	B0Y0K6	300 SOUTH WEST	ONSITE	AT	19-Apr-00	TRITIUM	0.941	pCi/m3	0.074	0.64	J		
SESPMNT	B0Y0K0	300 TRENCH	ONSITE	AT	19-Apr-00	TRITIUM	2.38	pCi/m3	0.17	0.88			
SESPMNT	B0Y0K1	300 NE	ONSITE	AT	19-Apr-00	TRITIUM	2.81	pCi/m3	0.2	0.89			
SESPMNT	B0Y0J6	TOPPENISH	DISTANT	AT	19-Apr-00	TRITIUM	1.1	pCi/m3	0.088	0.8	U	POSSIBLE LEAK AT COLUMN 2, NO DISCOLORATION AT COLUMNS 1 OR 3.	
SESPMNT	B0Y0K3	PROSSER BARRICADE	PERIMETER	AT	20-Apr-00	TRITIUM	2.53	pCi/m3	0.18	0.76			
SESPMNT	B0Y0K4	YAKIMA	DISTANT	AT	20-Apr-00	TRITIUM	3.95	pCi/m3	0.26	0.91			
SESPMNT	B0Y304	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-May-00	TRITIUM	1.67	pCi/m3	0.13	0.77			
SESPMNT	B0Y2Y7	200 ESE	ONSITE	AT	09-May-00	TRITIUM	2.33	pCi/m3	0.16	0.68			
SESPMNT	B0Y2Y8	200 TEL. EXCHANGE	ONSITE	AT	09-May-00	TRITIUM	2.63	pCi/m3	0.19	1.1			
SESPMNT	B0Y302	WAHLUKE SLOPE	PERIMETER	AT	10-May-00	TRITIUM	0.371	pCi/m3	0.032	0.69	U		
SESPMNT	B0Y305	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	10-May-00	TRITIUM	2.02	pCi/m3	0.15	0.87			
SESPMNT	B0Y303	BASIN CITY SCHOOL	COMMUNITY	AT	10-May-00	TRITIUM	1.02	pCi/m3	0.078	0.37			
SESPMNT	B0Y301	BYERS LANDING	PERIMETER	AT	11-May-00	TRITIUM	2.6	pCi/m3	0.19	0.86			
SESPMNT	B0Y300	DOGWOOD MET TOWER	PERIMETER	AT	11-May-00	TRITIUM	1.15	pCi/m3	0.091	0.69			
SESPMNT	B0Y2Y9	RINGOLD MET TOWER	PERIMETER	AT	11-May-00	TRITIUM						NO SAMPLE. FLOW METER PLUGGED, NO COLOR CHANGE.	
SESPMNT	B0Y3Y5	400 E	ONSITE	AT	16-May-00	TRITIUM	1.17	pCi/m3	0.093	0.72			
SESPMNT	B0Y3Y1	100 N-1325 CRIB	ONSITE	AT	16-May-00	TRITIUM	1.83	pCi/m3	0.14	0.89			
SESPMNT	B0Y3Y0	100 K AREA	ONSITE	AT	16-May-00	TRITIUM	4.36	pCi/m3	0.27	0.82			
SESPMNT	B0Y3X8	300 SOUTH GATE	ONSITE	AT	17-May-00	TRITIUM	2.83	pCi/m3	0.19	0.68			
SESPMNT	B0Y3Y2	300 SOUTH GATE	ONSITE	AT	17-May-00	TRITIUM	2.43	pCi/m3	0.17	0.65			
SESPMNT	B0Y3Y8	300 WATER INTAKE	ONSITE	AT	17-May-00	TRITIUM	2.58	pCi/m3	0.18	0.79			
SESPMNT	B0Y3Y9	300 SOUTH WEST	ONSITE	AT	17-May-00	TRITIUM	2.52	pCi/m3	0.18	0.86			
SESPMNT	B0Y3Y3	300 TRENCH	ONSITE	AT	17-May-00	TRITIUM	8.28	pCi/m3	0.45	1.2			
SESPMNT	B0Y3Y4	300 NE	ONSITE	AT	17-May-00	TRITIUM	3.46	pCi/m3	0.24	0.91			
SESPMNT	B0Y3X9	TOPPENISH	DISTANT	AT	17-May-00	TRITIUM	3.06	pCi/m3	0.21	0.88			
SESPMNT	B0Y3Y6	PROSSER BARRICADE	PERIMETER	AT	18-May-00	TRITIUM	1.35	pCi/m3	0.1	0.68			
SESPMNT	B0Y3Y7	YAKIMA	DISTANT	AT	18-May-00	TRITIUM	1.15	pCi/m3	0.091	0.71			
SESPMNT	B0YB98	LESLIE GROVES-RCHLND	COMMUNITY	AT	06-Jun-00	TRITIUM	1.03	pCi/m3	0.083	0.9	U		
SESPMNT	B0YB91	200 ESE	ONSITE	AT	06-Jun-00	TRITIUM	1.33	pCi/m3	0.1	0.99	U		
SESPMNT	B0YB92	200 TEL. EXCHANGE	ONSITE	AT	06-Jun-00	TRITIUM	1.92	pCi/m3	0.14	0.96			
SESPMNT	B0YB96	WAHLUKE SLOPE	PERIMETER	AT	07-Jun-00	TRITIUM	11.5	pCi/m3	0.58	1.5			
SESPMNT	B0YB97	BASIN CITY SCHOOL	COMMUNITY	AT	07-Jun-00	TRITIUM	0.586	pCi/m3	0.047	0.64	U		
SESPMNT	B0YB99	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	07-Jun-00	TRITIUM	2.71	pCi/m3	0.19	0.89			
SESPMNT	B0YB95	BYERS LANDING	PERIMETER	AT	08-Jun-00	TRITIUM	1.08	pCi/m3	0.086	1	U		
SESPMNT	B0YB94	DOGWOOD MET TOWER	PERIMETER	AT	08-Jun-00	TRITIUM	0.711	pCi/m3	0.058	1.1	U		
SESPMNT	B0YB93	RINGOLD MET TOWER	PERIMETER	AT	08-Jun-00	TRITIUM	2.58	pCi/m3	0.17	0.61			
SESPMNT	B0YC25	400 E	ONSITE	AT	13-Jun-00	TRITIUM	0.655	pCi/m3	0.053	0.93	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YC21	100 N-1325 CRIB	ONSITE	AT	13-Jun-00	TRITIUM	1.3	pCi/m3	0.1	1.2	U		
SESPMNT	B0YC20	100 K AREA	ONSITE	AT	13-Jun-00	TRITIUM	1.85	pCi/m3	0.14	0.82			
SESPMNT	B0YC22	300 SOUTH GATE	ONSITE	AT	14-Jun-00	TRITIUM	2.26	pCi/m3	0.16	0.91			
SESPMNT	B0YC18	300 SOUTH GATE	ONSITE	AT	14-Jun-00	TRITIUM	2.02	pCi/m3	0.15	0.89			
SESPMNT	B0YC28	300 WATER INTAKE	ONSITE	AT	14-Jun-00	TRITIUM	2.25	pCi/m3	0.17	1			
SESPMNT	B0YC29	300 SOUTH WEST	ONSITE	AT	14-Jun-00	TRITIUM	0.868	pCi/m3	0.068	0.73	U		
SESPMNT	B0YC23	300 TRENCH	ONSITE	AT	14-Jun-00	TRITIUM	1.13	pCi/m3	0.089	0.95	U		
SESPMNT	B0YC24	300 NE	ONSITE	AT	14-Jun-00	TRITIUM	1.8	pCi/m3	0.14	0.98			
SESPMNT	B0YC19	TOPPENISH	DISTANT	AT	14-Jun-00	TRITIUM						NO SAMPLE. NO COLOR CHANGE, ZERO SATURATION.	
SESPMNT	B0YC26	PROSSER BARRICADE	PERIMETER	AT	15-Jun-00	TRITIUM	1.07	pCi/m3	0.083	0.73	U		
SESPMNT	B0YC27	YAKIMA	DISTANT	AT	15-Jun-00	TRITIUM	2.09	pCi/m3	0.15	0.89			
SESPMNT	B0YM30	LESLIE GROVES-RCHLND	COMMUNITY	AT	04-Jul-00	TRITIUM	2.83	pCi/m3	0.2	1.3		SAMPLE RAN 569.6 HOURS ON ONE PUMP AND 100 HOURS ON SECOND PUMP FOR A COMBINED EXPOSURE OF 669.6 HOURS.	
SESPMNT	B0YM23	200 ESE	ONSITE	AT	05-Jul-00	TRITIUM	4.49	pCi/m3	0.29	1.4			
SESPMNT	B0YM24	200 TEL. EXCHANGE	ONSITE	AT	05-Jul-00	TRITIUM						NO SAMPLE. LOOSE HOSE, NO COLOR CHANGE.	
SESPMNT	B0YM29	BASIN CITY SCHOOL	COMMUNITY	AT	05-Jul-00	TRITIUM	1.16	pCi/m3	0.074	0.29			
SESPMNT	B0YM31	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	05-Jul-00	TRITIUM	9.45	pCi/m3	0.5	1.5			
SESPMNT	B0YM28	WAHLUKE SLOPE	PERIMETER	AT	06-Jul-00	TRITIUM	2.19	pCi/m3	0.15	1.2			
SESPMNT	B0YM27	BYERS LANDING	PERIMETER	AT	07-Jul-00	TRITIUM	1.36	pCi/m3	0.099	1	U		
SESPMNT	B0YM26	DOGWOOD MET TOWER	PERIMETER	AT	07-Jul-00	TRITIUM	1.57	pCi/m3	0.11	0.98			
SESPMNT	B0YM25	RINGOLD MET TOWER	PERIMETER	AT	07-Jul-00	TRITIUM	6.3	pCi/m3	0.37	1.3			
SESPMNT	B0YN83	400 E	ONSITE	AT	10-Jul-00	TRITIUM	1.4	pCi/m3	0.1	1.1	U		
SESPMNT	B0YN79	100 N-1325 CRIB	ONSITE	AT	10-Jul-00	TRITIUM	0.918	pCi/m3	0.069	1.2	U		
SESPMNT	B0YN78	100 K AREA	ONSITE	AT	10-Jul-00	TRITIUM	0.537	pCi/m3	0.041	1.3	U		
SESPMNT	B0YN84	TOPPENISH	DISTANT	AT	12-Jul-00	TRITIUM	0.885	pCi/m3	0.066	1	U		
SESPMNT	B0YN80	300 SOUTH GATE	ONSITE	AT	13-Jul-00	TRITIUM	1.95	pCi/m3	0.14	1.1			
SESPMNT	B0YN77	300 SOUTH GATE	ONSITE	AT	13-Jul-00	TRITIUM	1.47	pCi/m3	0.1	0.83			
SESPMNT	B0YN86	300 WATER INTAKE	ONSITE	AT	13-Jul-00	TRITIUM	2.08	pCi/m3	0.15	1.3			
SESPMNT	B0YN87	300 SOUTH WEST	ONSITE	AT	13-Jul-00	TRITIUM	2.68	pCi/m3	0.18	1.2			
SESPMNT	B0YN81	300 TRENCH	ONSITE	AT	13-Jul-00	TRITIUM	2.87	pCi/m3	0.2	1.2			
SESPMNT	B0YN82	300 NE	ONSITE	AT	13-Jul-00	TRITIUM	1.44	pCi/m3	0.1	1.1	U		
SESPMNT	B0YN84	PROSSER BARRICADE	PERIMETER	AT	14-Jul-00	TRITIUM	2.83	pCi/m3	0.19	1			
SESPMNT	B0YN85	YAKIMA	DISTANT	AT	14-Jul-00	TRITIUM	1.34	pCi/m3	0.097	0.89			
SESPMNT	B0YRH4	200 ESE	ONSITE	AT	01-Aug-00	TRITIUM	1.64	pCi/m3	0.12	1.3	U		
SESPMNT	B0YRJ1	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Aug-00	TRITIUM	4.27	pCi/m3	0.31	1.8			
SESPMNT	B0YRH5	200 TEL. EXCHANGE	ONSITE	AT	01-Aug-00	TRITIUM	0.938	pCi/m3	0.069	1.3	U		
SESPMNT	B0YRJ0	BASIN CITY SCHOOL	COMMUNITY	AT	02-Aug-00	TRITIUM	0.854	pCi/m3	0.06	0.43	J		
SESPMNT	B0YRH9	WAHLUKE SLOPE	PERIMETER	AT	02-Aug-00	TRITIUM	1.48	pCi/m3	0.1	0.72			
SESPMNT	B0YRJ2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	02-Aug-00	TRITIUM	2.26	pCi/m3	0.15	1.1			
SESPMNT	B0YRH8	BYERS LANDING	PERIMETER	AT	03-Aug-00	TRITIUM	0.683	pCi/m3	0.05	0.85	U		
SESPMNT	B0YRH7	DOGWOOD MET TOWER	PERIMETER	AT	03-Aug-00	TRITIUM	1.45	pCi/m3	0.11	1.9	U		
SESPMNT	B0YRH6	RINGOLD MET TOWER	PERIMETER	AT	03-Aug-00	TRITIUM	0.739	pCi/m3	0.054	0.8	U		
SESPMNT	B0YWB8	400 E	ONSITE	AT	09-Aug-00	TRITIUM	1.19	pCi/m3	0.086	1.3	U		
SESPMNT	B0YWB4	100 N-1325 CRIB	ONSITE	AT	09-Aug-00	TRITIUM	1	pCi/m3	0.072	0.85	U		
SESPMNT	B0YWB3	100 K AREA	ONSITE	AT	09-Aug-00	TRITIUM	1.71	pCi/m3	0.12	1.1			
SESPMNT	B0YWB6	TOPPENISH	DISTANT	AT	09-Aug-00	TRITIUM	2.25	pCi/m3	0.16	1.6	U		
SESPMNT	B0YWB5	300 SOUTH GATE	ONSITE	AT	10-Aug-00	TRITIUM	1.89	pCi/m3	0.13	1.2			
SESPMNT	B0YW83	300 SOUTH GATE	ONSITE	AT	10-Aug-00	TRITIUM	2.57	pCi/m3	0.18	1.4			
SESPMNT	B0YWD7	300 WATER INTAKE	ONSITE	AT	10-Aug-00	TRITIUM	0.133	pCi/m3	0.0097	0.16	U		
SESPMNT	B0YWD8	300 SOUTH WEST	ONSITE	AT	10-Aug-00	TRITIUM	1.16	pCi/m3	0.082	0.82	U		
SESPMNT	B0YWB6	300 TRENCH	ONSITE	AT	10-Aug-00	TRITIUM	2.71	pCi/m3	0.18	1.3			
SESPMNT	B0YWB7	300 NE	ONSITE	AT	10-Aug-00	TRITIUM	2.05	pCi/m3	0.14	1.4			
SESPMNT	B0YWB9	PROSSER BARRICADE	PERIMETER	AT	11-Aug-00	TRITIUM	0.72	pCi/m3	0.053	1.1	U		
SESPMNT	B0YWC0	YAKIMA	DISTANT	AT	11-Aug-00	TRITIUM	0.275	pCi/m3	0.021	1.1	U		
SESPMNT	B101V3	LESLIE GROVES-RCHLND	COMMUNITY	AT	29-Aug-00	TRITIUM	1.81	pCi/m3	0.13	1.3	U		
SESPMNT	B10356	200 ESE	ONSITE	AT	29-Aug-00	TRITIUM	1.81	pCi/m3	0.13	1.2			
SESPMNT	B10357	200 TEL. EXCHANGE	ONSITE	AT	29-Aug-00	TRITIUM	2.93	pCi/m3	0.19	1.3			
SESPMNT	B10361	WAHLUKE SLOPE	PERIMETER	AT	30-Aug-00	TRITIUM	1.06	pCi/m3	0.076	1.2	U		
SESPMNT	B101V4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	30-Aug-00	TRITIUM	1.54	pCi/m3	0.11	0.93			
SESPMNT	B101V2	BASIN CITY SCHOOL	COMMUNITY	AT	30-Aug-00	TRITIUM						NO SAMPLE. 0% SATURATED.	

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CONT REPORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANAL ERROR %	REPORT QUALIFIER	SAMP COMMENT	DERIVATA COMMENT
SESPMNT	B10360	BYERS LANDING	PERIMETER	AT	31-Aug-00	TRITIUM	1.58	pCi/m3	0.11	1.3	U		
SESPMNT	B10359	DOGWOOD MET TOWER	PERIMETER	AT	31-Aug-00	TRITIUM	1.52	pCi/m3	0.11	1.6	U		
SESPMNT	B10358	RINGOLD MET TOWER	PERIMETER	AT	31-Aug-00	TRITIUM	1.16	pCi/m3	0.083	0.92	U		
SESPMNT	B1041B	400 E	ONSITE	AT	06-Sep-00	TRITIUM	0.00557	pCi/m3	0.00041	0.016	U		
SESPMNT	B10414	100 N-1325 CRIB	ONSITE	AT	06-Sep-00	TRITIUM	0.00525	pCi/m3	0.00038	0.013	U		
SESPMNT	B10413	100 K AREA	ONSITE	AT	06-Sep-00	TRITIUM	0.0227	pCi/m3	0.0015	0.014	J		
SESPMNT	B103Y7	TOPPENISH	DISTANT	AT	06-Sep-00	TRITIUM	1.16	pCi/m3	0.083	0.99	U		
SESPMNT	B10415	300 SOUTH GATE	ONSITE	AT	07-Sep-00	TRITIUM	1.41	pCi/m3	0.099	0.96			
SESPMNT	B103Y6	300 SOUTH GATE	ONSITE	AT	07-Sep-00	TRITIUM	1.57	pCi/m3	0.11	1			
SESPMNT	B10421	300 WATER INTAKE	ONSITE	AT	07-Sep-00	TRITIUM	1.36	pCi/m3	0.097	1.2	U		
SESPMNT	B10422	300 SOUTH WEST	ONSITE	AT	07-Sep-00	TRITIUM	1.99	pCi/m3	0.14	1.1			
SESPMNT	B10416	300 TRENCH	ONSITE	AT	07-Sep-00	TRITIUM	1.89	pCi/m3	0.13	1.1			
SESPMNT	B10417	300 NE	ONSITE	AT	07-Sep-00	TRITIUM	1.42	pCi/m3	0.1	0.94			
SESPMNT	B10419	PROSSER BARRICADE	PERIMETER	AT	08-Sep-00	TRITIUM	0.373	pCi/m3	0.028	0.96	U		
SESPMNT	B10420	YAKIMA	DISTANT	AT	08-Sep-00	TRITIUM	1.29	pCi/m3	0.09	0.94	U		
SESPMNT	B10886	LESLIE GROVES-RCHLND	COMMUNITY	AT	26-Sep-00	TRITIUM	4.56	pCi/m3	0.29	1.7			
SESPMNT	B10879	200 ESE	ONSITE	AT	26-Sep-00	TRITIUM	-0.223	pCi/m3	0.017	1.3	U		
SESPMNT	B10880	200 TEL. EXCHANGE	ONSITE	AT	26-Sep-00	TRITIUM	0.336	pCi/m3	0.025	1.4	U		
SESPMNT	B10887	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	27-Sep-00	TRITIUM	1.06	pCi/m3	0.076	0.99	U		
SESPMNT	B10885	BASIN CITY SCHOOL	COMMUNITY	AT	27-Sep-00	TRITIUM						NO SAMPLE. ZERO END FLOW AND NO COLOR CHANGE.	
SESPMNT	B10884	WAHLUKE SLOPE	PERIMETER	AT	28-Sep-00	TRITIUM	0.736	pCi/m3	0.054	1.2	U		
SESPMNT	B10883	BYERS LANDING	PERIMETER	AT	29-Sep-00	TRITIUM	2.09	pCi/m3	0.14	1.2			
SESPMNT	B10882	DOGWOOD MET TOWER	PERIMETER	AT	29-Sep-00	TRITIUM	0.723	pCi/m3	0.052	0.97	U		
SESPMNT	B10881	RINGOLD MET TOWER	PERIMETER	AT	29-Sep-00	TRITIUM	0.12	pCi/m3	0.0091	1.2	U		
SESPMNT	B10D70	400 E	ONSITE	AT	03-Oct-00	TRITIUM	3.52	pCi/m3	0.24	1.6			
SESPMNT	B10D66	100 N-1325 CRIB	ONSITE	AT	03-Oct-00	TRITIUM	1.34	pCi/m3	0.093	0.88			
SESPMNT	B10D65	100 K AREA	ONSITE	AT	03-Oct-00	TRITIUM	1.61	pCi/m3	0.12	1.1	U		
SESPMNT	B10BK1	TOPPENISH	DISTANT	AT	04-Oct-00	TRITIUM	-0.058	pCi/m3	0.0048	0.93	U		
SESPMNT	B10D64	300 SOUTH GATE	ONSITE	AT	05-Oct-00	TRITIUM	6.6	pCi/m3	0.41	1.8			
SESPMNT	B10D67	300 SOUTH GATE	ONSITE	AT	05-Oct-00	TRITIUM	2.21	pCi/m3	0.15	0.99			
SESPMNT	B10D73	300 WATER INTAKE	ONSITE	AT	05-Oct-00	TRITIUM						NO SAMPLE. NO COLOR CHANGE.	
SESPMNT	B10D74	300 SOUTH WEST	ONSITE	AT	05-Oct-00	TRITIUM	4.66	pCi/m3	0.29	1.4			
SESPMNT	B10D68	300 TRENCH	ONSITE	AT	05-Oct-00	TRITIUM	3.79	pCi/m3	0.25	1.5			
SESPMNT	B10D69	300 NE	ONSITE	AT	05-Oct-00	TRITIUM	3.89	pCi/m3	0.26	1.5			
SESPMNT	B10D71	PROSSER BARRICADE	PERIMETER	AT	06-Oct-00	TRITIUM	0.925	pCi/m3	0.072	0.83	U		
SESPMNT	B10D72	YAKIMA	DISTANT	AT	06-Oct-00	TRITIUM	-0.0114	pCi/m3	0.00095	0.64	U		
SESPMNT	B10KT1	LESLIE GROVES-RCHLND	COMMUNITY	AT	24-Oct-00	TRITIUM	2.91	pCi/m3	0.19	1.2			
SESPMNT	B10KR4	200 ESE	ONSITE	AT	24-Oct-00	TRITIUM	2.95	pCi/m3	0.2	1.3			
SESPMNT	B10KR5	200 TEL. EXCHANGE	ONSITE	AT	24-Oct-00	TRITIUM	3.29	pCi/m3	0.22	1.4			
SESPMNT	B10KT2	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	25-Oct-00	TRITIUM	0.74	pCi/m3	0.052	0.72	U		
SESPMNT	B10KT0	BASIN CITY SCHOOL	COMMUNITY	AT	25-Oct-00	TRITIUM	0.783	pCi/m3	0.053	0.49	J		
SESPMNT	B10KR9	WAHLUKE SLOPE	PERIMETER	AT	26-Oct-00	TRITIUM	1.17	pCi/m3	0.083	1	U		
SESPMNT	B10KR6	RINGOLD MET TOWER	PERIMETER	AT	27-Oct-00	TRITIUM	0.681	pCi/m3	0.048	0.84	U		
SESPMNT	B10KR7	DOGWOOD MET TOWER	PERIMETER	AT	27-Oct-00	TRITIUM	1.24	pCi/m3	0.081	0.56			
SESPMNT	B10KR8	BYERS LANDING	PERIMETER	AT	27-Oct-00	TRITIUM	1.25	pCi/m3	0.086	0.97	U		
SESPMNT	B10L60	400 E	ONSITE	AT	30-Oct-00	TRITIUM	1.56	pCi/m3	0.098	0.51			
SESPMNT	B10L55	100 K AREA	ONSITE	AT	30-Oct-00	TRITIUM	1.76	pCi/m3	0.11	0.72			
SESPMNT	B10L56	100 N-1325 CRIB	ONSITE	AT	30-Oct-00	TRITIUM	2.11	pCi/m3	0.14	0.93			
SESPMNT	B10L54	TOPPENISH	DISTANT	AT	01-Nov-00	TRITIUM	0.53	pCi/m3	0.04	0.68	U	SAMPLE NOT PROPERLY CONNECTED FIRST 2-WEEKS OF 4-WEEK SAMPLE.	
SESPMNT	B10L57	300 SOUTH GATE	ONSITE	AT	02-Nov-00	TRITIUM	2.67	pCi/m3	0.18	1			
SESPMNT	B10L53	300 SOUTH GATE	ONSITE	AT	02-Nov-00	TRITIUM	2.61	pCi/m3	0.17	0.99			
SESPMNT	B10L63	300 WATER INTAKE	ONSITE	AT	02-Nov-00	TRITIUM	1.63	pCi/m3	0.11	1			
SESPMNT	B10L64	300 SOUTH WEST	ONSITE	AT	02-Nov-00	TRITIUM	1.03	pCi/m3	0.07	0.48			
SESPMNT	B10L58	300 TRENCH	ONSITE	AT	02-Nov-00	TRITIUM	1.46	pCi/m3	0.099	0.67			
SESPMNT	B10L59	300 NE	ONSITE	AT	02-Nov-00	TRITIUM	2.11	pCi/m3	0.14	0.83			
SESPMNT	B10L61	PROSSER BARRICADE	PERIMETER	AT	03-Nov-00	TRITIUM	1.11	pCi/m3	0.08	0.95	U		
SESPMNT	B10L62	YAKIMA	DISTANT	AT	03-Nov-00	TRITIUM	2.11	pCi/m3	0.14	0.99			
SESPMNT	B10RK3	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-Nov-00	TRITIUM						NO SAMPLE. 0 RING NOT SEATED.	
SESPMNT	B10RJ6	200 ESE	ONSITE	AT	20-Nov-00	TRITIUM	0.594	pCi/m3	0.6	0.92	U		
SESPMNT	B10RJ7	200 TEL. EXCHANGE	ONSITE	AT	20-Nov-00	TRITIUM	0.959	pCi/m3	0.82	1.3	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

AIR COMPOSITES AND I-129, H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10RK1	WAHLUKE SLOPE	PERIMETER	AT	21-Nov-00	TRITIUM	2.45	pCi/m3	0.5	0.79			
SESPMNT	B10RK2	BASIN CITY SCHOOL	COMMUNITY	AT	21-Nov-00	TRITIUM	0.573	pCi/m3	0.28	0.43	U		
SESPMNT	B10RK4	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	21-Nov-00	TRITIUM	0.435	pCi/m3	0.47	0.73	U		
SESPMNT	B10RK0	BYERS LANDING	PERIMETER	AT	22-Nov-00	TRITIUM	2.2	pCi/m3	0.48	0.76			
SESPMNT	B10RJ9	DOGWOOD MET TOWER	PERIMETER	AT	22-Nov-00	TRITIUM	1.45	pCi/m3	0.56	0.87			
SESPMNT	B10RJ8	RINGOLD MET TOWER	PERIMETER	AT	22-Nov-00	TRITIUM	1.25	pCi/m3	0.54	0.84			
SESPMNT	B10W28	400 E	ONSITE	AT	28-Nov-00	TRITIUM	1.79	pCi/m3	0.54	0.84			
SESPMNT	B10W24	100 N-1325 CRIB	ONSITE	AT	28-Nov-00	TRITIUM	2.01	pCi/m3	0.38	0.6			
SESPMNT	B10W23	100 K AREA	ONSITE	AT	28-Nov-00	TRITIUM	1.88	pCi/m3	0.45	0.71			
SESPMNT	B10W25	300 SOUTH GATE	ONSITE	AT	29-Nov-00	TRITIUM	3.67	pCi/m3	0.6	0.95			
SESPMNT	B10W09	300 SOUTH GATE	ONSITE	AT	29-Nov-00	TRITIUM	1.94	pCi/m3	0.42	0.66			
SESPMNT	B10W31	300 WATER INTAKE	ONSITE	AT	29-Nov-00	TRITIUM	1.73	pCi/m3	0.54	0.84			
SESPMNT	B10W32	300 SOUTH WEST	ONSITE	AT	29-Nov-00	TRITIUM	2.85	pCi/m3	0.51	0.81			
SESPMNT	B10W26	300 TRENCH	ONSITE	AT	29-Nov-00	TRITIUM	1.71	pCi/m3	0.5	0.79			
SESPMNT	B10W27	300 NE	ONSITE	AT	29-Nov-00	TRITIUM	1.65	pCi/m3	0.51	0.8			
SESPMNT	B10W10	TOPPENISH	DISTANT	AT	29-Nov-00	TRITIUM	0.559	pCi/m3	0.46	0.71	U		
SESPMNT	B10W30	YAKIMA	DISTANT	AT	30-Nov-00	TRITIUM	-0.0726	pCi/m3	0.39	0.6	U		
SESPMNT	B10W29	PROSSER BARRICADE	PERIMETER	AT	06-Dec-00	TRITIUM	1.66	pCi/m3	0.4	0.62			
SESPMNT	B112M5	LESLIE GROVES-RCHLND	COMMUNITY	AT	17-Dec-00	TRITIUM	7.59	pCi/m3	0.57	1			
SESPMNT	B112L8	200 ESE	ONSITE	AT	18-Dec-00	TRITIUM	1.82	pCi/m3	0.5	0.77			
SESPMNT	B112L9	200 TEL. EXCHANGE	ONSITE	AT	18-Dec-00	TRITIUM	1.35	pCi/m3	0.33	0.51			
SESPMNT	B112M3	WAHLUKE SLOPE	PERIMETER	AT	18-Dec-00	TRITIUM	1.2	pCi/m3	0.27	0.42			
SESPMNT	B112M4	BASIN CITY SCHOOL	COMMUNITY	AT	18-Dec-00	TRITIUM	1.27	pCi/m3	0.43	0.67			
SESPMNT	B112M6	EDWIN MARKHAM SCHOOL	COMMUNITY	AT	18-Dec-00	TRITIUM	0.869	pCi/m3	0.41	0.64	U		
SESPMNT	B112M2	BYERS LANDING	PERIMETER	AT	19-Dec-00	TRITIUM	1.88	pCi/m3	0.39	0.61			
SESPMNT	B112M1	DOGWOOD MET TOWER	PERIMETER	AT	19-Dec-00	TRITIUM	1.58	pCi/m3	0.53	0.83			
SESPMNT	B112M0	RINGOLD MET TOWER	PERIMETER	AT	19-Dec-00	TRITIUM	1.03	pCi/m3	0.46	0.71	U		
SESPMNT	B113P0	400 E	ONSITE	AT	27-Dec-00	TRITIUM	2.99	pCi/m3	0.5	0.8			
SESPMNT	B113N6	100 N-1325 CRIB	ONSITE	AT	27-Dec-00	TRITIUM	1.49	pCi/m3	0.36	0.57			
SESPMNT	B113N5	100 K AREA	ONSITE	AT	27-Dec-00	TRITIUM	1.67	pCi/m3	0.4	0.63			
SESPMNT	B113N2	300 SOUTH GATE	ONSITE	AT	28-Dec-00	TRITIUM	2.6	pCi/m3	0.46	0.72			
SESPMNT	B113N7	300 SOUTH GATE	ONSITE	AT	28-Dec-00	TRITIUM	0.817	pCi/m3	0.18	0.28	J		
SESPMNT	B113T2	300 WATER INTAKE	ONSITE	AT	28-Dec-00	TRITIUM	2.56	pCi/m3	0.45	0.71			
SESPMNT	B113T3	300 SOUTH WEST	ONSITE	AT	28-Dec-00	TRITIUM	2.53	pCi/m3	0.5	0.79			
SESPMNT	B113N8	300 TRENCH	ONSITE	AT	28-Dec-00	TRITIUM	1.47	pCi/m3	0.39	0.61			
SESPMNT	B113N9	300 NE	ONSITE	AT	28-Dec-00	TRITIUM	1.63	pCi/m3	0.44	0.68			
SESPMNT	B113P1	PROSSER BARRICADE	PERIMETER	AT	29-Dec-00	TRITIUM	1.67	pCi/m3	0.34	0.53			
SESPMNT	B113N3	TOPPENISH	DISTANT	AT	29-Dec-00	TRITIUM	1.03	pCi/m3	0.42	0.64			
SESPMNT	B113P2	YAKIMA	DISTANT	AT	29-Dec-00	TRITIUM	0.376	pCi/m3	0.26	0.4	U		

Surface Water

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CONS SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMPLE COMMENT	RESULT COMMENT
SESPMNT	B0X7J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	ALPHA	0.713	pCi/L	0.64	0.8	U		
SESPMNT	B0XH22	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	ALPHA	0.355	pCi/L	0.42	0.62	U		
SESPMNT	B0XP16	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	ALPHA	1.16	pCi/L	0.85	1	U		
SESPMNT	B0XVN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	ALPHA	0.0856	pCi/L	0.17	0.48	U		
SESPMNT	B0Y231	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	ALPHA	0.0444	pCi/L	0.12	0.55	U		
SESPMNT	B0YB64	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	ALPHA	0.13	pCi/L	0.25	0.56	U		
SESPMNT	B0YKV4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	ALPHA	0.942	pCi/L	0.72	0.88	U		
SESPMNT	B0YW65	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	ALPHA	0.723	pCi/L	0.67	0.83	U		
SESPMNT	B103W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	ALPHA	0.596	pCi/L	0.58	0.75	U		
SESPMNT	B10C13	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	ALPHA	0.918	pCi/L	0.82	0.86	U		
SESPMNT	B10MP5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	ALPHA	0.689	pCi/L	0.82	0.84	U		
SESPMNT	B110Y4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	ALPHA	1.15	pCi/L	0.97	1	U		
SESPMNT	B0X7K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	ALPHA	0.221	pCi/L	0.35	0.6	U		
SESPMNT	B0XH28	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	ALPHA	0.344	pCi/L	0.42	0.62	U		
SESPMNT	B0XP21	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	ALPHA	0.809	pCi/L	0.7	0.86	U		
SESPMNT	B0XVP1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	ALPHA	0.18	pCi/L	0.33	0.62	U		
SESPMNT	B0Y237	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	ALPHA	0.606	pCi/L	0.57	0.73	U		
SESPMNT	B0YB76	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	ALPHA	0.175	pCi/L	0.3	0.57	U		
SESPMNT	B0YKW1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	ALPHA	0.304	pCi/L	0.39	0.61	U		
SESPMNT	B0YW70	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	ALPHA	1.53	pCi/L	0.9	1.1	J		
SESPMNT	B103X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	ALPHA	0.507	pCi/L	0.56	0.74	U		
SESPMNT	B10C19	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	ALPHA	0.823	pCi/L	0.79	0.82	U		
SESPMNT	B10MR1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	ALPHA	0.742	pCi/L	0.8	0.83	U		
SESPMNT	B11100	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	ALPHA	0.986	pCi/L	0.87	0.9	U		
SESPMNT	B0X7J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	BETA	-0.396	pCi/L	0.96	1.4	U		
SESPMNT	B0XH22	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	BETA	1.12	pCi/L	0.75	1.5	U		
SESPMNT	B0XP16	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	BETA	0.911	pCi/L	0.68	1.5	U		
SESPMNT	B0XVN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	BETA	0.189	pCi/L	0.23	1.4	U		
SESPMNT	B0Y231	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	BETA	3.23	pCi/L	1.2	1.7	J		
SESPMNT	B0YB64	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	BETA	0.84	pCi/L	0.64	1.5	U		
SESPMNT	B0YKV4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	BETA	-0.222	pCi/L	0.38	1.3	U		
SESPMNT	B0YW65	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	BETA	0.58	pCi/L	0.51	1.4	U		
SESPMNT	B103W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	BETA	1.15	pCi/L	0.75	1.5	U		
SESPMNT	B10C13	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	BETA	0.933	pCi/L	1.3	1.4	U		
SESPMNT	B10MP5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	BETA	3.54	pCi/L	1.5	1.7	J		
SESPMNT	B110Y4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	BETA	1.55	pCi/L	1.4	1.5	U		
SESPMNT	B0X7K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	BETA	2.26	pCi/L	1.1	1.6	U		
SESPMNT	B0XH28	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	BETA	1.12	pCi/L	0.75	1.5	U		
SESPMNT	B0XP21	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	BETA	0.126	pCi/L	0.15	1.4	U		
SESPMNT	B0XVP1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	BETA	0.62	pCi/L	0.53	1.4	U		
SESPMNT	B0Y237	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	BETA	-0.767	pCi/L	1.3	1.3	U		
SESPMNT	B0YB76	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	BETA	0.548	pCi/L	0.5	1.4	U		
SESPMNT	B0YKW1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	BETA	0.567	pCi/L	0.51	1.5	U		
SESPMNT	B0YW70	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	BETA	0.695	pCi/L	0.57	1.4	U		
SESPMNT	B103X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	BETA	1.44	pCi/L	0.9	1.6	U		
SESPMNT	B10C19	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	BETA	0.928	pCi/L	1.3	1.5	U		
SESPMNT	B10MR1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	BETA	0.86	pCi/L	1.4	1.5	U		
SESPMNT	B11100	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	BETA	0.724	pCi/L	1.4	1.5	U		
SESPMNT	B0X775	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	I-129	0.0000033	pCi/L		3.56E-07			
SESPMNT	B0XVD3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	I-129	0.0000139	pCi/L		1.22E-06			
SESPMNT	B0YKJ9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	I-129	0.0000047	pCi/L		7.43E-07			
SESPMNT	B10BR0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	I-129	0.0000108	pCi/L		1.06E-06			
SESPMNT	B0X790	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	I-129	0.0001191	pCi/L		5.72E-06			
SESPMNT	B0XVF7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	I-129	0.0000576	pCi/L		3.92E-06			
SESPMNT	B0YKL4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	I-129	0.0001005	pCi/L		7.44E-06			
SESPMNT	B10BT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	I-129	0.0000807	pCi/L		5.00E-06			
SESPMNT	B0X7J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	SR-90	0.0592	pCi/L	0.02	0.031	J		
SESPMNT	B0XH22	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	SR-90	0.0709	pCi/L	0.023	0.033			
SESPMNT	B0XP16	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	SR-90	0.0631	pCi/L	0.02	0.029			

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLMTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	AVAL UNITS RPTD	TOTAL ERROR	TOTAL AVAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XVN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	SR-90	0.0679	pCi/L	0.02	0.03			
SESPMNT	B0Y231	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	SR-90	0.0654	pCi/L	0.02	0.029			
SESPMNT	B0YB64	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	SR-90	0.0579	pCi/L	0.02	0.029	J		
SESPMNT	B0YKV4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	SR-90	0.0726	pCi/L	0.021	0.031			
SESPMNT	B0YW65	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	SR-90	0.0814	pCi/L	0.022	0.032			
SESPMNT	B103W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	SR-90	0.082	pCi/L	0.026	0.034			
SESPMNT	B10C13	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	SR-90	0.0818	pCi/L	0.028	0.036			
SESPMNT	B10MP5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	SR-90	0.0759	pCi/L	0.023	0.033			
SESPMNT	B110Y4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	SR-90	0.0799	pCi/L	0.028	0.035			
SESPMNT	B0X7K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	SR-90	0.0532	pCi/L	0.02	0.029	J		
SESPMNT	B0XH28	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	SR-90	0.1	pCi/L	0.025	0.037			
SESPMNT	B0XP21	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	SR-90	0.0733	pCi/L	0.021	0.031			
SESPMNT	B0XVP1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	SR-90	0.0599	pCi/L	0.018	0.027	J		
SESPMNT	B0Y237	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	SR-90	0.0403	pCi/L	0.016	0.025	J		
SESPMNT	B0YB76	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	SR-90	0.0518	pCi/L	0.018	0.026	J		
SESPMNT	B0YKW1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	SR-90	0.0598	pCi/L	0.017	0.026	J		
SESPMNT	B0YW70	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	SR-90	0.0724	pCi/L	0.021	0.031			
SESPMNT	B103X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	SR-90	0.0672	pCi/L	0.025	0.031			
SESPMNT	B10C19	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	SR-90	0.0712	pCi/L	0.026	0.033			
SESPMNT	B10MR1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	SR-90	0.0717	pCi/L	0.022	0.031			
SESPMNT	B11100	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	SR-90	0.0634	pCi/L	0.027	0.032			
SESPMNT	B0X7J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	TC-99	-0.0481	pCi/L	0.0014	0.27	U		
SESPMNT	B0XH22	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	TC-99	-0.0388	pCi/L	0.0011	0.28	U		
SESPMNT	B0XP16	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	TC-99	0.144	pCi/L	0.0042	0.28	U		
SESPMNT	B0XVN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	TC-99	-0.0778	pCi/L	0.0024	0.26	U		
SESPMNT	B0Y231	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	TC-99	-0.0297	pCi/L	0.00088	0.27	U		
SESPMNT	B0YB64	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	TC-99	0.158	pCi/L	0.0046	0.28	U		
SESPMNT	B0YKV4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	TC-99	-0.269	pCi/L	0.0086	0.24	U		
SESPMNT	B0YW65	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	TC-99	-0.117	pCi/L	0.0036	0.25	U		
SESPMNT	B103W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	TC-99	0.0709	pCi/L	0.0021	0.26	U		
SESPMNT	B10C13	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	TC-99	0.118	pCi/L	0.095	0.25	U		
SESPMNT	B10MP5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	TC-99	-0.0237	pCi/L	0.094	0.25	U		
SESPMNT	B110Y4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	TC-99	-0.115	pCi/L	0.095	0.26	U		
SESPMNT	B0X7K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	TC-99	-0.0608	pCi/L	0.0018	0.27	U		
SESPMNT	B0XH28	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	TC-99	0.0206	pCi/L	0.0006	0.29	U		
SESPMNT	B0XP21	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	TC-99	0.146	pCi/L	0.0043	0.28	U		
SESPMNT	B0XVP1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	TC-99	-0.0466	pCi/L	0.0014	0.26	U		
SESPMNT	B0Y237	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	TC-99	-0.1	pCi/L	0.003	0.27	U		
SESPMNT	B0YB76	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	TC-99	0.027	pCi/L	0.0008	0.27	U		
SESPMNT	B0YKW1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	TC-99	-0.0827	pCi/L	0.0026	0.25	U		
SESPMNT	B0YW70	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	TC-99	-0.0637	pCi/L	0.0019	0.26	U		
SESPMNT	B103X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	TC-99	0.00405	pCi/L	0.00012	0.26	U		
SESPMNT	B10C19	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	TC-99	0.299	pCi/L	0.097	0.26	J		
SESPMNT	B10MR1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	TC-99	-0.0482	pCi/L	0.095	0.26	U		
SESPMNT	B11100	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	TC-99	-0.0535	pCi/L	0.095	0.26	U		
SESPMNT	B0X7J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	LO TRITIUM	35.2	pCi/L	0.97	5.5			
SESPMNT	B0XH22	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	LO TRITIUM	29.2	pCi/L	0.79	5.5			
SESPMNT	B0XP16	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	LO TRITIUM	46.8	pCi/L	1.2	6.5			
SESPMNT	B0XVN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	LO TRITIUM	41.6	pCi/L	1.1	5.9			
SESPMNT	B0Y231	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	LO TRITIUM	27.8	pCi/L	0.8	5			
SESPMNT	B0YB64	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	LO TRITIUM	53.3	pCi/L	1.3	6.9			SAMPLE WAS ERRONEOUSLY ACIDIFIED PRIOR TO ANALYSIS.
SESPMNT	B0YKV4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	LO TRITIUM	39.7	pCi/L	1	6			
SESPMNT	B0YW65	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	LO TRITIUM	30.3	pCi/L	3.3	6.1			
SESPMNT	B103W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	LO TRITIUM	28.8	pCi/L	3.3	6.1			
SESPMNT	B10C13	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	LO TRITIUM	23.8	pCi/L	3.2	5.8			
SESPMNT	B10MP5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	LO TRITIUM	27.3	pCi/L	3.2	6			
SESPMNT	B110Y4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	LO TRITIUM	41.4	pCi/L	3.5	7			SAMPLE WAS INADVERTENTLY ACIDIFIED.
SESPMNT	B0X7K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	LO TRITIUM	61.5	pCi/L	1.5	7.5			
SESPMNT	B0XH28	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	LO TRITIUM	98.1	pCi/L	2	11			

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XP21	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	LO TRITIUM	96.7	pCi/L	2.1	10			
SESPMNT	B0XVP1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	LO TRITIUM	52.6	pCi/L	1.3	6.7			
SESPMNT	B0Y237	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	LO TRITIUM	49.9	pCi/L	1.3	6.6			
SESPMNT	B0YB76	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	LO TRITIUM	80.6	pCi/L	1.8	9			SAMPLE WAS ERRONEOUSLY ACIDIFIED PRIOR TO ANALYSIS.
SESPMNT	B0YKW1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	LO TRITIUM	80.2	pCi/L	1.8	9.1			
SESPMNT	B0YW70	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	LO TRITIUM	97	pCi/L	4.4	11			
SESPMNT	B103X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	LO TRITIUM	75.6	pCi/L	4.1	9.6			
SESPMNT	B10C19	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	LO TRITIUM	88.9	pCi/L	4.4	11			
SESPMNT	B10MR1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	LO TRITIUM	62.7	pCi/L	3.9	8.6			
SESPMNT	B11100	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	LO TRITIUM	81.6	pCi/L	4.2	10			Sample was inadvertently acidified
SESPMNT	B0X7J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	U-234	0.244	pCi/L	0.043	0.059			
SESPMNT	B0XH22	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	U-234	0.211	pCi/L	0.039	0.053			
SESPMNT	B0XP16	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	U-234	0.236	pCi/L	0.039	0.055			
SESPMNT	B0XVN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	U-234	0.258	pCi/L	0.043	0.06			
SESPMNT	B0Y231	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	U-234	0.23	pCi/L	0.038	0.057			
SESPMNT	B0YB64	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	U-234	0.233	pCi/L	0.044	0.062			
SESPMNT	B0YKV4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	U-234	0.235	pCi/L	0.051	0.068			
SESPMNT	B0YW65	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	U-234	0.201	pCi/L	0.04	0.055			
SESPMNT	B103W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	U-234	0.225	pCi/L	0.049	0.066			
SESPMNT	B10C13	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	U-234	0.214	pCi/L	0.035	0.053			
SESPMNT	B10MP5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	U-234	0.191	pCi/L	0.038	0.051			
SESPMNT	B110Y4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	U-234	0.187	pCi/L	0.034	0.047			
SESPMNT	B0X7K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	U-234	0.242	pCi/L	0.036	0.053			
SESPMNT	B0XH28	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	U-234	0.327	pCi/L	0.056	0.078			
SESPMNT	B0XP21	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	U-234	0.292	pCi/L	0.044	0.065			
SESPMNT	B0XVP1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	U-234	0.205	pCi/L	0.037	0.051			
SESPMNT	B0Y237	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	U-234	0.253	pCi/L	0.04	0.061			
SESPMNT	B0YB76	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	U-234	0.207	pCi/L	0.041	0.057			
SESPMNT	B0YKW1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	U-234	0.218	pCi/L	0.045	0.061			
SESPMNT	B0YW70	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	U-234	0.284	pCi/L	0.047	0.07			
SESPMNT	B103X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	U-234	0.256	pCi/L	0.036	0.059			
SESPMNT	B10C19	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	U-234	0.215	pCi/L	0.033	0.051			
SESPMNT	B10MR1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	U-234	0.212	pCi/L	0.046	0.06			
SESPMNT	B11100	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	U-234	0.274	pCi/L	0.036	0.061			
SESPMNT	B0X7J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	U-235	0.00558	pCi/L	0.0055	0.0091	U		
SESPMNT	B0XH22	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	U-235	0.00297	pCi/L	0.0041	0.009	U		
SESPMNT	B0XP16	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	U-235	0.00192	pCi/L	0.0025	0.0071	U		
SESPMNT	B0XVN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	U-235	0.00425	pCi/L	0.0047	0.0086	U		
SESPMNT	B0Y231	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	U-235	0.00685	pCi/L	0.006	0.0092	U		
SESPMNT	B0YB64	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	U-235	0.00119	pCi/L	0.002	0.0078	U		
SESPMNT	B0YKV4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	U-235	0.00791	pCi/L	0.0087	0.013	U		
SESPMNT	B0YW65	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	U-235	-0.0000967	pCi/L	0.00018	0.0062	U		
SESPMNT	B103W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	U-235	0.00112	pCi/L	0.0021	0.0084	U		
SESPMNT	B10C13	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	U-235	-0.000432	pCi/L	0.00061	0.0045	U		
SESPMNT	B10MP5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	U-235	-0.00122	pCi/L	0.0054	0.0057	U		
SESPMNT	B110Y4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	U-235	0.00236	pCi/L	0.0057	0.006	U		
SESPMNT	B0X7K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	U-235	0.00296	pCi/L	0.0029	0.0065	U		
SESPMNT	B0XH28	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	U-235	0.00254	pCi/L	0.0046	0.011	U		
SESPMNT	B0XP21	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	U-235	0.00317	pCi/L	0.0039	0.0083	U		
SESPMNT	B0XVP1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	U-235	0.0135	pCi/L	0.0089	0.012	J		
SESPMNT	B0Y237	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	U-235	0.0129	pCi/L	0.01	0.013	U		
SESPMNT	B0YB76	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	U-235	-0.00209	pCi/L	0.0049	0.0049	U		
SESPMNT	B0YKW1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	U-235	0.00897	pCi/L	0.0087	0.012	U		
SESPMNT	B0YW70	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	U-235	0.011	pCi/L	0.0088	0.012	U		
SESPMNT	B103X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	U-235	0.00215	pCi/L	0.0024	0.0063	U		
SESPMNT	B10C19	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	U-235	0.00567	pCi/L	0.0043	0.0072	U		
SESPMNT	B10MR1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	U-235	0.0135	pCi/L	0.013	0.013	J		
SESPMNT	B11100	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	U-235	-0.000368	pCi/L	0.0041	0.0045	U		
SESPMNT	B0X7J0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	U-238	0.155	pCi/L	0.034	0.043			

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL METHD	SAMP DATE	CONT SHORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL AND TE ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XH22	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	U-238	0.161	pCi/L	0.035	0.044			
SESPMNT	B0XP16	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	U-238	0.177	pCi/L	0.034	0.045			
SESPMNT	B0XVN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	U-238	0.173	pCi/L	0.035	0.045			
SESPMNT	B0Y231	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	U-238	0.142	pCi/L	0.031	0.041			
SESPMNT	B0YB64	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	U-238	0.193	pCi/L	0.04	0.054			
SESPMNT	B0YKV4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	U-238	0.176	pCi/L	0.044	0.056			
SESPMNT	B0YW65	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	U-238	0.149	pCi/L	0.035	0.045			
SESPMNT	B103W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	U-238	0.193	pCi/L	0.046	0.058			
SESPMNT	B10C13	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	U-238	0.177	pCi/L	0.032	0.045			
SESPMNT	B10MP5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	U-238	0.192	pCi/L	0.037	0.051			
SESPMNT	B110Y4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	U-238	0.177	pCi/L	0.032	0.045			
SESPMNT	B0X7K4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Feb-00	U-238	0.189	pCi/L	0.032	0.044			
SESPMNT	B0XH28	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	08-Mar-00	U-238	0.23	pCi/L	0.047	0.061			
SESPMNT	B0XP21	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Apr-00	U-238	0.231	pCi/L	0.04	0.054			
SESPMNT	B0XVP1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	03-May-00	U-238	0.187	pCi/L	0.036	0.048			
SESPMNT	B0Y237	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	31-May-00	U-238	0.181	pCi/L	0.034	0.048			
SESPMNT	B0YB76	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Jun-00	U-238	0.166	pCi/L	0.037	0.048			
SESPMNT	B0YKW1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	10-Aug-00	U-238	0.163	pCi/L	0.039	0.05			
SESPMNT	B0YW70	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	07-Sep-00	U-238	0.229	pCi/L	0.042	0.059			
SESPMNT	B103X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	05-Oct-00	U-238	0.206	pCi/L	0.032	0.049			
SESPMNT	B10C19	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	02-Nov-00	U-238	0.195	pCi/L	0.031	0.047			
SESPMNT	B10MR1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	29-Nov-00	U-238	0.175	pCi/L	0.042	0.052			
SESPMNT	B11100	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	UNFILTERED	04-Jan-01	U-238	0.171	pCi/L	0.028	0.042			

ENVIRONMENTAL SURVEILLANCE DATA CY00

RIVERFLOW [a]

OWNER ID	SAMPLE SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	01-Jan-00	165000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Jan-00	134000	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Jan-00	142000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Jan-00	158000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Jan-00	148000	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Jan-00	160000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Jan-00	167000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Jan-00	158000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Jan-00	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Jan-00	142000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Jan-00	166000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Jan-00	152000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Jan-00	160000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Jan-00	164000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Jan-00	164000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Jan-00	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Jan-00	130000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Jan-00	147000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Jan-00	147000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Jan-00	153000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Jan-00	151000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Jan-00	117000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Jan-00	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Jan-00	146000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Jan-00	163000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Jan-00	161000	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Jan-00	156000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Jan-00	155000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Jan-00	154000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Jan-00	170000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Jan-00	165000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Feb-00	159000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Feb-00	164000	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Feb-00	123000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Feb-00	108000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Feb-00	165000	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Feb-00	93400	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Feb-00	111000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Feb-00	111000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Feb-00	121000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Feb-00	162000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Feb-00	158000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Feb-00	145000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Feb-00	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Feb-00	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Feb-00	157000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Feb-00	131000	CFS

ENVIRONMENTAL SURVEILLANCE DATA CY00

RIVERFLOW [a]

OWNER ID	SAMP STATION	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	17-Feb-00	110000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Feb-00	115000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Feb-00	92700	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Feb-00	96700	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Feb-00	98800	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Feb-00	110000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Feb-00	138000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Feb-00	120000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Feb-00	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Feb-00	110000	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Feb-00	68000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Feb-00	89800	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Feb-00	112000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Mar-00	107000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Mar-00	98200	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Mar-00	85000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Mar-00	79300	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Mar-00	80700	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Mar-00	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Mar-00	136000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Mar-00	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Mar-00	109000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Mar-00	129000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Mar-00	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Mar-00	93200	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Mar-00	105000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Mar-00	120000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Mar-00	149000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Mar-00	145000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Mar-00	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Mar-00	95800	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Mar-00	62200	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Mar-00	83900	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Mar-00	120000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Mar-00	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Mar-00	114000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Mar-00	97700	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Mar-00	71700	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Mar-00	62200	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Mar-00	90400	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Mar-00	115000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Mar-00	118000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Mar-00	107000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Mar-00	108000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Apr-00	74000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Apr-00	83800	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Apr-00	106000	CFS

ENVIRONMENTAL SURVEILLANCE DATA CY00

RIVERFLOW [a]

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	04-Apr-00	132000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Apr-00	115000	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Apr-00	111000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Apr-00	107000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Apr-00	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Apr-00	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Apr-00	147000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Apr-00	138000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Apr-00	148000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Apr-00	145000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Apr-00	154000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Apr-00	127000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Apr-00	126000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Apr-00	157000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Apr-00	179000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Apr-00	197000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Apr-00	185000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Apr-00	189000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Apr-00	231000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Apr-00	205000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Apr-00	197000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Apr-00	233000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Apr-00	196000	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Apr-00	191000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Apr-00	201000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Apr-00	170000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Apr-00	183000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-May-00	187000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-May-00	192000	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-May-00	186000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-May-00	183000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-May-00	187000	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-May-00	168000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-May-00	161000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-May-00	181000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-May-00	184000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-May-00	184000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-May-00	175000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-May-00	168000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-May-00	174000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-May-00	164000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-May-00	164000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-May-00	178000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-May-00	158000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-May-00	173000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-May-00	170000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-May-00	167000	CFS

ENVIRONMENTAL SURVEILLANCE DATA CY00

RIVERFLOW [a]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SESPMNT	BELOW PRIEST RAPIDS	21-May-00	135000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-May-00	183000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-May-00	181000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-May-00	168000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-May-00	141000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-May-00	123000	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-May-00	113000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-May-00	112000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-May-00	115000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-May-00	145000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-May-00	158000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Jun-00	131000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Jun-00	104000	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Jun-00	132000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Jun-00	127000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Jun-00	147000	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Jun-00	144000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Jun-00	141000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Jun-00	126000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Jun-00	93600	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Jun-00	109000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Jun-00	107000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Jun-00	135000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Jun-00	145000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Jun-00	147000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Jun-00	155000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Jun-00	105000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Jun-00	111000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Jun-00	116000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Jun-00	122000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Jun-00	158000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Jun-00	146000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Jun-00	146000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Jun-00	143000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Jun-00	127000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Jun-00	116000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Jun-00	135000	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Jun-00	181000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Jun-00	167000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Jun-00	151000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Jun-00	139000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Jul-00	108000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Jul-00	85600	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Jul-00	105000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Jul-00	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Jul-00	123000	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Jul-00	168000	CFS

ENVIRONMENTAL SURVEILLANCE DATA CY00

RIVERFLOW [a]

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	07-Jul-00	175000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Jul-00	156000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Jul-00	95100	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Jul-00	118000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Jul-00	145000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Jul-00	140000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Jul-00	139000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Jul-00	135000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Jul-00	120000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Jul-00	89800	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Jul-00	120000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Jul-00	143000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Jul-00	136000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Jul-00	140000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Jul-00	131000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Jul-00	112000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Jul-00	87500	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Jul-00	130000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Jul-00	122000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Jul-00	125000	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Jul-00	129000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Jul-00	121000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Jul-00	113000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Jul-00	114000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Jul-00	148000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Aug-00	151000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Aug-00	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Aug-00	130000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Aug-00	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Aug-00	115000	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Aug-00	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Aug-00	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Aug-00	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Aug-00	154000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Aug-00	159000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Aug-00	136000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Aug-00	129000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Aug-00	105000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Aug-00	127000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Aug-00	145000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Aug-00	127000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Aug-00	134000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Aug-00	127000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Aug-00	78300	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Aug-00	47900	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Aug-00	84400	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Aug-00	114000	CFS

ENVIRONMENTAL SURVEILLANCE DATA CY00

RIVERFLOW [a]

OWNER	SAMPLE SITE	SAMPLE DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	23-Aug-00	71300	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Aug-00	71000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Aug-00	95000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Aug-00	82200	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Aug-00	47900	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Aug-00	112000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Aug-00	100000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Aug-00	121000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Aug-00	92500	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Sep-00	103000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Sep-00	67900	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Sep-00	61000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Sep-00	72500	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Sep-00	97800	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Sep-00	101000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Sep-00	87700	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Sep-00	75600	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Sep-00	65500	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Sep-00	61600	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Sep-00	96100	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Sep-00	103000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Sep-00	102000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Sep-00	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Sep-00	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Sep-00	72100	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Sep-00	69200	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Sep-00	96100	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Sep-00	114000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Sep-00	109000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Sep-00	101000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Sep-00	93500	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Sep-00	74700	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Sep-00	51800	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Sep-00	88000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Sep-00	81500	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Sep-00	73200	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Sep-00	83900	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Sep-00	94200	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Sep-00	77200	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Oct-00	51100	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Oct-00	101000	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Oct-00	86200	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Oct-00	77800	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Oct-00	57200	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Oct-00	83800	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Oct-00	59700	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Oct-00	53900	CFS

ENVIRONMENTAL SURVEILLANCE DATA CY00

RIVERFLOW [a]

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	09-Oct-00	81800	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Oct-00	89200	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Oct-00	93000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Oct-00	101000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Oct-00	83600	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Oct-00	77900	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Oct-00	49800	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Oct-00	73300	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Oct-00	74000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Oct-00	72900	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Oct-00	86800	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Oct-00	99700	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Oct-00	59800	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Oct-00	42800	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Oct-00	85200	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Oct-00	79500	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Oct-00	83400	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Oct-00	84600	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Oct-00	76000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Oct-00	82400	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Oct-00	69600	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Oct-00	78300	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Oct-00	99300	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Nov-00	101000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Nov-00	93500	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Nov-00	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Nov-00	96500	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Nov-00	73700	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Nov-00	91500	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Nov-00	101000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Nov-00	101000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Nov-00	102000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Nov-00	111000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Nov-00	91700	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Nov-00	81800	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Nov-00	92300	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Nov-00	102000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Nov-00	115000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Nov-00	116000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Nov-00	108000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Nov-00	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Nov-00	67000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Nov-00	89400	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Nov-00	91300	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Nov-00	116000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Nov-00	103000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Nov-00	72600	CFS

ENVIRONMENTAL SURVEILLANCE DATA CY00

RIVERFLOW [a]

PROJECT	SAMPLE SITE	SAMPLE DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	25-Nov-00	80100	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Nov-00	79500	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Nov-00	99300	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Nov-00	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Nov-00	116000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Nov-00	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Dec-00	111000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Dec-00	98200	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Dec-00	77300	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Dec-00	99900	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Dec-00	125000	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Dec-00	125000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Dec-00	126000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Dec-00	131000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Dec-00	107000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Dec-00	104000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Dec-00	118000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Dec-00	129000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Dec-00	126000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Dec-00	139000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Dec-00	118000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Dec-00	104000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Dec-00	85100	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Dec-00	114000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Dec-00	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Dec-00	132000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Dec-00	120000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Dec-00	98600	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Dec-00	98000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Dec-00	69900	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Dec-00	68300	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Dec-00	89500	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Dec-00	121000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Dec-00	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Dec-00	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Dec-00	108000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Dec-00	87200	CFS

(a) Daily average river flow data are provided by USGS and are preliminary.

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANA ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XRW6	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	CHLORIDE	0.9	mg/L			C		
SESPMNT	B0XRW6	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B0XRW6	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW6	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	NO3-N	0.17	mg/L					
SESPMNT	B0XRW6	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	SULFATE	9.7	mg/L					
SESPMNT	B0XRK2	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	SR-90	0.0783	pCi/L	0.024	0.034			
SESPMNT	B0XRK2	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	LO TRITIUM	29.8	pCi/L	0.86	5.2			
SESPMNT	B0XRK2	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-234	0.224	pCi/L	0.044	0.058			
SESPMNT	B0XRK2	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-235	0.0148	pCi/L	0.012	0.015	U		
SESPMNT	B0XRK2	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-238	0.162	pCi/L	0.037	0.046			
SESPMNT	B0XRW7	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	CHLORIDE	0.95	mg/L			C		
SESPMNT	B0XRW7	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B0XRW7	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW7	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B0XRW7	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	SULFATE	9	mg/L					
SESPMNT	B0XRK3	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	SR-90	0.0709	pCi/L	0.024	0.033			
SESPMNT	B0XRK3	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	LO TRITIUM	28.6	pCi/L	0.83	5			
SESPMNT	B0XRK3	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-234	0.223	pCi/L	0.04	0.055			
SESPMNT	B0XRK3	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-238	0.2	pCi/L	0.038	0.051			
SESPMNT	B0XRK3	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-235	0.00962	pCi/L	0.0073	0.01	U		
SESPMNT	B0XRW8	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	CHLORIDE	0.97	mg/L			C		
SESPMNT	B0XRW8	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B0XRW8	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW8	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	NO3-N	0.17	mg/L					
SESPMNT	B0XRW8	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	SULFATE	9.6	mg/L					
SESPMNT	B0XRK4	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	SR-90	0.0696	pCi/L	0.022	0.032			
SESPMNT	B0XRK4	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	LO TRITIUM	29.8	pCi/L	0.86	5			
SESPMNT	B0XRK4	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-234	0.257	pCi/L	0.043	0.06			
SESPMNT	B0XRK4	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-235	0.012	pCi/L	0.0085	0.011	J		
SESPMNT	B0XRK4	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-238	0.183	pCi/L	0.04	0.05			
SESPMNT	B0XRW9	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	CHLORIDE	1.1	mg/L			C		
SESPMNT	B0XRW9	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B0XRW9	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW9	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	NO3-N	0.22	mg/L					
SESPMNT	B0XRW9	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	SULFATE	10.2	mg/L					
SESPMNT	B0XRK5	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	SR-90	0.0852	pCi/L	0.023	0.034			
SESPMNT	B0XRK5	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	LO TRITIUM	26.6	pCi/L	0.78	4.8			
SESPMNT	B0XRK5	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-234	0.278	pCi/L	0.046	0.064			
SESPMNT	B0XRK5	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-235	0.0281	pCi/L	0.014	0.017	J		
SESPMNT	B0XRK5	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	3/27/00 12:00 AM	U-238	0.203	pCi/L	0.039	0.052			
SESPMNT	B0XRW2	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	0.98	mg/L			C		
SESPMNT	B0XRW2	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B0XRW2	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW2	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.17	mg/L					
SESPMNT	B0XRW2	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	9.1	mg/L					
SESPMNT	B0XRP1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0873	pCi/L	0.028	0.038			
SESPMNT	B0XRP1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	70.7	pCi/L	1.7	8.3			
SESPMNT	B0XRP1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.271	pCi/L	0.037	0.057			
SESPMNT	B0XRP1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.0114	pCi/L	0.0072	0.0097	J		
SESPMNT	B0XRP1	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.189	pCi/L	0.031	0.044			
SESPMNT	B0XRW3	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	0.94	mg/L			C		
SESPMNT	B0XRW3	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.13	mg/L					
SESPMNT	B0XRW3	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW3	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.17	mg/L					
SESPMNT	B0XRW3	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	9.5	mg/L					
SESPMNT	B0XRP0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0805	pCi/L	0.028	0.038			
SESPMNT	B0XRP0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	82	pCi/L	1.9	9.2			
SESPMNT	B0XRP0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.245	pCi/L	0.04	0.056			
SESPMNT	B0XRP0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.00486	pCi/L	0.0054	0.0094	U		
SESPMNT	B0XRP0	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.21	pCi/L	0.037	0.05			

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLECTION	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XRW4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	1	mg/L			C		
SESPMNT	B0XRW4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.13	mg/L					
SESPMNT	B0XRW4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B0XRW4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	9.5	mg/L					
SESPMNT	B0XRN9	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0817	pCi/L	0.028	0.038			
SESPMNT	B0XRN9	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	69.9	pCi/L	1.7	8.2			
SESPMNT	B0XRN9	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.227	pCi/L	0.039	0.054			
SESPMNT	B0XRN9	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.00322	pCi/L	0.004	0.0083	U		
SESPMNT	B0XRN9	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.228	pCi/L	0.039	0.054			
SESPMNT	B0XRW5	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	1	mg/L			C		
SESPMNT	B0XRW5	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.13	mg/L					
SESPMNT	B0XRW5	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW5	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B0XRW5	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	9.5	mg/L					
SESPMNT	B0XRN8	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0952	pCi/L	0.031	0.043			
SESPMNT	B0XRN8	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	68.9	pCi/L	1.6	8.2			
SESPMNT	B0XRN8	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.228	pCi/L	0.04	0.055			
SESPMNT	B0XRN8	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.0035	pCi/L	0.0043	0.0087	U		
SESPMNT	B0XRN8	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.184	pCi/L	0.036	0.047			
SESPMNT	B0XRV7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	1	mg/L			C		
SESPMNT	B0XRV7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.13	mg/L					
SESPMNT	B0XRV7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRV7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B0XRV7	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	9.5	mg/L					
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0943	pCi/L	0.033	0.044			
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0942	pCi/L	0.029	0.041			
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	86.8	pCi/L	1.9	9.6			
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	84.8	pCi/L	1.9	9.4			
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.301	pCi/L	0.045	0.068			
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.0124	pCi/L	0.0087	0.011	J		
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.212	pCi/L	0.038	0.051			
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.255	pCi/L	0.041	0.058			
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.00421	pCi/L	0.0042	0.0077	U		
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.222	pCi/L	0.041	0.055			
SESPMNT	B0XRV6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	2.3	mg/L			C		
SESPMNT	B0XRV8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	0.92	mg/L			C		
SESPMNT	B0XRV8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B0XRV8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRV8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.15	mg/L					
SESPMNT	B0XRV8	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	8.6	mg/L					
SESPMNT	B0XRK7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0884	pCi/L	0.025	0.036			
SESPMNT	B0XRK7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	50.5	pCi/L	1.3	6.7			
SESPMNT	B0XRK7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.251	pCi/L	0.042	0.059			
SESPMNT	B0XRK7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.00454	pCi/L	0.0053	0.0095	U		
SESPMNT	B0XRK7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.147	pCi/L	0.033	0.041			
SESPMNT	B0XRV9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	0.99	mg/L			C		
SESPMNT	B0XRV9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.13	mg/L					
SESPMNT	B0XRV9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRV9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B0XRV9	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	9.5	mg/L					
SESPMNT	B0XRK8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0792	pCi/L	0.026	0.037			
SESPMNT	B0XRK8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	41.5	pCi/L	1.1	6			
SESPMNT	B0XRK8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.28	pCi/L	0.044	0.064			
SESPMNT	B0XRK8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.00954	pCi/L	0.0076	0.011	U		
SESPMNT	B0XRK8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.213	pCi/L	0.039	0.052			
SESPMNT	B0XRW0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	0.99	mg/L			C		
SESPMNT	B0XRW0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.13	mg/L					
SESPMNT	B0XRW0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.16	mg/L					

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	RCON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANAL ERROR %	VALIDATION QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XRW0	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	9.6	mg/L					
SESPMNT	B0XRK9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0699	pCi/L	0.025	0.034			
SESPMNT	B0XRK9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	41.8	pCi/L	1.1	6			
SESPMNT	B0XRK9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.292	pCi/L	0.047	0.067			
SESPMNT	B0XRK9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.012	pCi/L	0.01	0.013	U		
SESPMNT	B0XRK9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.177	pCi/L	0.036	0.047			
SESPMNT	B0XRW1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	CHLORIDE	1	mg/L			C		
SESPMNT	B0XRW1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B0XRW1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRW1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B0XRW1	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	9.5	mg/L					
SESPMNT	B0XRL0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0699	pCi/L	0.026	0.035			
SESPMNT	B0XRL0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	42.5	pCi/L	1.1	6.1			
SESPMNT	B0XRL0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.248	pCi/L	0.042	0.059			
SESPMNT	B0XRL0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.0192	pCi/L	0.012	0.014	J		
SESPMNT	B0XRL0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.185	pCi/L	0.037	0.048			
SESPMNT	B0XRV6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	FLUORIDE	0.15	mg/L					
SESPMNT	B0XRV6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0XRV6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	NO3-N	0.53	mg/L					
SESPMNT	B0XRV6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SULFATE	13.4	mg/L					
SESPMNT	B0XRL1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	SR-90	0.0637	pCi/L	0.023	0.032			
SESPMNT	B0XRL1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	LO TRITIUM	43.4	pCi/L	1.2	6.2			
SESPMNT	B0XRL1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-234	0.534	pCi/L	0.06	0.1			
SESPMNT	B0XRL1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-235	0.0201	pCi/L	0.011	0.013	J		
SESPMNT	B0XRL1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	3/28/00 12:00 AM	U-238	0.39	pCi/L	0.051	0.08			
SESPMNT	B0YC92	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	CHLORIDE	0.79	mg/L					
SESPMNT	B0YC92	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B0YC92	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YC92	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	NO3-N	0.06	mg/L					
SESPMNT	B0YC92	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCD7	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	SR-90	0.0771	pCi/L	0.019	0.03			
SESPMNT	B0YCD7	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	LO TRITIUM	40.6	pCi/L	1.1	5.8			
SESPMNT	B0YCD7	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-234	0.224	pCi/L	0.039	0.057			
SESPMNT	B0YCD7	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-235	0.00761	pCi/L	0.007	0.01	U		
SESPMNT	B0YCD7	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-238	0.157	pCi/L	0.035	0.046			
SESPMNT	B0YC93	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	CHLORIDE	0.77	mg/L					
SESPMNT	B0YC93	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B0YC93	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YC93	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	NO3-N	0.062	mg/L					
SESPMNT	B0YC93	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCD8	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	SR-90	0.052	pCi/L	0.017	0.025	J		
SESPMNT	B0YCD8	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	LO TRITIUM	33.4	pCi/L	0.94	5.3			
SESPMNT	B0YCD8	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-234	0.189	pCi/L	0.035	0.05			
SESPMNT	B0YCD8	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-235	0.00275	pCi/L	0.004	0.0091	U		
SESPMNT	B0YCD8	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-238	0.152	pCi/L	0.033	0.044			
SESPMNT	B0YC94	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	CHLORIDE	0.79	mg/L					
SESPMNT	B0YC94	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B0YC94	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YC94	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	NO3-N	0.063	mg/L					
SESPMNT	B0YC94	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCD9	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	SR-90	0.0487	pCi/L	0.017	0.025	J		
SESPMNT	B0YCD9	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	LO TRITIUM	38.5	pCi/L	1	5.7			
SESPMNT	B0YCD9	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-234	0.219	pCi/L	0.038	0.056			
SESPMNT	B0YCD9	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-235	0.00874	pCi/L	0.007	0.01	U		
SESPMNT	B0YCD9	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-238	0.144	pCi/L	0.031	0.041			
SESPMNT	B0YC95	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	CHLORIDE	0.81	mg/L					
SESPMNT	B0YC95	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	FLUORIDE	0.17	mg/L					
SESPMNT	B0YC95	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YC95	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	NO3-N	0.063	mg/L					
SESPMNT	B0YC95	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	SULFATE	7	mg/L					

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COMMAND	SAMP DATE	CONSTITUENT NAME	VALUE	UNITS	COUNTING ERROR	TOTAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YCF0	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	SR-90	0.0473	pCi/L	0.017	0.025	J		
SESPMNT	B0YCF0	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	LO TRITIUM	44.3	pCi/L	1.2	6.1			
SESPMNT	B0YCF0	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-234	0.154	pCi/L	0.042	0.053			
SESPMNT	B0YCF0	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-235	0.00484	pCi/L	0.0073	0.012	U		
SESPMNT	B0YCF0	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	6/19/00 12:00 AM	U-238	0.178	pCi/L	0.046	0.057			
SESPMNT	B0YC96	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.65	mg/L					
SESPMNT	B0YC96	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.099	mg/L			B		
SESPMNT	B0YC96	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YC96	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.054	mg/L					
SESPMNT	B0YC96	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCK6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0523	pCi/L	0.018	0.026	J		
SESPMNT	B0YCK6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	34.9	pCi/L	0.98	5.4			
SESPMNT	B0YCK6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.194	pCi/L	0.041	0.055			
SESPMNT	B0YCK6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	-0.000224	pCi/L	0.00061	0.0085	U		
SESPMNT	B0YCK6	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.198	pCi/L	0.041	0.055			
SESPMNT	B0YC97	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.035	mg/L			U		
SESPMNT	B0YC97	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.01	mg/L			U		
SESPMNT	B0YC97	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YC97	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.011	mg/L			U		
SESPMNT	B0YC97	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	0.11	mg/L			U		
SESPMNT	B0YCK5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0635	pCi/L	0.019	0.028			
SESPMNT	B0YCK5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	33.3	pCi/L	0.94	5.3			
SESPMNT	B0YCK5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.227	pCi/L	0.04	0.058			
SESPMNT	B0YCK5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	0.00458	pCi/L	0.0054	0.0095	U		
SESPMNT	B0YCK5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.157	pCi/L	0.033	0.044			
SESPMNT	B0YC98	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.68	mg/L					
SESPMNT	B0YC98	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.099	mg/L			B		
SESPMNT	B0YC98	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YC98	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.053	mg/L					
SESPMNT	B0YC98	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCK4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0417	pCi/L	0.016	0.024	J		
SESPMNT	B0YCK4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	36.3	pCi/L	1	5.5			
SESPMNT	B0YCK4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.183	pCi/L	0.033	0.048			
SESPMNT	B0YCK4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	0.011	pCi/L	0.0073	0.0099	J		
SESPMNT	B0YCK4	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.156	pCi/L	0.031	0.042			
SESPMNT	B0YC99	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.72	mg/L					
SESPMNT	B0YC99	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B0YC99	RICH.PMPHS HRM 45.6	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YC99	RICH.PMPHS HRM 45.6	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.054	mg/L					
SESPMNT	B0YC99	RICH.PMPHS HRM 45.6	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCK3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0485	pCi/L	0.017	0.025	J		
SESPMNT	B0YCK3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	42.3	pCi/L	1.1	6			
SESPMNT	B0YCK3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.192	pCi/L	0.039	0.053			
SESPMNT	B0YCK3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	0.00353	pCi/L	0.006	0.012	U		
SESPMNT	B0YCK3	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.163	pCi/L	0.036	0.046			
SESPMNT	B0YCB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.67	mg/L					
SESPMNT	B0YCB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B0YCB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YCB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.054	mg/L					
SESPMNT	B0YCB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCF1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0644	pCi/L	0.018	0.028			
SESPMNT	B0YCF1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	68.9	pCi/L	1.6	8			
SESPMNT	B0YCF1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.221	pCi/L	0.04	0.057			
SESPMNT	B0YCF1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	-0.00113	pCi/L	0.0029	0.0059	U		
SESPMNT	B0YCF1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.17	pCi/L	0.035	0.047			
SESPMNT	B0YCB1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.65	mg/L					
SESPMNT	B0YCB1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.099	mg/L			B		
SESPMNT	B0YCB1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YCB1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.056	mg/L					
SESPMNT	B0YCB1	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	6.8	mg/L					

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YCF2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.049	pCi/L	0.016	0.024	J		
SESPMNT	B0YCF2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	120	pCi/L	2.4	12			
SESPMNT	B0YCF2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.221	pCi/L	0.038	0.056			
SESPMNT	B0YCF2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	0.00474	pCi/L	0.005	0.0088	U		
SESPMNT	B0YCF2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.156	pCi/L	0.032	0.043			
SESPMNT	B0YCB2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.67	mg/L					
SESPMNT	B0YCB2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.099	mg/L			B		
SESPMNT	B0YCB2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YCB2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.06	mg/L					
SESPMNT	B0YCB2	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCF3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0606	pCi/L	0.018	0.027			
SESPMNT	B0YCF3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	130	pCi/L	2.5	13			
SESPMNT	B0YCF3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.235	pCi/L	0.036	0.056			
SESPMNT	B0YCF3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	0.0101	pCi/L	0.007	0.0097	J		
SESPMNT	B0YCF3	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.166	pCi/L	0.031	0.043			
SESPMNT	B0YCB3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.69	mg/L					
SESPMNT	B0YCB3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B0YCB3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YCB3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.059	mg/L					
SESPMNT	B0YCB3	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCF4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0465	pCi/L	0.016	0.024	J		
SESPMNT	B0YCF4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	119	pCi/L	2.3	12			
SESPMNT	B0YCF4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.203	pCi/L	0.04	0.056			
SESPMNT	B0YCF4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	0.0016	pCi/L	0.0029	0.009	U		
SESPMNT	B0YCF4	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.15	pCi/L	0.034	0.045			
SESPMNT	B0YCB4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	0.7	mg/L					
SESPMNT	B0YCB4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B0YCB4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YCB4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.061	mg/L					
SESPMNT	B0YCB4	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	6.8	mg/L					
SESPMNT	B0YCF5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0566	pCi/L	0.019	0.027	J		
SESPMNT	B0YCF5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	131	pCi/L	2.5	13			
SESPMNT	B0YCF5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.211	pCi/L	0.04	0.056			
SESPMNT	B0YCF5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	0.00872	pCi/L	0.0076	0.011	U		
SESPMNT	B0YCF5	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.152	pCi/L	0.034	0.045			
SESPMNT	B0YCB5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	CHLORIDE	1.3	mg/L					
SESPMNT	B0YCB5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B0YCB5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B0YCB5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B0YCB5	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B0YCF6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	SR-90	0.0572	pCi/L	0.019	0.027	J		
SESPMNT	B0YCF6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	LO TRITIUM	147	pCi/L	2.7	14			
SESPMNT	B0YCF6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-234	0.255	pCi/L	0.047	0.067			
SESPMNT	B0YCF6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-235	0.00927	pCi/L	0.0087	0.012	U		
SESPMNT	B0YCF6	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	6/20/00 12:00 AM	U-238	0.258	pCi/L	0.047	0.066			
SESPMNT	B106J9	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.84	mg/L			C		
SESPMNT	B106J9	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106J9	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106J9	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.077	mg/L					
SESPMNT	B106J9	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.3	mg/L					
SESPMNT	B10677	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0677	pCi/L	0.021	0.031			
SESPSPEC	B10672	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.106	pCi/L	0.026	0.04			
SESPMNT	B10677	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	81.4	pCi/L	1.8	9.1			
SESPSPEC	B10672	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	75	pCi/L	1.7	8.6			
SESPSPEC	B109B4	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	152	pCi/L	5.2	16		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10677	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.198	pCi/L	0.037	0.053			
SESPMNT	B10677	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00356	pCi/L	0.0044	0.0087	U		
SESPMNT	B10677	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.146	pCi/L	0.032	0.042			
SESPSPEC	B10672	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.183	pCi/L	0.029	0.044			
SESPSPEC	B10672	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00204	pCi/L	0.002	0.0057	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL METHOD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B10672	100 N -1 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.141	pCi/L	0.025	0.036			
SESPMNT	B106K0	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.78	mg/L			C		
SESPMNT	B106K0	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106K0	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106K0	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.072	mg/L					
SESPMNT	B106K0	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.1	mg/L					
SESPMNT	B10679	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0579	pCi/L	0.021	0.031	J		
SESPMNT	B10679	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	25.7	pCi/L	0.76	4.8			
SESPSPEC	B109B5	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	61.1	pCi/L	3.9	8.4		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10679	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.241	pCi/L	0.045	0.064			
SESPMNT	B10679	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00664	pCi/L	0.0066	0.01	U		
SESPMNT	B10679	100 N -2 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.166	pCi/L	0.038	0.049			
SESPMNT	B106K1	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.79	mg/L			C		
SESPMNT	B106K1	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106K1	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106K1	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.071	mg/L					
SESPMNT	B106K1	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B10684	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.166	pCi/L	0.029	0.051			
SESPMNT	B10684	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	26.1	pCi/L	0.77	4.9			
SESPMNT	B10684	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.162	pCi/L	0.028	0.041			
SESPMNT	B10684	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00506	pCi/L	0.0043	0.0075	U		
SESPMNT	B10684	100 N -3 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.148	pCi/L	0.027	0.038			
SESPMNT	B106K2	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.83	mg/L			C		
SESPMNT	B106K2	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106K2	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106K2	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.085	mg/L					
SESPMNT	B106K2	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.3	mg/L					
SESPMNT	B10681	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0673	pCi/L	0.022	0.032			
SESPMNT	B10681	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	26.5	pCi/L	0.78	4.8			
SESPMNT	B10681	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.205	pCi/L	0.037	0.054			
SESPMNT	B10681	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00411	pCi/L	0.0045	0.0085	U		
SESPMNT	B10681	100 N -5 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.153	pCi/L	0.033	0.043			
SESPMNT	B106K3	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.86	mg/L			C		
SESPMNT	B106K3	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106K3	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106K3	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.08	mg/L					
SESPMNT	B106K3	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.3	mg/L					
SESPMNT	B10686	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0687	pCi/L	0.024	0.033			
SESPMNT	B10686	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	31.2	pCi/L	0.89	5.2			
SESPMNT	B10686	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.179	pCi/L	0.043	0.056			
SESPMNT	B10686	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.0113	pCi/L	0.011	0.014	U		
SESPMNT	B10686	100 N -7 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.135	pCi/L	0.037	0.046			
SESPMNT	B106J8	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.95	mg/L			C		
SESPMNT	B106J8	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106J8	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106J8	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.086	mg/L					
SESPMNT	B106J8	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.7	mg/L					
SESPMNT	B10683	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0746	pCi/L	0.026	0.036			
SESPMNT	B10683	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	28.8	pCi/L	0.83	5			
SESPMNT	B10683	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.234	pCi/L	0.045	0.063			
SESPMNT	B10683	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00922	pCi/L	0.0087	0.012	U		
SESPMNT	B10683	100 N -10 HRM 9.5	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.173	pCi/L	0.039	0.051			
SESPMNT	B106K4	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.79	mg/L			C		
SESPMNT	B106K4	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106K4	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106K4	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.067	mg/L					
SESPMNT	B106K4	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B10698	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.081	pCi/L	0.024	0.035			
SESPMNT	B10698	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	32.7	pCi/L	0.93	5.3			
SESPSPEC	B109B7	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	62.7	pCi/L	3.9	8.5		WATER COLLECTED AT RIVERBOTTOM.	

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LABO QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10698	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.2	pCi/L	0.035	0.052			
SESPMNT	B10698	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00584	pCi/L	0.0052	0.0085	U		
SESPMNT	B10698	100 N SHORE HRM 8.4	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.137	pCi/L	0.029	0.039			
SESPMNT	B106K5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.78	mg/L			C		
SESPMNT	B106K5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106K5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106K5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.069	mg/L					
SESPMNT	B106K5	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B106B1	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.269	pCi/L	0.04	0.076			
SESPMNT	B106B1	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	35.6	pCi/L	0.99	5.5			
SESPSPEC	B109B6	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	53.1	pCi/L	3.7	7.8		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106B1	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.171	pCi/L	0.032	0.046			
SESPMNT	B106B1	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00662	pCi/L	0.0058	0.009	U		
SESPMNT	B106B1	100 N SHORE HRM 8.9	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.16	pCi/L	0.032	0.043			
SESPMNT	B106K6	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.82	mg/L			C		
SESPMNT	B106K6	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106K6	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106K6	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.069	mg/L					
SESPMNT	B106K6	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.1	mg/L					
SESPMNT	B106B4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.107	pCi/L	0.027	0.041			
SESPMNT	B108B4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	33	pCi/L	0.93	5.3			
SESPSPEC	B109B8	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	48.7	pCi/L	3.7	7.5		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106B4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.196	pCi/L	0.03	0.047			
SESPMNT	B106B4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.16	pCi/L	0.027	0.04			
SESPMNT	B106B4	100 N SHORE HRM 9.2	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00617	pCi/L	0.0044	0.0071	U		
SESPMNT	B106K7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.8	mg/L			C		
SESPMNT	B106K7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106K7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106K7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.07	mg/L					
SESPMNT	B106K7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B106B7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0775	pCi/L	0.024	0.035			
SESPMNT	B106B7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	31.3	pCi/L	0.9	5.2			
SESPSPEC	B109B9	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	60.5	pCi/L	3.8	8.3		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106B7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.171	pCi/L	0.03	0.045			
SESPMNT	B106B7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00377	pCi/L	0.0034	0.0067	U		
SESPMNT	B106B7	100 N SHORE HRM 9.8	ONSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.165	pCi/L	0.03	0.043			
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.78	mg/L			C		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.067	mg/L					
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.1	mg/L					
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLOROBENZ	0.28	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	DICETHY	0.23	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TETHYDF	1.5	ug/L			U		

OWNER ID	SAMP NUM	LOCSAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLMTHD	SAMP DATE	CHSN SHORT NAME	VALUE RPTD	UNIT RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TOLUENE	0.33	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	XYLENES	0.61	ug/L			U		
SESPMNT	B106N8	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B10673	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0787	pCi/L	0.03	0.041			
SESPMNT	B10673	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	36.3	pCi/L	1	5.6			
SESPMNT	B10673	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.175	pCi/L	0.028	0.043			
SESPMNT	B10673	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00953	pCi/L	0.0057	0.0082	J		
SESPMNT	B10673	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.177	pCi/L	0.028	0.043			
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.78	mg/L			C		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.07	mg/L					
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.1	mg/L					
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TOLUENE	0.47	ug/L			J		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	XYLENES	0.61	ug/L			U		
SESPMNT	B106N9	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B10674	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0562	pCi/L	0.021	0.03	J		
SESPMNT	B10674	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	46.1	pCi/L	1.2	6.3			
SESPMNT	B10674	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.194	pCi/L	0.03	0.047			
SESPMNT	B10674	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.000215	pCi/L	0.00025	0.0045	U		
SESPMNT	B10674	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.154	pCi/L	0.027	0.039			
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.81	mg/L			C		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.072	mg/L					
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CARBIDE	0.61	ug/L			J		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLOROBENZ	0.28	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	DICETHY	0.23	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TOLUENE	0.45	ug/L			J		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	XYLENES	0.61	ug/L			U		
SESPMNT	B106P0	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B10675	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0703	pCi/L	0.022	0.032			
SESPMNT	B10675	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	33.8	pCi/L	0.95	5.4			
SESPMNT	B10675	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.205	pCi/L	0.033	0.05			
SESPMNT	B10675	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	-0.00117	pCi/L	0.0022	0.0044	U		
SESPMNT	B10675	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.157	pCi/L	0.029	0.041			
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLORIDE	0.85	mg/L			C		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO2-N	0.0074	mg/L			UN		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	NO3-N	0.076	mg/L					
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SULFATE	8.3	mg/L					
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TOLUENE	0.47	ug/L			J		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	XYLENES	0.61	ug/L			U		
SESPMNT	B106P1	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B10676	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	SR-90	0.0721	pCi/L	0.022	0.032			
SESPMNT	B10676	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	LO TRITIUM	38.9	pCi/L	1.1	5.7			
SESPMNT	B10676	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-234	0.226	pCi/L	0.036	0.055			
SESPMNT	B10676	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-235	0.00653	pCi/L	0.0053	0.0083	U		
SESPMNT	B10676	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	9/14/00 12:00 AM	U-238	0.156	pCi/L	0.03	0.042			
SESPMNT	B106J0	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.74	mg/L					
SESPMNT	B106J0	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106J0	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106J0	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.074	mg/L					
SESPMNT	B106J0	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.6	mg/L					
SESPMNT	B106W1	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.071	pCi/L	0.036	0.042			
SESPMNT	B106W1	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	31.6	pCi/L	2.3	5.2			
SESPSPEC	B109C0	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	32.8	pCi/L	3.3	6.3		WATER COLLECTED AT RIVERBOTTOM.	

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLUMTHO	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	RESULT QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106W1	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.176	pCi/L	0.033	0.047			
SESPMNT	B106W1	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00321	pCi/L	0.0032	0.0069	U		
SESPMNT	B106W1	100 F -1 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.149	pCi/L	0.031	0.042			
SESPMNT	B106J1	100 F -2 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM							SAMPLES NOT RECEIVED AT LAB	
SESPMNT	B106W4	100 F -2 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0632	pCi/L	0.033	0.038			
SESPMNT	B106W4	100 F -2 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	29.5	pCi/L	2.3	5			
SESPMNT	B106W4	100 F -2 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.218	pCi/L	0.044	0.061			
SESPMNT	B106W4	100 F -2 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.155	pCi/L	0.038	0.048			
SESPMNT	B106W4	100 F -2 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00818	pCi/L	0.0073	0.011	U		
SESPMNT	B106J2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.78	mg/L					
SESPMNT	B106J2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106J2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106J2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.077	mg/L					
SESPMNT	B106J2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.6	mg/L					
SESPMNT	B106W2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0764	pCi/L	0.031	0.037			
SESPMNT	B106W2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	26.8	pCi/L	2.2	4.8			
SESPMNT	B106W2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.191	pCi/L	0.043	0.057			
SESPMNT	B106W2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	-0.00141	pCi/L	0.0056	0.0078	U		
SESPMNT	B106W2	100 F -3 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.189	pCi/L	0.042	0.055			
SESPMNT	B106J3	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.76	mg/L					
SESPMNT	B106J3	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106J3	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106J3	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.077	mg/L					
SESPMNT	B106J3	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.7	mg/L					
SESPMNT	B106W5	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0694	pCi/L	0.027	0.033			
SESPMNT	B106W5	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	29	pCi/L	2.3	5			
SESPMNT	B106W5	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.145	pCi/L	0.036	0.047			
SESPMNT	B106W5	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.000504	pCi/L	0.00093	0.0073	U		
SESPMNT	B106W5	100 F -5 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.161	pCi/L	0.039	0.05			
SESPMNT	B106J4	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.76	mg/L					
SESPMNT	B106J4	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106J4	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106J4	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.075	mg/L					
SESPMNT	B106J4	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.6	mg/L					
SESPMNT	B106W6	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0616	pCi/L	0.029	0.034			
SESPMNT	B106W6	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	26.7	pCi/L	2.3	4.8			
SESPMNT	B106W6	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.218	pCi/L	0.043	0.06			
SESPMNT	B106W6	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00474	pCi/L	0.0058	0.01	U		
SESPMNT	B106W6	100 F -7 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.163	pCi/L	0.037	0.048			
SESPMNT	B106H9	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.84	mg/L					
SESPMNT	B106H9	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106H9	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106H9	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.062	mg/L					
SESPMNT	B106H9	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B106W7	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0717	pCi/L	0.026	0.032			
SESPMNT	B106W7	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	23.9	pCi/L	2.2	4.7			
SESPMNT	B106W7	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.265	pCi/L	0.042	0.064			
SESPMNT	B106W7	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00398	pCi/L	0.0046	0.0088	U		
SESPMNT	B106W7	100 F -10 HRM 19.0	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.182	pCi/L	0.034	0.048			
SESPMNT	B106J5	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.75	mg/L					
SESPMNT	B106J5	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106J5	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106J5	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.075	mg/L					
SESPMNT	B106J5	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.6	mg/L					
SESPMNT	B10788	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0795	pCi/L	0.029	0.036			
SESPMNT	B10788	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	29.9	pCi/L	2.3	5.1			
SESPSPEC	B109C1	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	34	pCi/L	3.4	6.4		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10788	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.191	pCi/L	0.034	0.049			
SESPMNT	B10788	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.157	pCi/L	0.031	0.042			
SESPMNT	B10788	100 F SHORE HRM 18	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00922	pCi/L	0.0065	0.0093	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106J6	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.74	mg/L					
SESPMNT	B106J6	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106J6	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106J6	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.064	mg/L					
SESPMNT	B106J6	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.6	mg/L					
SESPMNT	B10791	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0501	pCi/L	0.027	0.032	J	1/4 MILE BELOW HRM 22.	
SESPMNT	B10791	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	31.1	pCi/L	2.3	5.2		1/4 MILE BELOW HRM 22.	
SESPMNT	B10791	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.233	pCi/L	0.045	0.063		1/4 MILE BELOW HRM 22.	
SESPMNT	B10791	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.16	pCi/L	0.037	0.048		1/4 MILE BELOW HRM 22.	
SESPMNT	B10791	100 F SHORE HRM 22	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00993	pCi/L	0.0081	0.011	U		
SESPMNT	B106J7	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.77	mg/L					
SESPMNT	B106J7	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106J7	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106J7	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.066	mg/L					
SESPMNT	B106J7	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.7	mg/L					
SESPMNT	B10794	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0739	pCi/L	0.031	0.038			
SESPMNT	B10794	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	33.8	pCi/L	2.4	5.4			
SESPMNT	B10794	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.206	pCi/L	0.042	0.058			
SESPMNT	B10794	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00276	pCi/L	0.0042	0.0094	U		
SESPMNT	B10794	100 F SHORE HRM 23	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.169	pCi/L	0.038	0.049			
SESPMNT	B106L9	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.86	mg/L					
SESPMNT	B106L9	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106L9	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L9	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.098	mg/L					
SESPMNT	B106L9	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B106W8	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0812	pCi/L	0.032	0.039			
SESPMNT	B106W8	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	382	pCi/L	5.4	35			
SESPSPEC	B109C2	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	500	pCi/L	8.6	45		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106W8	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.191	pCi/L	0.039	0.053			
SESPMNT	B106W8	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.004	pCi/L	0.0045	0.0086	U		
SESPMNT	B106W8	HANFRD TS-1 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.174	pCi/L	0.037	0.05			
SESPMNT	B106M0	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.77	mg/L					
SESPMNT	B106M0	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106M0	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M0	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.085	mg/L					
SESPMNT	B106M0	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.6	mg/L					
SESPMNT	B106W9	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0458	pCi/L	0.02	0.024	J		
SESPMNT	B106W9	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	84.6	pCi/L	4.2	10			
SESPSPEC	B109C3	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	73.8	pCi/L	4.1	9.4		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106W9	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.189	pCi/L	0.035	0.05			
SESPMNT	B106W9	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00167	pCi/L	0.0027	0.0083	U		
SESPMNT	B106W9	HANFRD TS-2 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.164	pCi/L	0.033	0.045			
SESPMNT	B106M1	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM							SAMPLES NOT RECEIVED AT LAB	
SESPMNT	B106X2	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0517	pCi/L	0.021	0.026	J		
SESPMNT	B106X2	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	40.1	pCi/L	3.5	6.8			
SESPMNT	B106X2	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.19	pCi/L	0.035	0.05			
SESPMNT	B106X2	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	-0.002	pCi/L	0.0056	0.0056	U		
SESPMNT	B106X2	HANFRD TS-3 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.156	pCi/L	0.032	0.043			
SESPMNT	B106M2	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.78	mg/L					
SESPMNT	B106M2	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106M2	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M2	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.09	mg/L					
SESPMNT	B106M2	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.7	mg/L					
SESPMNT	B106W3	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0645	pCi/L	0.023	0.029			
SESPMNT	B106W3	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	39.2	pCi/L	3.4	6.7			
SESPMNT	B108W3	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.208	pCi/L	0.035	0.053			
SESPMNT	B106W3	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00388	pCi/L	0.0038	0.0074	U		
SESPMNT	B106W3	HANFRD TS-5 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.174	pCi/L	0.033	0.046			
SESPMNT	B106M3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.79	mg/L					
SESPMNT	B106M3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.11	mg/L					

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL METHD	SAMP DATE	CONS SHORT NAME	VALUE RPTD	AVAL UNITS RPTD	COUNTING ERROR	TOTAL ANL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106M3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.077	mg/L					
SESPMNT	B106M3	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B106X0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0573	pCi/L	0.023	0.028	J		
SESPMNT	B106X0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	34.6	pCi/L	3.3	6.4			
SESPMNT	B106X0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.192	pCi/L	0.031	0.047			
SESPMNT	B106X0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00158	pCi/L	0.002	0.0064	U		
SESPMNT	B106X0	HANFRD TS-7 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.162	pCi/L	0.029	0.041			
SESPMNT	B106L8	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.87	mg/L					
SESPMNT	B106L8	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106L8	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L8	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.083	mg/L					
SESPMNT	B106L8	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B106X1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0625	pCi/L	0.024	0.03			
SESPMNT	B106X1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	27	pCi/L	3.2	5.8			
SESPMNT	B106X1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.2	pCi/L	0.032	0.049			
SESPMNT	B106X1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.147	pCi/L	0.027	0.039			
SESPMNT	B106X1	HANFRD TS-10 HRM 28.7	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00452	pCi/L	0.0037	0.0068	U		
SESPMNT	B106M4	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.78	mg/L					
SESPMNT	B106M4	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106M4	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M4	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.068	mg/L					
SESPMNT	B106M4	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.6	mg/L					
SESPMNT	B10728	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.071	pCi/L	0.023	0.03			
SESPMNT	B10728	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	31	pCi/L	3.3	6.2			
SESPMNT	B10728	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.208	pCi/L	0.038	0.055			
SESPMNT	B10728	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00874	pCi/L	0.0071	0.01	U		
SESPMNT	B10728	HANFRD TWNSITE HRM26	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.167	pCi/L	0.034	0.046			
SESPMNT	B106M5	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.77	mg/L					
SESPMNT	B106M5	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106M5	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M5	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.07	mg/L					
SESPMNT	B106M5	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.7	mg/L					
SESPMNT	B10729	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.058	pCi/L	0.023	0.028	J		
SESPMNT	B10729	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	33.1	pCi/L	3.3	6.3			
SESPSPEC	B109C4	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	24.4	pCi/L	3.2	5.8		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10729	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.242	pCi/L	0.041	0.06			
SESPMNT	B10729	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.0136	pCi/L	0.0094	0.012	J		
SESPMNT	B10729	HANFRD TWNSITE HRM27	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.139	pCi/L	0.03	0.04			
SESPMNT	B106M6	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	1.1	mg/L					
SESPMNT	B106M6	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106M6	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M6	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.21	mg/L					
SESPMNT	B106M6	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	9.6	mg/L					
SESPMNT	B10785	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0458	pCi/L	0.022	0.026	J		
SESPMNT	B10785	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	1920	pCi/L	16	170			
SESPSPEC	B109C5	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	4100	pCi/L	24	360		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10785	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.259	pCi/L	0.042	0.064			
SESPMNT	B10785	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00504	pCi/L	0.0054	0.0092	U		
SESPMNT	B10785	HANFRD TWNSITE HRM28	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.162	pCi/L	0.033	0.045			
SESPMNT	B106M7	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	CHLORIDE	0.79	mg/L					
SESPMNT	B106M7	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106M7	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M7	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	NO3-N	0.076	mg/L					
SESPMNT	B106M7	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SULFATE	8.7	mg/L					
SESPMNT	B10730	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	SR-90	0.0546	pCi/L	0.023	0.028	J		
SESPMNT	B10730	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	114	pCi/L	4.7	13			
SESPSPEC	B109C6	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	LO TRITIUM	157	pCi/L	5.3	16		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10730	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-234	0.177	pCi/L	0.034	0.048			
SESPMNT	B10730	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-235	0.00832	pCi/L	0.0056	0.0089	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER TRANSECT

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	RCON SHORT SAM NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10730	HANFRD TWNSITE HRM30	ONSITE	SW	RIVER	TRANSECT	9/18/00 12:00 AM	U-238	0.13	pCi/L	0.029	0.039			
SESPMNT	B106K9	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.74	mg/L			C		
SESPMNT	B106K9	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106K9	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106K9	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.075	mg/L					
SESPMNT	B106K9	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.4	mg/L					
SESPMNT	B106X3	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0552	pCi/L	0.028	0.032	J		
SESPMNT	B106X3	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	40.9	pCi/L	3.5	6.8			
SESPSPEC	B109C7	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	46.9	pCi/L	3.7	7.4		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106X3	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.174	pCi/L	0.028	0.043			
SESPMNT	B106X3	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.168	pCi/L	0.028	0.041			
SESPMNT	B106X3	300 AREA -1 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00385	pCi/L	0.0031	0.0062	U		
SESPMNT	B106L0	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.74	mg/L			C		
SESPMNT	B106L0	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106L0	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L0	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.075	mg/L					
SESPMNT	B106L0	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.4	mg/L					
SESPMNT	B106X5	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0735	pCi/L	0.026	0.033			
SESPMNT	B106X5	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	35.5	pCi/L	3.4	6.4			
SESPSPEC	B109C8	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	53.4	pCi/L	3.8	7.9		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106X5	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.212	pCi/L	0.033	0.051			
SESPMNT	B106X5	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00875	pCi/L	0.0058	0.0085	J		
SESPMNT	B106X5	300 AREA -2 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.174	pCi/L	0.03	0.044			
SESPMNT	B108L1	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.74	mg/L			C		
SESPMNT	B106L1	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106L1	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L1	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.074	mg/L					
SESPMNT	B106L1	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.3	mg/L					
SESPMNT	B106X7	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0592	pCi/L	0.024	0.029	J		
SESPMNT	B106X7	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	28.8	pCi/L	3.2	6			
SESPMNT	B106X7	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.196	pCi/L	0.031	0.048			
SESPMNT	B106X7	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	-0.00178	pCi/L	0.0044	0.0044	U		
SESPMNT	B106X7	300 AREA -3 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.161	pCi/L	0.028	0.041			
SESPMNT	B106L2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.75	mg/L			C		
SESPMNT	B106L2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106L2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.079	mg/L					
SESPMNT	B106L2	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.4	mg/L					
SESPMNT	B106X9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0681	pCi/L	0.026	0.032			
SESPMNT	B106X9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	57.9	pCi/L	3.8	8.1			
SESPMNT	B106X9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.197	pCi/L	0.039	0.055			
SESPMNT	B106X9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.0114	pCi/L	0.0096	0.013	U		
SESPMNT	B106X9	300 AREA -5 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.165	pCi/L	0.036	0.048			
SESPMNT	B106L3	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.87	mg/L			C		
SESPMNT	B106L3	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106L3	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L3	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.099	mg/L					
SESPMNT	B106L3	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.9	mg/L					
SESPMNT	B106Y1	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.05	pCi/L	0.028	0.032	J		
SESPMNT	B106Y1	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	31.2	pCi/L	3.3	6.1			
SESPMNT	B106Y1	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.21	pCi/L	0.039	0.056			
SESPMNT	B106Y1	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.011	pCi/L	0.0087	0.012	U		
SESPMNT	B106Y1	300 AREA -7 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.202	pCi/L	0.038	0.053			
SESPMNT	B106K8	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	1.3	mg/L			C		
SESPMNT	B106K8	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106K8	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106K8	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B106K8	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	10.2	mg/L					
SESPMNT	B106Y3	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0661	pCi/L	0.024	0.03			
SESPMNT	B106Y3	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	30.6	pCi/L	3.3	6.1			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLMTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	UNIT RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106Y3	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.296	pCi/L	0.044	0.07			
SESPMNT	B106Y3	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00209	pCi/L	0.0027	0.0073	U		
SESPMNT	B106Y3	300 AREA-10 HRM 43.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.246	pCi/L	0.04	0.06			
SESPMNT	B106L4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.79	mg/L			C		
SESPMNT	B106L4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106L4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.086	mg/L					
SESPMNT	B106L4	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.4	mg/L					
SESPMNT	B10773	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0652	pCi/L	0.024	0.03			
SESPMNT	B10773	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	115	pCi/L	4.7	13			
SESPSPEC	B109C9	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	202	pCi/L	5.8	20		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10773	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.196	pCi/L	0.037	0.052			
SESPMNT	B10773	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00198	pCi/L	0.0032	0.0088	U		
SESPMNT	B10773	300 AREA SHR HRM41.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.162	pCi/L	0.033	0.045			
SESPMNT	B106L5	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	1.3	mg/L			C		
SESPMNT	B106L5	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106L5	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L5	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.29	mg/L					
SESPMNT	B106L5	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	10.1	mg/L					
SESPMNT	B10776	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0477	pCi/L	0.022	0.026	J		
SESPMNT	B10776	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	581	pCi/L	9.2	52			
SESPSPEC	B109D0	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	551	pCi/L	9.1	50		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10776	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.335	pCi/L	0.039	0.072			
SESPMNT	B10776	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.0014	pCi/L	0.0014	0.0051	U		
SESPMNT	B10776	300 AREA SHR HRM42.1	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.244	pCi/L	0.034	0.055			
SESPMNT	B106L6	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.81	mg/L			C		
SESPMNT	B106L6	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106L6	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L6	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.093	mg/L					
SESPMNT	B106L6	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.5	mg/L					
SESPMNT	B10779	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.055	pCi/L	0.024	0.029	J		
SESPMNT	B10779	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	105	pCi/L	4.6	12			
SESPSPEC	B109D1	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	106	pCi/L	4.6	12		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10779	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.204	pCi/L	0.032	0.05			
SESPMNT	B10779	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00674	pCi/L	0.0051	0.0079	U		
SESPMNT	B10779	300 AREA SHR HRM42.5	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.187	pCi/L	0.031	0.046			
SESPMNT	B106L7	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.78	mg/L			C		
SESPMNT	B106L7	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106L7	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106L7	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.077	mg/L					
SESPMNT	B106L7	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.4	mg/L					
SESPMNT	B10782	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0716	pCi/L	0.027	0.033			
SESPMNT	B10782	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	43.6	pCi/L	3.5	7			
SESPSPEC	B109D2	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	37.4	pCi/L	3.4	6.7		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10782	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.264	pCi/L	0.039	0.062			
SESPMNT	B10782	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00264	pCi/L	0.0026	0.0063	U		
SESPMNT	B10782	300 AREA SHR HRM42.9	ONSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.21	pCi/L	0.035	0.052			
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.75	mg/L			C		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.082	mg/L					
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.1	mg/L					
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR%	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.87	ug/L			J		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	0.94	ug/L			J		
SESPMNT	B106N4	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B10764	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.068	pCi/L	0.024	0.031			
SESPMNT	B10764	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	37.8	pCi/L	3.5	6.7			
SESPSPEC	B109D5	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	36.4	pCi/L	3.4	6.6		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10764	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.187	pCi/L	0.037	0.051			
SESPMNT	B10764	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.008	pCi/L	0.0079	0.011	U		
SESPMNT	B10764	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.162	pCi/L	0.035	0.046			
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.75	mg/L			C		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.059	mg/L					
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.1	mg/L					
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.92	ug/L			J		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	1.2	ug/L					
SESPMNT	B106N5	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B10763	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.07	pCi/L	0.025	0.031			
SESPMNT	B10763	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	41.6	pCi/L	3.5	6.9			
SESPMNT	B10763	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.184	pCi/L	0.036	0.051			
SESPMNT	B10763	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00249	pCi/L	0.0032	0.0078	U		
SESPMNT	B10763	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.182	pCi/L	0.036	0.049			
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.77	mg/L			C		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.068	mg/L					
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP METHOD	SAMP DATE	CHEM NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.5	ug/L			J		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	0.61	ug/L			U		
SESPMNT	B106N6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B10762	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0835	pCi/L	0.027	0.034			
SESPMNT	B10762	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	61	pCi/L	3.9	8.4			
SESPSPEC	B109D6	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	52.2	pCi/L	3.7	7.8		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10762	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.188	pCi/L	0.035	0.05			
SESPMNT	B10762	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	-0.00135	pCi/L	0.0034	0.0054	U		
SESPMNT	B10762	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.144	pCi/L	0.03	0.041			
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.76	mg/L			C		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.072	mg/L					
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.6	ug/L			J		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	0.75	ug/L			J		
SESPMNT	B106N7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B10761	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0765	pCi/L	0.024	0.031			
SESPMNT	B10761	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	43.8	pCi/L	3.5	7.1			
SESPSPEC	B109D7	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	38.7	pCi/L	3.5	6.8		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B10761	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.18	pCi/L	0.031	0.046			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLMTHD	SAMP DATE	CONTSHORT NAME	VALUE RPTD	FINAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	FINAL QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10761	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.0028	pCi/L	0.0028	0.0064	U		
SESPMNT	B10761	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.171	pCi/L	0.03	0.043			
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.77	mg/L			C		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.063	mg/L					
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.4	mg/L					
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.22	ug/L			J		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.85	ug/L			J		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	1.2	ug/L					
SESPMNT	B106M9	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B106Y4	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0539	pCi/L	0.026	0.031	J		
SESPMNT	B106Y4	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	40.9	pCi/L	3.5	6.9			
SESPSPEC	B109D3	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	39.9	pCi/L	3.5	6.9		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106Y4	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.181	pCi/L	0.031	0.046			
SESPMNT	B106Y4	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.000331	pCi/L	0.00045	0.0054	U		
SESPMNT	B106Y4	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.166	pCi/L	0.03	0.043			
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.74	mg/L			C		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.1	mg/L					
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.07	mg/L					
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.84	ug/L			J		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANA ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	1.2	ug/L					
SESPMNT	B106N0	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B106Y5	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0519	pCi/L	0.024	0.029	J		
SESPMNT	B106Y5	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	44.7	pCi/L	3.5	7.1			
SESPSPEC	B109D4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	31.4	pCi/L	3.3	6.3		WATER COLLECTED AT RIVERBOTTOM.	
SESPMNT	B106Y5	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.17	pCi/L	0.029	0.043			
SESPMNT	B106Y5	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.144	pCi/L	0.027	0.038			
SESPMNT	B106Y5	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00433	pCi/L	0.0035	0.0066	U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.75	mg/L			C		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.075	mg/L					
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.2	mg/L					
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.8	ug/L			J		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	1	ug/L					
SESPMNT	B106N1	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B106Y6	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0714	pCi/L	0.025	0.032			
SESPMNT	B106Y6	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	29.4	pCi/L	3.3	6.1			
SESPMNT	B106Y6	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.185	pCi/L	0.029	0.045			
SESPMNT	B106Y6	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.0015	pCi/L	0.0015	0.0052	U		
SESPMNT	B106Y6	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.134	pCi/L	0.025	0.035			
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.79	mg/L			C		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.071	mg/L					
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.3	mg/L					
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL METHOD	SAMP DATE	NAME	VALUE	UNITS	CONTROL ERROR	TOTAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.77	ug/L			J		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	0.96	ug/L			J		
SESPMNT	B106N2	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B106Y7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0647	pCi/L	0.025	0.031			
SESPMNT	B106Y7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	32.2	pCi/L	3.3	6.3			
SESPMNT	B106Y7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.166	pCi/L	0.039	0.051			
SESPMNT	B106Y7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	-0.000213	pCi/L	0.00058	0.0087	U		
SESPMNT	B106Y7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.165	pCi/L	0.038	0.049			
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	0.79	mg/L			C		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.086	mg/L					
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	8.3	mg/L					
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.81	ug/L			J		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	0.99	ug/L			J		
SESPMNT	B106N3	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B106Y8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0461	pCi/L	0.022	0.027	J		
SESPMNT	B106Y8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	30	pCi/L	3.3	6.1			
SESPMNT	B106Y8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.243	pCi/L	0.042	0.061			
SESPMNT	B106Y8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	-0.0000493	pCi/L	0.0001	0.0071	U		
SESPMNT	B106Y8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.155	pCi/L	0.034	0.045			
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLORIDE	1.8	mg/L			C		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	NO3-N	0.37	mg/L					
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SULFATE	11.4	mg/L					
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,1-T	0.23	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1,2-T	0.31	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,1-DCL	0.19	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	1,2-DCL	0.17	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ACETONE	4	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL METHO	SAMP DATE	CONT CODE NAME	VALUE RPTD	ANY UNITS REPTD	COUNTING ERROR	TOTAL ANYL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	BENZENE	0.23	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBIDE	0.3	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CARBTET	0.23	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROBENZ	0.28	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CISDCE	0.18	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	DICETHY	0.23	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	HEXONE	1.3	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHONE	0.7	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	METHYCH	0.37	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	PERCENE	0.57	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TETHYDF	1.5	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TOLUENE	0.8	ug/L			J		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRANDCE	0.26	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	TRICELN	0.16	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	VINYIDE	0.17	ug/L			U		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	XYLENES	0.99	ug/L			J		
SESPMNT	B106M8	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	CYANIDE	1.6	ug/L			U		
SESPMNT	B106Y9	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	SR-90	0.0775	pCi/L	0.026	0.033			
SESPMNT	B106Y9	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	LO TRITIUM	32.8	pCi/L	3.3	6.3			
SESPMNT	B106Y9	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-234	0.327	pCi/L	0.048	0.076			
SESPMNT	B106Y9	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-235	0.00888	pCi/L	0.0076	0.011	U		
SESPMNT	B106Y9	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	9/19/00 12:00 AM	U-238	0.311	pCi/L	0.047	0.073			
SESPMNT	B11241	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	CHLORIDE	0.76	mg/L			C		
SESPMNT	B11241	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11241	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11241	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	NO3-N	0.17	mg/L					
SESPMNT	B11241	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B11125	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	SR-90	0.0716	pCi/L	0.027	0.034			
SESPMNT	B11125	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	LO TRITIUM	27.1	pCi/L	3.2	6			
SESPMNT	B11125	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-234	0.2	pCi/L	0.032	0.048			
SESPMNT	B11125	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-235	-0.00433	pCi/L	0.0014	0.0023	U		
SESPMNT	B11125	VERNITA-1 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-238	0.156	pCi/L	0.028	0.039			
SESPMNT	B11242	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	CHLORIDE	0.73	mg/L			C		
SESPMNT	B11242	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11242	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11242	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B11242	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	SULFATE	8.7	mg/L					
SESPMNT	B11126	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	SR-90	0.0699	pCi/L	0.023	0.032			
SESPMNT	B11126	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	LO TRITIUM	38.3	pCi/L	3.5	6.7			
SESPMNT	B11126	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-234	0.181	pCi/L	0.031	0.045			
SESPMNT	B11126	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-235	0.000439	pCi/L	0.0044	0.0048	U		
SESPMNT	B11126	VERNITA-2 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-238	0.162	pCi/L	0.029	0.041			
SESPMNT	B11243	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	CHLORIDE	0.76	mg/L			C		
SESPMNT	B11243	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11243	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11243	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	NO3-N	0.17	mg/L					
SESPMNT	B11243	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B11127	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	SR-90	0.0644	pCi/L	0.024	0.031			
SESPMNT	B11127	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	LO TRITIUM	42.3	pCi/L	3.5	7			
SESPMNT	B11127	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-234	0.215	pCi/L	0.041	0.057			
SESPMNT	B11127	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-235	0.00401	pCi/L	0.011	0.012	U		
SESPMNT	B11127	VERNITA-3 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-238	0.178	pCi/L	0.037	0.049			
SESPMNT	B11244	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	CHLORIDE	0.94	mg/L					
SESPMNT	B11244	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	FLUORIDE	0.15	mg/L					
SESPMNT	B11244	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11244	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	NO3-N	0.2	mg/L					
SESPMNT	B11244	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	SULFATE	9.2	mg/L					
SESPMNT	B11128	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	SR-90	0.064	pCi/L	0.027	0.034			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANAL ERROR %	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11128	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	LO TRITIUM	29.7	pCi/L	3.3	6.2			
SESPMNT	B11128	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-234	0.193	pCi/L	0.037	0.051			
SESPMNT	B11128	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-235	0.0197	pCi/L	0.013	0.014	J		
SESPMNT	B11128	VERNITA-4 HRM 0.3	OFFSITE	SW	RIVER	TRANSECT	12/4/00 12:00 AM	U-238	0.151	pCi/L	0.032	0.042			
SESPMNT	B11237	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.75	mg/L			C		
SESPMNT	B11237	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11237	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11237	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B11237	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B11148	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0502	pCi/L	0.026	0.03	J		
SESPMNT	B11146	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	33.2	pCi/L	3.4	6.5			
SESPMNT	B11148	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.205	pCi/L	0.048	0.061			
SESPMNT	B11148	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.0176	pCi/L	0.016	0.016	J		
SESPMNT	B11148	RICH.PMPHS HRM 43.5	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.171	pCi/L	0.042	0.052			
SESPMNT	B11238	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.76	mg/L			C		
SESPMNT	B11238	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11238	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11238	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B11238	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B11147	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0569	pCi/L	0.028	0.032	J		
SESPMNT	B11147	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	35.8	pCi/L	3.4	6.6			
SESPMNT	B11147	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.219	pCi/L	0.035	0.053			
SESPMNT	B11147	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.00145	pCi/L	0.0054	0.0058	U		
SESPMNT	B11147	RICH.PMPHS HRM 43.9	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.175	pCi/L	0.031	0.044			
SESPMNT	B11239	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.77	mg/L			C		
SESPMNT	B11239	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11239	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11239	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B11239	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B11146	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0677	pCi/L	0.03	0.035			
SESPMNT	B11146	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	39.1	pCi/L	3.5	6.9			
SESPMNT	B11146	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.196	pCi/L	0.033	0.048			
SESPMNT	B11146	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.00599	pCi/L	0.0075	0.0078	U		
SESPMNT	B11146	RICH.PMPHS HRM 45.0	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.172	pCi/L	0.03	0.043			
SESPMNT	B11240	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.88	mg/L					
SESPMNT	B11240	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.14	mg/L					
SESPMNT	B11240	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11240	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.17	mg/L					
SESPMNT	B11240	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	8.9	mg/L					
SESPMNT	B11145	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0638	pCi/L	0.028	0.033			
SESPMNT	B11145	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	38.8	pCi/L	3.5	6.8			
SESPMNT	B11145	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.226	pCi/L	0.044	0.06			
SESPMNT	B11145	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.0157	pCi/L	0.013	0.013	J		
SESPMNT	B11145	RICH.PMPHS HRM 45.8	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.162	pCi/L	0.037	0.047			
SESPMNT	B11231	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.83	mg/L			C		
SESPMNT	B11231	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11231	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11231	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B11231	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	8.9	mg/L					
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0589	pCi/L	0.024	0.03	J		
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0557	pCi/L	0.028	0.033	J		
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	40.8	pCi/L	3.5	7			
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	48.1	pCi/L	3.7	7.5			
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.242	pCi/L	0.039	0.058			
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.00199	pCi/L	0.006	0.0063	U		
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.201	pCi/L	0.035	0.05			
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.198	pCi/L	0.033	0.049			
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.00338	pCi/L	0.006	0.0064	U		
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.156	pCi/L	0.029	0.04			
SESPMNT	B11232	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.76	mg/L			C		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CONC SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B11232	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11232	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11232	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B11232	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	8.8	mg/L					
SESPMNT	B11130	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0708	pCi/L	0.026	0.032			
SESPMNT	B11130	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	38	pCi/L	3.5	6.8			
SESPMNT	B11130	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.217	pCi/L	0.043	0.058			
SESPMNT	B11130	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.00849	pCi/L	0.013	0.014	U		
SESPMNT	B11130	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.17	pCi/L	0.038	0.048			
SESPMNT	B11233	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.79	mg/L			C		
SESPMNT	B11233	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11233	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11233	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B11233	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	8.9	mg/L					
SESPMNT	B11131	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.074	pCi/L	0.026	0.033			
SESPMNT	B11131	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	22.9	pCi/L	3.2	5.8			
SESPMNT	B11131	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.247	pCi/L	0.044	0.062			
SESPMNT	B11131	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.0101	pCi/L	0.011	0.012	U		
SESPMNT	B11131	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.192	pCi/L	0.038	0.051			
SESPMNT	B11234	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.88	mg/L			C		
SESPMNT	B11234	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.11	mg/L					
SESPMNT	B11234	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11234	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.16	mg/L					
SESPMNT	B11234	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	8.9	mg/L					
SESPMNT	B11132	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0569	pCi/L	0.024	0.029	J		
SESPMNT	B11132	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	26.3	pCi/L	3.2	6			
SESPMNT	B11132	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.199	pCi/L	0.039	0.053			
SESPMNT	B11132	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.00126	pCi/L	0.0063	0.0066	U		
SESPMNT	B11132	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.185	pCi/L	0.037	0.05			
SESPMNT	B11235	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	0.9	mg/L					
SESPMNT	B11235	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.14	mg/L					
SESPMNT	B11235	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11235	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.17	mg/L					
SESPMNT	B11235	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	9	mg/L					
SESPMNT	B11133	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.133	pCi/L	0.029	0.045			
SESPMNT	B11133	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	36.3	pCi/L	3.5	6.7			
SESPMNT	B11133	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.246	pCi/L	0.044	0.062			
SESPMNT	B11133	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.004	pCi/L	0.0096	0.0098	U		
SESPMNT	B11133	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.186	pCi/L	0.038	0.05			
SESPMNT	B11236	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	CHLORIDE	1.6	mg/L			C		
SESPMNT	B11236	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	FLUORIDE	0.12	mg/L					
SESPMNT	B11236	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO2-N	0.0074	mg/L			U		
SESPMNT	B11236	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	NO3-N	0.41	mg/L					
SESPMNT	B11236	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SULFATE	11.2	mg/L					
SESPMNT	B11134	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	SR-90	0.0456	pCi/L	0.024	0.029	J		
SESPMNT	B11134	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	LO TRITIUM	43.8	pCi/L	3.6	7.2			
SESPMNT	B11134	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-234	0.393	pCi/L	0.056	0.089			
SESPMNT	B11134	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-238	0.336	pCi/L	0.051	0.078			
SESPMNT	B11134	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	RIVER	TRANSECT	12/5/00 12:00 AM	U-235	0.0109	pCi/L	0.011	0.011	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	COLLECTOR NAME	VALUE RPTD	UNIT RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	BE-7	0.0161	pCi/L	0.01	0.01	U		
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	BE-7	0.0384	pCi/L	0.012	0.012			
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	BE-7	0.0274	pCi/L	0.012	0.012			
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	BE-7	0.0345	pCi/L	0.014	0.014			
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	BE-7	0.019	pCi/L	0.009	0.009			
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	BE-7	0.0277	pCi/L	0.011	0.011			
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	BE-7	0.0159	pCi/L	0.0084	0.0084	U		
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	BE-7	0.022	pCi/L	0.016	0.016	U		
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	BE-7	0.0125	pCi/L	0.011	0.011	U		
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	BE-7	0.00204	pCi/L	0.0076	0.0076	U		
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	BE-7	0.00248	pCi/L	0.0076	0.0076	U		
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	BE-7	0.0166	pCi/L	0.0078	0.0078	U		
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	BE-7	0.0116	pCi/L	0.0081	0.0081	U		
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	BE-7	0.0528	pCi/L	0.015	0.015			
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	BE-7	0.0354	pCi/L	0.015	0.015			
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	BE-7	0.0256	pCi/L	0.013	0.013			
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	BE-7	0.0304	pCi/L	0.012	0.012			
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	BE-7	0.0196	pCi/L	0.011	0.011			
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	BE-7	0.0215	pCi/L	0.0091	0.0091	U		
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	BE-7	0.0218	pCi/L	0.015	0.015	U		
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	BE-7	0.00000064	pCi/L	0.0099	0.0099	U		
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	BE-7	0.0104	pCi/L	0.0073	0.0073	U		
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	BE-7	0.0108	pCi/L	0.0076	0.0076	U		
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	BE-7	0.00634	pCi/L	0.0074	0.0074	U		
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	BE-7	0.0685	pCi/L	0.029	0.029	U		
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	BE-7	0.0473	pCi/L	0.028	0.028	U		
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	BE-7	0.0575	pCi/L	0.032	0.032			
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	BE-7	0.0641	pCi/L	0.035	0.035			
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	BE-7	0.047	pCi/L	0.024	0.024	U		
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	BE-7	0.0621	pCi/L	0.041	0.041			
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	BE-7	0.0447	pCi/L	0.03	0.03			
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	BE-7	0.0329	pCi/L	0.031	0.031	U		
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	BE-7	0.0211	pCi/L	0.028	0.028	U		
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	BE-7	0.0175	pCi/L	0.022	0.022	U		
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	BE-7	0.0117	pCi/L	0.023	0.023	U		
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	BE-7	0.0171	pCi/L	0.017	0.017	U		
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	BE-7	0.0656	pCi/L	0.037	0.037			
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	BE-7	0.0625	pCi/L	0.036	0.036			
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	BE-7	0.0601	pCi/L	0.037	0.037			
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	BE-7	0.0377	pCi/L	0.027	0.027	U		
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	BE-7	0.0518	pCi/L	0.025	0.025	U		
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	BE-7	0.0167	pCi/L	0.021	0.021	U		
SESPMNT	B0YKY3	RICH.PMPHS HRM 48.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	BE-7	0.0414	pCi/L	0.02	0.02	U		
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	BE-7	0.0215	pCi/L	0.029	0.029	U		
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	BE-7	0.0314	pCi/L	0.027	0.027	U		
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	BE-7	0.011	pCi/L	0.02	0.02	U		
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	BE-7	0.0221	pCi/L	0.019	0.019	U		
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	BE-7	0.0252	pCi/L	0.017	0.017	U		
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	CO-60	0.000718	pCi/L	0.00079	0.00079	U		
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	CO-60	0.000304	pCi/L	0.00058	0.00058	U		
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	CO-60	0.000258	pCi/L	0.00075	0.00075	U		
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	CO-60	0.00039	pCi/L	0.00071	0.00071	U		
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	CO-60	-0.000471	pCi/L	0.00067	0.00067	U		
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	CO-60	0.00088	pCi/L	0.00069	0.00069	U		
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	CO-60	0.000208	pCi/L	0.00068	0.00068	U		
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	CO-60	-0.0000571	pCi/L	0.001	0.001	U		
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	CO-60	-0.000248	pCi/L	0.00066	0.00066	U		
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	CO-60	0.000327	pCi/L	0.00068	0.00068	U		
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	CO-60	0.000218	pCi/L	0.0007	0.0007	U		
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	CO-60	0.000539	pCi/L	0.00065	0.00065	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CONREPORT NAME	VALUE RESD	UNITS	COUNTING ERROR	TOTAL ANAL ERROR	VQUAL QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	CO-60	0.000624	pCi/L	0.00068	0.00068	U		
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	CO-60	0.0000485	pCi/L	0.0007	0.0007	U		
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	CO-60	0.000175	pCi/L	0.00065	0.00065	U		
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	CO-60	-0.000365	pCi/L	0.00071	0.00071	U		
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	CO-60	0.000315	pCi/L	0.00071	0.00071	U		
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	CO-60	0.000875	pCi/L	0.00071	0.00071	U		
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	CO-60	0.000173	pCi/L	0.00078	0.00078	U		
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	CO-60	-0.0000689	pCi/L	0.0011	0.0011	U		
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	CO-60	0.000816	pCi/L	0.00074	0.00074	U		
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	CO-60	0.000314	pCi/L	0.00059	0.00059	U		
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	CO-60	-0.0000386	pCi/L	0.00073	0.00073	U		
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	CO-60	0.000461	pCi/L	0.00066	0.00066	U		
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	CO-60	0.0013	pCi/L	0.0022	0.0022	U		
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	CO-60	-0.00236	pCi/L	0.0022	0.0022	U		
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	CO-60	0.00159	pCi/L	0.0022	0.0022	U		
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	CO-60	0.000427	pCi/L	0.0023	0.0023	U		
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	CO-60	0.00102	pCi/L	0.0023	0.0023	U		
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	CO-60	-0.00139	pCi/L	0.0019	0.0019	U		
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	CO-60	0.0000713	pCi/L	0.0018	0.0018	U		
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	CO-60	0.000407	pCi/L	0.0022	0.0022	U		
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	CO-60	0.00118	pCi/L	0.0018	0.0018	U		
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	CO-60	-0.000994	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	CO-60	-0.000356	pCi/L	0.0019	0.0019	U		
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	CO-60	-0.00166	pCi/L	0.0016	0.0016	U		
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	CO-60	0.0000147	pCi/L	0.0026	0.0026	U		
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	CO-60	0.00223	pCi/L	0.0021	0.0021	U		
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	CO-60	0.00183	pCi/L	0.0022	0.0022	U		
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	CO-60	-0.00022	pCi/L	0.0024	0.0024	U		
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	CO-60	-0.000738	pCi/L	0.0024	0.0024	U		
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	CO-60	0.00051	pCi/L	0.0024	0.0024	U		
SESPMNT	B0YKY3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	CO-60	0.000554	pCi/L	0.0019	0.0019	U		
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	CO-60	0.000883	pCi/L	0.0022	0.0022	U		
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	CO-60	0.0000391	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	CO-60	0.00106	pCi/L	0.0015	0.0015	U		
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	CO-60	0.00057	pCi/L	0.0014	0.0014	U		
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	CO-60	-0.0000245	pCi/L	0.0017	0.0017	U		
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	CS-134	-0.00016	pCi/L	0.00085	0.00085	U		
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	CS-134	0.000119	pCi/L	0.0006	0.0006	U		
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	CS-134	-0.0000228	pCi/L	0.00073	0.00073	U		
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	CS-134	-0.000681	pCi/L	0.00062	0.00062	U		
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	CS-134	-0.00216	pCi/L	0.00074	0.00074	U		
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	CS-134	0.000421	pCi/L	0.00073	0.00073	U		
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	CS-134	-0.000695	pCi/L	0.00075	0.00075	U		
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	CS-134	-0.0000236	pCi/L	0.0011	0.0011	U		
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	CS-134	0.0000488	pCi/L	0.00076	0.00076	U		
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	CS-134	-0.000357	pCi/L	0.00074	0.00074	U		
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	CS-134	-0.00288	pCi/L	0.0008	0.0008	U		
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	CS-134	-0.000606	pCi/L	0.00077	0.00077	U		
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	CS-134	-0.000105	pCi/L	0.00068	0.00068	U		
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	CS-134	-0.000474	pCi/L	0.00071	0.00071	U		
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	CS-134	-0.00188	pCi/L	0.00069	0.00069	U		
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	CS-134	-0.000229	pCi/L	0.00073	0.00073	U		
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	CS-134	-0.000129	pCi/L	0.00074	0.00074	U		
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	CS-134	0.000000246	pCi/L	0.00075	0.00075	U		
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	CS-134	-0.000193	pCi/L	0.00074	0.00074	U		
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	CS-134	-0.00178	pCi/L	0.0011	0.0011	U		
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	CS-134	-0.000207	pCi/L	0.00069	0.00069	U		
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	CS-134	-0.000521	pCi/L	0.00054	0.00054	U		
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	CS-134	0.0000597	pCi/L	0.00075	0.00075	U		
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	CS-134	-0.000254	pCi/L	0.00072	0.00072	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLECTID	SAMPDATE	CONTAMINANT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	CS-134	-0.0053	pCi/L	0.0022	0.0022	U		
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	CS-134	-0.000454	pCi/L	0.0023	0.0023	U		
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	CS-134	-0.0028	pCi/L	0.0021	0.0021	U		
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	CS-134	-0.001	pCi/L	0.0024	0.0024	U		
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	CS-134	-0.00288	pCi/L	0.0021	0.0021	U		
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	CS-134	-0.00461	pCi/L	0.0024	0.0024	U		
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	CS-134	-0.000262	pCi/L	0.0019	0.0019	U		
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	CS-134	-0.000677	pCi/L	0.0023	0.0023	U		
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	CS-134	-0.00115	pCi/L	0.0019	0.0019	U		
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	CS-134	-0.000382	pCi/L	0.0018	0.0018	U		
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	CS-134	-0.00142	pCi/L	0.0019	0.0019	U		
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	CS-134	0.00105	pCi/L	0.0016	0.0016	U		
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	CS-134	-0.00578	pCi/L	0.0023	0.0023	U		
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	CS-134	0.000522	pCi/L	0.0021	0.0021	U		
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	CS-134	-0.0041	pCi/L	0.0021	0.0021	U		
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	CS-134	-0.00302	pCi/L	0.0028	0.0028	U		
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	CS-134	0.000508	pCi/L	0.0023	0.0023	U		
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	CS-134	-0.00232	pCi/L	0.0026	0.0026	U		
SESPMNT	B0YKY3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	CS-134	-0.000643	pCi/L	0.002	0.002	U		
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	CS-134	0.0000789	pCi/L	0.0021	0.0021	U		
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	CS-134	-0.000874	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	CS-134	0.0005	pCi/L	0.0014	0.0014	U		
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	CS-134	0.000422	pCi/L	0.0015	0.0015	U		
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	CS-134	0.000647	pCi/L	0.0016	0.0016	U		
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	CS-137	-0.000185	pCi/L	0.00075	0.00075	U		
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	CS-137	0.000892	pCi/L	0.00056	0.00056	U		
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	CS-137	0.000448	pCi/L	0.00066	0.00066	U		
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	CS-137	0.000716	pCi/L	0.00065	0.00065	U		
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	CS-137	0.00052	pCi/L	0.0007	0.0007	U		
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	CS-137	0.000592	pCi/L	0.0007	0.0007	U		
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	CS-137	-0.00000859	pCi/L	0.00072	0.00072	U		
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	CS-137	0.000812	pCi/L	0.001	0.001	U		
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	CS-137	0.000487	pCi/L	0.00068	0.00068	U		
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	CS-137	-0.00013	pCi/L	0.00069	0.00069	U		
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	CS-137	-0.0000731	pCi/L	0.00074	0.00074	U		
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	CS-137	0.00117	pCi/L	0.00072	0.00072	U		
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	CS-137	0.000235	pCi/L	0.00061	0.00061	U		
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	CS-137	0.000733	pCi/L	0.00066	0.00066	U		
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	CS-137	0.000507	pCi/L	0.00069	0.00069	U		
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	CS-137	0.000368	pCi/L	0.00073	0.00073	U		
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	CS-137	0.00109	pCi/L	0.00072	0.00072	U		
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	CS-137	0.000591	pCi/L	0.00069	0.00069	U		
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	CS-137	0.00121	pCi/L	0.00074	0.00074	U		
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	CS-137	0.000177	pCi/L	0.0011	0.0011	U		
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	CS-137	-0.0000388	pCi/L	0.00064	0.00064	U		
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	CS-137	0.000726	pCi/L	0.0006	0.0006	U		
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	CS-137	0.00031	pCi/L	0.00069	0.00069	U		
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	CS-137	-0.0000458	pCi/L	0.00067	0.00067	U		
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	CS-137	-0.000222	pCi/L	0.0022	0.0022	U		
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	CS-137	0.00144	pCi/L	0.0021	0.0021	U		
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	CS-137	0.00161	pCi/L	0.0021	0.0021	U		
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	CS-137	-0.000645	pCi/L	0.0022	0.0022	U		
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	CS-137	0.00134	pCi/L	0.0022	0.0022	U		
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	CS-137	0.00108	pCi/L	0.002	0.002	U		
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	CS-137	0.00305	pCi/L	0.0019	0.0019	U		
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	CS-137	-0.000173	pCi/L	0.002	0.002	U		
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	CS-137	0.00111	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	CS-137	0.00136	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	CS-137	0.000892	pCi/L	0.0018	0.0018	U		
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	CS-137	0.00227	pCi/L	0.0016	0.0016	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	CS-137	0.00103	pCi/L	0.0023	0.0023	U		
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	CS-137	0.0019	pCi/L	0.002	0.002	U		
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	CS-137	0.000839	pCi/L	0.0023	0.0023	U		
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	CS-137	0.000818	pCi/L	0.0025	0.0025	U		
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	CS-137	0.00148	pCi/L	0.0023	0.0023	U		
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	CS-137	-0.0011	pCi/L	0.0023	0.0023	U		
SESPMNT	B0YKY3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	CS-137	0.000942	pCi/L	0.0018	0.0018	U		
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	CS-137	0.00061	pCi/L	0.002	0.002	U		
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	CS-137	0.000212	pCi/L	0.0016	0.0016	U		
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	CS-137	0.00229	pCi/L	0.0014	0.0014	U		
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	CS-137	0.000449	pCi/L	0.0014	0.0014	U		
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	CS-137	0.00154	pCi/L	0.0015	0.0015	U		
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	EU-154	-0.000104	pCi/L	0.0024	0.0024	U		
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	EU-154	0.000822	pCi/L	0.0016	0.0016	U		
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	EU-154	-0.00113	pCi/L	0.0021	0.0021	U		
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	EU-154	0.000518	pCi/L	0.0021	0.0021	U		
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	EU-154	-0.00158	pCi/L	0.0019	0.0019	U		
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	EU-154	-0.000634	pCi/L	0.002	0.002	U		
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	EU-154	0.00063	pCi/L	0.0019	0.0019	U		
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	EU-154	-0.000497	pCi/L	0.0029	0.0029	U		
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	EU-154	-0.000487	pCi/L	0.0021	0.0021	U		
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	EU-154	-0.000571	pCi/L	0.002	0.002	U		
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	EU-154	-0.0000757	pCi/L	0.002	0.002	U		
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	EU-154	-0.000767	pCi/L	0.0021	0.0021	U		
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	EU-154	-0.0000362	pCi/L	0.0019	0.0019	U		
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	EU-154	-0.000129	pCi/L	0.0021	0.0021	U		
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	EU-154	0.000553	pCi/L	0.0021	0.0021	U		
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	EU-154	-0.000726	pCi/L	0.0021	0.0021	U		
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	EU-154	-0.00103	pCi/L	0.0022	0.0022	U		
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	EU-154	0.00135	pCi/L	0.0021	0.0021	U		
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	EU-154	0.0000263	pCi/L	0.0021	0.0021	U		
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	EU-154	-0.00219	pCi/L	0.0033	0.0033	U		
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	EU-154	-0.00139	pCi/L	0.0019	0.0019	U		
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	EU-154	-0.000138	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	EU-154	-0.00114	pCi/L	0.002	0.002	U		
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	EU-154	-0.000113	pCi/L	0.002	0.002	U		
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	EU-154	0.00403	pCi/L	0.0064	0.0064	U		
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	EU-154	-0.00225	pCi/L	0.007	0.007	U		
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	EU-154	0.00276	pCi/L	0.0063	0.0063	U		
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	EU-154	0.000777	pCi/L	0.0069	0.0069	U		
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	EU-154	0.00657	pCi/L	0.0075	0.0075	U		
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	EU-154	0.00267	pCi/L	0.0058	0.0058	U		
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	EU-154	0.000534	pCi/L	0.0057	0.0057	U		
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	EU-154	0.00144	pCi/L	0.0062	0.0062	U		
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	EU-154	-0.000198	pCi/L	0.0056	0.0056	U		
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	EU-154	-0.00291	pCi/L	0.0051	0.0051	U		
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	EU-154	0.00678	pCi/L	0.0058	0.0058	U		
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	EU-154	0.00702	pCi/L	0.0052	0.0052	U		
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	EU-154	-0.000147	pCi/L	0.0075	0.0075	U		
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	EU-154	0.00293	pCi/L	0.0066	0.0066	U		
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	EU-154	-0.00144	pCi/L	0.0064	0.0064	U		
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	EU-154	0.000509	pCi/L	0.0073	0.0073	U		
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	EU-154	0.00346	pCi/L	0.0071	0.0071	U		
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	EU-154	0.00261	pCi/L	0.0068	0.0068	U		
SESPMNT	B0YKY3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	EU-154	0.00117	pCi/L	0.0056	0.0056	U		
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	EU-154	0.000599	pCi/L	0.0064	0.0064	U		
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	EU-154	0.00206	pCi/L	0.005	0.005	U		
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	EU-154	-0.000134	pCi/L	0.0043	0.0043	U		
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	EU-154	0.0000954	pCi/L	0.0044	0.0044	U		
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	EU-154	0.0011	pCi/L	0.0048	0.0048	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	RPTD UNITS	COUNTING ERROR	TOTAL ANALYTICAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	EU-155	-0.0000317	pCi/L	0.0017	0.0017	U		
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	EU-155	0.00046	pCi/L	0.0014	0.0014	U		
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	EU-155	0.000657	pCi/L	0.0014	0.0014	U		
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	EU-155	-0.000972	pCi/L	0.0016	0.0016	U		
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	EU-155	0.000153	pCi/L	0.0019	0.0019	U		
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	EU-155	-0.000729	pCi/L	0.0018	0.0018	U		
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	EU-155	0.000965	pCi/L	0.002	0.002	U		
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	EU-155	-0.00138	pCi/L	0.0028	0.0028	U		
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	EU-155	0.000325	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	EU-155	0.00118	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	EU-155	0.000225	pCi/L	0.0018	0.0018	U		
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	EU-155	-0.0000159	pCi/L	0.0017	0.0017	U		
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	EU-155	-0.000372	pCi/L	0.0014	0.0014	U		
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	EU-155	0.00219	pCi/L	0.0017	0.0017	U		
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	EU-155	0.000994	pCi/L	0.0014	0.0014	U		
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	EU-155	0.000926	pCi/L	0.0019	0.0019	U		
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	EU-155	0.00162	pCi/L	0.0015	0.0015	U		
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	EU-155	-0.000112	pCi/L	0.0015	0.0015	U		
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	EU-155	-0.000449	pCi/L	0.0017	0.0017	U		
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	EU-155	0.00196	pCi/L	0.0024	0.0024	U		
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	EU-155	0.000423	pCi/L	0.0015	0.0015	U		
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	EU-155	-0.000326	pCi/L	0.0012	0.0012	U		
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	EU-155	0.00066	pCi/L	0.0018	0.0018	U		
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	EU-155	-0.000245	pCi/L	0.0014	0.0014	U		
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	EU-155	0.00599	pCi/L	0.0056	0.0056	U		
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	EU-155	0.00206	pCi/L	0.0056	0.0056	U		
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	EU-155	-0.00274	pCi/L	0.0063	0.0063	U		
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	EU-155	-0.000412	pCi/L	0.0054	0.0054	U		
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	EU-155	-0.00266	pCi/L	0.0057	0.0057	U		
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	EU-155	-0.00221	pCi/L	0.0058	0.0058	U		
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	EU-155	0.00182	pCi/L	0.0054	0.0054	U		
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	EU-155	0.00277	pCi/L	0.005	0.005	U		
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	EU-155	0.00298	pCi/L	0.005	0.005	U		
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	EU-155	-0.00053	pCi/L	0.0041	0.0041	U		
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	EU-155	0.00372	pCi/L	0.0042	0.0042	U		
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	EU-155	-0.000298	pCi/L	0.0047	0.0047	U		
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	EU-155	-0.0019	pCi/L	0.0079	0.0079	U		
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	EU-155	0.00228	pCi/L	0.0056	0.0056	U		
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	EU-155	0.000723	pCi/L	0.0051	0.0051	U		
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	EU-155	-0.000673	pCi/L	0.0059	0.0059	U		
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	EU-155	0.000501	pCi/L	0.0068	0.0068	U		
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	EU-155	0.00234	pCi/L	0.0053	0.0053	U		
SESPMNT	B0YKY3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	EU-155	-0.000268	pCi/L	0.0042	0.0042	U		
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	EU-155	0.00118	pCi/L	0.0049	0.0049	U		
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	EU-155	0.00347	pCi/L	0.0039	0.0039	U		
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	EU-155	0.00122	pCi/L	0.0033	0.0033	U		
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	EU-155	0.00186	pCi/L	0.0033	0.0033	U		
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	EU-155	0.00559	pCi/L	0.0039	0.0039	U		
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	K-40	0.0869	pCi/L	0.032	0.032			
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	K-40	0.0612	pCi/L	0.02	0.02			
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	K-40	0.0678	pCi/L	0.025	0.025			
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	K-40	0.0466	pCi/L	0.027	0.027			
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	K-40	0.0465	pCi/L	0.024	0.024			
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	K-40	0.0781	pCi/L	0.026	0.026			
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	K-40	0.106	pCi/L	0.025	0.025			
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	K-40	0.1	pCi/L	0.033	0.033			
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	K-40	0.0403	pCi/L	0.024	0.024			
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	K-40	0.0535	pCi/L	0.023	0.023			
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	K-40	0.0509	pCi/L	0.024	0.024			
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	K-40	0.0192	pCi/L	0.023	0.023	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMPLE SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLMTH ID	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	UNIT RPTD	COUNTING ERROR	TOTAL ANY ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	K-40	0.0928	pCi/L	0.023	0.023			
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	K-40	0.0803	pCi/L	0.023	0.023			
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	K-40	0.046	pCi/L	0.025	0.025			
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	K-40	0.0912	pCi/L	0.027	0.027			
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	K-40	0.0473	pCi/L	0.024	0.024			
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	K-40	0.0403	pCi/L	0.028	0.028			
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	K-40	0.0523	pCi/L	0.027	0.027			
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	K-40	0.103	pCi/L	0.04	0.04			
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	K-40	0.0521	pCi/L	0.022	0.022			
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	K-40	0.0409	pCi/L	0.021	0.021			
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	K-40	0.0395	pCi/L	0.024	0.024			
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	K-40	0.0564	pCi/L	0.022	0.022			
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	K-40	0.548	pCi/L	0.098	0.098			
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	K-40	0.372	pCi/L	0.088	0.088			
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	K-40	0.552	pCi/L	0.097	0.097			
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	K-40	0.559	pCi/L	0.1	0.1			
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	K-40	0.381	pCi/L	0.11	0.11			
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	K-40	0.564	pCi/L	0.096	0.096			
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	K-40	0.587	pCi/L	0.092	0.092			
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	K-40	0.477	pCi/L	0.088	0.088			
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	K-40	0.566	pCi/L	0.089	0.089			
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	K-40	0.55	pCi/L	0.09	0.09			
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	K-40	0.528	pCi/L	0.09	0.09			
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	K-40	0.543	pCi/L	0.086	0.086			
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	K-40	0.364	pCi/L	0.086	0.086			
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	K-40	0.475	pCi/L	0.099	0.099			
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	K-40	0.533	pCi/L	0.1	0.1			
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	K-40	0.477	pCi/L	0.11	0.11			
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	K-40	0.674	pCi/L	0.12	0.12			
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	K-40	0.277	pCi/L	0.085	0.085			
SESPMNT	B0YKY3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	K-40	0.548	pCi/L	0.094	0.094			
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	K-40	0.559	pCi/L	0.1	0.1			
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	K-40	0.573	pCi/L	0.092	0.092			
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	K-40	0.5	pCi/L	0.079	0.079			
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	K-40	0.617	pCi/L	0.09	0.09			
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	K-40	0.386	pCi/L	0.08	0.08			
SESPMNT	B0X7L1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	PU-238	0.00000206	pCi/L	0.0000037	0.0000039	U		
SESPMNT	B0XVP6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	PU-238	0.000154	pCi/L	0.000028	0.000037	J		
SESPMNT	B0YKW8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	PU-238	-4.57E-08	pCi/L	0.0000057	0.0000057	U		
SESPMNT	B10C25	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	PU-238	-0.00000135	pCi/L	0.0000018	0.000002	U		
SESPMNT	B0X7N2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	PU-238	-0.000000572	pCi/L	0.0000011	0.0000012	U		
SESPMNT	B0XVT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	PU-238	0.0000204	pCi/L	0.00001	0.000011	J		
SESPMNT	B0YKY9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	PU-238	0.000000706	pCi/L	0.0000027	0.0000028	U		
SESPMNT	B10C43	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	PU-238	-0.00000187	pCi/L	0.0000026	0.0000027	U		
SESPMNT	B0X7L8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	PU-238	0.000053	pCi/L	0.000088	0.000093	U		
SESPMNT	B0XVR2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	PU-238	0.0000016	pCi/L	0.000018	0.00005	U		
SESPMNT	B0YKX5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	PU-238	-0.00000493	pCi/L	0.0000054	0.0000061	U		
SESPMNT	B10C31	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	PU-238	-0.00000206	pCi/L	0.000022	0.000022	U		
SESPMNT	B0X7M5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	PU-238	0.00000666	pCi/L	0.000024	0.000035	U		
SESPMNT	B0XVR8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	PU-238	0.0000224	pCi/L	0.000088	0.0001	U		
SESPMNT	B0YKY2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	PU-238	0.0000134	pCi/L	0.000022	0.000022	U		
SESPMNT	B10C37	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	PU-238	-0.00000675	pCi/L	0.0000094	0.0000098	U		
SESPMNT	B0X7L1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	PU-239/240	0.0000131	pCi/L	0.0000066	0.0000074	J		
SESPMNT	B0XVP6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	PU-239/240	0.0000255	pCi/L	0.000011	0.000012	J		
SESPMNT	B0YKW8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	PU-239/240	0.000025	pCi/L	0.000016	0.000017	J		
SESPMNT	B10C25	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	PU-239/240	0.0000143	pCi/L	0.000011	0.000011	J		
SESPMNT	B0X7N2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	PU-239/240	0.00000802	pCi/L	0.0000069	0.0000078	U		
SESPMNT	B0XVT4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	PU-239/240	0.0000157	pCi/L	0.0000087	0.0000097	J		
SESPMNT	B0YKY9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	PU-239/240	0.0000279	pCi/L	0.000012	0.000013	J		
SESPMNT	B10C43	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	PU-239/240	0.00000262	pCi/L	0.0000067	0.0000067	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLMTHD	SAMP DATE	CONSTIT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X7L8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	PU-239/240	0	pCi/L	0.000062	0.000062	U		
SESPMNT	B0XVR2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	PU-239/240	0.0000475	pCi/L	0.000079	0.000079	U		
SESPMNT	B0YKX5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	PU-239/240	0.0000339	pCi/L	0.00003	0.000031	J		
SESPMNT	B10C31	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	PU-239/240	0.0000108	pCi/L	0.000028	0.000028	U		
SESPMNT	B0X7M5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	PU-239/240	0.0000479	pCi/L	0.000055	0.000056	U		
SESPMNT	B0XVR8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	PU-239/240	0.0000632	pCi/L	0.000089	0.00009	U		
SESPMNT	B0YKY2	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	PU-239/240	0	pCi/L	0.000019	0.000019	U		
SESPMNT	B10C37	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	PU-239/240	0.0000189	pCi/L	0.000035	0.000035	U		
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	RU-106	-0.00491	pCi/L	0.007	0.007	U		
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	RU-106	-0.000888	pCi/L	0.0049	0.0049	U		
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	RU-106	0.000649	pCi/L	0.0057	0.0057	U		
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	RU-106	-0.00145	pCi/L	0.0056	0.0056	U		
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	RU-106	0.00461	pCi/L	0.0062	0.0062	U		
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	RU-106	0.00327	pCi/L	0.006	0.006	U		
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	RU-106	0.000919	pCi/L	0.006	0.006	U		
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	RU-106	0.0066	pCi/L	0.0098	0.0098	U		
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	RU-106	0.00037	pCi/L	0.0064	0.0064	U		
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	RU-106	-0.00158	pCi/L	0.0059	0.0059	U		
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	RU-106	0.00142	pCi/L	0.0063	0.0063	U		
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	RU-106	-0.0012	pCi/L	0.0062	0.0062	U		
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	RU-106	-0.00292	pCi/L	0.0054	0.0054	U		
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	RU-106	-0.00421	pCi/L	0.0057	0.0057	U		
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	RU-106	-0.00219	pCi/L	0.0056	0.0056	U		
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	RU-106	0.00621	pCi/L	0.0061	0.0061	U		
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	RU-106	0.000995	pCi/L	0.006	0.006	U		
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	RU-106	-0.00191	pCi/L	0.006	0.006	U		
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	RU-106	-0.00154	pCi/L	0.006	0.006	U		
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	RU-106	-0.00434	pCi/L	0.0099	0.0099	U		
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	RU-106	0.000611	pCi/L	0.0058	0.0058	U		
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	RU-106	-0.00436	pCi/L	0.0051	0.0051	U		
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	RU-106	-0.00504	pCi/L	0.0063	0.0063	U		
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	RU-106	-0.00305	pCi/L	0.0058	0.0058	U		
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	RU-106	0.0121	pCi/L	0.019	0.019	U		
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	RU-106	0.00743	pCi/L	0.019	0.019	U		
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	RU-106	0.0023	pCi/L	0.019	0.019	U		
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	RU-106	-0.00872	pCi/L	0.02	0.02	U		
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	RU-106	0.00798	pCi/L	0.02	0.02	U		
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	RU-106	0.0159	pCi/L	0.017	0.017	U		
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	RU-106	-0.00796	pCi/L	0.016	0.016	U		
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	RU-106	-0.0114	pCi/L	0.019	0.019	U		
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	RU-106	0.00133	pCi/L	0.015	0.015	U		
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	RU-106	-0.00126	pCi/L	0.015	0.015	U		
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	RU-106	-0.000641	pCi/L	0.015	0.015	U		
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	RU-106	-0.00121	pCi/L	0.014	0.014	U		
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	RU-106	0.0159	pCi/L	0.022	0.022	U		
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	RU-106	-0.0106	pCi/L	0.018	0.018	U		
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	RU-106	-0.00382	pCi/L	0.019	0.019	U		
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	RU-106	0.0152	pCi/L	0.022	0.022	U		
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	RU-106	0.0161	pCi/L	0.02	0.02	U		
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	RU-106	-0.00924	pCi/L	0.02	0.02	U		
SESPMNT	B0YKY3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	RU-106	0.00293	pCi/L	0.016	0.016	U		
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	RU-106	0.00359	pCi/L	0.019	0.019	U		
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	RU-106	-0.00912	pCi/L	0.015	0.015	U		
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	RU-106	0.0032	pCi/L	0.012	0.012	U		
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	RU-106	0.00854	pCi/L	0.012	0.012	U		
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	RU-106	0.00804	pCi/L	0.014	0.014	U		
SESPMNT	B0X7L2	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	26-Jan-00	SB-125	0.000408	pCi/L	0.0021	0.0021	U		
SESPMNT	B0X7L3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	08-Mar-00	SB-125	-0.000357	pCi/L	0.0014	0.0014	U		
SESPMNT	B0X7L4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Apr-00	SB-125	-0.00157	pCi/L	0.0016	0.0016	U		
SESPMNT	B0XVP7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	03-May-00	SB-125	0.000249	pCi/L	0.0016	0.0016	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMPLE SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLLMTHD	SAMP DATE	COLLECTION NAME	VALUE	UNIT	COUNTING UNCERT	TOTAL UNCERT	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XVP8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	31-May-00	SB-125	-0.00115	pCi/L	0.0017	0.0017	U		
SESPMNT	B0XVP9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Jun-00	SB-125	0.000272	pCi/L	0.0017	0.0017	U		
SESPMNT	B0YKW9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	10-Aug-00	SB-125	0.000143	pCi/L	0.0017	0.0017	U		
SESPMNT	B0YKX0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	07-Sep-00	SB-125	-0.00121	pCi/L	0.0026	0.0026	U		
SESPMNT	B0YKX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	05-Oct-00	SB-125	0.00097	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C26	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	02-Nov-00	SB-125	-0.000499	pCi/L	0.0016	0.0016	U		
SESPMNT	B10C27	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	29-Nov-00	SB-125	0.000126	pCi/L	0.0018	0.0018	U		
SESPMNT	B10C28	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	FILTER	28-Dec-00	SB-125	-0.000653	pCi/L	0.0017	0.0017	U		
SESPMNT	B0X7N3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	26-Jan-00	SB-125	-0.00199	pCi/L	0.0016	0.0016	U		
SESPMNT	B0X7N4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	08-Mar-00	SB-125	-0.000739	pCi/L	0.0015	0.0015	U		
SESPMNT	B0X7N5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Apr-00	SB-125	0.000917	pCi/L	0.0017	0.0017	U		
SESPMNT	B0XVT5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	03-May-00	SB-125	-0.00074	pCi/L	0.0017	0.0017	U		
SESPMNT	B0XVT6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	31-May-00	SB-125	-0.00104	pCi/L	0.0016	0.0016	U		
SESPMNT	B0XVT7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Jun-00	SB-125	-0.00106	pCi/L	0.0018	0.0018	U		
SESPMNT	B0YL00	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	10-Aug-00	SB-125	-0.000633	pCi/L	0.0017	0.0017	U		
SESPMNT	B0YL01	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	07-Sep-00	SB-125	-0.000541	pCi/L	0.0025	0.0025	U		
SESPMNT	B0YL02	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	05-Oct-00	SB-125	0.000923	pCi/L	0.0015	0.0015	U		
SESPMNT	B10C44	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	02-Nov-00	SB-125	0.00000497	pCi/L	0.0014	0.0014	U		
SESPMNT	B10C45	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	29-Nov-00	SB-125	0.000214	pCi/L	0.0017	0.0017	U		
SESPMNT	B10C46	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	FILTER	28-Dec-00	SB-125	0.000373	pCi/L	0.0016	0.0016	U		
SESPMNT	B0X7L9	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	26-Jan-00	SB-125	0.000158	pCi/L	0.0052	0.0052	U		
SESPMNT	B0X7M0	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	08-Mar-00	SB-125	-0.0012	pCi/L	0.0054	0.0054	U		
SESPMNT	B0X7M1	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Apr-00	SB-125	-0.0000272	pCi/L	0.0051	0.0051	U		
SESPMNT	B0XVR3	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	03-May-00	SB-125	-0.0031	pCi/L	0.0053	0.0053	U		
SESPMNT	B0XVR4	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	31-May-00	SB-125	-0.00175	pCi/L	0.0054	0.0054	U		
SESPMNT	B0XVR5	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Jun-00	SB-125	0.00293	pCi/L	0.0048	0.0048	U		
SESPMNT	B0YKX6	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	10-Aug-00	SB-125	-0.00212	pCi/L	0.0045	0.0045	U		
SESPMNT	B0YKX7	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	07-Sep-00	SB-125	-0.000669	pCi/L	0.0056	0.0056	U		
SESPMNT	B0YKX8	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	05-Oct-00	SB-125	-0.000975	pCi/L	0.0042	0.0042	U		
SESPMNT	B10C32	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	02-Nov-00	SB-125	-0.00209	pCi/L	0.0039	0.0039	U		
SESPMNT	B10C33	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	29-Nov-00	SB-125	-0.0000408	pCi/L	0.0042	0.0042	U		
SESPMNT	B10C34	PRIEST RAPIDS-RIVER	OFFSITE	SW	RIVER	RESIN	28-Dec-00	SB-125	0.00216	pCi/L	0.0039	0.0039	U		
SESPMNT	B0X7M6	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	26-Jan-00	SB-125	0.00114	pCi/L	0.0062	0.0062	U		
SESPMNT	B0X7M7	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	08-Mar-00	SB-125	-0.00199	pCi/L	0.0052	0.0052	U		
SESPMNT	B0X7M8	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Apr-00	SB-125	-0.000906	pCi/L	0.0056	0.0056	U		
SESPMNT	B0XVR9	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	03-May-00	SB-125	-0.00347	pCi/L	0.0063	0.0063	U		
SESPMNT	B0XVT0	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	31-May-00	SB-125	-0.0035	pCi/L	0.0056	0.0056	U		
SESPMNT	B0XVT1	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Jun-00	SB-125	-0.00282	pCi/L	0.0053	0.0053	U		
SESPMNT	B0YKY3	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	10-Aug-00	SB-125	-0.00143	pCi/L	0.0043	0.0043	U		
SESPMNT	B0YKY4	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	07-Sep-00	SB-125	0.000705	pCi/L	0.0049	0.0049	U		
SESPMNT	B0YKY5	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	05-Oct-00	SB-125	-0.0026	pCi/L	0.0041	0.0041	U		
SESPMNT	B10C38	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	02-Nov-00	SB-125	-0.000339	pCi/L	0.0034	0.0034	U		
SESPMNT	B10C39	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	29-Nov-00	SB-125	0.000234	pCi/L	0.0031	0.0031	U		
SESPMNT	B10C40	RICH.PMPHS HRM 46.4	OFFSITE	SW	RIVER	RESIN	28-Dec-00	SB-125	-0.00196	pCi/L	0.0037	0.0037	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONSTIT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B10FB0	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	CHLORIDE	10.2	mg/L			D		
PNLGW	B10FB0	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	FLUORIDE	0.15	mg/L					
PNLGW	B10FB0	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	SULFATE	39.1	mg/L			D		
PNLGW	B10FB0	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	NO2-N	0.0074	mg/L			U		
PNLGW	B10FB0	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	NO3-N	2.3	mg/L			D		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	AL	89.9	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	FE	108	ug/L					
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	MG	9820	ug/L					
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	MN	2.5	ug/L			B		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	NI	19.9	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	K	4650	ug/L			B		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	AG	5.2	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	NA	9200	ug/L					
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	SR	219	ug/L					
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	SB	2.8	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	BA	70.1	ug/L			B		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	BE	0.3	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	CD	4.3	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	CR	12.8	ug/L					
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	CO	4.3	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	CU	4.1	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	V	9.1	ug/L			B		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	ZN	14.3	ug/L			U		
PNLGW	B10FB1	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	CA	45100	ug/L					
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1,1,1-T	0.23	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1,1,2-T	0.31	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1,1-DCL	0.19	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1,2-DCL	0.17	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1BUTANOL	6.6	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	ACETONE	4	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	BENZENE	0.23	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CARBIDE	0.3	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CARBTET	0.23	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CHLOROBENZ	0.28	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CISDCE	0.18	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	DICETHY	0.23	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	HEXONE	1.3	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	METHONE	0.7	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	METHYCH	0.37	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	PERCENE	0.57	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TETHYDF	1.5	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TOLUENE	0.33	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TRANDCE	0.26	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TRICELN	0.16	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	VINYIDE	0.17	ug/L			U		
SESPMNT	B10JP0	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	XYLENES	0.61	ug/L			U		
PNLGW	B10FB2	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	TRITIUM	7250	pCi/L	340	640			
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	ALPHA	1.45	pCi/L	1.2	1.3	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	BETA	4.51	pCi/L	1.4	1.9			
PNLGW	B10FB2	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	ALPHA	2.91	pCi/L	1.6	1.8	J		
PNLGW	B10FB2	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	BETA	6.03	pCi/L	1.7	1.9			
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	BE-7	-2.43	pCi/L	15	15	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CO-60	0.661	pCi/L	1.4	1.4	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CS-134	-2.73	pCi/L	1.3	1.3	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CS-137	-0.715	pCi/L	1.1	1.1	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	EU-154	-0.284	pCi/L	3.2	3.2	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	EU-155	0.5	pCi/L	2.5	2.5	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	K-40	-11.6	pCi/L	23	23	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	RU-106	-1.54	pCi/L	11	11	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	SB-125	-0.206	pCi/L	2.8	2.8	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	SR-90	0.0318	pCi/L	0.062	0.062	U		
PNLGW	B10FB2	100-B SPRING 38-3	ONSITE	SW	SEEP		25-Oct-00	SR-90	-0.0801	pCi/L	0.17	0.17	U		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TC-99	1.99	pCi/L	0.12	0.36	J		
SESPMNT	B10932	100-B SPRING 38-3	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TRITIUM	7610	pCi/L	190	420			
SESPMNT	B10933	100-B SPRING 39-2	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00							NO SAMPLE. UNABLE TO LOCATE SEEP.	
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	SULFATE	50.3	mg/L					
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CHLORIDE	6.5	mg/L					
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	FLUORIDE	0.15	mg/L					
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	NO2-N	0.0074	mg/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	NO3-N	4.5	mg/L					
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	FE	56.6	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	MG	8790	ug/L					
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	MN	1.9	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	K	1800	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	NA	4350	ug/L			B		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	SR	226	ug/L					
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	BA	51.8	ug/L			B		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CR	160	ug/L					
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	ZN	7.5	ug/L			B		
HEISPROD	B10JR8	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CA	40700	ug/L					
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	AL	145	ug/L			B		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	FE	171	ug/L					
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	MG	8920	ug/L					
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	MN	8.8	ug/L			B		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	K	1800	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	NA	4390	ug/L			B		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	SR	229	ug/L					
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	BA	53.7	ug/L			B		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CR	162	ug/L					
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	ZN	6.6	ug/L			B		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	CA	41100	ug/L					
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	ALPHA	0.544	pCi/L	0.71	0.93	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BETA	0.998	pCi/L	0.72	1.5	U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	ALPHA	4.4	pCi/L	2.04	2.26			
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	BETA	3.47	pCi/L	1.6	1.66	J		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BE-7	0.209	pCi/L	9.5	9.5	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CO-60	-0.0217	pCi/L	0.89	0.89	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CS-134	-0.547	pCi/L	0.9	0.9	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CS-137	0.054	pCi/L	0.89	0.89	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	EU-154	2.43	pCi/L	2.7	2.7	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	EU-155	0.352	pCi/L	1.7	1.7	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	K-40	10	pCi/L	13	13	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	RU-106	-4.17	pCi/L	8.4	8.4	U		
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SB-125	1.56	pCi/L	2.3	2.3	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SR-90	0.09	pCi/L	0.04	0.05			
SESPMNT	B10940	100-D SPRING 102-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	TRITIUM	21.3	pCi/L	1.5	110	U		
HEISPROD	B10JP7	100-D SPRING 102-1	ONSITE	SW	SEEP		17-Oct-00	LO TRITIUM	271	pCi/L	30.1	246	U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SULFATE	30.7	mg/L					
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CHLORIDE	5.9	mg/L					
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	FLUORIDE	0.14	mg/L					
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NO2-N	0.0074	mg/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NO3-N	2.6	mg/L					
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SULFATE	31.1	mg/L					
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CHLORIDE	6	mg/L					
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	FLUORIDE	0.13	mg/L					
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NO2-N	0.0074	mg/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NO3-N	2.6	mg/L					
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	FE	56.6	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	MG	6890	ug/L					
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	MN	1.9	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	K	2110	ug/L			B		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NA	3700	ug/L			B		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SR	177	ug/L					
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BA	40.5	ug/L			B		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CR	87.6	ug/L					
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	ZN	4.7	ug/L			B		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CA	30700	ug/L					
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	FE	56.6	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	MG	6840	ug/L					
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	MN	1.9	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	K	1800	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NA	3610	ug/L			B		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SR	175	ug/L					
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BA	40.2	ug/L			B		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CR	88.5	ug/L					
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	ZN	4.4	ug/L			B		
HEISPROD	B10JR9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CA	30300	ug/L					
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	FE	56.6	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	MG	6850	ug/L					
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	MN	1.9	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	K	1920	ug/L			B		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NA	3630	ug/L			B		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SR	174	ug/L					
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BA	40.2	ug/L			B		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BE	0.6	ug/L			U		

OWNER ID	SAMP NUM	SAME SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	ANALYSIS UNITS RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CR	87.2	ug/L					
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	ZN	6.1	ug/L			B		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CA	30400	ug/L					
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	FE	56.6	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	MG	6930	ug/L					
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	MN	1.9	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	K	1800	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	NA	3670	ug/L			B		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SR	177	ug/L					
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BA	40.3	ug/L			B		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CR	88.9	ug/L					
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	ZN	5	ug/L			B		
HEISPROD	B10JT0	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	CA	30600	ug/L					
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	ALPHA	0.361	pCi/L	0.53	0.77	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BETA	5.38	pCi/L	1.4	1.9			
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	ALPHA	1.24	pCi/L	0.986	1.02	U		
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	ALPHA	0.372	pCi/L	0.742	0.746	U		
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BETA	5.46	pCi/L	1.69	1.84			
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	BETA	4.96	pCi/L	1.61	1.74			
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BE-7	-16.8	pCi/L	13	13	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CO-60	-0.822	pCi/L	1.4	1.4	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CS-134	-1.73	pCi/L	1.1	1.1	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CS-137	-0.85	pCi/L	1.1	1.1	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	EU-154	-1.76	pCi/L	2.9	2.9	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	EU-155	0.516	pCi/L	2.4	2.4	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	K-40	-5.66	pCi/L	25	25	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	RU-106	-0.403	pCi/L	11	11	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SB-125	-0.754	pCi/L	2.6	2.6	U		
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SR-90	1.36	pCi/L	0.082	0.36			
SESPMNT	B10939	100-D SPRING 110-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	TRITIUM	1010	pCi/L	52	160			
HEISPROD	B10JP8	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	LO TRITIUM	1310	pCi/L	111	319			
HEISPROD	B10JP9	100-D SPRING 110-1	ONSITE	SW	SEEP		17-Oct-00	LO TRITIUM	1150	pCi/L	100	307			
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	SULFATE	39.4	mg/L			D		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CHLORIDE	7.3	mg/L			DC		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	FLUORIDE	0.19	mg/L					
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	NO2-N	0.0074	mg/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	NO3-N	6.4	mg/L			D		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	AL	89.9	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	FE	34.9	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	MG	9410	ug/L					
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	MN	1.4	ug/L					
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	NI	19.9	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	K	2450	ug/L			B		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	AG	5.2	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	NA	12300	ug/L					
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	SR	255	ug/L					
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	SB	4.3	ug/L					
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	BA	39	ug/L			B		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	BE	0.3	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CD	4.3	ug/L			U		

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CR	14	ug/L					
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CO	4.3	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CU	4.1	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	V	5.6	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	ZN	14.3	ug/L			U		
PNLGW	B10FC3	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CA	43000	ug/L					
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	14DICLBENZ	0.14	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	1,2-DCL	0.17	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	ETHCYANIDE	2.6	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	HEXONE	1.3	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	TOLUENE	0.33	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	TETHYDF	1.5	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	PERCENE	0.57	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	XYLENES	0.61	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CISDCE	0.18	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	TRANDCE	0.26	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CARBTET	0.23	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	ACETONE	4	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CHLOROFORM	0.23	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	1BUTANOL	6.6	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	BENZENE	0.23	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	1,1,1-T	0.23	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	VINYIDE	0.17	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	METHYCH	0.37	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CARBIDE	0.3	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	1,1-DCL	0.19	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	METHONE	0.7	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	1,1,2-T	0.31	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	TRICELN	0.16	ug/L			U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	PH	7.67	pH					
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	CONDUCT	365	uS/cm					
PNLGW	B10FC4	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	TRITIUM	768	pCi/L	80	260			
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	ALPHA	3.49	pCi/L	2.2	2.3	J		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	BETA	7.79	pCi/L	1.8	2.4			
PNLGW	B10FC4	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	ALPHA	5.33	pCi/L	2.8	3.1			
PNLGW	B10FC4	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	BETA	12.9	pCi/L	2.2	2.8			
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	BE-7	2.7	pCi/L	23	23	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	CO-60	0.476	pCi/L	1.1	1.1	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	CS-134	-1.73	pCi/L	1.3	1.3	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	CS-137	-1.06	pCi/L	1.1	1.1	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	EU-154	-1.58	pCi/L	3.6	3.6	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	EU-155	0.593	pCi/L	2.6	2.6	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	K-40	4.43	pCi/L	25	25	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	RU-106	-11.5	pCi/L	12	12	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	SB-125	-1.6	pCi/L	3.1	3.1	U		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	SR-90	0.0133	pCi/L	0.024	0.027	U		
PNLGW	B10FC4	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	SR-90	0.0585	pCi/L	0.15	0.15	U		
PNLGW	B10FC2	100-F SPRING 207-1	ONSITE	SW	SEEP		07-Nov-00	TEMPERATUR	14.3	Deg C					
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	TRITIUM	873	pCi/L	49	160			
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	U-234	1.33	pCi/L	0.084	0.25			
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	U-235	0.0477	pCi/L	0.016	0.019	J		
SESPMNT	B10942	100-F SPRING 207-1	ONSITE	SW	SEEP	RAW GRAB	07-Nov-00	U-238	1.12	pCi/L	0.077	0.21			
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	SULFATE	147	mg/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CHLORIDE	15.8	mg/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	FLUORIDE	1.8	mg/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	NO2-N	0.074	mg/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	NO3-N	5.8	mg/L					
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	AL	89.9	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	FE	34.9	ug/L			UN		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	MG	5160	ug/L					
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	MN	1.2	ug/L			U		

OWNER ID	SAMP NUM	SAMPLE SITE NAME	DAT CLASS	MEDIA	SAMP PROJ	SAMP MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	ANALYTICAL UNITS RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	QUALIFIER	SAMP COMMENT	RESOL COMMENT
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	NI	19.9	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	K	1890	ug/L			B		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	AG	5.2	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	NA	5700	ug/L					
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	SR	116	ug/L					
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	SB	2.8	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	BA	20.5	ug/L			B		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	BE	0.3	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CD	4.3	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CR	12.8	ug/L					
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CO	4.3	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CU	4.1	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	V	5.6	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	ZN	14.3	ug/L			U		
HEISPROD	B10JT4	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CA	21600	ug/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	AL	89.9	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	FE	81.4	ug/L			BN		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	MG	5050	ug/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	MN	2.6	ug/L			B		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	NI	19.9	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	K	1700	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	AG	5.2	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	NA	5640	ug/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	SR	113	ug/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	SB	2.8	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	BA	20.7	ug/L			B		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	BE	0.3	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CD	4.3	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CR	13.8	ug/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CO	4.3	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CU	5.5	ug/L			B		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	V	5.6	ug/L			U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	ZN	22.6	ug/L					
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	CA	21200	ug/L					
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	ALPHA	0.652	pCi/L	0.68	0.86	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	BETA	0.992	pCi/L	0.96	2	U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	ALPHA	1.04	pCi/L	0.833	0.864	U		
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	BETA	3.8	pCi/L	1.49	1.58	J		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	BE-7	-7.86	pCi/L	13	13	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	CO-60	-0.0898	pCi/L	1.2	1.2	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	CS-134	0.423	pCi/L	1.2	1.2	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	CS-137	0.295	pCi/L	1.1	1.1	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	EU-154	-3.4	pCi/L	3.1	3.1	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	EU-155	-0.423	pCi/L	2.5	2.5	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	K-40	7.11	pCi/L	17	17	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	RU-106	2.69	pCi/L	12	12	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	SB-125	0.599	pCi/L	2.9	2.9	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	SR-90	0.00301	pCi/L	0.033	0.037	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	TC-99	0.0663	pCi/L	0.094	0.25	U		
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	TRITIUM	386	pCi/L	25	130			
HEISPROD	B10JR3	100-H SPRING 145-1	ONSITE	SW	SEEP		01-Nov-00	LO TRITIUM	429	pCi/L	162	243			
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	U-234	0.332	pCi/L	0.045	0.075			
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	U-238	0.236	pCi/L	0.038	0.057			
SESPMNT	B10941	100-H SPRING 145-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	U-235	0.00938	pCi/L	0.0066	0.0094	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	ALPHA	0.603	pCi/L	0.59	0.76	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	BETA	11.4	pCi/L	2.1	2.9			
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	BE-7	-1.88	pCi/L	14	14	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	CO-60	0.646	pCi/L	1.3	1.3	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	CS-134	-0.416	pCi/L	1	1	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	CS-137	-0.449	pCi/L	1.1	1.1	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	EU-154	-0.09	pCi/L	3.6	3.6	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	EU-155	-0.379	pCi/L	1.9	1.9	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	K-40	-16.2	pCi/L	24	24	U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	RU-106	2.04	pCi/L	9	9	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	SB-125	1.6	pCi/L	2.5	2.5	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	SR-90	5.56	pCi/L	0.18	1.3			
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	TC-99	0.3	pCi/L	0.098	0.26	J		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	TRITIUM	61	pCi/L	6	120	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	U-234	0.176	pCi/L	0.03	0.045			
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	U-235	0.000669	pCi/L	0.00077	0.005	U		
SESPMNT	B10977	100-H SPRING 153-1	ONSITE	SW	SEEP	RAW GRAB	01-Nov-00	U-238	0.138	pCi/L	0.027	0.037			
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CHLORIDE	9.1	mg/L			D		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	FLUORIDE	0.14	mg/L					
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	NO2-N	0.0074	mg/L			UN		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	NO3-N	3.8	mg/L			D		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SULFATE	26.4	mg/L			D		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	1,1,1-T	0.23	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	1,1,2-T	0.31	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	1,1-DCL	0.19	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	1,2-DCL	0.17	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	1BUTANOL	6.6	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	ACETONE	4	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BENZENE	0.23	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CARBIDE	0.3	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CARBTET	0.23	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CHLOROBENZ	0.28	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CHLOROFORM	0.26	ug/L			J		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CISDCE	0.18	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	DICETHY	0.23	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	HEXONE	1.3	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	METHONE	0.7	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	METHYCH	0.37	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	PERCENE	0.57	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	TETHYDF	1.5	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	TOLUENE	0.56	ug/L			J		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	TRANDCE	0.26	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	TRICELN	3.3	ug/L					
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	VINYIDE	0.17	ug/L			U		
SESPMNT	B10JP2	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	XYLENES	0.61	ug/L			U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	ALPHA	1.86	pCi/L	1.2	1.4	J		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BETA	3.11	pCi/L	1.2	1.8	J		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BE-7	-2.67	pCi/L	13	13	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CO-60	0.0195	pCi/L	1.1	1.1	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CS-134	-2.35	pCi/L	1.3	1.3	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CS-137	-0.0718	pCi/L	1.1	1.1	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	EU-154	-0.511	pCi/L	3.1	3.1	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	EU-155	0.385	pCi/L	2.2	2.2	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	K-40	-24.6	pCi/L	21	21	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	RU-106	-4.03	pCi/L	10	10	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SB-125	-0.112	pCi/L	3	3	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SR-90	0.0189	pCi/L	0.035	0.038	U		
SESPMNT	B10934	100-K SPRING 63-1	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	TRITIUM	5370	pCi/L	150	340			
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1,1,1-T	0.23	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1,1,2-T	0.31	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1,1-DCL	0.19	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1,2-DCL	0.17	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	1BUTANOL	6.6	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	ACETONE	4	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	BENZENE	0.23	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CARBIDE	0.3	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CARBTET	0.23	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CISDCE	0.18	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	HEXONE	1.3	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	METHONE	0.7	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	METHYCH	0.37	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	PERCENE	0.57	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TETHYDF	1.5	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TOLUENE	0.56	ug/L			J		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TRANDCE	0.26	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TRICELN	0.16	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	VINYIDE	0.17	ug/L			U		
SESPMNT	B10JP3	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	XYLENES	0.61	ug/L			U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	ALPHA	0.281	pCi/L	0.41	0.65	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	BETA	5.22	pCi/L	1.4	1.9			
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	BE-7	-13.7	pCi/L	17	17	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CO-60	1.66	pCi/L	1.6	1.6	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CS-134	-1.06	pCi/L	1.3	1.3	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	CS-137	-0.423	pCi/L	1.2	1.2	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	EU-154	-0.176	pCi/L	3.8	3.8	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	EU-155	-0.97	pCi/L	2.6	2.6	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	K-40	-14	pCi/L	23	23	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	RU-106	-0.222	pCi/L	11	11	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	SB-125	1.1	pCi/L	3.1	3.1	U		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	SR-90	2.12	pCi/L	0.18	0.52			
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TC-99	0.272	pCi/L	0.097	0.26	J		
SESPMNT	B10936	100-K SPRING 77-1	ONSITE	SW	SEEP	RAW GRAB	25-Oct-00	TRITIUM	125	pCi/L	8.9	110	U		
SESPMNT	B10938	100-N SPRING 199N-46	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00							NO SAMPLE. UNABLE TO LOCATE SEEP.	
SESPMNT	B10900	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CHLORIDE	10.4	mg/L			D		
SESPMNT	B10900	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	FLUORIDE	0.19	mg/L					
SESPMNT	B10900	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	NO2-N	0.0074	mg/L			U		
SESPMNT	B10900	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	NO3-N	4.9	mg/L			D		
SESPMNT	B10900	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SULFATE	54.8	mg/L			D		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	ALPHA	1.61	pCi/L	1.2	1.4	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BETA	5.94	pCi/L	1.6	2.1			
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	BE-7	-0.596	pCi/L	11	11	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CO-60	1.51	pCi/L	1.5	1.5	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CS-134	0.0991	pCi/L	1	1	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	EU-154	0.361	pCi/L	2.5	2.5	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	EU-155	-0.068	pCi/L	2.1	2.1	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	K-40	-10.1	pCi/L	20	20	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	RU-106	-3.15	pCi/L	9.3	9.3	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SB-125	-1.14	pCi/L	2.5	2.5	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	CS-137	1.07	pCi/L	0.97	0.97	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	SR-90	-0.00261	pCi/L	0.037	0.037	U		
SESPMNT	B10910	100-N SPRING 8-13	ONSITE	SW	SEEP	RAW GRAB	17-Oct-00	TRITIUM	17700	pCi/L	300	800			
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CHLORIDE	14.4	mg/L			D		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	FLUORIDE	0.23	mg/L					
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO2-N	0.0074	mg/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO3-N	5.1	mg/L			D		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SULFATE	48.2	mg/L			D		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	1,1,1-T	0.23	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	1,1,2-T	0.31	ug/L			U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	UNIT RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	1,1-DCL	0.19	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	1,2-DCL	0.82	ug/L			J		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	14DICLBENZ	0.25	ug/L			J		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ACETONE	4	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BENZENE	0.23	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CARBIDE	0.46	ug/L			J		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CARBTET	0.23	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CISDCE	0.36	ug/L			J		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	HEXONE	1.3	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	METHONE	0.7	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	METHYCH	0.37	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	PERCENE	0.57	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TETHYDF	1.5	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TOLUENE	0.57	ug/L			J		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRANDCE	0.26	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRICELN	2.3	ug/L					
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	VINYIDE	0.17	ug/L			U		
SESPMNT	B108Y5	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	XYLENES	0.61	ug/L			U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ALPHA	125	pCi/L	12	29			
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BETA	26	pCi/L	2.7	4.6			
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BE-7	-1.07	pCi/L	13	13	U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CO-60	1.58	pCi/L	1.3	1.3	U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-134	-0.529	pCi/L	1.5	1.5	U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-137	0.768	pCi/L	1.2	1.2	U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-154	-5.33	pCi/L	3.4	3.4	U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-155	1.44	pCi/L	2.5	2.5	U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	K-40	0.9	pCi/L	25	25	U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	RU-106	-3	pCi/L	11	11	U		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SB-125	1.1	pCi/L	2.9	2.9	U		
SESPMNT	B10976	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	I-129	0.004972	pCi/L		0.000586696			

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	ANALYT QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SR-90	0.184	pCi/L	0.047	0.071			
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TC-99	12.4	pCi/L	0.26	1.8	J		
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRITIUM	9130	pCi/L	210	480			
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-234	68.9	pCi/L	6.6	14			
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-235	2.51	pCi/L	1.2	1.4			
SESPMNT	B10949	300 AREA SPR DR 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-238	61	pCi/L	6.2	12			
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CHLORIDE	15.3	mg/L			D		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	FLUORIDE	0.26	mg/L					
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO2-N	0.0074	mg/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO3-N	5.3	mg/L			D		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SULFATE	49.6	mg/L			D		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	1,1,1-T	0.23	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	1,1,2-T	0.31	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	1,1-DCL	0.19	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	1,2-DCL	0.84	ug/L			J		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ACETONE	4	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BENZENE	0.23	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CARBIDE	0.3	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CARBTET	0.23	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CHLOROBENZ	0.28	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CISDCE	0.18	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	DICETHY	0.23	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	HEXONE	1.3	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	METHONE	0.7	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	METHYCH	0.37	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	PERCENE	0.57	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TETHYDF	1.5	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TOLUENE	0.63	ug/L			J		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRANDCE	0.26	ug/L			U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRICELN	0.16	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	VINYIDE	0.17	ug/L			U		
SESPMNT	B108Y4	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	XYLENES	0.61	ug/L			U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ALPHA	68.8	pCi/L	8.9	18			
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BETA	29.1	pCi/L	2.9	5			
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BE-7	-3.28	pCi/L	11	11	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CO-60	-0.247	pCi/L	1.3	1.3	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-134	-1.71	pCi/L	1.2	1.2	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-137	-0.226	pCi/L	1.2	1.2	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-154	0.0529	pCi/L	3.6	3.6	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-155	-2.45	pCi/L	2.7	2.7	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	K-40	-8.02	pCi/L	25	25	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	RU-106	3.81	pCi/L	11	11	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SB-125	0.764	pCi/L	2.8	2.8	U		
SESPMNT	B10907	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	I-129	0.0057375	pCi/L		0.00052785			
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SR-90	0.0923	pCi/L	0.099	0.11	U		
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TC-99	15.6	pCi/L	0.31	2			
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRITIUM	9940	pCi/L	210	510			
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-234	25.8	pCi/L	0.38	4.5			
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-235	1.35	pCi/L	0.087	0.25			
SESPMNT	B10913	300 AREA SPRING 42-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-238	23.6	pCi/L	0.37	4.1			
SESPMNT	B108Y7	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CHLORIDE	8.2	mg/L			D		
SESPMNT	B108Y7	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	FLUORIDE	0.23	mg/L					
SESPMNT	B108Y7	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO2-N	0.0074	mg/L			U		
SESPMNT	B108Y7	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO3-N	5.1	mg/L			D		
SESPMNT	B108Y7	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SULFATE	31.7	mg/L			D		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ALPHA	3.11	pCi/L	1.7	1.9	J		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BETA	29.5	pCi/L	2.8	4.9			
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BE-7	-7.01	pCi/L	13	13	U		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CO-60	1.44	pCi/L	1.3	1.3	U		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-134	-0.632	pCi/L	1.3	1.3	U		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-137	0.697	pCi/L	1	1	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANL ERROR %	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-154	2.37	pCi/L	3.5	3.5	U		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-155	-0.825	pCi/L	2.8	2.8	U		
SESPMNT	B10948	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	K-40	-15	pCi/L	24	24	U		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	RU-106	2.25	pCi/L	11	11	U		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SB-125	-0.0584	pCi/L	2.9	2.9	U		
SESPMNT	B10952	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	I-129	0.0511546	pCi/L		0.004706223			
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TC-99	79.7	pCi/L	0.88	6.1			
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRITIUM	79100	pCi/L	630	3100			
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-234	1.9	pCi/L	0.1	0.35			
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-235	0.0514	pCi/L	0.016	0.02	J		
SESPMNT	B10946	HANFORD SPR DR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-238	1.3	pCi/L	0.082	0.24			
SESPMNT	B108Y8	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CHLORIDE	6.3	mg/L			D		
SESPMNT	B108Y8	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	FLUORIDE	0.25	mg/L					
SESPMNT	B108Y8	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO2-N	0.0074	mg/L			U		
SESPMNT	B108Y8	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO3-N	3	mg/L			D		
SESPMNT	B108Y8	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SULFATE	27.7	mg/L			D		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ALPHA	1.61	pCi/L	1.2	1.4	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BETA	22.3	pCi/L	2.5	4.2			
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BE-7	9.8	pCi/L	11	11	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CO-60	0.517	pCi/L	1.1	1.1	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-134	-0.137	pCi/L	0.8	0.8	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-137	0.324	pCi/L	0.83	0.83	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-154	0.0371	pCi/L	2.8	2.8	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-155	0.036	pCi/L	1.8	1.8	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	K-40	15.5	pCi/L	15	15	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	RU-106	0.505	pCi/L	9.9	9.9	U		
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SB-125	-1.84	pCi/L	2.3	2.3	U		
SESPMNT	B10951	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	I-129	0.2697071	pCi/L		0.028588953			
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TC-99	54.1	pCi/L	0.7	4.5			
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRITIUM	53900	pCi/L	520	2100			
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-234	1.36	pCi/L	0.085	0.25			
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-235	0.0336	pCi/L	0.013	0.016	J		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RCTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENTS	REBUILT COMMENT
SESPMNT	B10945	HANFORD SPR UR 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-238	0.993	pCi/L	0.073	0.19			
SESPMNT	B108Y6	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CHLORIDE	7.2	mg/L			D		
SESPMNT	B108Y6	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	FLUORIDE	0.24	mg/L					
SESPMNT	B108Y6	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO2-N	0.0074	mg/L			U		
SESPMNT	B108Y6	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	NO3-N	4.7	mg/L			D		
SESPMNT	B108Y6	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SULFATE	30.2	mg/L			D		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	ALPHA	2.43	pCi/L	1.4	1.6	J		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BETA	27.9	pCi/L	2.7	4.8			
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	BE-7	-7.13	pCi/L	9.1	9.1	U		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CO-60	1.03	pCi/L	1.1	1.1	U		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-134	0.501	pCi/L	0.9	0.9	U		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	CS-137	-0.845	pCi/L	0.87	0.87	U		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-154	-0.101	pCi/L	2.9	2.9	U		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	EU-155	0.576	pCi/L	1.6	1.6	U		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	K-40	1.88	pCi/L	14	14	U		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	RU-106	1.78	pCi/L	8.8	8.8	U		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	SB-125	1.68	pCi/L	2.1	2.1	U		
SESPMNT	B10906	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	I-129	0.1545513	pCi/L		0.016382438			
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TC-99	71.5	pCi/L	0.83	5.6			
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	TRITIUM	61100	pCi/L	560	2400			
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-234	1.25	pCi/L	0.084	0.23			
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-235	0.028	pCi/L	0.012	0.014	J		
SESPMNT	B10912	HANFORD SPRING 28-2	ONSITE	SW	SEEP	RAW GRAB	27-Sep-00	U-238	0.797	pCi/L	0.067	0.15			
PNLGW	B10F97	SB-037-1		SW	SEEP		25-Oct-00	CHLORIDE	12.2	mg/L			D		
PNLGW	B10F97	SB-037-1		SW	SEEP		25-Oct-00	FLUORIDE	0.19	mg/L					
PNLGW	B10F97	SB-037-1		SW	SEEP		25-Oct-00	SULFATE	47.5	mg/L			D		
PNLGW	B10F97	SB-037-1		SW	SEEP		25-Oct-00	NO2-N	0.0074	mg/L			U		
PNLGW	B10F97	SB-037-1		SW	SEEP		25-Oct-00	NO3-N	3.4	mg/L			D		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	AL	89.9	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	FE	60	ug/L			B		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	MG	10700	ug/L					
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	MN	1.2	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	NI	19.9	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	K	5750	ug/L					
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	AG	5.2	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	NA	10800	ug/L					
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	SR	229	ug/L					
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	SB	2.8	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	BA	61.5	ug/L			B		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	BE	0.3	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	CD	4.3	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONST HOST NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANAL ERROR %	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	CR	12.5	ug/L					
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	CO	4.3	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	CU	4.1	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	V	8.2	ug/L			B		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	ZN	14.3	ug/L			U		
PNLGW	B10F98	SB-037-1		SW	SEEP		25-Oct-00	CA	45900	ug/L					
PNLGW	B10F99	SB-037-1		SW	SEEP		25-Oct-00	TRITIUM	5060	pCi/L	280	520			
PNLGW	B10F99	SB-037-1		SW	SEEP		25-Oct-00	ALPHA	2.49	pCi/L	1.5	1.6	J		
PNLGW	B10F99	SB-037-1		SW	SEEP		25-Oct-00	BETA	8.13	pCi/L	1.8	2.1			
PNLGW	B10F99	SB-037-1		SW	SEEP		25-Oct-00	SR-90	0.0932	pCi/L	0.23	0.23	U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	SULFATE	94.3	mg/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	CHLORIDE	5.2	mg/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	FLUORIDE	0.01	mg/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	NO2-N	0.0074	mg/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	NO3-N	295	mg/L					
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	AL	179	ug/L			B		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	FE	255	ug/L					
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	MG	5780	ug/L					
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	MN	18	ug/L					
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	K	1800	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	NA	3190	ug/L			B		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	SR	152	ug/L					
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	BA	36	ug/L			B		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	CR	34.7	ug/L					
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	ZN	13	ug/L			B		
HEISPROD	B10JT1	SD-110-2		SW	SEEP		17-Oct-00	CA	28400	ug/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	AL	134	ug/L			B		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	FE	147	ug/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	MG	5640	ug/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	MN	8.8	ug/L			B		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	K	1800	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	NA	3170	ug/L			B		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	SR	148	ug/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	BA	34.2	ug/L			B		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	CR	34.3	ug/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	ZN	24.1	ug/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	CA	27800	ug/L					
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	ALPHA	2.22	pCi/L	1.36	1.45	J		
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	BETA	5.21	pCi/L	1.7	1.84			
HEISPROD	B10JR0	SD-110-2		SW	SEEP		17-Oct-00	LO TRITIUM	1120	pCi/L	98.4	307			
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	SULFATE	23.2	mg/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	CHLORIDE	3.6	mg/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	FLUORIDE	0.21	mg/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	NO2-N	0.0074	mg/L			U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	NO3-N	2.1	mg/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	SULFATE	22.9	mg/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	CHLORIDE	3.6	mg/L					

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	FLUORIDE	0.22	mg/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	NO2-N	0.0074	mg/L			U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	NO3-N	2.3	mg/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	AL	265	ug/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	FE	415	ug/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	MG	6600	ug/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	MN	24.9	ug/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	K	3840	ug/L			B		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	NA	8080	ug/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	SR	150	ug/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	BA	36.3	ug/L			B		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	CR	23.1	ug/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	V	9.9	ug/L			B		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	ZN	14.9	ug/L			B		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	CA	26600	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	AL	2330	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	FE	2680	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	MG	7370	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	MN	177	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	K	4560	ug/L			B		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	NA	8640	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	SR	164	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	BA	67.3	ug/L			B		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	CR	23.6	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	CU	10	ug/L			B		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	V	16.1	ug/L			B		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	ZN	56.5	ug/L					
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	CA	28600	ug/L					
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	FE	56.6	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	MG	6540	ug/L					
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	MN	1.9	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	K	4850	ug/L			B		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	NA	8530	ug/L					
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	SR	149	ug/L					
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	BA	31.2	ug/L			B		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	CR	21.9	ug/L					
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	V	8.3	ug/L			B		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	ZN	4.2	ug/L			U		
HEISPROD	B10JV0	SD-98-1		SW	SEEP		12-Oct-00	CA	26200	ug/L					
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	FE	56.6	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	MG	6600	ug/L					
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	MN	1.9	ug/L			U		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	INITIAL QUALIFIER	SAMP COMMENT	RESULT COMMENT
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	K	2310	ug/L			B		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	NA	8580	ug/L					
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	SR	152	ug/L					
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	BA	31.7	ug/L			B		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	CR	21.7	ug/L					
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	V	8	ug/L			B		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	ZN	4.2	ug/L			U		
HEISPROD	B10JT2	SD-98-1		SW	SEEP		12-Oct-00	CA	26500	ug/L					
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	ALPHA	1.31	pCi/L	1.06	1.1	U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	ALPHA	0.708	pCi/L	0.799	0.813	U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	BETA	3.3	pCi/L	1.98	2.03	U		
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	BETA	1.48	pCi/L	1.81	1.82	U		
HEISPROD	B10JR1	SD-98-1		SW	SEEP		12-Oct-00	LO TRITIUM	9850	pCi/L	387	726			
HEISPROD	B10JT9	SD-98-1		SW	SEEP		12-Oct-00	LO TRITIUM	9310	pCi/L	435	812			
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	SULFATE	9.4	mg/L					
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	CHLORIDE	0.67	mg/L			C		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	FLUORIDE	0.12	mg/L					
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	NO2-N	0.0074	mg/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	NO3-N	0.58	mg/L					
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	AL	89.9	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	FE	61.2	ug/L			B		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	MG	3990	ug/L			B		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	MN	1.2	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	NI	19.9	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	K	1700	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	AG	5.2	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	NA	2270	ug/L			B		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	SR	96.4	ug/L					
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	SB	2.8	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	BA	17.6	ug/L			B		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	BE	0.3	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	CD	4.3	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	CR	4.1	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	CO	4.3	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	CU	4.1	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	V	5.6	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	ZN	14.3	ug/L			U		
PNLGW	B10FC0	SF-190-4		SW	SEEP		07-Nov-00	CA	17000	ug/L					
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	14DICLBENZ	0.14	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	1,2-DCL	0.17	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	ETHCYANIDE	2.6	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	HEXONE	1.3	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	TOLUENE	0.49	ug/L			J		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	TETHYDF	1.5	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	PERCENE	0.57	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	XYLENES	0.94	ug/L			J		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	CISDCE	0.18	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	TRANDCE	0.26	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	CARBTET	0.23	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	ACETONE	4	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	CHLOROFORM	0.23	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	1BUTANOL	6.6	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	BENZENE	0.23	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	1,1,1-T	0.23	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	VINYIDE	0.17	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	METHYCH	0.37	ug/L			U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	CARBIDE	0.3	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	1,1-DCL	0.19	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	METHONE	0.7	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	1,1,2-T	0.31	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	TRICELN	0.16	ug/L			U		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	PH	8	pH					
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	CONDUCT	126	uS/cm					
PNLGW	B10FC1	SF-190-4		SW	SEEP		07-Nov-00	TRITIUM	-51.4	pCi/L	7.5	190	U		
PNLGW	B10FC1	SF-190-4		SW	SEEP		07-Nov-00	ALPHA	0.945	pCi/L	0.84	0.87	U		
PNLGW	B10FC1	SF-190-4		SW	SEEP		07-Nov-00	BETA	2.88	pCi/L	1.4	1.5	J		
PNLGW	B10FC1	SF-190-4		SW	SEEP		07-Nov-00	SR-90	0.946	pCi/L	0.23	0.32	J		
PNLGW	B10FB9	SF-190-4		SW	SEEP		07-Nov-00	TEMPERATUR	12.1	Deg C					
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	SULFATE	48.6	mg/L			D		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	CHLORIDE	11	mg/L			DC		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	FLUORIDE	0.21	mg/L					
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	NO2-N	0.0074	mg/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	NO3-N	32.6	mg/L			D		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	AL	89.9	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	FE	60.5	ug/L			B		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	MG	10500	ug/L					
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	MN	1.2	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	NI	19.9	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	K	4200	ug/L			B		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	AG	5.2	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	NA	15200	ug/L					
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	SR	312	ug/L					
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	SB	2.8	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	BA	51.7	ug/L			B		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	BE	0.3	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	CD	4.3	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	CR	11.7	ug/L					
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	CO	4.3	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	CU	4.1	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	V	5.6	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	ZN	14.3	ug/L			U		
PNLGW	B10FC6	SF-211-1		SW	SEEP		07-Nov-00	CA	49000	ug/L					
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	14DICLBENZ	0.14	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	1,2-DCL	0.17	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	ETHCYANIDE	2.6	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	HEXONE	1.3	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	TOLUENE	0.47	ug/L			J		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	TETHYDF	1.5	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	PERCENE	0.57	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	XYLENES	0.85	ug/L			J		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	CISDCE	0.18	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	TRANDCE	0.26	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	CARBTET	0.23	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	ACETONE	4	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	CHLOROFORM	0.23	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	1BUTANOL	6.6	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	BENZENE	0.23	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	1,1,1-T	0.23	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	VINYIDE	0.17	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	METHYCH	0.37	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	CARBIDE	0.3	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	1,1-DCL	0.19	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	METHONE	0.7	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	1,1,2-T	0.31	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	TRICELN	0.16	ug/L			U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	PH	7.62	pH					
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	CONDUCT	426	uS/cm					
PNLGW	B10FC7	SF-211-1		SW	SEEP		07-Nov-00	TRITIUM	959	pCi/L	94	270			

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONT SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL AVAL ERROR	ANALYSIS QUALIFIER	SAMP COMMENT	RESULT COMMENT
PNLGW	B10FC7	SF-211-1		SW	SEEP		07-Nov-00	ALPHA	2.99	pCi/L	2	2.2	J		
PNLGW	B10FC7	SF-211-1		SW	SEEP		07-Nov-00	BETA	7.67	pCi/L	1.9	2.1			
PNLGW	B10FC7	SF-211-1		SW	SEEP		07-Nov-00	SR-90	0.112	pCi/L	0.18	0.18	U		
PNLGW	B10FC5	SF-211-1		SW	SEEP		07-Nov-00	TEMPERATUR	14	Deg C					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	SULFATE	35.6	mg/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	CHLORIDE	6.8	mg/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	FLUORIDE	0.18	mg/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	NO2-N	0.0074	mg/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	NO3-N	3.4	mg/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	FE	118	ug/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	MG	7970	ug/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	MN	1.9	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	K	3090	ug/L			B		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	NA	8260	ug/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	SR	175	ug/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	BA	33.2	ug/L			B		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	CR	29.8	ug/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	ZN	4.2	ug/L			U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	CA	35600	ug/L					
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	AL	85.2	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	FE	56.6	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	MG	8080	ug/L					
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	MN	1.9	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	NI	13.3	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	K	2510	ug/L			B		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	AG	7.4	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	NA	8260	ug/L					
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	SR	178	ug/L					
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	SB	39.1	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	BA	33.4	ug/L			B		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	BE	0.6	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	CD	2.8	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	CR	29.9	ug/L					
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	CO	4.6	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	CU	6.4	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	V	6.9	ug/L			U		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	ZN	4.7	ug/L			B		
HEISPROD	B10JT3	SH-144-1		SW	SEEP		13-Oct-00	CA	36200	ug/L					
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	ALPHA	1.11	pCi/L	1.04	1.07	U		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	BETA	3.24	pCi/L	1.48	1.54	J		
HEISPROD	B10JR2	SH-144-1		SW	SEEP		13-Oct-00	LO TRITIUM	1240	pCi/L	106	315			
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	SULFATE	290	mg/L					
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	CHLORIDE	47.9	mg/L					
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	FLUORIDE	2.4	mg/L					
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	NO2-N	0.15	mg/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	NO3-N	19.6	mg/L					
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	AL	89.9	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	FE	34.9	ug/L			UN		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	MG	5390	ug/L					
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	MN	1.2	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	NI	19.9	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	K	1700	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	AG	5.2	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	NA	4290	ug/L			B		

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	SR	128	ug/L					
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	SB	2.8	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	BA	33.5	ug/L			B		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	BE	0.3	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	CD	4.3	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	CR	5.6	ug/L			B		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	CO	4.3	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	CU	18	ug/L			B		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	V	5.6	ug/L			U		
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	ZN	44.5	ug/L					
HEISPROD	B10JT6	SH-150-1		SW	SEEP		01-Nov-00	CA	22800	ug/L					
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	AL	89.9	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	FE	68.6	ug/L			BN		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	MG	5380	ug/L					
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	MN	1.8	ug/L			B		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	NI	19.9	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	K	1700	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	AG	5.2	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	NA	4240	ug/L			B		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	SR	128	ug/L					
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	SB	2.8	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	BA	33.6	ug/L			B		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	BE	0.3	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	CD	4.3	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	CR	4.1	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	CO	4.3	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	CU	4.1	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	V	5.6	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	ZN	14.3	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	CA	22800	ug/L					
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	1,1,1-T	0.23	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	1,1,2-T	0.31	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	1,1-DCL	0.19	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	1,2-DCL	0.17	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	14DICLBENZ	0.14	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	1BUTANOL	6.6	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	ACETONE	4	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	BENZENE	0.23	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	CARBIDE	0.3	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	CARBTET	0.23	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	CHLOROBENZ	0.28	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	CHLOROFORM	0.23	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	CISDCE	0.18	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	DICETHY	0.23	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	ETHCYANIDE	2.6	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	HEXONE	1.3	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	METHONE	0.7	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	METHYCH	0.37	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	PERCENE	0.57	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	TETHYOF	1.5	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	TOLUENE	0.33	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	TRANDCE	0.26	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	TRICELN	0.16	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	VINYIDE	0.17	ug/L			U		
SESPMNT	B10JP6	SH-150-1		SW	SEEP	RAW GRAB	01-Nov-00	XYLENES	0.61	ug/L			U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	ALPHA	0.845	pCi/L	0.778	0.799	U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	BETA	0.924	pCi/L	1.25	1.26	U		
HEISPROD	B10JR5	SH-150-1		SW	SEEP		01-Nov-00	LO TRITIUM	236	pCi/L	149	225	U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	SULFATE	10.8	mg/L					
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	CHLORIDE	1.1	mg/L					
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	FLUORIDE	0.21	mg/L					
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	NO2-N	0.015	mg/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	NO3-N	0.52	mg/L					

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONST SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	AL	89.9	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	FE	34.9	ug/L			UN		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	MG	4360	ug/L			B		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	MN	1.2	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	NI	19.9	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	K	1700	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	AG	5.2	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	NA	2400	ug/L			B		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	SR	114	ug/L					
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	SB	2.8	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	BA	21.6	ug/L			B		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	BE	0.3	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	CD	4.3	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	CR	4.1	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	CO	4.3	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	CU	7.6	ug/L			B		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	V	5.6	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	ZN	14.3	ug/L			U		
HEISPROD	B10JT8	SH-153-1		SW	SEEP		01-Nov-00	CA	20800	ug/L					
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	AL	89.9	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	FE	186	ug/L			N		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	MG	4470	ug/L			B		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	MN	11.1	ug/L			B		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	NI	19.9	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	K	1700	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	AG	5.2	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	NA	2430	ug/L			B		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	SR	117	ug/L					
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	SB	2.8	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	BA	22.7	ug/L			B		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	BE	0.3	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	CD	4.3	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	CR	4.1	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	CO	4.3	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	CU	4.1	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	V	5.6	ug/L			U		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	ZN	25.3	ug/L					
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	CA	21200	ug/L					
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	ALPHA	1.55	pCi/L	0.966	1.02	J		
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	BETA	14.6	pCi/L	2.12	2.89			
HEISPROD	B10JR7	SH-153-1		SW	SEEP		01-Nov-00	LO TRITIUM	208	pCi/L	149	225	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	BE-7	49.6	pCi/L	69	69	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	CO-60	1.17	pCi/L	4.8	4.8	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	CS-134	-0.0558	pCi/L	4.4	4.4	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	CS-137	-1.05	pCi/L	4.1	4.1	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	EU-154	2.91	pCi/L	12	12	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	EU-155	-1.62	pCi/L	7.8	7.8	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	K-40	0.847	pCi/L	95	95	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	RU-106	-3.22	pCi/L	39	39	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	SB-125	-0.645	pCi/L	9.6	9.6	U		
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	U-234	29.1	pCi/L	2	5.5			
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	U-235	0.952	pCi/L	0.35	0.42			
SESPSPEC	B0YRB8	WEST LAKE SPRING	ONSITE	SW	SEEP	RAW GRAB	12-Jun-00	U-238	27.7	pCi/L	1.9	5.2			

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	ALPHA	0.889	pCi/L	0.74	0.9	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	ALPHA	-0.0558	pCi/L	0.23	0.42	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	ALPHA	1.27	pCi/L	0.84	0.99	J		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	ALPHA	0.163	pCi/L	0.27	0.53	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	BE-7	-0.0929	pCi/L	15	15	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	BE-7	-2.76	pCi/L	11	11	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	BE-7	-3.66	pCi/L	7.8	7.8	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	BE-7	-0.969	pCi/L	8.5	8.5	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	BETA	1.14	pCi/L	0.77	1.5	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	BETA	0.0335	pCi/L	0.048	1.5	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	BETA	1.13	pCi/L	0.77	1.5	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	BETA	0.593	pCi/L	0.51	1.4	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	CO-60	0.365	pCi/L	1.3	1.3	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	CO-60	-0.756	pCi/L	1.1	1.1	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	CO-60	0.872	pCi/L	1.1	1.1	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	CO-60	0.134	pCi/L	0.77	0.77	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	CS-134	-0.71	pCi/L	1.3	1.3	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	CS-134	0.226	pCi/L	0.95	0.95	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	CS-134	0.244	pCi/L	1.2	1.2	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	CS-134	-0.454	pCi/L	1	1	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	CS-137	0.907	pCi/L	1.1	1.1	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	CS-137	0.621	pCi/L	0.95	0.95	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	CS-137	-0.501	pCi/L	1.1	1.1	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	CS-137	0.206	pCi/L	1.1	1.1	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	EU-154	0.78	pCi/L	4	4	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	EU-154	0.21	pCi/L	3.2	3.2	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	EU-154	-1.88	pCi/L	3.1	3.1	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	EU-154	-0.69	pCi/L	3.4	3.4	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	EU-155	0.227	pCi/L	2.7	2.7	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	EU-155	-2.67	pCi/L	2.5	2.5	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	EU-155	-1.11	pCi/L	2.5	2.5	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	EU-155	-0.809	pCi/L	2.8	2.8	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	K-40	-22.6	pCi/L	27	27	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	K-40	14.9	pCi/L	19	19	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	K-40	-2.37	pCi/L	23	23	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	K-40	8.51	pCi/L	21	21	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	RU-106	-5.43	pCi/L	12	12	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	RU-106	-0.53	pCi/L	10	10	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	RU-106	-0.394	pCi/L	8.9	8.9	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	RU-106	-9.24	pCi/L	9.8	9.8	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	SB-125	0.266	pCi/L	3.1	3.1	U		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	SB-125	0.0952	pCi/L	2.6	2.6	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	SB-125	-1.31	pCi/L	2.7	2.7	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	SB-125	1.2	pCi/L	2.6	2.6	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	SR-90	0.081	pCi/L	0.027	0.035			
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	SR-90	0.0692	pCi/L	0.023	0.033			
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	SR-90	0.0405	pCi/L	0.02	0.03	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	SR-90	0.0728	pCi/L	0.018	0.028			
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	LO TRITIUM	85.5	pCi/L	1.9	9.4			
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	LO TRITIUM	26.8	pCi/L	0.78	5			
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	LO TRITIUM	34.9	pCi/L	0.94	5.7			
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	U-234	0.627	pCi/L	0.062	0.13			
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	U-234	0.295	pCi/L	0.047	0.067			
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	U-234	0.265	pCi/L	0.041	0.063			
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	U-234	0.216	pCi/L	0.037	0.055			
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	U-235	0.0319	pCi/L	0.013	0.016	J		
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	U-235	0.00976	pCi/L	0.0084	0.012	U		
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	U-235	0.00983	pCi/L	0.0076	0.011	U		
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	U-235	0.00993	pCi/L	0.0074	0.01	U		
SESPMNT	B109J0	HORN RAPIDS AREA	PERIMETER	SW	IRRIGATION	UNFILTERED	27-Sep-00	U-238	0.53	pCi/L	0.057	0.11			
SESPMNT	B0Y2Y6	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	11-May-00	U-238	0.238	pCi/L	0.042	0.057			
SESPMNT	B0YB90	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	08-Jun-00	U-238	0.216	pCi/L	0.038	0.055			
SESPMNT	B0YM22	RIVERVIEW CANAL	OFFSITE	SW	IRRIGATION	UNFILTERED	07-Jul-00	U-238	0.149	pCi/L	0.034	0.044			

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - ONSITE PONDS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP METHD	SAMP DATE	RADIO ISOTOPE NAME	VALUE RPTD	ANALYTICAL UNIT RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	ALPHA	0.609	pCi/L	0.87	1.2	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	ALPHA	0.233	pCi/L	0.64	1.2	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	ALPHA	-0.0137	pCi/L	0.082	1.2	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	ALPHA	0.393	pCi/L	0.77	1.3	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	ALPHA	1.25	pCi/L	1.7	2.2	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	ALPHA	1670	pCi/L	340	510			
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	ALPHA	1290	pCi/L	250	390			
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	ALPHA	1360	pCi/L	570	710			
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	ALPHA	3650	pCi/L	900	1300			
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	BE-7	-5.68	pCi/L	12	12	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	BE-7	-2.56	pCi/L	7.3	7.3	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	BE-7	-10.8	pCi/L	9.3	9.3	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	BE-7	6.42	pCi/L	12	12	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	BE-7	-1.81	pCi/L	16	16	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	BE-7	-2.48	pCi/L	49	49	U		
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	BE-7	-26.4	pCi/L	57	57	U		
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	BE-7	-15	pCi/L	200	200	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	BE-7	65.7	pCi/L	120	120	U		
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	BE-7	-196	pCi/L	190	190	U		
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	BETA	6.6	pCi/L	1.6	2.1			
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	BETA	11.9	pCi/L	2.1	2.8			
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	BETA	11.1	pCi/L	2	2.8			
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	BETA	13.9	pCi/L	2.2	3.1			
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	BETA	12.5	pCi/L	2	2.9			
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	BETA	2160	pCi/L	190	370			
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	BETA	1410	pCi/L	130	240			
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	BETA	5690	pCi/L	480	950			
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	BETA	9860	pCi/L	820	1600			
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	CO-60	0.0893	pCi/L	1.1	1.1	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CO-60	-0.308	pCi/L	0.94	0.94	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CO-60	0.199	pCi/L	1.1	1.1	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	CO-60	0.111	pCi/L	1.1	1.1	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	CO-60	0.312	pCi/L	1.4	1.4	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	CO-60	6.08	pCi/L	5.4	5.4	U		
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CO-60	3.39	pCi/L	7.3	7.3	U		
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	CO-60	2.48	pCi/L	10	10	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	CO-60	-4.85	pCi/L	11	11	U		
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	CO-60	7.27	pCi/L	13	13	U		
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	CS-134	-1.65	pCi/L	1.4	1.4	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CS-134	0.37	pCi/L	0.74	0.74	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CS-134	-0.0351	pCi/L	1.2	1.2	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	CS-134	-0.0381	pCi/L	1.1	1.1	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	CS-134	-0.269	pCi/L	1.3	1.3	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	CS-134	-3.61	pCi/L	6.7	6.7	U		
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CS-134	-3.78	pCi/L	5.8	5.8	U		
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	CS-134	-0.0952	pCi/L	12	12	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	CS-134	-7.97	pCi/L	11	11	U		
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	CS-134	-5.13	pCi/L	11	11	U		
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	CS-137	-0.625	pCi/L	1.3	1.3	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CS-137	0.224	pCi/L	0.69	0.69	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CS-137	-0.354	pCi/L	1.2	1.2	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	CS-137	0.0365	pCi/L	0.99	0.99	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	CS-137	-1.1	pCi/L	1.5	1.5	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	CS-137	2.56	pCi/L	6.3	6.3	U		
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	CS-137	5.75	pCi/L	6.9	6.9	U		
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	CS-137	14.4	pCi/L	13	13	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	CS-137	6.72	pCi/L	12	12	U		
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	CS-137	-3.66	pCi/L	14	14	U		
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	EU-154	-1.61	pCi/L	3.7	3.7	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	EU-154	1.05	pCi/L	2.1	2.1	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - ONSITE PONDS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP MTHD	SAMP DATE	CONSTITUENT NAME	VALUE RSLT	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	EU-154	0.203	pCi/L	2.6	2.6	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	EU-154	2.63	pCi/L	3.3	3.3	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	EU-154	2.33	pCi/L	2.5	2.5	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	EU-154	7.88	pCi/L	13	13	U		
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	EU-154	4.68	pCi/L	19	19	U		
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	EU-154	-6.69	pCi/L	31	31	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	EU-154	8.65	pCi/L	39	39	U		
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	EU-154	-9.67	pCi/L	44	44	U		
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	EU-155	-1.04	pCi/L	2.7	2.7	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	EU-155	0.555	pCi/L	1.7	1.7	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	EU-155	0.9	pCi/L	2.2	2.2	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	EU-155	0.978	pCi/L	2.5	2.5	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	EU-155	0.171	pCi/L	2.4	2.4	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	EU-155	-6.45	pCi/L	15	15	U		
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	EU-155	6.9	pCi/L	16	16	U		
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	EU-155	15.1	pCi/L	31	31	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	EU-155	23.7	pCi/L	30	30	U		
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	EU-155	18.3	pCi/L	31	31	U		
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	K-40	-7.27	pCi/L	27	27	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	K-40	19.2	pCi/L	16	16	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	K-40	38.7	pCi/L	22	22	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	K-40	-6.26	pCi/L	31	31	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	K-40	1.36	pCi/L	27	27	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	K-40	957	pCi/L	220	220			
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	K-40	970	pCi/L	250	250			
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	K-40	1740	pCi/L	440	440			
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	K-40	1180	pCi/L	480	480			
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	K-40	2630	pCi/L	570	570			
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	RU-106	-4.37	pCi/L	11	11	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	RU-106	6.08	pCi/L	7	7	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	RU-106	3.48	pCi/L	8.9	8.9	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	RU-106	-1.54	pCi/L	9.6	9.6	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	RU-106	-6.89	pCi/L	11	11	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	RU-106	2.82	pCi/L	57	57	U		
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	RU-106	7.99	pCi/L	53	53	U		
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	RU-106	58.7	pCi/L	120	120	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	RU-106	49.7	pCi/L	110	110	U		
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	RU-106	-22.5	pCi/L	100	100	U		
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	SB-125	-2.91	pCi/L	3.4	3.4	U		
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	SB-125	1.96	pCi/L	2.1	2.1	U		
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	SB-125	-0.21	pCi/L	2.9	2.9	U		
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	SB-125	-1.65	pCi/L	2.8	2.8	U		
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	SB-125	-3.85	pCi/L	3.4	3.4	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	SB-125	5.17	pCi/L	17	17	U		
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	SB-125	3.52	pCi/L	15	15	U		
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	SB-125	14.8	pCi/L	29	29	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	SB-125	3.94	pCi/L	33	33	U		
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	SB-125	5.68	pCi/L	32	32	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	TC-99	395	pCi/L	6.6	33			
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	TC-99	78.3	pCi/L	1.2	7			
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	TC-99					U		IR-0069 The calculated results are not acceptable for reporting.
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	TC-99	792	pCi/L	15	69			
SESPMNT	B0X8R9	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	TRITIUM	5340	pCi/L	160	330			
SESPMNT	B0XWW1	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	TRITIUM	3620	pCi/L	120	270			
SESPSPEC	B0XWW2	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	TRITIUM	3490	pCi/L	120	270			
SESPMNT	B0YM21	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	TRITIUM	3160	pCi/L	110	240			
SESPMNT	B10F34	FFTF POND	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	TRITIUM	3360	pCi/L	120	250			
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	TRITIUM	358	pCi/L	34	140			
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	TRITIUM	146	pCi/L	10	120	U		
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	TRITIUM	98.4	pCi/L	7.8	97	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - ONSITE PONDS

OWNER ID	SAMPLE NUMBER	SAMPLE SITE NAME	POST CLASS	MEDIA	SAMPLE FROM	SAMPLE METHOD	SAMPLE DATE	ANALYSIS	VALUE	UNIT	COUNTING ERROR	MDA	QUALIFIER	SAMPLE COMMENT	RESULT COMMENT
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	TRITIUM	88.8	pCi/L	7.2	96	U		
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	U-234	810	pCi/L	11	130			
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	U-234	539	pCi/L	10	85			
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	U-234	1210	pCi/L	14	210			
SESPSPEC	B0YRC3	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	U-234	1360	pCi/L	14	240			
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	U-234	1990	pCi/L	17	350			
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	U-234	2650	pCi/L	19	460			
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	U-235	29.8	pCi/L	2	5			
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	U-235	19.7	pCi/L	1.9	3.7			
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	U-235	46.6	pCi/L	2.7	8.6			
SESPSPEC	B0YRC3	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	U-235	49.2	pCi/L	2.7	9			
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	U-235	85.7	pCi/L	3.6	15			
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	U-235	132	pCi/L	4.2	23			
SESPMNT	B0X8R8	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Jan-00	U-238	754	pCi/L	10	120			
SESPMNT	B0XWW0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	04-Apr-00	U-238	491	pCi/L	9.7	78			
SESPSPEC	B0YRC0	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	U-238	1120	pCi/L	13	200			
SESPSPEC	B0YRC3	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	12-Jun-00	U-238	1280	pCi/L	14	220			
SESPMNT	B0YM20	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	05-Jul-00	U-238	1880	pCi/L	17	330			
SESPMNT	B10F33	WEST LAKE	ONSITE	SW	SURFACE	RAW GRAB	09-Oct-00	U-238	2500	pCi/L	18	430			

Table W-1. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Vernita Bridge Near Priest Rapids Dam, Washington (mg/L unless otherwise noted)

SAMP DATE	DISCHARGE CFS	D O2 MG/L	pH	CONDUCTANCE uS/cm	TEMP °C	UV ABSORB UNIT/CM	ABSORBANCE, 280	CALCIUM DISSOLVE	(MG/L AS MG)
26-Jan-00	143000	13.2	7.9	142	4.5	0.0266	0.0193	16	4.6
08-Mar-00	77500	13.8	8.1	151	4.7	0.0225	0.0168	19	4.7
18-Apr-00	186000	13	8.2	146	7.9	0.0394	0.0296	18	4.7
09-May-00	190000	12.8	8	140	11	0.0527	0.0402	17	4.3
01-Jun-00	130000	12.4	7.9	118	12.7	0.0538	0.0401	15	3.6
27-Jun-00	156000	10.9	8.2	115	16	0.0403	0.0297	14	3.6
24-Jul-00	127000	10.8	8.2	120	18.5	0.0413	0.0301	15	3.9
19-Sep-00	87000	9.2	8	129	18.8	0.0318	0.0231	17	4.1
13-Dec-00	69300	11	8	143	7.5			18	4.3

SAMP DATE	(MG/L AS K)	(MG/L AS NA)	ALKALINITYMG/L AS CaCO3	HARDNESS MG/L AS CaCO3	BICARBONATE, DISSOLVED	CARBONATE, DISSOLVED MG/L AS C03	CHLORIDE DISSOLVED	(MG/L AS F)	SILICA DISSOLVED
26-Jan-00	0.7	2.1	58		71	0	1.1	<0.1	5.6
08-Mar-00	0.7	2.1	62		76	0	1	<0.1	5.3
18-Apr-00	0.8	2.4	58				1.2	<0.1	6.6
09-May-00	0.9	2.5	57		70	0	1.2	0.1	8.2
01-Jun-00	0.7	2.3	46		56	0	1.1	<0.1	7.7
27-Jun-00	0.7	2	46		56	0	0.9	<0.1	6
24-Jul-00	0.6	2.1	50		61	0	0.9	<0.1	5.3
19-Sep-00	0.7	1.9	52		63	0	0.9	<0.1	4.4
13-Dec-00			58	61	71	0	1.3	0.2	

SAMP DATE	SULFATE DISSOLVED	NITRO AMN & ORG	NITROGEN AMM+ORG	NITROGEN AMMONIA	NO2 + NO3 DISSOLVED	NITROGEN, NITRITE	PHOSPHORUS DISSOLVED	PHOSPHORUS ORTHO	PHOSPHORUS TOTAL
26-Jan-00	7.6	<0.1	.06 [a]	<.002	0.15	<.001	<.006	0.002	.006 [a]
08-Mar-00	9.3	<0.1	.09 [a]	0.002	0.16	<.001	<.006	0.001	.005 [a]
18-Apr-00	9.1	<0.1	<0.1	<.002	0.22	0.001	<.006	<.001	0.05
09-May-00	7.7	.08 [a]	.10 [a]	0.003	0.12	0.001	<.006	<.001	0.009
01-Jun-00	6.8	.06 [a]	0.1	0.003	0.072	<.001	<.006	<.001	0.009
27-Jun-00	6.1	.06 [a]	.09 [a]	<.002	0.04	0.001	<.006	<.001	.006 [a]
24-Jul-00	6.6	.06 [a]	0.1	0.002	0.049	0.002	<.006	0.002	.006 [a]
19-Sep-00	8.2	.07 [a]	0.1	0.011	0.087	0.001	.005 [a]	0.006	.005 [a]
13-Dec-00	8.9		0.1	<.04	0.18	.003 [a]		<.02	.05 [a]

SAMP DATE	CARBON ORGANIC DISSOLVED	CARBON ORGANIC P	DRAINAGE SQ. MILE	RESIDUE TOTAL	RESIDUE DISSOLVED 180oC	TURBIDITY (NTU)	(UG/L AS AS)	(UG/L AS B)	(UG/L AS CR)
26-Jan-00	1.1	0.2	96000		82	0.7	<2	<16.0	
08-Mar-00	1.1	0.3	96000	<1	82	0.8	<2	<16.0	
18-Apr-00	1.5	0.3	96000		78	0.6	1 [a]	<16.0	
09-May-00	1.7	0.3	96000		85	1.1	<2	<16.0	
01-Jun-00	1.9	<0.2	96000		75	<0.1	<2	<16.0	
27-Jun-00	1.6	0.3	96000	<10	67	3	<2	<16.0	
24-Jul-00	1.5	0.3	96000		67	1.4	<2	<16.0	
19-Sep-00	1.3	0.3	96000	<10	72	<.5	<2	<16.0	
13-Dec-00	1.1		96000	<10	79	0.4			<0.8

Table W-1. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Vernita Bridge Near Priest Rapids Dam, Washington
(mg/L unless otherwise noted)

SAMP DATE	(UG/L AS FE)	(UG/L AS LI)	(UG/L AS SE)	(UG/L AS SR)	(UG/L AS V)	26DIETHYLANILINE	ACETOCHLOR FILTERED	ALACHLOR, DISSOLVED	ALPHA-BHC
26-Jan-00	<10	<4	<2	89	<10	<.003	<.002	<.002	<.002
08-Mar-00	<10	<4	<2	100	<10	<.003	<.002	<.002	<.002
18-Apr-00	<10	<4	<2	96	<10	<.003	<.002	<.002	<.002
09-May-00	<10	<4	<2	63	<10	<.003	<.002	<.002	<.002
01-Jun-00	6 [a]	<4	<2	73	<10	<.003	<.002	<.002	<.002
27-Jun-00	<10	<4	<2	71	<10	<.003	<.002	<.002	<.002
24-Jul-00	<10	<4	<2	81	<10	<.003	<.002	<.002	<.002
19-Sep-00	<10	<4	<2	100	<10	<.003	<.002	<.002	<.002
13-Dec-00	<10								

SAMP DATE	ATRAZINE, DISSOLVED	BENFLURALIN FILTERED	BUTYLATE DISSOLVED	CARBARYL FILTERED[b]	CARBOFURAN FILTERED	CHLORPYRIFOS, DISSOLVED	CYANAZINE DISSOLVED R	DCPA FILTERED[b]	DEETHYL ATRAZINE
26-Jan-00	<.001	<.002	<.002	<.003	<.003	<.004	<.004	.0021 [a]	<.002
08-Mar-00	<.001	<.002	<.002	<.003	<.003	<.004	<.004	<.002	<.002
18-Apr-00	.0035 [a]	<.002	<.002	<.003	<.003	0.005	<.004	<.002	<.002
09-May-00	<.001	<.002	<.002	.0046 [a]	<.003	<.004	<.004	<.002	<.002
01-Jun-00	<.001	<.002	<.002	<.003	<.003	<.004	<.004	<.002	<.002
27-Jun-00	<.001	<.002	<.002	.0041 [a]	<.003	<.004	<.004	<.002	<.002
24-Jul-00	<.001	<.002	<.002	<.003	<.003	<.004	<.004	<.002	<.002
19-Sep-00	<.001	<.002	<.002	<.003	<.003	<.004	<.004	<.002	<.002

SAMP DATE	DIAZINON DISSOLVED	DIELDRIN DISSOLVED	DISULFOTON FILTERED	EPTC FILTERED[b]	ETHALFLURALIN FILTERED	ETHOPROP FILTERED[b]	FONOFOX DISSOLVED	LINDANE DISSOLVED	LINURON FILTERED[b]
26-Jan-00	<.002	<.001	<.017	<.002	<.004	<.003	<.003	<.004	<.002
08-Mar-00	<.002	<.001	<.017	<.002	<.004	<.003	<.003	<.004	<.002
18-Apr-00	<.002	<.001	<.017	<.002	<.004	<.003	<.003	<.004	<.002
09-May-00	<.002	<.001	<.017	<.002	<.004	<.003	<.003	<.004	<.002
01-Jun-00	<.002	<.001	<.017	.0029 [a]	<.004	<.003	<.003	<.004	<.002
27-Jun-00	<.002	<.001	<.017	<.002	<.004	<.003	<.003	<.004	<.002
24-Jul-00	<.002	<.001	<.017	<.002	<.004	<.003	<.003	<.004	<.002
19-Sep-00	<.002	<.001	<.017	<.002	<.004	<.003	<.003	<.004	<.002

SAMP DATE	MALATHION DISSOLVED	METHYL AZINPHOS	DISULFOTON FILTERED	METOLACHLOR	METRIBUZIN	MOLINATE FILTERED[b]	NAPROPAMIDE FILTERED	P,P' DDE DISSOLVED	PARATHION DISSOLVED
26-Jan-00	<.005	<.001	<.006	<.002	<.004	<.004	<.003	<.006	<.004
08-Mar-00	<.005	<.001	<.006	<.002	<.004	<.004	<.003	<.006	<.004
16-Apr-00	<.005	<.001	<.006	<.002	<.004	<.004	<.003	<.006	<.004
09-May-00	<.005	<.001	<.006	<.002	<.004	<.004	<.003	<.006	<.004
01-Jun-00	<.005	.0068 [a]	<.006	<.002	<.004	<.004	<.003	<.006	<.004
27-Jun-00	0.0076	<.001	<.006	<.002	<.004	<.004	<.003	.0010 [a]	<.004
24-Jul-00	<.005	<.001	<.006	<.002	<.004	<.004	<.003	<.006	<.004
19-Sep-00	<.005	<.001	<.006	<.002	<.004	<.004	<.003	<.006	<.004

Table W-1. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Vernita Bridge Near Priest Rapids Dam, Washington
(mg/L unless otherwise noted)

SAMP DATE	PEBULATE FILTERED[b]	PENDIMETHALIN FILTERED	PERMETHRIN FILTERED	PHORATE FILTERED[b]	PROMETON DISSOLVED	PRONAMIDE FILTERED[b]	PROPACHLOR DISSOLVED	PROPANIL FILTERED[b]	PROPARGITE FILTERED
26-Jan-00	<.004	<.004	<.005	<.002	<.018	<.003	<.007	<.004	<.013
08-Mar-00	<.004	<.004	<.005	<.002	<.018	<.003	<.007	<.004	<.013
18-Apr-00	<.004	<.004	<.005	<.002	<.018	<.003	<.007	<.004	<.013
09-May-00	<.004	<.004	<.005	<.002	<.018	<.003	<.007	<.004	<.013
01-Jun-00	<.004	<.004	<.005	<.002	<.018	<.003	<.007	<.004	<.013
27-Jun-00	<.004	<.004	<.005	<.002	<.018	<.003	<.007	<.004	<.013
24-Jul-00	<.004	<.004	<.005	<.002	<.018	<.003	<.007	<.004	<.013
19-Sep-00	<.004	<.004	<.005	<.002	<.018	<.003	<.007	<.004	<.013

SAMP DATE	SIMAZINE DISSOLVED	TEBUTHIURON FILTERED	TERBACIL FILTERED[b]	TERBUFOS FILTERED[b]	THIOBENCARB FILTERED	TRIALLATE FILTERED[b]	TRIFLURALIN FILTERED
26-Jan-00	<.005	<.010	<.007	<.013	<.002	<.001	<.002
08-Mar-00	<.005	<.010	<.007	<.013	<.002	<.001	<.002
18-Apr-00	<.005	<.010	<.007	<.013	<.002	<.001	<.002
09-May-00	<.005	<.010	<.007	<.013	<.002	<.001	<.002
01-Jun-00	<.005	<.010	<.007	<.013	<.002	<.001	<.002
27-Jun-00	<.005	<.010	<.007	<.013	<.002	<.001	<.002
24-Jul-00	<.005	<.010	<.007	<.013	<.002	<.001	<.002
19-Sep-00	<.005	<.010	<.007	<.013	<.002	<.001	<.002

(a) Estimated value.
(b) Filtered through 0.7 micron filter.

Table W-2. Preliminary United States Geological Survey (USGS) Columbia River Water Quality Data for Richland, Washington Near the Richland Pumphouse (mg/L unless otherwise noted)

SAMP DATE	D O2 mg/L	pH	CONDUCTANCE uS/cm	TEMP °C	CALCIUM DISSOLVED	(MG/L AS MG)	ALKALINITY, DISSOLVED	HARDNESS MG/L AS CaCO3	BICARBONATE, DISSOLVED	CARBONATE, DISSOLVED	CHLORIDE DISSOLVED
09-Mar-00	13.2	8.2	152	4.7	20	5	60	64	73	0	1.4
28-Jun-00	11.1	8.1	116	16.7	14	3.6	42	50	51	0	0.9
21-Sep-00	8.8	8	132	18.4	17	4.1	52	56	63	0	1

SAMP DATE	(MG/L AS F)	SULFATE DISSOLVED	NITROGEN AMM+ORG	NITROGEN AMMONIA	NO2 + NO3 DISSOLVED	NITROGEN, NITRITE	PHOSPHORUS ORTHO	PHOSPHORUS TOTAL	CARBON ORGANIC DISSOLVED	DRAINAGE SQ. MILE	RESIDUE TOTAL
09-Mar-00	<0.1	10	0.1	<.02	0.15	<.01	<.01	<.05	1.1	96900	1
28-Jun-00	<0.1	6.7	0.1	<.02	0.07	<.01	<.01	<.05	1.8	96900	<10
21-Sep-00	<0.1	8.1	0.2	<.02	0.1	<.01	<.01	<.05	7.8	96900	<10

SAMP DATE	RESIDUE DISSOLVED 180°C	TURBIDITY	(UG/L AS CR)	(UG/L AS FE)
09-Mar-00	90	0.8	<.8	<10
28-Jun-00	68	0.7	<.8	<10
21-Sep-00	81	0.5	.5[a]	<10

(a) Estimated value.

Table W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2000
(concentrations in µg/L - not blank corrected)

Samp Num	Location	Sample Date	Coll Mthd	As ICP-MS	Ag ICP-MS	Be ICP-MS	Cd ICP-MS	Cr ICP-MS	Cu ICP-MS	Ni ICP-MS	Pb ICP-MS	Sb ICP-MS	Se ICP-MS	Tl ICP-MS	Zn ICP-MS	Hg CVAA
B0XRM8	VERNITA-1 HRM 0.3	27-Mar-00	Filtered	0.444	0.00870	0.0118 U	0.0263	0.190	0.583	0.290	0.00562	0.198	0.170	0.0355	2.62	0.000541
B0XRJ9	VERNITA-1 HRM 0.3	27-Mar-00	Unfiltered	0.552	0.0115	0.0118 U	0.0319	0.547	0.648	0.322	0.0610	0.172	0.250	0.0336	3.51	0.000542
B0XRM9	VERNITA-2 HRM 0.3	27-Mar-00	Filtered	0.427	0.00737	0.0116 U	0.0267	0.270	0.563	0.276	0.00460	0.182	0.104	0.0342	2.69	0.000258
B0XRJ0	VERNITA-2 HRM 0.3	27-Mar-00	Unfiltered	0.553	0.00642	0.0118 U	0.0300	0.432	0.638	0.325	0.0642	0.163	0.186	0.0333	3.42	0.000599
B0XRN0	VERNITA-3 HRM 0.3	27-Mar-00	Filtered	0.464	0.00672	0.0118 U	0.0244	0.217	0.571	0.299	0.00524	0.193	0.135	0.0341	2.66	0.000636
B0XRJ1	VERNITA-3 HRM 0.3	27-Mar-00	Unfiltered	0.550	0.00707	0.0116 U	0.0306	0.433	0.655	0.328	0.0643	0.162	0.218	0.0321	3.57	0.000632
B0XRN1	VERNITA-4 HRM 0.3	27-Mar-00	Filtered	0.484	0.00501	0.0118 U	0.0247	0.231	0.576	0.258	0.00347	0.170	0.183	0.0343	2.72	0.000503
B0XRJ2	VERNITA-4 HRM 0.3	27-Mar-00	Unfiltered	0.561	0.00547	0.0118 U	0.0310	0.441	0.673	0.348	0.0710	0.161	0.254	0.0319	3.55	0.000530
B0XRP5	RICH.PMPHS HRM 43.5	28-Mar-00	Filtered	0.490	0.0107	0.0118 U	0.0254	0.180	0.597	0.309	0.00453	0.187	0.190	0.0339	2.65	0.000383
B0XRP9	RICH.PMPHS HRM 43.5	28-Mar-00	Unfiltered	0.596	0.00697	0.0116 U	0.0336	0.490	0.764	0.425	0.160	0.167	0.203	0.0327	4.35	0.000865
B0XRP4	RICH.PMPHS HRM 43.9	28-Mar-00	Filtered	0.450	0.00475	0.0118 U	0.0236	0.311	0.603	0.308	0.0118	0.179	0.210	0.0327	2.65	0.000990
B0XRP8	RICH.PMPHS HRM 43.9	28-Mar-00	Unfiltered	0.599	0.00736	0.0118 U	0.0297	0.403	0.685	0.344	0.0800	0.169	0.147	0.0323	3.57	0.000724
B0XRP3	RICH.PMPHS HRM 45.0	28-Mar-00	Filtered	0.458	0.00543	0.0118 U	0.0235	0.278	0.604	0.244	0.00656	0.189	0.176	0.0318	2.41	0.000651
B0XRP7	RICH.PMPHS HRM 45.0	28-Mar-00	Unfiltered	0.587	0.0109	0.0116 U	0.0291	0.399	0.665	0.350	0.0782	0.170	0.158	0.0317	3.36	0.000556
B0XRP2	RICH.PMPHS HRM 45.8	28-Mar-00	Filtered	0.456	0.00744	0.0118 U	0.0266	0.250	0.665	0.301	0.00560	0.263	0.254	0.0319	5.12	0.000822
B0XRP6	RICH.PMPHS HRM 45.8	28-Mar-00	Unfiltered	0.604	0.00536	0.0118 U	0.0290	0.439	0.669	0.351	0.0919	0.161	0.177	0.0307	3.52	0.000634
B0XRN2	RICH.PMPHS-1 HRM46.4	26-Mar-00	Filtered	0.490	0.00537	0.0116 U	0.0227	0.208	0.576	0.283	0.00365	0.180	0.167	0.0305	2.30	0.000487
B0XRJ3	RICH.PMPHS-1 HRM46.4	28-Mar-00	Unfiltered	0.583	0.00634	0.0118 U	0.0311	0.340	0.676	0.369	0.0740	0.166	0.146	0.0309	3.43	0.000609
B0XRN3	RICH.PMPHS-2 HRM46.4	28-Mar-00	Filtered	0.469	0.00512	0.0118 U	0.0262	0.219	0.637	0.311	0.00935	0.201	0.248	0.0353	2.76	0.000419
B0XRJ4	RICH.PMPHS-2 HRM46.4	28-Mar-00	Unfiltered	0.560	0.00632	0.0116 U	0.0319	0.366	0.661	0.348	0.0771	0.161	0.202	0.0340	3.50	0.000484
B0XRN4	RICH.PMPHS-3 HRM46.4	28-Mar-00	Filtered	0.474	0.00360	0.0118 U	0.0246	0.212	0.576	0.328	0.0116	0.173	0.205	0.0327	2.75	0.000357
B0XRJ5	RICH.PMPHS-3 HRM46.4	28-Mar-00	Unfiltered	0.582	0.00617	0.0118 U	0.0304	0.396	0.676	0.366	0.0763	0.160	0.146	0.0347	3.67	0.000530
B0XRN5	RICH.PMPHS-5 HRM46.4	28-Mar-00	Filtered	0.447	0.00363	0.0118 U	0.0236	0.230	0.564	0.255	0.0138	0.176	0.440	0.0321	2.66	0.000443
B0XRJ6	RICH.PMPHS-5 HRM46.4	28-Mar-00	Unfiltered	0.579	0.00480	0.0118 U	0.0292	0.399	0.666	0.341	0.0607	0.162	0.125	0.0318	3.68	0.000471
B0XRN6	RICH.PMPHS-7 HRM46.4	28-Mar-00	Filtered	0.452	0.00317	0.0118 U	0.0232	0.219	0.575	0.301	0.00111	0.177	0.236	0.0326	2.68	0.000709
B0XRJ7	RICH.PMPHS-7 HRM46.4	28-Mar-00	Unfiltered	0.591	0.00517	0.0129	0.0315	0.454	0.697	0.386	0.0862	0.163	0.162	0.0331	3.63	0.000619
B0XRN7	RICH.PMPHS-10 HRM46.4	28-Mar-00	Filtered	0.814	0.00277	0.0118 U	0.0211	0.229	0.646	0.291	0.00338	0.178	0.339	0.0284	2.68	0.000422
B0XRJ8	RICH.PMPHS-10 HRM46.4	28-Mar-00	Unfiltered	0.975	0.00696	0.0118 U	0.0301	0.557	0.806	0.424	0.102	0.165	0.317	0.0317	3.76	0.000927
B0YCJ3	VERNITA-1 HRM 0.3	19-Jun-00	Filtered	0.573	0.00239	0.0118 U	0.0141	0.255	0.704	0.154	0.0192	0.197	0.331	0.0213	1.74	
B0YCD5	VERNITA-1 HRM 0.3	19-Jun-00	Unfiltered	0.636	0.00666	0.0116 U	0.0253	0.261	0.660	0.251	0.126	0.164	0.338	0.0213	3.33	
B0YCJ4	VERNITA-2 HRM 0.3	19-Jun-00	Filtered	0.584	0.00472	0.0118 U	0.0169	0.234	0.710	0.158	0.0132	0.171	0.349	0.0227	1.82	
B0YCC6	VERNITA-2 HRM 0.3	19-Jun-00	Unfiltered	0.632	0.00467	0.0118 U	0.0260	0.292	0.660	0.271	0.121	0.167	0.297	0.0213	3.59	
B0YCJ5	VERNITA-3 HRM 0.3	19-Jun-00	Filtered	0.602	0.00267	0.0118 U	0.0167	0.227	0.715	0.145	0.0284	0.199	0.229	0.0205	1.61	
B0YCC7	VERNITA-3 HRM 0.3	19-Jun-00	Unfiltered	0.661	0.00292	0.0118 U	0.0263	0.317	0.881	0.186	0.131	0.169	0.255	0.0235	3.61	
B0YCJ6	VERNITA-4 HRM 0.3	19-Jun-00	Filtered	0.632	0.00260	0.0118 U	0.0144	0.207	0.708	0.155	0.0143	0.184	0.328	0.0203	1.57	
B0YCC8	VERNITA-4 HRM 0.3	19-Jun-00	Unfiltered	0.652	0.00227	0.0118 U	0.0252	0.313	0.893	0.300	0.158	0.163	0.341	0.0234	3.62	
B0YCL0	RICH.PMPHS HRM 43.5	20-Jun-00	Filtered	0.621	0.00299	0.0118 U	0.0146	0.263	0.723	0.131	0.0136	0.175	0.340	0.0214	1.58	
B0YCL4	RICH.PMPHS HRM 43.5	20-Jun-00	Unfiltered	0.652	0.00289	0.0118 U	0.0327	0.313	0.923	0.296	0.224	0.168	0.306	0.0211	4.14	
B0YCK9	RICH.PMPHS HRM 43.9	20-Jun-00	Filtered	0.607	0.00332	0.0116 U	0.0152	0.233	0.712	0.181	0.0142	0.188	0.219	0.0220	1.64	
B0YCL3	RICH.PMPHS HRM 43.9	20-Jun-00	Unfiltered	0.657	0.00341	0.0118 U	0.0335	0.321	0.931	0.266	0.221	0.167	0.257	0.0226	4.14	
B0YCK8	RICH.PMPHS HRM 45.0	20-Jun-00	Filtered	0.602	0.00591	0.0116 U	0.0174	0.185	0.717	0.143	0.0146	0.200	0.279	0.0206	1.43	
B0YCL2	RICH.PMPHS HRM 45.0	20-Jun-00	Unfiltered	0.657	0.00552	0.0118 U	0.0300	0.375	0.956	0.351	0.234	0.169	0.249	0.0236	4.28	
B0YCK7	RICH.PMPHS HRM 45.6	20-Jun-00	Filtered	0.621	0.00203	0.0118 U	0.0158	0.276	0.730	0.156	0.0179	0.198	0.196	0.0209	1.57	
B0YCL1	RICH.PMPHS HRM 45.8	20-Jun-00	Unfiltered	0.656	0.00274	0.0118 U	0.0332	0.336	0.956	0.320	0.279	0.166	0.298	0.0240	4.49	
B0YCJ7	RICH.PMPHS-1 HRM46.4	20-Jun-00	Filtered	0.620	0.00365	0.0118 U	0.0138	0.153	0.730	0.120	0.0129	0.191	0.230	0.0221	2.11	
B0YCC9	RICH.PMPHS-1 HRM46.4	20-Jun-00	Unfiltered	0.670	0.00455	0.0118 U	0.0362	0.269	0.951	0.281	0.280	0.168	0.220	0.0226	4.61	
B0YCK2	RICH.PMPHS-10 HRM46.4	20-Jun-00	Filtered	0.729	0.00189	0.0118 U	0.0142	0.226	0.739	0.116	0.0135	0.203	0.284	0.0198	1.44	
B0YCD4	RICH.PMPHS-10 HRM46.4	20-Jun-00	Unfiltered	0.772	0.00247	0.0118 U	0.0264	0.381	0.992	0.351	0.201	0.166	0.332	0.0224	3.62	
B0YCJ8	RICH.PMPHS-2 HRM46.4	20-Jun-00	Filtered	0.599	0.00270	0.0118 U	0.0167	0.207	0.694	0.123	0.0149	0.187	0.253	0.0215	1.64	
B0YCD0	RICH.PMPHS-2 HRM46.4	20-Jun-00	Unfiltered	0.656	0.00334	0.0118 U	0.0291	0.306	0.913	0.344	0.194	0.167	0.202	0.0253	3.96	
B0YCJ9	RICH.PMPHS-3 HRM46.4	20-Jun-00	Filtered	0.619	0.00195	0.0118 U	0.0157	0.190	0.711	0.0769	0.0137	0.200	0.381	0.0215	1.65	
B0YCD1	RICH.PMPHS-3 HRM46.4	20-Jun-00	Unfiltered	0.643	0.00187	0.0118 U	0.0308	0.340	0.936	0.362	0.204	0.168	0.262	0.0233	4.15	
B0YCK0	RICH.PMPHS-5 HRM46.4	20-Jun-00	Filtered	0.597	0.00138	0.0118 U	0.0162	0.200	0.705	0.101	0.0125	0.207	0.294	0.0209	1.72	
B0YCD2	RICH.PMPHS-5 HRM46.4	20-Jun-00	Unfiltered	0.640	0.00530	0.0118 U	0.0296	0.300	0.943	0.369	0.195	0.174	0.241	0.0221	4.05	

Table W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2000
(concentrations in µg/L - not blank corrected)

Samp Num	Location	Sample Date	Coll Mthd	As ICP-MS	Ag ICP-MS	Be ICP-MS	Cd ICP-MS	Cr ICP-MS	Cu ICP-MS	Ni ICP-MS	Pb ICP-MS	Sb ICP-MS	Se ICP-MS	Tl ICP-MS	Zn ICP-MS	Hg CVAA
B0YCK1	RICH.PMPHS-7 HRM46.4	20-Jun-00	Filtered	0.601	0.00399	0.0118 U	0.0155	0.191	0.683	0.139	0.0126	0.217	0.309	0.0213	1.66	
B0YCD3	RICH.PMPHS-7 HRM46.4	20-Jun-00	Unfiltered	0.676	0.00444	0.0118 U	0.0289	0.309	0.904	0.275	0.174	0.166	0.290	0.0233	3.60	
B10692	100 N -1 HRM 9.5	14-Sep-00	Filtered	0.537	0.00814	0.0476 U	0.0276	0.042 U	0.448	0.432	0.0136	0.181	0.394 U	0.0269	0.692	
B10662	100 N -1 HRM 9.5	14-Sep-00	Unfiltered	0.58	0.00683	0.0476 U	0.0410	0.042 U	0.500	0.447	0.0794	0.176	0.394 U	0.0265	1.52	
B10693	100 N -2 HRM 9.5	14-Sep-00	Filtered	0.474	0.00583	0.0476 U	0.0273	0.042 U	0.418	0.432	0.0286	0.160	0.394 U	0.0266	0.719	
B10663	100 N -2 HRM 9.5	14-Sep-00	Unfiltered	0.511	0.00604	0.0476 U	0.0259	0.042 U	0.502	0.439	0.0827	0.166	0.394 U	0.0283	1.23	
B10694	100 N -3 HRM 9.5	14-Sep-00	Filtered	0.504	0.00429 U	0.0476 U	0.0265	0.042 U	0.441	0.417	0.0224	0.176	0.394 U	0.0244	0.753	
B10684	100 N -3 HRM 9.5	14-Sep-00	Unfiltered	0.506	0.00429 U	0.0476 U	0.0416	0.042 U	0.493	0.455	0.0821	0.159	0.394 U	0.0257	1.26	
B10695	100 N -5 HRM 9.5	14-Sep-00	Filtered	0.577	0.00429 U	0.0476 U	0.0291	0.042 U	0.435	0.424	0.0183	0.177	0.394 U	0.0260	0.735	
B10665	100 N -5 HRM 9.5	14-Sep-00	Unfiltered	0.534	0.00429 U	0.0476 U	0.0286	0.042 U	0.503	0.466	0.0756	0.170	0.394 U	0.0256	1.22	
B10698	100 N -7 HRM 9.5	14-Sep-00	Filtered	0.520	0.050 U	0.0476 U	0.015 U	0.042 U	0.533	0.544	0.00729	0.212	0.394 U	0.0233	1.02	
B10666	100 N -7 HRM 9.5	14-Sep-00	Unfiltered	0.544	0.050 U	0.0476 U	0.015 U	0.102	0.646	0.548	0.0679	0.166	0.394 U	0.0260	1.72	
B10697	100 N -10 HRM 9.5	14-Sep-00	Filtered	0.528	0.050 U	0.0476 U	0.015 U	0.0873	0.556	0.529	0.00535	0.199	0.394 U	0.0238	1.04	
B10687	100 N -10 HRM 9.5	14-Sep-00	Unfiltered	0.509	0.00516	0.0476 U	0.0288	0.324	0.475	0.429	0.0638	0.164	0.394 U	0.0226	1.21	
B106B0	100 N SHORE HRM 8.4	14-Sep-00	Filtered	0.503	0.00429 U	0.0476 U	0.0330	0.321	0.405	0.405	0.00673	0.181	0.394 U	0.0226	0.690	
B10699	100 N SHORE HRM 8.4	14-Sep-00	Unfiltered	0.508	0.00429 U	0.0476 U	0.0394	0.347	0.399	0.425	0.0347	0.166	0.394 U	0.0217	0.696	
B106B3	100 N SHORE HRM 8.9	14-Sep-00	Filtered	0.486	0.00429 U	0.0476 U	0.0323	1.11	0.363	0.391	0.00232	0.172	0.394 U	0.0254	0.669	
B106B2	100 N SHORE HRM 8.9	14-Sep-00	Unfiltered	0.544	0.00429 U	0.0476 U	0.0310	0.573	0.403	0.389	0.0332	0.172	0.394 U	0.0218	0.945	
B106B6	100 N SHORE HRM 9.2	14-Sep-00	Filtered	0.497	0.00429 U	0.0476 U	0.0576	0.327	0.383	0.405	0.0049 U	0.176	0.394 U	0.0241	0.878	
B106B5	100 N SHORE HRM 9.2	14-Sep-00	Unfiltered	0.495	0.00429 U	0.0476 U	0.0489	1.15	0.406	0.383	0.0438	0.153	0.394 U	0.0240	1.01	
B106B9	100 N SHORE HRM 9.8	14-Sep-00	Filtered	0.443	0.00429 U	0.0476 U	0.0310	0.306	0.370	0.375	0.00704	0.201	0.394 U	0.0233	0.715	
B106B8	100 N SHORE HRM 9.8	14-Sep-00	Unfiltered	0.458	0.00429 U	0.0476 U	0.0236	0.358	0.422	0.390	0.0305	0.159	0.394 U	0.0238	1.02	
B10688	VERNITA-1 HRM 0.3	14-Sep-00	Filtered	0.529	0.050 U	0.0476 U	0.015 U	0.042 U	0.535	0.538	0.0100	0.173	0.394 U	0.0230	1.02	
B10671	VERNITA-1 HRM 0.3	14-Sep-00	Unfiltered	0.453	0.050 U	0.0476 U	0.0158	0.042 U	0.535	0.517	0.00997	0.167	0.394 U	0.0240	1.02	
B10689	VERNITA-2 HRM 0.3	14-Sep-00	Filtered	0.548	0.050 U	0.0476 U	0.015 U	0.0951	0.602	0.574	0.0617	0.171	0.394 U	0.0250	1.63	
B10668	VERNITA-2 HRM 0.3	14-Sep-00	Unfiltered	0.519	0.050 U	0.0476 U	0.015 U	0.042 U	0.535	0.536	0.0113	0.191	0.394 U	0.0236	1.07	
B10690	VERNITA-3 HRM 0.3	14-Sep-00	Filtered	0.574	0.050 U	0.0476 U	0.015 U	0.042 U	0.546	0.528	0.00853	0.164	0.394 U	0.0260	1.10	
B10669	VERNITA-3 HRM 0.3	14-Sep-00	Unfiltered	0.448	0.050 U	0.0476 U	0.015 U	0.0621	0.599	0.567	0.0658	0.156	0.394 U	0.0255	1.60	
B10691	VERNITA-4 HRM 0.3	14-Sep-00	Filtered	0.498	0.050 U	0.0476 U	0.015 U	0.042 U	0.520	0.507	0.00524	0.179	0.394 U	0.0238	1.04	
B10670	VERNITA-4 HRM 0.3	14-Sep-00	Unfiltered	0.585	0.050 U	0.0476 U	0.0168	0.0854	0.853	0.565	0.0610	0.166	0.394 U	0.0260	1.66	
B10755	100 F -1 HRM 19.0	18-Sep-00	Filtered	0.581	0.00464	0.0476 U	0.0289	0.042 U	0.413	0.431	0.0067	0.196	0.394 U	0.0243	1.66	
B106T9	100 F -1 HRM 19.0	18-Sep-00	Unfiltered	0.56	0.00429 U	0.0476 U	0.015 U	0.068	0.531	0.456	0.0602	0.163	0.394 U	0.0264	1.42	
B10756	100 F -2 HRM 19.0	18-Sep-00	Filtered	0.452	0.00429 U	0.0476 U	0.0162	0.042 U	0.395	0.359	0.0046	0.152	0.394 U	0.0216	1.02	
B106V0	100 F -2 HRM 19.0	18-Sep-00	Unfiltered	0.502	0.00429 U	0.0476 U	0.0160	0.042 U	0.463	0.406	0.0536	0.147	0.394 U	0.0260	1.42	
B10757	100 F -3 HRM 19.0	18-Sep-00	Filtered	0.54	0.00429 U	0.0476 U	0.0173	0.042 U	0.445	0.425	0.00568	0.172	0.394 U	0.0266	1.06	
B106V1	100 F -3 HRM 19.0	18-Sep-00	Unfiltered	0.549	0.00429 U	0.0476 U	0.0288	0.0443	0.502	0.490	0.0753	0.163	0.394 U	0.0257	1.73	
B10758	100 F -5 HRM 19.0	18-Sep-00	Filtered	0.542	0.00817	0.0476 U	0.015 U	0.042 U	0.478	0.482	0.0269	0.195	0.394 U	0.0284	1.24	
B106V2	100 F -5 HRM 19.0	18-Sep-00	Unfiltered	0.584	0.00795	0.0476 U	0.0175	0.042 U	0.523	0.470	0.0737	0.168	0.394 U	0.0280	1.44	
B10759	100 F -7 HRM 19.0	18-Sep-00	Filtered	0.529	0.00480	0.0476 U	0.015 U	0.042 U	0.475	0.461	0.0118	0.185	0.394 U	0.0254	1.00	
B106V3	100 F -7 HRM 19.0	18-Sep-00	Unfiltered	0.586	0.00841	0.0476 U	0.0225	0.042 U	0.554	0.469	0.0942	0.162	0.394 U	0.0265	1.26	
B10760	100 F -10 HRM 19.0	18-Sep-00	Filtered	0.583	0.00575	0.0476 U	0.015 U	0.042 U	0.464	0.432	0.0168	0.162	0.394 U	0.0247	0.626	
B106R9	100 F -10 HRM 19.0	18-Sep-00	Unfiltered	0.532	0.00882	0.0476 U	0.0588	0.237	0.522	0.428	0.0763	0.165	0.394 U	0.0234	1.33	
B10790	100 F SHORE HRM 18	18-Sep-00	Filtered	0.509	0.00829	0.0476 U	0.0447	0.209	0.429	0.402	0.00735	0.190	0.394 U	0.0296	0.752	
B10789	100 F SHORE HRM 18	18-Sep-00	Unfiltered	0.584	0.00470	0.0476 U	0.0254	0.107	0.572	0.494	0.0654	0.162	0.394 U	0.0273	1.09	
B10793	100 F SHORE HRM 22	18-Sep-00	Filtered	0.583	0.00919	0.0476 U	0.015 U	0.0836	0.496	0.399	0.0049 U	0.167	0.394 U	0.0263	0.595	
B10792	100 F SHORE HRM 22	18-Sep-00	Unfiltered	0.554	0.00586	0.0476 U	0.015 U	0.0803	0.517	0.456	0.0479	0.167	0.394 U	0.0242	1.06	
B10796	100 F SHORE HRM 23	18-Sep-00	Filtered	0.571	0.00957	0.0476 U	0.015 U	0.0681	0.474	0.467	0.0102	0.191	0.394 U	0.0264	0.539	
B10795	100 F SHORE HRM 23	18-Sep-00	Unfiltered	0.587	0.00525	0.0476 U	0.015 U	0.124	0.536	0.476	0.0628	0.160	0.394 U	0.0297	0.997	
B10749	HANFRD TS-1 HRM 28.7	18-Sep-00	Filtered	0.561	0.0124	0.0476 U	0.0251	0.617	0.456	0.471	0.0107	0.169	0.394 U	0.0259	0.877	
B106T0	HANFRD TS-1 HRM 28.7	18-Sep-00	Unfiltered	0.571	0.0111	0.0476 U	0.0223	0.518	0.491	0.467	0.0528	0.170	0.394 U	0.0276	1.27	
B10751	HANFRD TS-3 HRM 28.7	18-Sep-00	Filtered	0.528	0.00725	0.0476 U	0.0230	0.501	0.434	0.427	0.00764	0.175	0.394 U	0.0269	0.667	
B106T2	HANFRD TS-3 HRM 28.7	18-Sep-00	Unfiltered	0.542	0.00694	0.0476 U	0.0220	0.510	0.500	0.458	0.0448	0.161	0.394 U	0.0286	1.16	
B10752	HANFRD TS-5 HRM 28.7	18-Sep-00	Filtered	0.505	0.00818	0.0476 U	0.0277	0.488	0.436	0.432	0.0049 U	0.203	0.394 U	0.0296	0.610	
B106T3	HANFRD TS-5 HRM 28.7	18-Sep-00	Unfiltered	0.517	0.00747	0.0476 U	0.0194	0.482	0.488	0.472	0.0642	0.167	0.394 U	0.0266	1.28	
B10753	HANFRD TS-7 HRM 28.7	18-Sep-00	Filtered	0.494	0.00687	0.0476 U	0.0194	0.439	0.426	0.449	0.0049 U	0.164	0.394 U	0.0234	0.776	

Table W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2000
(concentrations in µg/L - not blank corrected)

Samp Num	Location	Sample Date	Coll Mthd	As ICP-MS	Ag ICP-MS	Be ICP-MS	Cd ICP-MS	Cr ICP-MS	Cu ICP-MS	Ni ICP-MS	Pb ICP-MS	Sb ICP-MS	Se ICP-MS	Tl ICP-MS	Zn ICP-MS	Hg CVAA
B106T4	HANFRD TS-7 HRM 28.7	18-Sep-00	Unfiltered	0.577	0.00662	0.0476 U	0.0196	0.726	0.531	0.479	0.0969	0.168	0.394 U	0.0258	1.30	
B10754	HANFRD TS-10 HRM 28.7	18-Sep-00	Filtered	0.461	0.00584	0.0476 U	0.0229	0.666	0.408	0.388	0.0101	0.183	0.394 U	0.0243	0.583	
B106T5	HANFRD TS-10 HRM 28.7	18-Sep-00	Unfiltered	0.584	0.00625	0.0476 U	0.015 U	0.259	0.647	0.529	0.155	0.181	0.394 U	0.0283	1.43	
B10734	HANFRD TWNSITE HRM26	18-Sep-00	Filtered	0.526	0.00429 U	0.0476 U	0.015 U	0.0701	0.471	0.455	0.0201	0.182	0.394 U	0.0269	0.673	
B10731	HANFRD TWNSITE HRM26	18-Sep-00	Unfiltered	0.532	0.00429 U	0.0476 U	0.015 U	0.0448	0.514	0.443	0.0647	0.150	0.394 U	0.0265	1.11	
B10735	HANFRD TWNSITE HRM27	18-Sep-00	Filtered	0.561	0.00429 U	0.0476 U	0.015 U	0.0613	0.486	0.431	0.0109	0.196	0.394 U	0.0286	0.702	
B10732	HANFRD TWNSITE HRM27	18-Sep-00	Unfiltered	0.585	0.00429 U	0.0476 U	0.0301	0.118	0.516	0.477	0.0669	0.171	0.394 U	0.0267	1.14	
B10787	HANFRD TWNSITE HRM28	18-Sep-00	Filtered	0.739	0.00429 U	0.0476 U	0.015 U	0.166	0.458	0.454	0.0128	0.181	0.394 U	0.0242	0.760	
B10786	HANFRD TWNSITE HRM28	18-Sep-00	Unfiltered	0.728	0.00546	0.0476 U	0.0246	0.190	0.509	0.480	0.0539	0.168	0.394 U	0.0278	1.11	
B10736	HANFRD TWNSITE HRM30	18-Sep-00	Filtered	0.558	0.00429 U	0.0476 U	0.015 U	0.0966	0.442	0.413	0.00835	0.177	0.394 U	0.0270	0.740	
B10733	HANFRD TWNSITE HRM30	18-Sep-00	Unfiltered	0.609	0.0113	0.0476 U	0.015 U	0.0639	0.538	0.473	0.0692	0.174	0.394 U	0.0274	1.17	
B10743	300 AREA -1 HRM 43.1	19-Sep-00	Filtered	0.536	0.00429 U	0.0476 U	0.015 U	0.042 U	0.445	0.383	0.0211	0.195	0.394 U	0.0294	1.46	
B106T6	300 AREA -1 HRM 43.1	19-Sep-00	Unfiltered	0.574	0.00429 U	0.0476 U	0.0315	0.042 U	0.541	0.460	0.0741	0.159	0.394 U	0.0264	1.26	
B10744	300 AREA -2 HRM 43.1	19-Sep-00	Filtered	0.499	0.00429 U	0.0476 U	0.0234	0.042 U	0.447	0.436	0.0129	0.180	0.394 U	0.0280	1.16	
B106T7	300 AREA -2 HRM 43.1	19-Sep-00	Unfiltered	0.581	0.00737	0.0478 U	0.0355	0.042 U	0.539	0.458	0.0878	0.181	0.394 U	0.0298	1.20	
B10745	300 AREA -3 HRM 43.1	19-Sep-00	Filtered	0.491	0.00429 U	0.0476 U	0.015 U	0.042 U	0.442	0.396	0.0134	0.178	0.394 U	0.0265	0.766	
B106T8	300 AREA -3 HRM 43.1	19-Sep-00	Unfiltered	0.493	0.00429 U	0.0476 U	0.0288	0.042 U	0.524	0.426	0.0931	0.162	0.394 U	0.0290	1.27	
B10746	300 AREA -5 HRM 43.1	19-Sep-00	Filtered	0.556	0.00429 U	0.0476 U	0.0156	0.042 U	0.473	0.408	0.0151	0.176	0.394 U	0.0265	0.940	
B106R6	300 AREA -5 HRM 43.1	19-Sep-00	Unfiltered	0.538	0.00429 U	0.0476 U	0.0306	0.042 U	0.581	0.461	0.116	0.169	0.394 U	0.0280	1.34	
B10747	300 AREA -7 HRM 43.1	19-Sep-00	Filtered	0.749	0.00638	0.0476 U	0.0383	0.743	0.596	0.474	0.0308	0.179	0.394 U	0.0294	0.973	
B106R7	300 AREA -7 HRM 43.1	19-Sep-00	Unfiltered	0.582	0.00429 U	0.0476 U	0.0290	0.0882	0.607	0.468	0.130	0.155	0.394 U	0.0263	2.91	
B10748	300 AREA-10 HRM 43.1	19-Sep-00	Filtered	0.744	0.00429 U	0.0476 U	0.0259	0.042 U	0.499	0.404	0.0154	0.166	0.394 U	0.0273	0.634	
B106R8	300 AREA-10 HRM 43.1	19-Sep-00	Unfiltered	0.794	0.00607	0.0476 U	0.0295	0.042 U	0.635	0.522	0.0940	0.186	0.394 U	0.0244	1.19	
B10775	300 AREA SHR HRM41.5	19-Sep-00	Filtered	0.535	0.00529	0.0476 U	0.015 U	0.042 U	0.482	0.417	0.0167	0.184	0.394 U	0.0240	5.40	
B10774	300 AREA SHR HRM41.5	19-Sep-00	Unfiltered	0.549	0.00971	0.0476 U	0.0177	0.042 U	0.531	0.438	0.0691	0.183	0.394 U	0.0289	1.38	
B10778	300 AREA SHR HRM42.1	19-Sep-00	Filtered	0.766	0.00617	0.0476 U	0.0184	0.0886	0.469	0.412	0.0113	0.188	0.394 U	0.0247	0.749	
B10777	300 AREA SHR HRM42.1	19-Sep-00	Unfiltered	0.798	0.00429 U	0.0478 U	0.0254	0.164	0.558	0.469	0.113	0.156	0.394 U	0.0274	1.29	
B10781	300 AREA SHR HRM42.5	19-Sep-00	Filtered	0.543	0.00429 U	0.0476 U	0.0176	0.042 U	0.456	0.422	0.00988	0.183	0.394 U	0.0267	0.669	
B10780	300 AREA SHR HRM42.5	19-Sep-00	Unfiltered	0.573	0.00438	0.0478 U	0.015 U	0.042 U	0.503	0.438	0.0806	0.171	0.394 U	0.0265	1.31	
B10784	300 AREA SHR HRM42.9	19-Sep-00	Filtered	0.501	0.00429 U	0.0476 U	0.015 U	0.042 U	0.444	0.398	0.0194	0.205	0.394 U	0.0264	0.692	
B10783	300 AREA SHR HRM42.9	19-Sep-00	Unfiltered	0.556	0.00429 U	0.0476 U	0.015 U	0.042 U	0.545	0.445	0.0973	0.159	0.394 U	0.0272	1.36	
B10768	RICH.PMPHS HRM 43.5	19-Sep-00	Filtered	0.565	0.00429 U	0.0476 U	0.015 U	0.381	0.415	0.421	0.00900	0.188	0.394 U	0.0257	0.779	
B10772	RICH.PMPHS HRM 43.5	19-Sep-00	Unfiltered	0.524	0.00429 U	0.0478 U	0.0397	0.395	0.484	0.430	0.109	0.167	0.394 U	0.0266	1.46	
B10767	RICH.PMPHS HRM 43.9	19-Sep-00	Filtered	0.500	0.00518	0.0478 U	0.0309	0.347	0.442	0.392	0.00807	0.189	0.394 U	0.0267	0.784	
B10771	RICH.PMPHS HRM 43.9	19-Sep-00	Unfiltered	0.537	0.00950	0.0476 U	0.0151	0.403	0.477	0.428	0.0434	0.176	0.394 U	0.0257	0.975	
B10766	RICH.PMPHS HRM 45.0	19-Sep-00	Filtered	0.483	0.00596	0.0476 U	0.0252	0.308	0.404	0.392	0.00543	0.191	0.394 U	0.0282	1.90	
B10770	RICH.PMPHS HRM 45.0	19-Sep-00	Unfiltered	0.500	0.00672	0.0476 U	0.0153	0.295	0.471	0.452	0.0674	0.162	0.394 U	0.0250	1.14	
B10765	RICH.PMPHS HRM 45.8	19-Sep-00	Filtered	0.510	0.00438	0.0478 U	0.0238	0.298	0.425	0.403	0.0049 U	0.184	0.394 U	0.0264	0.639	
B10769	RICH.PMPHS HRM 45.8	19-Sep-00	Unfiltered	0.577	0.00463	0.0476 U	0.0485	0.338	0.474	0.411	0.0807	0.164	0.394 U	0.0255	1.15	
B10737	RICH.PMPHS-1 HRM48.4	19-Sep-00	Filtered	0.556	0.00429 U	0.0476 U	0.0451	0.883	0.393	0.382	0.0168	0.166	0.394 U	0.0204	0.446	
B106V4	RICH.PMPHS-1 HRM46.4	19-Sep-00	Unfiltered	0.670	0.00852	0.0476 U	0.0388	0.251	0.482	0.390	0.117	0.189	0.394 U	0.0225	0.872	
B10738	RICH.PMPHS-2 HRM46.4	19-Sep-00	Filtered	0.492	0.00621	0.0476 U	0.0438	0.306	0.388	0.391	0.0049 U	0.196	0.394 U	0.0233	1.89	
B106V5	RICH.PMPHS-2 HRM48.4	19-Sep-00	Unfiltered	0.516	0.00429 U	0.0476 U	0.0355	0.241	0.454	0.407	0.0619	0.178	0.394 U	0.0253	1.06	
B10739	RICH.PMPHS-3 HRM46.4	19-Sep-00	Filtered	0.493	0.00429 U	0.0476 U	0.0363	0.195	0.405	0.359	0.0049 U	0.190	0.394 U	0.0252	0.687	
B106V6	RICH.PMPHS-3 HRM46.4	19-Sep-00	Unfiltered	0.476	0.00429 U	0.0476 U	0.0593	0.229	0.470	0.427	0.0609	0.167	0.394 U	0.0222	1.16	
B10740	RICH.PMPHS-5 HRM46.4	19-Sep-00	Filtered	0.489	0.00429 U	0.0476 U	0.0405	0.198	0.409	0.393	0.00618	0.184	0.394 U	0.0277	0.660	
B106V7	RICH.PMPHS-5 HRM46.4	19-Sep-00	Unfiltered	0.476	0.00429 U	0.0476 U	0.0493	0.197	0.458	0.376	0.0574	0.166	0.394 U	0.0224	0.984	
B10741	RICH.PMPHS-7 HRM46.4	19-Sep-00	Filtered	0.464	0.00429 U	0.0476 U	0.0458	0.601	0.399	0.381	0.00699	0.159	0.394 U	0.0248	0.925	
B106V8	RICH.PMPHS-7 HRM46.4	19-Sep-00	Unfiltered	0.540	0.00429 U	0.0476 U	0.0418	0.256	0.482	0.431	0.0860	0.158	0.394 U	0.0272	1.23	
B10742	RICH.PMPHS-10 HRM46.4	19-Sep-00	Filtered	0.668	0.00429 U	0.0476 U	0.0215	0.576	0.469	0.389	0.00801	0.184	0.394 U	0.0208	0.612	

Table W-3. Data for Total Recoverable Metals, Columbia River Transect Water, 2000
(concentrations in µg/L - not blank corrected)

Samp Num	Location	Sample Date	Coll Mthd	As ICP-MS	Ag ICP-MS	Be ICP-MS	Cd ICP-MS	Cr ICP-MS	Cu ICP-MS	Ni ICP-MS	Pb ICP-MS	Sb ICP-MS	Se ICP-MS	Tl ICP-MS	Zn ICP-MS	Hg CVAA
B106V9	RICH.PMPHS-10 HRM46.4	19-Sep-00	Unfiltered	0.821	0.00429 U	0.0476 U	0.0283	0.462	0.592	0.462	0.0800	0.159	0.394 U	0.0231	1.15	
B11135	VERNITA-1 HRM 0.3	04-Dec-00	Filtered	0.546	0.0156	0.0118 U	0.0156	0.265	0.500	0.249	0.0311	0.182	0.143	0.0359	2.73	
B11123	VERNITA-1 HRM 0.3	04-Dec-00	Unfiltered	0.525	0.00368	0.0118 U	0.0185	0.241	0.564	0.205	0.0422	0.168	0.138	0.0353	1.56	
B11136	VERNITA-2 HRM 0.3	04-Dec-00	Filtered	0.545	0.00175	0.0118 U	0.0165	0.253	0.503	0.222	0.0106	0.180	0.150	0.0363	1.37	
B11114	VERNITA-2 HRM 0.3	04-Dec-00	Unfiltered	0.528	0.00211	0.0118 U	0.0198	0.236	0.548	0.239	0.0441	0.169	0.200	0.0386	1.60	
B11137	VERNITA-3 HRM 0.3	04-Dec-00	Filtered	0.505	0.00521	0.0118 U	0.0156	0.254	0.509	0.191	0.0122	0.175	0.148	0.0375	1.37	
B11115	VERNITA-3 HRM 0.3	04-Dec-00	Unfiltered	0.548	0.00131	0.0118 U	0.0195	0.245	0.555	0.279	0.0504	0.165	0.101	0.0373	1.66	
B11138	VERNITA-4 HRM 0.3	04-Dec-00	Filtered	0.525	0.00083	0.0118 U	0.0144	0.187	0.509	0.212	0.0114	0.177	0.108	0.0351	1.61	
B11116	VERNITA-4 HRM 0.3	04-Dec-00	Unfiltered	0.552	0.00123	0.0118 U	0.0204	0.268	0.545	0.247	0.0610	0.168	0.0909	0.0352	3.04	
B11152	RICH.PMPHS HRM 43.5	05-Dec-00	Filtered	0.514	0.00185	0.0118 U	0.0145	0.213	0.498	0.232	0.0144	0.203	0.126	0.0338	1.33	
B11156	RICH.PMPHS HRM 43.5	05-Dec-00	Unfiltered	0.524	0.00117	0.0118 U	0.0194	0.248	0.552	0.246	0.0536	0.167	0.114	0.0348	1.56	
B11151	RICH.PMPHS HRM 43.9	05-Dec-00	Filtered	0.520	0.00233	0.0118 U	0.0147	0.225	0.484	0.211	0.0125	0.209	0.0727	0.0350	1.51	
B11155	RICH.PMPHS HRM 43.9	05-Dec-00	Unfiltered	0.531	0.00566	0.0118 U	0.0178	0.225	0.541	0.224	0.0440	0.173	0.0642 U	0.0352	2.29	
B11150	RICH.PMPHS HRM 45.0	05-Dec-00	Filtered	0.502	0.00473	0.0118 U	0.0156	0.200	0.473	0.190	0.0121	0.170	0.0642 U	0.0355	1.25	
B11154	RICH.PMPHS HRM 45.0	05-Dec-00	Unfiltered	0.517	0.00114	0.0118 U	0.0167	0.221	0.544	0.254	0.0603	0.183	0.0673	0.0347	1.66	
B11149	RICH.PMPHS HRM 45.8	05-Dec-00	Filtered	0.507	0.00095	0.0118 U	0.0135	0.237	0.492	0.208	0.00634	0.167	0.0642 U	0.0351	1.25	
B11153	RICH.PMPHS HRM 45.8	05-Dec-00	Unfiltered	0.528	0.00418	0.0118 U	0.0194	0.264	0.538	0.247	0.0774	0.171	0.0847	0.0355	1.75	
B11139	RICH.PMPHS-1 HRM46.4	05-Dec-00	Filtered	0.530	0.00510	0.0118 U	0.0153	0.245	0.458	0.201	0.00410	0.196	0.0678	0.0336	1.26	
B11117	RICH.PMPHS-1 HRM46.4	05-Dec-00	Unfiltered	0.547	0.0129	0.0118 U	0.0191	0.287	0.527	0.236	0.0594	0.178	0.129	0.0369	1.51	
B11140	RICH.PMPHS-2 HRM46.4	05-Dec-00	Filtered	0.518	0.00667	0.0118 U	0.0138	0.230	0.461	0.195	0.00570	0.212	0.0642 U	0.0367	1.28	
B11118	RICH.PMPHS-2 HRM46.4	05-Dec-00	Unfiltered	0.534	0.00535	0.0118 U	0.0192	0.254	0.520	0.211	0.0657	0.172	0.0642 U	0.0368	1.83	
B11141	RICH.PMPHS-3 HRM46.4	05-Dec-00	Filtered	0.499	0.00494	0.0118 U	0.0111	0.241	0.453	0.181	0.00662	0.200	0.0642 U	0.0373	1.17	
B11119	RICH.PMPHS-3 HRM46.4	05-Dec-00	Unfiltered	0.504	0.00585	0.0129	0.0181	0.240	0.544	0.308	0.0710	0.172	0.0642 U	0.0354	1.74	
B11142	RICH.PMPHS-5 HRM46.4	05-Dec-00	Filtered	0.519	0.00728	0.0118 U	0.0128	0.202	0.467	0.219	0.0120	0.204	0.103	0.0372	6.59	
B11120	RICH.PMPHS-5 HRM46.4	05-Dec-00	Unfiltered	0.536	0.00613	0.0118 U	0.0188	0.239	0.526	0.229	0.0640	0.171	0.0968	0.0383	1.54	
B11143	RICH.PMPHS-7 HRM46.4	05-Dec-00	Filtered	0.494	0.00658	0.0118 U	0.0142	0.190	0.459	0.167	0.0130	0.191	0.0813	0.0373	1.24	
B11121	RICH.PMPHS-7 HRM46.4	05-Dec-00	Unfiltered	0.521	0.00575	0.0118 U	0.0201	0.239	0.531	0.277	0.0788	0.172	0.0642 U	0.0365	1.66	
B11144	RICH.PMPHS-10 HRM46.4	05-Dec-00	Filtered	0.688	0.00143	0.0118 U	0.0135	0.278	0.480	0.246	0.0117	0.184	0.0958	0.0323	1.34	
B11122	RICH.PMPHS-10 HRM46.4	05-Dec-00	Unfiltered	0.730	0.00301	0.0118 U	0.0198	0.321	0.607	0.322	0.0961	0.169	0.169	0.0353	1.89	

U - Analyzed but not detected or represented by the analytical detection limit.

Table W-4. Data for Total Recoverable Metals, Columbia River Riverbank Springs, 2000
(concentrations in μg/L - not blank corrected)

Samp Num	Location	Sample Date	Coll Mthd	Type	Ag ICP-MS	As ICP-MS	Be ICP-MS	Cd ICP-MS	Cr ICP-MS	Cu ICP-MS	Ni ICP-MS	Pb ICP-MS	Sb ICP-MS	Se ICP-MS	Tl ICP-MS	Zn ICP-MS
B10975	300 AREA SPR DR 42-2	27-Sep-00	Filtered	Dissolved	0.00429 U	0.952	0.0476 U	0.0242	2.85	0.388	1.00	0.0341	0.205	2.72	0.0269	2.95
B10974	300 AREA SPR DR 42-2	27-Sep-00	Unfiltered	Total	0.00429 U	0.987	0.0476 U	0.0446	3.16	0.563	1.31	0.117	0.174	2.44	0.0290	3.88
B10973	300 AREA SPRING 42-2	27-Sep-00	Filtered	Dissolved	0.00429 U	1.61	0.0476 U	0.0168	2.90	0.457	1.38	0.00643	0.361	2.88	0.0141	2.23
B10903	300 AREA SPRING 42-2	27-Sep-00	Unfiltered	Total	0.0643	4.03	0.346	0.571	16.1	14.9	18.1	15.6	0.142	3.00	0.259	106
B10972	HANFORD SPR DR 28-2	27-Sep-00	Filtered	Dissolved	0.00429 U	3.48	0.0476 U	0.0242	2.43	0.355	0.693	0.0049 U	0.179	1.65	0.0200	2.01
B10971	HANFORD SPR DR 26-2	27-Sep-00	Unfiltered	Total	0.00429 U	3.64	0.0476 U	0.0506	2.83	0.729	1.04	0.569	0.144	1.27	0.0234	5.31
B10970	HANFORD SPR UR 28-2	27-Sep-00	Filtered	Dissolved	0.00429 U	2.63	0.0476 U	0.0258	1.81	0.341	0.666	0.0576	0.160	1.19	0.0182	2.44
B10969	HANFORD SPR UR 28-2	27-Sep-00	Unfiltered	Total	0.00429 U	2.62	0.0476 U	0.0397	1.84	0.46	0.724	0.229	0.149	1.21	0.0217	3.51
B10968	HANFORD SPRING 28-2	27-Sep-00	Filtered	Dissolved	0.00429 U	3.43	0.0476 U	0.0202	2.57	0.440	0.676	0.0049 U	0.390	1.66	0.0201	2.05
B10902	HANFORD SPRING 28-2	27-Sep-00	Unfiltered	Total	0.0104	3.36	0.0476 U	0.0453	2.82	0.641	0.943	0.397	0.142	1.44	0.0248	4.44
B10944	100-B SPRING 36-3	17-Oct-00	Filtered	Dissolved	0.00527	1.63	0.0476 U	0.0122	9.65	0.266	0.141	0.0139	0.145	1.49	0.00353 U	2.15
B10937	100-B SPRING 38-3	17-Oct-00	Unfiltered	Total	0.00757	1.63	0.0476 U	0.0318	11.1	0.661	0.547	0.283	0.124	1.47	0.00353 U	25.6
B10963	100-D SPRING 102-1	17-Oct-00	Filtered	Dissolved	0.00429 U	0.694	0.0476 U	0.0283	150	0.572	0.731	0.0170	0.210	1.14	0.0288	3.42
B10962	100-D SPRING 102-1	17-Oct-00	Unfiltered	Total	0.00707	1.17	0.0476 U	0.115	151	2.07	1.72	1.42	0.166	1.16	0.0452	14.9
B10961	100-D SPRING 110-1	17-Oct-00	Filtered	Dissolved	0.00429 U	0.710	0.0476 U	0.0168	63.4	0.506	0.221	0.00732	0.163	0.918	0.0394	2.59
B10960	100-D SPRING 110-1	17-Oct-00	Unfiltered	Total	0.00703	0.737	0.0476 U	0.0306	64.8	0.533	0.134	1.18	0.195	0.950	0.0368	2.83
B10954	100-K SPRING 63-1	17-Oct-00	Filtered	Dissolved	0.00475	1.34	0.0476 U	0.00444 U	49.2	0.462	0.247	0.0139	0.169	0.777	0.00833	1.68
B10953	100-K SPRING 63-1	17-Oct-00	Unfiltered	Total	0.00429 U	1.35	0.0476 U	0.0196	46.4	0.589	0.317	0.292	0.154	0.727	0.0128	4.13
B10957	100-N SPRING 8-13	17-Oct-00	Filtered	Dissolved	0.00543	2.92	0.0476 U	0.0109	11.0	0.276	0.201	0.00686	0.224	0.890	0.0112	2.70
B10904	100-N SPRING 8-13	17-Oct-00	Unfiltered	Total	0.00462	2.69	0.0476 U	0.0163	11.3	0.503	0.207	0.114	0.152	0.878	0.00974	3.63
B10956	100-K SPRING 77-1	25-Oct-00	Filtered	Dissolved	0.0148	0.315	0.0476 U	0.00819	2.07	0.445	0.122	0.00782	0.154	0.394 U	0.00353 U	1.31
B10955	100-K SPRING 77-1	25-Oct-00	Unfiltered	Total	0.0240	0.307	0.0476 U	0.0294	2.20	0.688	0.457	1.30	0.137	0.394 U	0.0135	2.89
B10965	100-H SPRING 145-1	01-Nov-00	Filtered	Dissolved	0.00515	1.83	0.0476 U	0.00444 U	12.6	0.566	0.996	0.00958	0.281	0.394 U	0.00845	0.803
B10964	100-H SPRING 145-1	01-Nov-00	Unfiltered	Total	0.00912	2.48	0.0476 U	0.0544	16.0	3.39	1.07	5.44	0.246	0.394 U	0.0260	25.2
B10980	100-H SPRING 153-1	01-Nov-00	Filtered	Dissolved	0.00732	0.561	0.0476 U	0.0148	3.95	5.63	0.179	0.566	0.250	0.394 U	0.0158	2.08
B10979	100-H SPRING 153-1	01-Nov-00	Unfiltered	Total	0.00482	0.568	0.0476 U	0.0159	3.99	0.758	0.164	0.801	0.190	0.394 U	0.0251	3.09
B10967	100-F SPRING 207-1	07-Nov-00	Filtered	Dissolved	0.00429 U	1.50	0.0476 U	0.00914	14.0	0.424	0.118	0.0183	0.200	1.35	0.00852	1.81
B10966	100-F SPRING 207-1	07-Nov-00	Unfiltered	Total	0.00937	2.37	0.0476 U	0.137	17.4	3.96	3.26	5.22	0.126	0.936	0.0420	28.5

U -Analyzed but not detected or represented by the analytical detection limit.

Drinking Water

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - ONSITE DRINKING WATER

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XKV5	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	ALPHA	0.703	pCi/L	0.64	0.8	U		
SESPMNT	B0Y265	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	ALPHA	0.514	pCi/L	0.52	0.69	U	PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP01	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	ALPHA	0.833	pCi/L	0.68	0.84	U		
SESPMNT	B10KN4	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	ALPHA	1.25	pCi/L	0.92	0.97	J		
SESPMNT	B0XKV6	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	ALPHA	0.767	pCi/L	0.67	0.83	U		
SESPMNT	B0Y266	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	ALPHA	0.741	pCi/L	0.69	0.86	U	PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP02	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	ALPHA	0.0763	pCi/L	0.18	0.57	U		
SESPMNT	B10KN5	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	ALPHA	0.516	pCi/L	0.71	0.72	U		
SESPMNT	B0XKW7	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	ALPHA	0.0632	pCi/L	0.14	0.49	U		
SESPMNT	B0Y269	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	ALPHA	0.0206	pCi/L	0.057	0.49	U	PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP05	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	ALPHA	0.14	pCi/L	0.29	0.62	U		
SESPMNT	B10KN8	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	ALPHA	1.19	pCi/L	0.91	0.96	J		
SESPMNT	B0XKV7	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	22-Feb-00	ALPHA	0.431	pCi/L	0.67	0.93	U		
SESPMNT	B0Y267	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	02-May-00	ALPHA	0.377	pCi/L	0.67	0.95	U		
SESPMNT	B0YP03	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	25-Jul-00	ALPHA	0.0287	pCi/L	0.13	0.83	U		
SESPMNT	B10KN6	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	18-Oct-00	ALPHA	-0.067	pCi/L	0.8	0.8	U		
SESPMNT	B0XKV5	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	BETA	1.09	pCi/L	0.78	1.5	U		
SESPMNT	B0Y265	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	BETA	0.589	pCi/L	0.55	1.5	U	PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP01	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	BETA	1.37	pCi/L	0.83	1.5	U		
SESPMNT	B10KN4	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	BETA	0.415	pCi/L	1.4	1.5	U		
SESPMNT	B0XKV6	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	BETA	0.3	pCi/L	0.32	1.4	U		
SESPMNT	B0Y266	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	BETA	1.2	pCi/L	0.86	1.6	U	PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP02	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	BETA	0.851	pCi/L	0.64	1.4	U		
SESPMNT	B10KN5	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	BETA	1.29	pCi/L	1.5	1.6	U		
SESPMNT	B0XKW7	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	BETA	0.194	pCi/L	0.22	1.4	U		
SESPMNT	B0Y269	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	BETA	1.15	pCi/L	0.86	1.7	U	PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP05	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	BETA	6.07	pCi/L	1.5	2			
SESPMNT	B10KN8	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	BETA	1.06	pCi/L	1.5	1.6	U		
SESPMNT	B0XKV7	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	22-Feb-00	BETA	6.27	pCi/L	1.5	2.1			
SESPMNT	B0Y267	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	02-May-00	BETA	5.9	pCi/L	1.6	2.1			
SESPMNT	B0YP03	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	25-Jul-00	BETA	6.37	pCi/L	1.6	2.1			
SESPMNT	B10KN6	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	18-Oct-00	BETA	5.91	pCi/L	1.8	2.1			
SESPMNT	B0XKV5	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	SR-90	0.0922	pCi/L	0.023	0.035			

ENVIRONMENTAL SURVEILLANCE DATA CY00

WATER - ONSITE DRINKING WATER

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CONST PROP NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ANL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0Y265	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	SR-90	0.069	pCi/L	0.02	0.03		PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP01	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	SR-90	0.0436	pCi/L	0.018	0.026	J		
SESPMNT	B10KN4	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	SR-90	0.0761	pCi/L	0.033	0.041			
SESPMNT	B0XKV6	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	SR-90	0.0895	pCi/L	0.023	0.035			
SESPMNT	B0Y266	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	SR-90	0.0723	pCi/L	0.021	0.031		PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP02	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	SR-90	0.0491	pCi/L	0.019	0.027	J		
SESPMNT	B10KN5	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	SR-90	0.089	pCi/L	0.03	0.04			
SESPMNT	B0XKW7	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	SR-90	0.0671	pCi/L	0.029	0.043			
SESPMNT	B0Y269	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	SR-90	0.0694	pCi/L	0.019	0.029		PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP05	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	SR-90	0.0609	pCi/L	0.021	0.03			
SESPMNT	B10KN8	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	SR-90	0.0729	pCi/L	0.029	0.037			
SESPMNT	B0XKV7	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	22-Feb-00	SR-90	0.0023	pCi/L	0.0035	0.023	U		
SESPMNT	B0Y267	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	02-May-00	SR-90	-0.0064	pCi/L	0.019	0.019	U		
SESPMNT	B0YP03	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	25-Jul-00	SR-90	-0.0094	pCi/L	0.026	0.026	U		
SESPMNT	B10KN6	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	18-Oct-00	SR-90	0.0365	pCi/L	0.036	0.038	U		
SESPMNT	B0XKV5	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	LO TRITIUM	159	pCi/L	2.8	15			
SESPMNT	B0Y265	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	LO TRITIUM	56	pCi/L	1.4	7		PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP01	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	LO TRITIUM	128	pCi/L	2.4	13			
SESPMNT	B10KN4	100 B AREA-RIVER	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	LO TRITIUM	154	pCi/L	5.2	16			
SESPMNT	B10KN5	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	LO TRITIUM	71.2	pCi/L	4	9.2			
SESPMNT	B0XKW7	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	LO TRITIUM	48.5	pCi/L	1.3	6.4			
SESPMNT	B0Y269	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	LO TRITIUM	40.1	pCi/L	1.1	5.8		PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP05	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	LO TRITIUM	42.9	pCi/L	1.1	6.3			
SESPMNT	B10KN8	100 K AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	18-Oct-00	LO TRITIUM	55.6	pCi/L	3.8	8			
SESPMNT	B10KN6	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	18-Oct-00	LO TRITIUM	3630	pCi/L	22	310			
SESPMNT	B0XKV6	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	22-Feb-00	TRITIUM	45.1	pCi/L	3.6	110	U		
SESPMNT	B0Y266	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	02-May-00	TRITIUM	22.3	pCi/L	1.7	110	U	PUMP OFF, SAMPLE COLLECTED AT SETTLING POND.	
SESPMNT	B0YP02	100 D AREA	ONSITE	SW	DRINKING	UNFILTERED	RAW GRAB	25-Jul-00	TRITIUM	99.6	pCi/L	7.1	110	U		
SESPMNT	B0XKV7	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	22-Feb-00	TRITIUM	4130	pCi/L	140	300			
SESPMNT	B0Y267	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	02-May-00	TRITIUM	3880	pCi/L	130	280			
SESPMNT	B0YP03	FFTF	ONSITE	SW	DRINKING	UNFILTERED	SAN. GRAB	25-Jul-00	TRITIUM	3770	pCi/L	120	270			

Biota

ENVIRONMENTAL SURVEILLANCE DATA CY00

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANAL ERROR %	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	BE-7	0.00364	pCi/g	0.069	0.069	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	BE-7	0.0149	pCi/g	0.087	0.087	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	BE-7	0.0262	pCi/g	0.087	0.087	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	BE-7	0.0326	pCi/g	0.087	0.087	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	CO-60	-0.00232	pCi/g	0.0078	0.0078	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	CO-60	0.00764	pCi/g	0.0084	0.0084	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	CO-60	0.0101	pCi/g	0.0083	0.0083	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	CO-60	0.00688	pCi/g	0.0099	0.0099	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	CS-134	-0.00467	pCi/g	0.0072	0.0072	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	CS-134	-0.0086	pCi/g	0.0089	0.0089	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	CS-134	-0.0189	pCi/g	0.0089	0.0089	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	CS-134	-0.0256	pCi/g	0.011	0.011	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	CS-137	0.00181	pCi/g	0.0078	0.0078	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	CS-137	0.000782	pCi/g	0.0091	0.0091	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	CS-137	0.00542	pCi/g	0.0094	0.0094	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	CS-137	0.000677	pCi/g	0.0095	0.0095	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	EU-154	0.00264	pCi/g	0.024	0.024	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	EU-154	-0.000903	pCi/g	0.026	0.026	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	EU-154	-0.00228	pCi/g	0.024	0.024	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	EU-154	0.0104	pCi/g	0.028	0.028	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	EU-155	-0.0047	pCi/g	0.019	0.019	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	EU-155	-0.00408	pCi/g	0.023	0.023	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	EU-155	-0.00284	pCi/g	0.021	0.021	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	EU-155	-0.0107	pCi/g	0.023	0.023	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	K-40	1.39	pCi/g	0.28	0.28			
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	K-40	0.837	pCi/g	0.29	0.29			
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	K-40	0.708	pCi/g	0.29	0.29			
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	K-40	0.54	pCi/g	0.26	0.26	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	RU-106	0.0257	pCi/g	0.066	0.066	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	RU-106	-0.0309	pCi/g	0.08	0.08	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	RU-106	-0.00977	pCi/g	0.076	0.076	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	RU-106	0.0477	pCi/g	0.084	0.084	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	SB-125	0.00297	pCi/g	0.018	0.018	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	SB-125	-0.00642	pCi/g	0.023	0.023	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	SB-125	-0.00913	pCi/g	0.021	0.021	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	SB-125	0.00466	pCi/g	0.022	0.022	U		
SESPMNT	B10410	MATTAWA AREA	COMMUNITY	BI	APPLES	FRUIT	12-Sep-00	SR-90	-0.00147	pCi/g	0.0019	0.0019	U		
SESPMNT	B10405	RIVERVIEW AREA	COMMUNITY	BI	APPLES	FRUIT	14-Sep-00	SR-90	-0.000861	pCi/g	0.002	0.002	U		
SESPMNT	B103Y8	SAGEMOOR AREA	PERIMETER	BI	APPLES	FRUIT	14-Sep-00	SR-90	-0.0014	pCi/g	0.0017	0.0017	U		
SESPMNT	B10403	SUNNYSIDE AREA	DISTANT	BI	APPLES	FRUIT	21-Sep-00	SR-90	-0.000546	pCi/g	0.0011	0.0019	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	BE-7	-0.0263	pCi/g	0.044	0.044	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	CO-60	-0.00418	pCi/g	0.0049	0.0049	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	CS-134	-0.00318	pCi/g	0.0041	0.0041	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	CS-137	-0.000552	pCi/g	0.0041	0.0041	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	EU-154	-0.00647	pCi/g	0.016	0.016	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	EU-155	-0.000526	pCi/g	0.0089	0.0089	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	K-40	2.61	pCi/g	0.36	0.36			
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	RU-106	-0.0379	pCi/g	0.036	0.036	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	SB-125	-0.00319	pCi/g	0.0097	0.0097	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	SR-90	-0.000636	pCi/g	0.0016	0.0017	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	TC-99	-0.0983	pCi/g	0.0029	0.21	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	LO TRITIUM	246	pCi/L	5.8	24			
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	U-234	-0.00531	pCi/g	0.0058	0.0069	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	U-235	-0.00238	pCi/g	0.0049	0.0049	U		
SESPSPEC	B0YVM1	S OF HANFORD TOWNSITE	ONSITE	BI	APRICOTS	FRUIT	06-Jul-00	U-238	-0.00165	pCi/g	0.0015	0.0054	U		
SESPSPEC	B0YVM2	S OF HANFORD TOWNSITE	ONSITE	SW	UNFILTERED	RAW GRAB	06-Jul-00	LO TRITIUM					U	APRICOT LEAVES/CONDENSATION.	Sample could not be found; analysis not performed.
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	BE-7	-2.35	pCi/L	20	20	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	BE-7	-5.47	pCi/L	22	22	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	BE-7	-8.02	pCi/L	28	28	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	BE-7	-10.4	pCi/L	23	23	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	BE-7	-0.109	pCi/L	28	28	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	BE-7	17.4	pCi/L	31	31	U		

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CONTROL POST NAME	VALUE RCTD	UNIT	1 SIGMA COUNTING ERROR	TOTAL 1 SIGMA ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	BE-7	23.8	pCi/L	28	28	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	BE-7	-12.5	pCi/L	30	30	U		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	BE-7	-4.73	pCi/L	26	26	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	BE-7	13.1	pCi/L	30	30	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	BE-7	-0.273	pCi/L	24	24	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	BE-7	-16.7	pCi/L	28	28	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	BE-7	-5.87	pCi/L	32	32	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	BE-7	16.3	pCi/L	34	34	U		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	BE-7	-10.5	pCi/L	28	28	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	BE-7	-10.5	pCi/L	32	32	U		
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	CO-60	1.29	pCi/L	2.6	2.6	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	CO-60	1.46	pCi/L	3.6	3.6	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	CO-60	1.29	pCi/L	3.5	3.5	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	CO-60	0.0166	pCi/L	3	3	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	CO-60	-0.344	pCi/L	3.7	3.7	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	CO-60	1.18	pCi/L	3.7	3.7	U		
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	CO-60	1.15	pCi/L	3.4	3.4	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	CO-60	3.03	pCi/L	3.5	3.5	U		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	CO-60	2.09	pCi/L	3.2	3.2	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	CO-60	2.52	pCi/L	3.4	3.4	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	CO-60	-0.626	pCi/L	2.9	2.9	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	CO-60	0.596	pCi/L	3.1	3.1	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	CO-60	1.18	pCi/L	3.1	3.1	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	CO-60	0.388	pCi/L	3.6	3.6	U		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	CO-60	4.55	pCi/L	3.2	3.2	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	CO-60	-0.316	pCi/L	3.2	3.2	U		
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	CS-134	-4.2	pCi/L	2.4	2.4	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	CS-134	-1.01	pCi/L	2.6	2.6	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	CS-134	-2.41	pCi/L	2.6	2.6	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	CS-134	-0.398	pCi/L	2.4	2.4	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	CS-134	-1.8	pCi/L	3	3	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	CS-134	-3.16	pCi/L	3	3	U		
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	CS-134	-2.47	pCi/L	3	3	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	CS-134	-0.998	pCi/L	3	3	U		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	CS-134	-4.64	pCi/L	3	3	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	CS-134	-2.79	pCi/L	2.9	2.9	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	CS-134	-3.12	pCi/L	2.6	2.6	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	CS-134	2.23	pCi/L	2.7	2.7	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	CS-134	1.15	pCi/L	2.9	2.9	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	CS-134	-1.3	pCi/L	3.2	3.2	U		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	CS-134	-1.64	pCi/L	2.6	2.6	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	CS-134	-4.12	pCi/L	2.7	2.7	U		
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	CS-137	-2.1	pCi/L	2.4	2.4	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	CS-137	-0.318	pCi/L	2.8	2.8	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	CS-137	2.58	pCi/L	2.7	2.7	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	CS-137	-0.495	pCi/L	2.5	2.5	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	CS-137	0.00762	pCi/L	3.3	3.3	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	CS-137	-0.953	pCi/L	3.4	3.4	U		
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	CS-137	-0.595	pCi/L	3.1	3.1	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	CS-137	-0.624	pCi/L	3.3	3.3	U		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	CS-137	0.775	pCi/L	3.2	3.2	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	CS-137	1.82	pCi/L	2.9	2.9	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	CS-137	1.15	pCi/L	2.7	2.7	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	CS-137	0.863	pCi/L	2.5	2.5	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	CS-137	-0.401	pCi/L	2.9	2.9	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	CS-137	3.02	pCi/L	3.1	3.1	U		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	CS-137	-1.44	pCi/L	2.7	2.7	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	CS-137	0.426	pCi/L	2.8	2.8	U		
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	EU-154	4	pCi/L	8.7	8.7	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	EU-154	-0.342	pCi/L	10	10	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	EU-154	-1.56	pCi/L	9.9	9.9	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	EU-154	-5.07	pCi/L	9.3	9.3	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	EU-154	0.375	pCi/L	11	11	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	EU-154	-0.409	pCi/L	10	10	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	EU-154	-4.26	pCi/L	11	11	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	EU-154	-2.75	pCi/L	11	11	U		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	EU-154	-0.777	pCi/L	9.4	9.4	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	EU-154	1.71	pCi/L	10	10	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	EU-154	2.29	pCi/L	8.1	8.1	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	EU-154	1.17	pCi/L	9.1	9.1	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	EU-154	2.97	pCi/L	10	10	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	EU-154	8.82	pCi/L	9.9	9.9	U		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	EU-154	-1.22	pCi/L	8.9	8.9	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	EU-154	-7.74	pCi/L	10	10	U		
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	EU-155	3	pCi/L	6.7	6.7	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	EU-155	1.64	pCi/L	7.8	7.8	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	EU-155	7.47	pCi/L	8.8	8.8	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	EU-155	-3.12	pCi/L	5.9	5.9	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	EU-155	2.81	pCi/L	7.5	7.5	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	EU-155	2.77	pCi/L	7.6	7.6	U		
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	EU-155	0.887	pCi/L	8	8	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	EU-155	0.685	pCi/L	8.8	8.8	U		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	EU-155	2.45	pCi/L	7.8	7.8	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	EU-155	1.75	pCi/L	7.7	7.7	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	EU-155	-3.64	pCi/L	6.5	6.5	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	EU-155	1.34	pCi/L	6.3	6.3	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	EU-155	-5.11	pCi/L	7.2	7.2	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	EU-155	0.769	pCi/L	9.1	9.1	U		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	EU-155	-3.18	pCi/L	7	7	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	EU-155	2.26	pCi/L	7.1	7.1	U		
SESPMNT	B0Y0R2	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	I-129	0.0003432	pCi/L		4.25568E-05			
SESPMNT	B0Y264	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	I-129	0.0001673	pCi/L		1.40532E-05			
SESPMNT	B0Y307	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	I-129	0.0001344	pCi/L		1.72032E-05			
SESPMNT	B10F36	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	I-129	0.000474	pCi/L		5.49840E-05			
SESPMNT	B10KN3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	I-129	0.0002584	pCi/L		2.79072E-05			
SESPMNT	B10KT4	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	I-129	0.0002903	pCi/L		2.72882E-05			
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	K-40	1250	pCi/L	170	170			
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	K-40	1180	pCi/L	170	170			
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	K-40	1220	pCi/L	170	170			
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	K-40	1420	pCi/L	210	210			
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	K-40	1520	pCi/L	230	230			
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	K-40	1350	pCi/L	210	210			
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	K-40	1390	pCi/L	210	210			
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	K-40	1500	pCi/L	220	220			
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	K-40	1440	pCi/L	230	230			
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	K-40	810	pCi/L	160	160			
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	K-40	1250	pCi/L	190	190			
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	K-40	1430	pCi/L	210	210			
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	K-40	1390	pCi/L	210	210			
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	K-40	1400	pCi/L	210	210			
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	K-40	1330	pCi/L	200	200			
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	K-40	1370	pCi/L	210	210			
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	RU-106	14.6	pCi/L	21	21	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	RU-106	16.2	pCi/L	25	25	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	RU-106	2.68	pCi/L	24	24	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	RU-106	4.56	pCi/L	24	24	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	RU-106	-0.381	pCi/L	28	28	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	RU-106	6.08	pCi/L	29	29	U		
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	RU-106	10.1	pCi/L	27	27	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	RU-106	-16.2	pCi/L	28	28	U		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	RU-106	-26.5	pCi/L	27	27	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	RU-106	-6.1	pCi/L	26	26	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	RU-106	8.36	pCi/L	25	25	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	RU-106	20.5	pCi/L	25	25	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	RU-106	-15.4	pCi/L	26	26	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	RU-106	-9.44	pCi/L	29	29	U		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	RU-106	3.95	pCi/L	25	25	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	RU-106	20.7	pCi/L	27	27	U		

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CONT SHORT NAME	VALUE RPTD	UNITS RPTD	COUNTING ERROR	TOTAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	SB-125	-4.11	pCi/L	6.3	6.3	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	SB-125	7.88	pCi/L	7	7	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	SB-125	0.0398	pCi/L	7.3	7.3	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	SB-125	3.61	pCi/L	6.5	6.5	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	SB-125	-3.43	pCi/L	7	7	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	SB-125	2.85	pCi/L	8.3	8.3	U		
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	SB-125	6.42	pCi/L	7.6	7.6	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	SB-125	2.58	pCi/L	7.8	7.8	U		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	SB-125	-1.76	pCi/L	8.5	8.5	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	SB-125	-7.13	pCi/L	7.5	7.5	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	SB-125	6.56	pCi/L	6.4	6.4	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	SB-125	-2.14	pCi/L	7.2	7.2	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	SB-125	-2.29	pCi/L	7.9	7.9	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	SB-125	-2.1	pCi/L	7.9	7.9	U		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	SB-125	-5.41	pCi/L	7.7	7.7	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	SB-125	-6.22	pCi/L	7.6	7.6	U		
SESPMNT	B0XJR9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	SR-90	0.133	pCi/L	0.17	0.36	U		
SESPMNT	B0XJR8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	SR-90	0.176	pCi/L	0.15	0.31	U		
SESPMNT	B0XKW6	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-Feb-00	SR-90	0.0767	pCi/L	0.12	0.36	U		
SESPSPEC	B0Y0R0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	SR-90	0.441	pCi/L	0.26	0.4	U		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	SR-90	0.543	pCi/L	0.48	0.67	U		
SESPMNT	B0Y0R1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	SR-90	0.503	pCi/L	0.21	0.33	J		
SESPMNT	B0Y268	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	05-May-00	SR-90	0.231	pCi/L	0.17	0.32	U		
SESPMNT	B0Y306	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	SR-90	0.538	pCi/L	0.22	0.34	J		
SESPMNT	B0YNC8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	SR-90	0.286	pCi/L	0.16	0.28	U		
SESPMNT	B0YP04	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	27-Jul-00	SR-90	0.317	pCi/L	0.18	0.3	U		
SESPMNT	B0YRJ3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	SR-90	0.298	pCi/L	0.17	0.29	U		
SESPSPEC	B10F32	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	11-Oct-00	SR-90	0.389	pCi/L	0.28	0.33	U		
SESPSPEC	B10F31	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	11-Oct-00	SR-90	0.174	pCi/L	0.25	0.3	U		
SESPMNT	B10F35	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	SR-90	0.552	pCi/L	0.28	0.35	J		
SESPMNT	B10KN7	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Oct-00	SR-90	0.0514	pCi/L	0.32	0.34	U		
SESPMNT	B10KT3	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	SR-90	0.32	pCi/L	0.25	0.31	U		
SESPMNT	B0YHM9	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	17-Feb-00	TRITIUM	26.8	pCi/L		1			
SESPMNT	B0YHN8	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	18-Feb-00	TRITIUM	93	pCi/L		3.6			
SESPMNT	B0YHC2	SUNNYSIDE-DAIRY 1	DISTANT	BI	COW	MILK	24-Feb-00	TRITIUM	23.1	pCi/L		1.5			
SESPSPEC	B0YHP0	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	27-Apr-00	TRITIUM	102.4	pCi/L		3.6			
SESPSPEC	B0YHP1	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	27-Apr-00	TRITIUM	89.3	pCi/L		2.7			
SESPMNT	B0YHN9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	27-Apr-00	TRITIUM	95.8	pCi/L		3.9			
SESPMNT	B0YHC3	SUNNYSIDE-DAIRY 1	DISTANT	BI	COW	MILK	05-May-00	TRITIUM	19	pCi/L		1.2			
SESPMNT	B0YHN0	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-May-00	TRITIUM	17.9	pCi/L		1			
SESPMNT	B0YNC9	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	20-Jul-00	TRITIUM	76.6	pCi/L		2.6			
SESPMNT	B0YP06	SUNNYSIDE-DAIRY 1	DISTANT	BI	COW	MILK	27-Jul-00	TRITIUM	26	pCi/L		1.4			
SESPMNT	B0YRK6	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	02-Aug-00	TRITIUM	47	pCi/L		1.7			
SESPMNT	B10F37	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	11-Oct-00	TRITIUM	75	pCi/L		1.3			
SESPMNT	B10KN9	SUNNYSIDE-DAIRY 1	DISTANT	BI	COW	MILK	19-Oct-00	TRITIUM	23.3	pCi/L		0.8			
SESPMNT	B10KT5	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	26-Oct-00	TRITIUM	23.1	pCi/L		0.9			
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	BE-7	16.2	pCi/L	34	34	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	BE-7	17.8	pCi/L	32	32	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	CO-60	-0.842	pCi/L	3.4	3.4	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	CO-60	0.651	pCi/L	3.5	3.5	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	CS-134	-5.59	pCi/L	3.2	3.2	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	CS-134	1.26	pCi/L	3.3	3.3	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	CS-137	0.862	pCi/L	3.3	3.3	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	CS-137	3.59	pCi/L	3.2	3.2	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	EU-154	-1.73	pCi/L	11	11	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	EU-154	-11.8	pCi/L	12	12	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	EU-155	4.39	pCi/L	8	8	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	EU-155	2.13	pCi/L	9.3	9.3	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	K-40	1250	pCi/L	200	200			
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	K-40	1840	pCi/L	260	260			
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	PU-238	-0.0247	pCi/L	0.035	0.039	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	PU-238	-0.129	pCi/L	0.098	0.1	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	PU-239/240	-0.0321	pCi/L	0.35	0.35	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	PU-239/240	-0.16	pCi/L	0.1	0.1	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR%	TOTAL ANAL ERROR%	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	RU-106	-12.9	pCi/L	27	27	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	RU-106	7.14	pCi/L	29	29	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	SB-125	3.83	pCi/L	8.1	8.1	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	SB-125	-2.57	pCi/L	7.9	7.9	U		
SESPSPEC	B10197	FINLEY		BI	GOAT	MILK	10-Aug-00	SR-90	0.901	pCi/L	0.48	0.62	U		
SESPSPEC	B10196	RIVERVIEW AREA	COMMUNITY	BI	GOAT	MILK	10-Aug-00	SR-90					U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	BE-7	0.0758	pCi/g	0.076	0.076	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	BE-7	0.00348	pCi/g	0.17	0.17	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	BE-7	0.0188	pCi/g	0.1	0.1	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	BE-7	-0.0518	pCi/g	0.1	0.1	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	BE-7	0.0191	pCi/g	0.082	0.082	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	BE-7	0.0778	pCi/g	0.11	0.11	U	CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	BE-7	-0.0153	pCi/g	0.072	0.072	U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	CO-60	-0.00242	pCi/g	0.0098	0.0098	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	CO-60	0.00546	pCi/g	0.014	0.014	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	CO-60	0.00733	pCi/g	0.0095	0.0095	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	CO-60	0.000801	pCi/g	0.0091	0.0091	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	CO-60	-0.00222	pCi/g	0.0092	0.0092	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	CO-60	0.00443	pCi/g	0.014	0.014	U	CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	CO-60	-0.000489	pCi/g	0.0092	0.0092	U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	CS-134	-0.0104	pCi/g	0.0091	0.0091	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	CS-134	-0.0248	pCi/g	0.015	0.015	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	CS-134	-0.0128	pCi/g	0.0084	0.0084	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	CS-134	-0.0133	pCi/g	0.0092	0.0092	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	CS-134	-0.00705	pCi/g	0.0076	0.0076	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	CS-134	-0.000488	pCi/g	0.012	0.012	U	CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	CS-134	-0.00261	pCi/g	0.0079	0.0079	U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	CS-137	0.000286	pCi/g	0.0089	0.0089	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	CS-137	-0.00212	pCi/g	0.013	0.013	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	CS-137	0.00153	pCi/g	0.0093	0.0093	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	CS-137	-0.00491	pCi/g	0.0093	0.0093	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	CS-137	0.000475	pCi/g	0.0081	0.0081	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	CS-137	-0.0123	pCi/g	0.012	0.012	U	CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	CS-137	-0.00468	pCi/g	0.0079	0.0079	U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	EU-154	-0.000731	pCi/g	0.032	0.032	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	EU-154	0.0407	pCi/g	0.047	0.047	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	EU-154	-0.00664	pCi/g	0.032	0.032	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	EU-154	-0.037	pCi/g	0.032	0.032	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	EU-154	0.017	pCi/g	0.027	0.027	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	EU-154	0.00565	pCi/g	0.039	0.039	U	CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	EU-154	-0.0248	pCi/g	0.027	0.027	U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	EU-155	-0.0148	pCi/g	0.024	0.024	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	EU-155	-0.0000535	pCi/g	0.033	0.033	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	EU-155	-0.000186	pCi/g	0.023	0.023	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	EU-155	0.0139	pCi/g	0.018	0.018	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	EU-155	0.00647	pCi/g	0.017	0.017	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	EU-155	0.0147	pCi/g	0.024	0.024	U	CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	EU-155	0.00778	pCi/g	0.017	0.017	U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	K-40	5.2	pCi/g	0.73	0.73		BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	K-40	3.38	pCi/g	0.6	0.6		CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	K-40	4.09	pCi/g	0.61	0.61		CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	K-40	2.72	pCi/g	0.48	0.48		CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	K-40	3.25	pCi/g	0.51	0.51		CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	K-40	4.09	pCi/g	0.66	0.66		CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	K-40	3.24	pCi/g	0.52	0.52			
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	PU-238	-0.0000275	pCi/g	0.000028	0.000028	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	PU-238	-0.0000339	pCi/g	0.000034	0.000034	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	PU-238	-0.0000293	pCi/g	0.000034	0.000034	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	PU-238	0.0000295	pCi/g	0.00011	0.00014	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	PU-238	-0.0000255	pCi/g	0.000031	0.000031	U	CABBAGE LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	PU-239/240	0.0000269	pCi/g	0.000038	0.000048	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	PU-239/240	0.0000719	pCi/g	0.000081	0.000089	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	PU-239/240	0.0000213	pCi/g	0.000043	0.000055	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	PU-239/240	-0.0000752	pCi/g	0.000086	0.000086	U	CABBAGE.	

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	COMPONENT NAME	VALUE RECD	UNITS RECD	COMPUTED ERROR	COMPUTED ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	PU-239/240	-0.0000112	pCi/g	0.000054	0.000054	U	CABBAGE LEAVES.	
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	RU-106	-0.0447	pCi/g	0.078	0.078	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	RU-106	-0.154	pCi/g	0.13	0.13	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	RU-106	0.0419	pCi/g	0.079	0.079	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	RU-106	-0.0176	pCi/g	0.083	0.083	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	RU-106	-0.00976	pCi/g	0.07	0.07	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	RU-106	0.107	pCi/g	0.1	0.1	U	CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	RU-106	-0.00654	pCi/g	0.074	0.074	U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	SB-125	-0.0101	pCi/g	0.023	0.023	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	SB-125	0.0188	pCi/g	0.035	0.035	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	SB-125	-0.0151	pCi/g	0.023	0.023	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	SB-125	0.0008	pCi/g	0.022	0.022	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	SB-125	-0.0119	pCi/g	0.019	0.019	U	CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	SB-125	-0.0115	pCi/g	0.028	0.028	U	CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	SB-125	0.00825	pCi/g	0.02	0.02	U		
SESPMNT	B0Y255	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	24-Jun-00	SR-90	0.00164	pCi/g	0.0014	0.002	U	BEET LEAVES.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	SR-90	0.0215	pCi/g	0.0033	0.0062		CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	SR-90	0.0784	pCi/g	0.0066	0.019		CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	SR-90	0.0349	pCi/g	0.0048	0.0095		CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	SR-90	0.00802	pCi/g	0.0023	0.0035		CABBAGE.	
SESPMNT	B0Y260	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-Aug-00	SR-90	0.0122	pCi/g	0.0029	0.0044		CABBAGE LEAVES.	
SESPMNT	B0Y252	EAST WAHLUKE AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	18-Aug-00	SR-90	0.0176	pCi/g	0.006	0.0074			
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	U-234	0.00232	pCi/g	0.0016	0.0098	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	U-234	-0.00725	pCi/g	0.0073	0.0073	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	U-234	-0.00751	pCi/g	0.007	0.007	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	U-234	-0.0095	pCi/g	0.0085	0.0085	U	CABBAGE.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	U-235	-0.00263	pCi/g	0.0056	0.0056	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	U-235	-0.00341	pCi/g	0.0054	0.0054	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	U-235	-0.0025	pCi/g	0.0049	0.0049	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	U-235	-0.00171	pCi/g	0.0067	0.0069	U	CABBAGE.	
SESPSPEC	B10191	PASCO	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	U-238	0.00271	pCi/g	0.002	0.0077	U	CABBAGE.	
SESPSPEC	B10189	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	02-Aug-00	U-238	-0.00397	pCi/g	0.0053	0.0053	U	CABBAGE.	
SESPSPEC	B10190	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	03-Aug-00	U-238	-0.00483	pCi/g	0.0047	0.0047	U	CABBAGE.	
SESPSPEC	B10194	FINLEY		BI	LEAFY VEGETABLES	STM-LV	10-Aug-00	U-238	-0.0000024	pCi/g	0.0000033	0.0093	U	CABBAGE.	
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	BE-7	-0.0623	pCi/g	0.053	0.053	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	BE-7	-0.00457	pCi/g	0.063	0.063	U		
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	BE-7	-0.00818	pCi/g	0.055	0.055	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	BE-7	0.0173	pCi/g	0.05	0.05	U		
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	CO-60	0.00238	pCi/g	0.0058	0.0058	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	CO-60	-0.00406	pCi/g	0.0078	0.0078	U		
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	CO-60	0.0068	pCi/g	0.0067	0.0067	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	CO-60	0.0011	pCi/g	0.0062	0.0062	U		
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	CS-134	-0.00413	pCi/g	0.0048	0.0048	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	CS-134	-0.00883	pCi/g	0.0063	0.0063	U		
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	CS-134	-0.00817	pCi/g	0.0056	0.0056	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	CS-134	0.00247	pCi/g	0.0054	0.0054	U		
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	CS-137	-0.000457	pCi/g	0.0054	0.0054	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	CS-137	-0.000585	pCi/g	0.0067	0.0067	U		
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	CS-137	-0.000736	pCi/g	0.0058	0.0058	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	CS-137	0.00257	pCi/g	0.006	0.006	U		
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	EU-154	-0.00686	pCi/g	0.016	0.016	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	EU-154	-0.00877	pCi/g	0.025	0.025	U		
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	EU-154	-0.0056	pCi/g	0.023	0.023	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	EU-154	0.00493	pCi/g	0.021	0.021	U		
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	EU-155	-0.001	pCi/g	0.011	0.011	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	EU-155	0.00104	pCi/g	0.016	0.016	U		
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	EU-155	0.00625	pCi/g	0.015	0.015	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	EU-155	-0.0018	pCi/g	0.012	0.012	U		
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	K-40	3.31	pCi/g	0.46	0.46			
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	K-40	3.76	pCi/g	0.55	0.55			
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	K-40	4.19	pCi/g	0.56	0.56			
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	K-40	4.5	pCi/g	0.6	0.6			
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	RU-106	-0.00754	pCi/g	0.046	0.046	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	RU-106	0.0122	pCi/g	0.056	0.056	U		

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANAL ERROR %	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	RU-106	0.0404	pCi/g	0.05	0.05	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	RU-106	0.000487	pCi/g	0.05	0.05	U		
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	SB-125	-0.014	pCi/g	0.013	0.013	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	SB-125	0.0034	pCi/g	0.016	0.016	U		
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	SB-125	-0.00338	pCi/g	0.014	0.014	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	SB-125	0.0159	pCi/g	0.014	0.014	U		
SESPMNT	B0YWB0	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	17-Aug-00	SR-90	-0.00258	pCi/g	0.021	0.027	U		
SESPMNT	B0YW88	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	18-Aug-00	SR-90	-0.00945	pCi/g	0.023	0.023	U		
SESPMNT	B0YW91	SAGEMOOR AREA	PERIMETER	BI	POTATO	TUBER	18-Aug-00	SR-90	0.00159	pCi/g	0.0022	0.0023	U		
SESPMNT	B0YW96	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	25-Aug-00	SR-90	-0.0189	pCi/g	0.022	0.03	U		
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	BE-7	0.0139	pCi/g	0.046	0.046	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	BE-7	0.0219	pCi/g	0.036	0.036	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	BE-7	-0.00883	pCi/g	0.053	0.053	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	BE-7	-0.00684	pCi/g	0.043	0.043	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	BE-7	0.00298	pCi/g	0.044	0.044	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	CO-60	0.00129	pCi/g	0.0053	0.0053	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	CO-60	0.00189	pCi/g	0.004	0.004	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	CO-60	0.00373	pCi/g	0.0053	0.0053	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	CO-60	0.0000748	pCi/g	0.0047	0.0047	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	CO-60	-0.00281	pCi/g	0.0048	0.0048	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	CS-134	-0.013	pCi/g	0.0055	0.0055	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	CS-134	-0.00134	pCi/g	0.0033	0.0033	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	CS-134	0.00426	pCi/g	0.0047	0.0047	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	CS-134	0.00213	pCi/g	0.0046	0.0046	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	CS-134	-0.00109	pCi/g	0.0048	0.0048	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	CS-137	0.00471	pCi/g	0.0051	0.0051	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	CS-137	0.00301	pCi/g	0.0035	0.0035	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	CS-137	0.00302	pCi/g	0.005	0.005	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	CS-137	-0.00222	pCi/g	0.0042	0.0042	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	CS-137	-0.00271	pCi/g	0.0046	0.0046	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	EU-154	0.000715	pCi/g	0.017	0.017	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	EU-154	-0.00262	pCi/g	0.012	0.012	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	EU-154	-0.00229	pCi/g	0.016	0.016	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	EU-154	-0.00814	pCi/g	0.014	0.014	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	EU-154	-0.000167	pCi/g	0.016	0.016	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	EU-155	0.0037	pCi/g	0.012	0.012	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	EU-155	-0.00203	pCi/g	0.0076	0.0076	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	EU-155	0.00649	pCi/g	0.01	0.01	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	EU-155	-0.00168	pCi/g	0.0088	0.0088	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	EU-155	-0.00732	pCi/g	0.011	0.011	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	K-40	2.03	pCi/g	0.31	0.31			
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	K-40	1.66	pCi/g	0.25	0.25			
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	K-40	2.29	pCi/g	0.35	0.35			
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	K-40	2.95	pCi/g	0.4	0.4			
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	K-40	2.73	pCi/g	0.38	0.38		SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	PU-238	0.0000148	pCi/g	0.000027	0.000048	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	PU-238	-0.0000238	pCi/g	0.000028	0.000028	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	PU-238	-0.00000822	pCi/g	0.000043	0.000043	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	PU-238	0.0000319	pCi/g	0.000045	0.000059	U		
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	PU-239/240	-0.0000288	pCi/g	0.000028	0.000028	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	PU-239/240	-0.0000208	pCi/g	0.000026	0.000026	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	PU-239/240	-0.00000521	pCi/g	0.000042	0.000042	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	PU-239/240	-0.00000513	pCi/g	0.000051	0.000051	U		
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	RU-106	0.0149	pCi/g	0.045	0.045	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	RU-106	0.0137	pCi/g	0.031	0.031	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	RU-106	0.016	pCi/g	0.047	0.047	U		

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CONTROL NAME	VALUE	UNIT	TOTAL ERROR	TOTAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	RU-106	0.00558	pCi/g	0.037	0.037	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	RU-106	-0.0094	pCi/g	0.041	0.041	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	SB-125	0.00589	pCi/g	0.013	0.013	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	SB-125	-0.00206	pCi/g	0.0082	0.0082	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	SB-125	0.00111	pCi/g	0.013	0.013	U		
SESPSPEC	B10193	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	SB-125	-0.00499	pCi/g	0.0096	0.0096	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	SB-125	-0.0136	pCi/g	0.011	0.011	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	SR-90	0.000421	pCi/g	0.00043	0.0018	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	SR-90	-0.000381	pCi/g	0.0009	0.0019	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	SR-90	-0.000568	pCi/g	0.0015	0.002	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	SR-90	-0.000915	pCi/g	0.0017	0.0017	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPMNT	B0YM18	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	27-Jul-00	TRITIUM	0.0207	pCi/g	0.0017	0.054	U		
SESPMNT	B0YM16	HARRAH/WAPATO AREA	DISTANT	BI	TOMATO	FRUIT	22-Sep-00	TRITIUM	0.0418	pCi/g	0.003	0.039	U	SAMPLE PROVIDED BY WASHINGTON STATE DEPT. OF HEALTH TO PNNL.	
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	U-234	-0.00701	pCi/g	0.0076	0.0076	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	U-234	-0.00641	pCi/g	0.0074	0.0074	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	U-235	-0.00182	pCi/g	0.005	0.0058	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	U-235	-0.00167	pCi/g	0.0033	0.0052	U		
SESPSPEC	B10195	FINLEY		BI	TOMATO	FRUIT	10-Aug-00	U-238	-0.00404	pCi/g	0.0063	0.0063	U		
SESPSPEC	B10192	N. RICHLAND		BI	TOMATO	FRUIT	10-Aug-00	U-238	-0.00646	pCi/g	0.0042	0.0042	U		
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	BE-7	4.64	pCi/L	32	32	U		
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	BE-7	0.834	pCi/L	32	32	U		
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	BE-7	8.05	pCi/L	29	29	U		
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	BE-7	24.3	pCi/L	34	34	U		
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	BE-7	26.5	pCi/L	34	34	U		
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	BE-7	-33.2	pCi/L	34	34	U		
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	BE-7	8.23	pCi/L	33	33	U		
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	BE-7	19.2	pCi/L	28	28	U		
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	CO-60	2.9	pCi/L	4	4	U		
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	CO-60	3.12	pCi/L	4.2	4.2	U		
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	CO-60	-0.821	pCi/L	4.1	4.1	U		
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	CO-60	-2.65	pCi/L	4	4	U		
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	CO-60	-0.109	pCi/L	4.2	4.2	U		
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	CO-60	-1.02	pCi/L	4.2	4.2	U		
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	CO-60	0.747	pCi/L	4.5	4.5	U		
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	CO-60	-0.389	pCi/L	3.6	3.6	U		
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	CS-134	0.676	pCi/L	4	4	U		
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	CS-134	-4.68	pCi/L	4.4	4.4	U		
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	CS-134	-3.26	pCi/L	3.8	3.8	U		
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	CS-134	0.134	pCi/L	4.4	4.4	U		
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	CS-134	-8.06	pCi/L	4.3	4.3	U		
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	CS-134	-4.23	pCi/L	3.8	3.8	U		
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	CS-134	-2.06	pCi/L	3.5	3.5	U		
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	CS-134	-2.26	pCi/L	3.2	3.2	U		
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	CS-137	-0.0393	pCi/L	3.2	3.2	U		
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	CS-137	1.28	pCi/L	4.1	4.1	U		
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	CS-137	-2.69	pCi/L	4	4	U		
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	CS-137	-2.87	pCi/L	4.3	4.3	U		
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	CS-137	1.61	pCi/L	4.2	4.2	U		
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	CS-137	-0.807	pCi/L	3.9	3.9	U		
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	CS-137	0.123	pCi/L	4	4	U		
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	CS-137	-2.1	pCi/L	3.5	3.5	U		
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	EU-154	-1.97	pCi/L	13	13	U		
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	EU-154	-4.02	pCi/L	14	14	U		
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	EU-154	2.08	pCi/L	11	11	U		
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	EU-154	6.5	pCi/L	14	14	U		
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	EU-154	-0.731	pCi/L	13	13	U		
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	EU-154	15.3	pCi/L	15	15	U		
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	EU-154	1.29	pCi/L	14	14	U		
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	EU-154	2.21	pCi/L	12	12	U		

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR %	TOTAL ANAL ERROR %	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	EU-155	0.847	pCi/L	10	10	U		
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	EU-155	7.63	pCi/L	8.8	8.8	U		
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	EU-155	3.08	pCi/L	7.8	7.8	U		
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	EU-155	-13.9	pCi/L	10	10	U		
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	EU-155	1.89	pCi/L	10	10	U		
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	EU-155	-5.23	pCi/L	10	10	U		
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	EU-155	0.922	pCi/L	8.3	8.3	U		
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	EU-155	-0.0756	pCi/L	7.6	7.6	U		
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	K-40	1260	pCi/L	210	210			
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	K-40	1290	pCi/L	220	220			
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	K-40	1100	pCi/L	180	180			
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	K-40	882	pCi/L	180	180			
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	K-40	1200	pCi/L	210	210			
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	K-40	1330	pCi/L	210	210			
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	K-40	2510	pCi/L	340	340			
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	K-40	1880	pCi/L	270	270			
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	RU-106	25.3	pCi/L	34	34	U		
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	RU-106	33.1	pCi/L	34	34	U		
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	RU-106	-27.9	pCi/L	29	29	U		
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	RU-106	-1.78	pCi/L	36	36	U		
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	RU-106	14.9	pCi/L	35	35	U		
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	RU-106	4.96	pCi/L	33	33	U		
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	RU-106	-20.2	pCi/L	35	35	U		
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	RU-106	-7.31	pCi/L	31	31	U		
SESPMNT	B10W17	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	SB-125	-2.43	pCi/L	8.9	8.9	U		
SESPMNT	B10W18	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	SB-125	2.1	pCi/L	9	9	U		
SESPMNT	B10W20	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	SB-125	1.78	pCi/L	7.6	7.6	U		
SESPMNT	B10W21	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	SB-125	2.02	pCi/L	10	10	U		
SESPMNT	B10W11	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	SB-125	1.97	pCi/L	10	10	U		
SESPMNT	B10W12	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	SB-125	1.79	pCi/L	9.3	9.3	U		
SESPMNT	B10W14	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	SB-125	5.3	pCi/L	9.5	9.5	U		
SESPMNT	B10W15	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	SB-125	5.7	pCi/L	7.9	7.9	U		
SESPMNT	B10W37	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	TRITIUM	38.3	pCi/L		1.1			
SESPMNT	B10W38	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	27-Nov-00	TRITIUM	38.7	pCi/L		1.2			
SESPMNT	B10W39	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	TRITIUM	38.7	pCi/L		1.2			
SESPMNT	B10W40	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	27-Nov-00	TRITIUM	35.5	pCi/L		1			
SESPMNT	B10W33	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	TRITIUM	10.3	pCi/L		0.6			
SESPMNT	B10W34	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	27-Nov-00	TRITIUM	10.5	pCi/L		0.5			
SESPMNT	B10W35	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	TRITIUM	24.1	pCi/L		0.8			
SESPMNT	B10W36	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	27-Nov-00	TRITIUM	23.2	pCi/L		0.9			
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	BE-7	0.121	pCi/g dry weight	0.22	0.22	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	BE-7	0.291	pCi/g dry weight	0.24	0.24	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	CO-60	-0.00236	pCi/g dry weight	0.02	0.02	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	CO-60	-0.00113	pCi/g dry weight	0.02	0.02	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	CS-134	0.0178	pCi/g dry weight	0.019	0.019	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	CS-134	0.0017	pCi/g dry weight	0.02	0.02	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	CS-137	0.00528	pCi/g dry weight	0.016	0.016	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	CS-137	-0.0084	pCi/g dry weight	0.018	0.018	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	EU-154	-0.023	pCi/g dry weight	0.064	0.064	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	EU-154	0.00276	pCi/g dry weight	0.063	0.063	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	EU-155	-0.00195	pCi/g dry weight	0.035	0.035	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	EU-155	0.0243	pCi/g dry weight	0.044	0.044	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

FOODSTUFFS
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	K-40	19	pCi/g dry weight	2.4	2.4			
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	K-40	17	pCi/g dry weight	2.2	2.2			
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	PU-238	-0.000139	pCi/g dry weight	0.00012	0.00012	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	PU-238	-0.00000896	pCi/g dry weight	0.00016	0.00016	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	PU-239/240	-0.0000372	pCi/g dry weight	0.000052	0.000055	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	PU-239/240	0.0000531	pCi/g dry weight	0.00013	0.00013	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	RU-106	-0.0534	pCi/g dry weight	0.15	0.15	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	RU-106	-0.0567	pCi/g dry weight	0.16	0.16	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	SB-125	0.0197	pCi/g dry weight	0.037	0.037	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	SB-125	0.00527	pCi/g dry weight	0.045	0.045	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	SR-90	0.0178	pCi/g dry weight	0.021	0.026	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	SR-90	0.0192	pCi/g dry weight	0.025	0.027	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	TC-99	0.0587	pCi/g dry weight	0.079	0.21	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	TC-99	0.14	pCi/g dry weight	0.079	0.21	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	U-234	-0.00436	pCi/g dry weight	0.0023	0.0023	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	U-234	0.011	pCi/g dry weight	0.0053	0.0084	J		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	U-235	-0.000923	pCi/g dry weight	0.0022	0.0022	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	U-235	-0.000354	pCi/g dry weight	0.0013	0.0022	U		
SESPSPEC	B108N0	MOXEE		BI	HOPS	FLOWER	21-Sep-00	U-238	-0.00415	pCi/g dry weight	0.0023	0.0023	U		
SESPSPEC	B108M8	PROSSER		BI	HOPS	FLOWER	21-Sep-00	U-238	0.00663	pCi/g dry weight	0.004	0.0073	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	TAG ID	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B0YM91	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET1	12-Jun-00	U-234	0.0211	pCi/g	0.0085	0.012			
SESPSPEC	B0YM92	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET2	12-Jun-00	U-234	0.00645	pCi/g	0.0043	0.0079	U		
SESPSPEC	B0YM93	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET3	12-Jun-00	U-234	0.0108	pCi/g	0.0057	0.0087	J		
SESPSPEC	B0YM91	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET1	12-Jun-00	U-235	0.00435	pCi/g	0.0045	0.0054	U		
SESPSPEC	B0YM92	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET2	12-Jun-00	U-235	-0.00082	pCi/g	0.0053	0.0053	U		
SESPSPEC	B0YM93	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET3	12-Jun-00	U-235	-0.000623	pCi/g	0.0022	0.0022	U		
SESPSPEC	B0YM91	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET1	12-Jun-00	U-238	0.0235	pCi/g	0.0095	0.011			
SESPSPEC	B0YM92	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET2	12-Jun-00	U-238	0.00685	pCi/g	0.0047	0.0067	J		
SESPSPEC	B0YM93	WEST LAKE	ONSITE	BI	AVOCET	BONES	2000AVOCET3	12-Jun-00	U-238	0.00724	pCi/g	0.0046	0.0064	J		
SESPSPEC	B0YM95	WEST LAKE	ONSITE	BI	EPHYDRIDAE ADULT	WHOLEORG		12-Jun-00	U-234	0.274	pCi/g dry weight	0.035	0.059			
SESPSPEC	B0YM95	WEST LAKE	ONSITE	BI	EPHYDRIDAE ADULT	WHOLEORG		12-Jun-00	U-235	0.0176	pCi/g dry weight	0.0092	0.01	J		
SESPSPEC	B0YM95	WEST LAKE	ONSITE	BI	EPHYDRIDAE ADULT	WHOLEORG		12-Jun-00	U-238	0.254	pCi/g dry weight	0.033	0.056			
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	BE-7	-0.0825	pCi/g dry weight	0.14	0.14	U		
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	CO-60	0.00488	pCi/g dry weight	0.015	0.015	U		
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	CS-134	-0.0278	pCi/g dry weight	0.016	0.016	U		
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	CS-137	0.0117	pCi/g dry weight	0.016	0.016	U		
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	EU-154	0.013	pCi/g dry weight	0.044	0.044	U		
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	EU-155	0.000871	pCi/g dry weight	0.035	0.035	U		
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	K-40	1.19	pCi/g dry weight	0.48	0.48			
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	RU-106	-0.0444	pCi/g dry weight	0.13	0.13	U		
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	SB-125	0.0075	pCi/g dry weight	0.036	0.036	U		
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	SR-90	5.55	pCi/g dry weight	0.27	1.3			
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	U-234	0.59	pCi/g dry weight	0.045	0.11			
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	U-235	0.025	pCi/g dry weight	0.0094	0.011			
SESPSPEC	B0YM94	WEST LAKE	ONSITE	BI	EPHYDRIDAE LARVAE	WHOLEORG		12-Jun-00	U-238	0.548	pCi/g dry weight	0.044	0.1			
SESPMNT	B0Y710	300 AREA	ONSITE	BI	CARP	CARCASS	2000CARP2	22-Aug-00	SR-90	0.0386	pCi/g	0.016	0.025			
SESPMNT	B0Y711	300 AREA	ONSITE	BI	CARP	CARCASS	2000CARP3	22-Aug-00	SR-90	0.0504	pCi/g	0.019	0.029			
SESPMNT	B0Y712	300 AREA	ONSITE	BI	CARP	CARCASS	2000CARP4	22-Aug-00	SR-90	0.0527	pCi/g	0.019	0.029			
SESPMNT	B0Y713	300 AREA	ONSITE	BI	CARP	CARCASS	2000CARP5	22-Aug-00	SR-90	0.0317	pCi/g	0.014	0.024	U		
SESPMNT	B0Y721	VANTAGE	DISTANT	BI	CARP	CARCASS	2000CARP7	28-Aug-00	SR-90	0.0906	pCi/g	0.025	0.037			
SESPMNT	B0Y722	VANTAGE	DISTANT	BI	CARP	CARCASS	2000CARP8	28-Aug-00	SR-90	0.072	pCi/g	0.023	0.033			
SESPMNT	B0Y723	VANTAGE	DISTANT	BI	CARP	CARCASS	2000CARP9	28-Aug-00	SR-90	0.0598	pCi/g	0.021	0.031			
SESPMNT	B0Y724	VANTAGE	DISTANT	BI	CARP	CARCASS	2000CARP10	28-Aug-00	SR-90	0.0583	pCi/g	0.019	0.029			
SESPMNT	B0Y725	VANTAGE	DISTANT	BI	CARP	CARCASS	2000CARP11	28-Aug-00	SR-90	0.102	pCi/g	0.026	0.04			
SESPMNT	B0Y733	100-N - 100-D	ONSITE	BI	CARP	CARCASS	2000CARP13	22-Aug-00	SR-90	0.0201	pCi/g	0.011	0.021	U		
SESPMNT	B0Y734	100-N - 100-D	ONSITE	BI	CARP	CARCASS	2000CARP14	22-Aug-00	SR-90	0.0216	pCi/g	0.011	0.021	U		
SESPMNT	B0Y735	100-N - 100-D	ONSITE	BI	CARP	CARCASS	2000CARP15	22-Aug-00	SR-90	0.0236	pCi/g	0.012	0.022	U		
SESPMNT	B0Y736	100-N - 100-D	ONSITE	BI	CARP	CARCASS	2000CARP16	22-Aug-00	SR-90	0.0137	pCi/g	0.0093	0.021	U		
SESPMNT	B0Y737	100-N - 100-D	ONSITE	BI	CARP	CARCASS	2000CARP17	22-Aug-00	SR-90	0.733	pCi/g	0.054	0.17			
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	BE-7	-0.128	pCi/g	0.26	0.26	U		
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	BE-7	-0.277	pCi/g	0.29	0.29	U		
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	BE-7	-0.0167	pCi/g	0.3	0.3	U		
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	BE-7	0.0646	pCi/g	0.34	0.34	U		
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	BE-7	0.0189	pCi/g	0.21	0.21	U		
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	BE-7	0.121	pCi/g	0.3	0.3	U		
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	BE-7	-0.0845	pCi/g	0.26	0.26	U		
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	BE-7	-0.21	pCi/g	0.32	0.32	U		
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	BE-7	0.051	pCi/g	0.27	0.27	U		
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	BE-7	0.0639	pCi/g	0.26	0.26	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	TAG ID	SAMP DATE	CON SHORT NAME	VALUE RPTD	FINAL UNITS RPTD	COUNTING ERROR	TOTAL VALID ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	BE-7	0.0849	pCi/g	0.21	0.21	U		
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	BE-7	0.0383	pCi/g	0.23	0.23	U		
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	BE-7	-0.118	pCi/g	0.27	0.27	U		
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	BE-7	-0.0895	pCi/g	0.25	0.25	U		
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	CO-60	0.000546	pCi/g	0.023	0.023	U		
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	CO-60	-0.00302	pCi/g	0.025	0.025	U		
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	CO-60	0.00697	pCi/g	0.031	0.031	U		
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	CO-60	-0.00877	pCi/g	0.023	0.023	U		
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	CO-60	0.00655	pCi/g	0.027	0.027	U		
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	CO-60	-0.00317	pCi/g	0.029	0.029	U		
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	CO-60	-0.00186	pCi/g	0.031	0.031	U		
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	CO-60	0.00762	pCi/g	0.023	0.023	U		
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	CO-60	0.0176	pCi/g	0.024	0.024	U		
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	CO-60	-0.00278	pCi/g	0.023	0.023	U		
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	CO-60	-0.0133	pCi/g	0.019	0.019	U		
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	CO-60	0.00842	pCi/g	0.02	0.02	U		
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	CO-60	0.00478	pCi/g	0.022	0.022	U		
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	CO-60	-0.0177	pCi/g	0.022	0.022	U		
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	CS-134	-0.0295	pCi/g	0.021	0.021	U		
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	CS-134	-0.00128	pCi/g	0.022	0.022	U		
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	CS-134	-0.0292	pCi/g	0.028	0.028	U		
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	CS-134	-0.00651	pCi/g	0.025	0.025	U		
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	CS-134	-0.0159	pCi/g	0.019	0.019	U		
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	CS-134	-0.000162	pCi/g	0.027	0.027	U		
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	CS-134	-0.0134	pCi/g	0.024	0.024	U		
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	CS-134	-0.00923	pCi/g	0.025	0.025	U		
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	CS-134	0.0116	pCi/g	0.023	0.023	U		
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	CS-134	-0.0401	pCi/g	0.024	0.024	U		
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	CS-134	-0.0269	pCi/g	0.02	0.02	U		
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	CS-134	-0.00971	pCi/g	0.026	0.026	U		
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	CS-134	-0.031	pCi/g	0.024	0.024	U		
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	CS-134	-0.007	pCi/g	0.021	0.021	U		
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	CS-137	-0.0128	pCi/g	0.024	0.024	U		
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	CS-137	-0.00468	pCi/g	0.023	0.023	U		
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	CS-137	-0.00481	pCi/g	0.028	0.028	U		
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	CS-137	0.0152	pCi/g	0.024	0.024	U		
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	CS-137	0.00974	pCi/g	0.022	0.022	U		
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	CS-137	0.033	pCi/g	0.028	0.028	U		
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	CS-137	0.012	pCi/g	0.023	0.023	U		
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	CS-137	-0.00561	pCi/g	0.026	0.026	U		
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	CS-137	0.0275	pCi/g	0.026	0.026	U		
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	CS-137	-0.00218	pCi/g	0.024	0.024	U		
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	CS-137	0.00028	pCi/g	0.02	0.02	U		
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	CS-137	-0.0112	pCi/g	0.023	0.023	U		
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	CS-137	-0.0189	pCi/g	0.022	0.022	U		
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	CS-137	-0.00242	pCi/g	0.021	0.021	U		
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	EU-154	0.00991	pCi/g	0.06	0.06	U		
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	EU-154	-0.012	pCi/g	0.076	0.076	U		
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	EU-154	-0.0114	pCi/g	0.079	0.079	U		
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	EU-154	-0.00278	pCi/g	0.079	0.079	U		
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	EU-154	-0.0169	pCi/g	0.071	0.071	U		
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	EU-154	-0.0458	pCi/g	0.09	0.09	U		
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	EU-154	0.066	pCi/g	0.081	0.081	U		
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	EU-154	0.0367	pCi/g	0.068	0.068	U		
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	EU-154	0.0604	pCi/g	0.077	0.077	U		
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	EU-154	0.0168	pCi/g	0.076	0.076	U		
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	EU-154	-0.0117	pCi/g	0.062	0.062	U		
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	EU-154	0.0476	pCi/g	0.063	0.063	U		
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	EU-154	0.016	pCi/g	0.07	0.07	U		
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	EU-154	0.00552	pCi/g	0.07	0.07	U		
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	EU-155	0.0317	pCi/g	0.043	0.043	U		
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	EU-155	0.00909	pCi/g	0.051	0.051	U		
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	EU-155	0.017	pCi/g	0.06	0.06	U		
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	EU-155	-0.00504	pCi/g	0.051	0.051	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	TAG ID	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	EU-155	-0.0271	pCi/g	0.042	0.042	U		
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	EU-155	0.0178	pCi/g	0.074	0.074	U		
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	EU-155	-0.0195	pCi/g	0.05	0.05	U		
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	EU-155	-0.0105	pCi/g	0.051	0.051	U		
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	EU-155	-0.00694	pCi/g	0.049	0.049	U		
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	EU-155	0.0131	pCi/g	0.06	0.06	U		
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	EU-155	0.00921	pCi/g	0.039	0.039	U		
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	EU-155	-0.0296	pCi/g	0.043	0.043	U		
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	EU-155	-0.0246	pCi/g	0.047	0.047	U		
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	EU-155	0.00837	pCi/g	0.043	0.043	U		
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	K-40	3.1	pCi/g	0.71	0.71			
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	K-40	3.42	pCi/g	0.91	0.91			
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	K-40	2.01	pCi/g	0.83	0.83			
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	K-40	2.49	pCi/g	0.76	0.76			
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	K-40	4.2	pCi/g	0.88	0.88			
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	K-40	3.46	pCi/g	0.93	0.93			
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	K-40	2.28	pCi/g	0.86	0.86			
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	K-40	3.19	pCi/g	0.87	0.87			
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	K-40	2.46	pCi/g	0.84	0.84			
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	K-40	3.28	pCi/g	0.9	0.9			
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	K-40	2.01	pCi/g	0.76	0.76			
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	K-40	3.73	pCi/g	0.82	0.82			
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	K-40	2.38	pCi/g	0.74	0.74			
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	K-40	3.57	pCi/g	0.8	0.8			
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	RU-106	-0.0125	pCi/g	0.2	0.2	U		
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	RU-106	0.076	pCi/g	0.23	0.23	U		
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	RU-106	-0.204	pCi/g	0.23	0.23	U		
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	RU-106	-0.0894	pCi/g	0.23	0.23	U		
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	RU-106	-0.0628	pCi/g	0.2	0.2	U		
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	RU-106	0.101	pCi/g	0.26	0.26	U		
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	RU-106	0.0938	pCi/g	0.23	0.23	U		
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	RU-106	-0.137	pCi/g	0.24	0.24	U		
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	RU-106	-0.00718	pCi/g	0.21	0.21	U		
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	RU-106	0.002	pCi/g	0.22	0.22	U		
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	RU-106	0.0398	pCi/g	0.18	0.18	U		
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	RU-106	0.0263	pCi/g	0.2	0.2	U		
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	RU-106	0.0466	pCi/g	0.22	0.22	U		
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	RU-106	-0.0117	pCi/g	0.18	0.18	U		
SESPMNT	B0Y740	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP2	22-Aug-00	SB-125	-0.00356	pCi/g	0.052	0.052	U		
SESPMNT	B0Y741	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP3	22-Aug-00	SB-125	-0.0586	pCi/g	0.058	0.058	U		
SESPMNT	B0Y742	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP4	22-Aug-00	SB-125	0.0275	pCi/g	0.07	0.07	U		
SESPMNT	B0Y743	300 AREA	ONSITE	BI	CARP	MUSCLE	2000CARP5	22-Aug-00	SB-125	-0.0196	pCi/g	0.059	0.059	U		
SESPMNT	B0Y715	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP7	28-Aug-00	SB-125	-0.0373	pCi/g	0.058	0.058	U		
SESPMNT	B0Y716	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP8	28-Aug-00	SB-125	0.0603	pCi/g	0.064	0.064	U		
SESPMNT	B0Y717	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP9	28-Aug-00	SB-125	-0.0268	pCi/g	0.059	0.059	U		
SESPMNT	B0Y718	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP10	28-Aug-00	SB-125	-0.0853	pCi/g	0.068	0.068	U		
SESPMNT	B0Y719	VANTAGE	DISTANT	BI	CARP	MUSCLE	2000CARP11	28-Aug-00	SB-125	-0.0226	pCi/g	0.06	0.06	U		
SESPMNT	B0Y727	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP13	22-Aug-00	SB-125	-0.00927	pCi/g	0.06	0.06	U		
SESPMNT	B0Y728	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP14	22-Aug-00	SB-125	0.00675	pCi/g	0.046	0.046	U		
SESPMNT	B0Y729	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP15	22-Aug-00	SB-125	0.0176	pCi/g	0.052	0.052	U		
SESPMNT	B0Y730	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP16	22-Aug-00	SB-125	0.0396	pCi/g	0.061	0.061	U		
SESPMNT	B0Y731	100-N - 100-D	ONSITE	BI	CARP	MUSCLE	2000CARP17	22-Aug-00	SB-125	0.0287	pCi/g	0.047	0.047	U		
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	BE-7	-0.0342	pCi/g	0.073	0.073	U		
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	BE-7	-0.0132	pCi/g	0.078	0.078	U		
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	BE-7	0.0231	pCi/g	0.066	0.066	U	SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	CO-60	0.00576	pCi/g	0.0073	0.0073	U		
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	CO-60	0.000873	pCi/g	0.0082	0.0082	U		
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	CO-60	-0.00355	pCi/g	0.0084	0.0084	U	SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	CS-134	-0.0114	pCi/g	0.0074	0.0074	U		
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	CS-134	-0.00133	pCi/g	0.0066	0.0066	U		
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	CS-134	-0.00241	pCi/g	0.007	0.007	U	SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	CS-137	0.000732	pCi/g	0.0072	0.0072	U		
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	CS-137	0.00295	pCi/g	0.0068	0.0068	U		
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	CS-137	0.00303	pCi/g	0.0064	0.0064	U	SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP TAG ID	SAMP DATE	CONST SHORT NAME	VALUE REPORTED	ANALY UNITS ID	COUNTING ERROR	TOTAL ANALY ERROR	LAB QUALIFIER	SAMP COMMENT	RESULTS COMMENT
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	EU-154	0.00796	pCi/g	0.026	0.026	U		
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	EU-154	0.00324	pCi/g	0.026	0.026	U		
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	EU-154	-0.0237	pCi/g	0.023	0.023	U	SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	EU-155	0.0103	pCi/g	0.018	0.018	U		
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	EU-155	-0.00152	pCi/g	0.015	0.015	U		
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	EU-155	0.0147	pCi/g	0.017	0.017	U	SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	K-40	3.09	pCi/g	0.46	0.46			
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	K-40	2.82	pCi/g	0.45	0.45			
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	K-40	2.62	pCi/g	0.41	0.41		SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	RU-106	0.0105	pCi/g	0.064	0.064	U		
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	RU-106	-0.0145	pCi/g	0.063	0.063	U		
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	RU-106	-0.0113	pCi/g	0.056	0.056	U	SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPSPEC	B0YRR5	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK1	04-Jul-00	SB-125	-0.00101	pCi/g	0.018	0.018	U		
SESPSPEC	B0YRR7	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK2	04-Jul-00	SB-125	-0.00173	pCi/g	0.018	0.018	U		
SESPSPEC	B11247	HIGHWAY 240	ONSITE	BI	ELK	MUSCLE	2000ELK3	18-Nov-00	SB-125	-0.00308	pCi/g	0.015	0.015	U	SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPSPEC	B0YRR6	HIGHWAY 240	ONSITE	BI	ELK	BONES	2000ELK1	04-Jul-00	SR-90	0.319	pCi/g	0.055	0.094			
SESPSPEC	B0YRR8	HIGHWAY 240	ONSITE	BI	ELK	BONES	2000ELK2	04-Jul-00	SR-90	0.334	pCi/g	0.048	0.092			
SESPSPEC	B11248	HIGHWAY 240	ONSITE	BI	ELK	BONES	2000ELK3	18-Nov-00	SR-90	0.28	pCi/g	0.038	0.075		SAMPLE PROVIDED BY U.S. FISH AND WILDLIFE TO PNNL.	
SESPMNT	B0YB50	SOUTHEAST	ONSITE	BI	MULE DEER	BONES	2000MULE DEER1	24-May-00	SR-90	0.317	pCi/g	0.049	0.09			
SESPMNT	B108L6	200 AREAS	ONSITE	BI	MULE DEER	BONES	2000MULE DEER2	13-Sep-00	SR-90	0.517	pCi/g	0.067	0.14			
SESPMNT	B108L9	EAST	ONSITE	BI	MULE DEER	BONES	2000MULE DEER4	18-Sep-00	SR-90	0.295	pCi/g	0.046	0.084			
SESPMNT	B10KM7	BACKGROUND		BI	MULE DEER	BONES	2000MULE DEER5	14-Oct-00	SR-90	0.0464	pCi/g	0.025	0.029	J		
SESPMNT	B10KW6	NORTHEAST	ONSITE	BI	MULE DEER	BONES	2000MULE DEER7	12-Oct-00	SR-90	0.378	pCi/g	0.047	0.099			
SESPMNT	B10L20	100 N AREA	ONSITE	BI	MULE DEER	BONES	2000MULE DEER8	16-Oct-00	SR-90	0.32	pCi/g	0.036	0.092			
SESPMNT	B10L21	100 N AREA	ONSITE	BI	MULE DEER	BONES	2000MULE DEER9	16-Oct-00	SR-90	3.54	pCi/g	0.1	0.91			
SESPMNT	B108L8	200 AREAS	ONSITE	BI	MULE DEER	LIVER	2000MULE DEER2	13-Sep-00	PU-238	-0.0000287	pCi/g	0.000029	2.9E-05	U		
SESPMNT	B108M1	EAST	ONSITE	BI	MULE DEER	LIVER	2000MULE DEER4	18-Sep-00	PU-238	0.0000228	pCi/g	0.000058	6.5E-05	U		
SESPMNT	B108L8	200 AREAS	ONSITE	BI	MULE DEER	LIVER	2000MULE DEER2	13-Sep-00	PU-239/240	0.00000509	pCi/g	0.000018	4.6E-05	U		
SESPMNT	B108M1	EAST	ONSITE	BI	MULE DEER	LIVER	2000MULE DEER4	18-Sep-00	PU-239/240	-0.00000684	pCi/g	0.000055	5.5E-05	U		
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	BE-7	0.0105	pCi/g	0.038	0.038	U		
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	BE-7	0.242	pCi/g	0.22	0.22	U		
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	BE-7	0.08	pCi/g	0.17	0.17	U		
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	BE-7	-0.0248	pCi/g	0.096	0.096	U		
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	BE-7	0.0224	pCi/g	0.063	0.063	U		
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	BE-7	0.055	pCi/g	0.079	0.079	U		
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	BE-7	-0.0215	pCi/g	0.077	0.077	U		
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	CO-60	-0.00191	pCi/g	0.0054	0.0054	U		
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	CO-60	0.00509	pCi/g	0.022	0.022	U		
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	CO-60	-0.0115	pCi/g	0.023	0.023	U		
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	CO-60	-0.000792	pCi/g	0.0082	0.0082	U		
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	CO-60	0.000041	pCi/g	0.0074	0.0074	U		
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	CO-60	0.00429	pCi/g	0.0072	0.0072	U		
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	CO-60	0.00614	pCi/g	0.0082	0.0082	U		
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	CS-134	-0.0000135	pCi/g	0.0051	0.0051	U		
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	CS-134	0.00662	pCi/g	0.022	0.022	U		
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	CS-134	-0.00422	pCi/g	0.02	0.02	U		
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	CS-134	0.00503	pCi/g	0.0085	0.0085	U		
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	CS-134	-0.00371	pCi/g	0.0068	0.0068	U		
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	CS-134	-0.0115	pCi/g	0.0075	0.0075	U		
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	CS-134	0.000748	pCi/g	0.0068	0.0068	U		
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	CS-137	0.00186	pCi/g	0.0052	0.0052	U		
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	CS-137	0.012	pCi/g	0.024	0.024	U		
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	CS-137	0.00285	pCi/g	0.021	0.021	U		
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	CS-137	-0.00356	pCi/g	0.0089	0.0089	U		
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	CS-137	0.000857	pCi/g	0.0065	0.0065	U		
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	CS-137	0.000342	pCi/g	0.0072	0.0072	U		
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	CS-137	0.0036	pCi/g	0.0071	0.0071	U		
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	EU-154	0.0101	pCi/g	0.019	0.019	U		
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	EU-154	0.000307	pCi/g	0.071	0.071	U		
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	EU-154	0.00818	pCi/g	0.055	0.055	U		
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	EU-154	0.00562	pCi/g	0.027	0.027	U		
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	EU-154	-0.000739	pCi/g	0.024	0.024	U		
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	EU-154	0.0000897	pCi/g	0.026	0.026	U		
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	EU-154	0.00734	pCi/g	0.024	0.024	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP TAG ID	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANALR ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	EU-155	0.00217	pCi/g	0.012	0.012	U		
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	EU-155	-0.0158	pCi/g	0.045	0.045	U		
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	EU-155	0.0111	pCi/g	0.044	0.044	U		
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	EU-155	-0.005	pCi/g	0.019	0.019	U		
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	EU-155	-0.00117	pCi/g	0.015	0.015	U		
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	EU-155	-0.014	pCi/g	0.018	0.018	U		
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	EU-155	-0.00478	pCi/g	0.014	0.014	U		
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	K-40	2.64	pCi/g	0.4	0.4			
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	K-40	2.91	pCi/g	0.86	0.86			
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	K-40	2.65	pCi/g	0.68	0.68			
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	K-40	2.8	pCi/g	0.48	0.48			
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	K-40	2.55	pCi/g	0.42	0.42			
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	K-40	3	pCi/g	0.46	0.46			
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	K-40	3.35	pCi/g	0.51	0.51			
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	RU-106	-0.022	pCi/g	0.041	0.041	U		
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	RU-106	0.0375	pCi/g	0.2	0.2	U		
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	RU-106	-0.0379	pCi/g	0.18	0.18	U		
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	RU-106	0.0843	pCi/g	0.073	0.073	U		
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	RU-106	-0.0255	pCi/g	0.057	0.057	U		
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	RU-106	0.0439	pCi/g	0.063	0.063	U		
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	RU-106	0.0121	pCi/g	0.065	0.065	U		
SESPMNT	B0YB51	SOUTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER1	24-May-00	SB-125	0.00646	pCi/g	0.013	0.013	U		
SESPMNT	B108L4	200 AREAS	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER2	13-Sep-00	SB-125	-0.0385	pCi/g	0.056	0.056	U		
SESPMNT	B108M2	EAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER4	18-Sep-00	SB-125	-0.033	pCi/g	0.052	0.052	U		
SESPMNT	B10KM9	BACKGROUND		BI	MULE DEER	MUSCLE	2000MULE DEER5	14-Oct-00	SB-125	0.00523	pCi/g	0.019	0.019	U		
SESPMNT	B10KW7	NORTHEAST	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER7	12-Oct-00	SB-125	-0.012	pCi/g	0.014	0.014	U		
SESPMNT	B10L23	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER8	16-Oct-00	SB-125	-0.00554	pCi/g	0.018	0.018	U		
SESPMNT	B10L24	100 N AREA	ONSITE	BI	MULE DEER	MUSCLE	2000MULE DEER9	16-Oct-00	SB-125	0.00214	pCi/g	0.015	0.015	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	BE-7	0.276	pCi/g	0.64	0.64	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	CO-60	0.0228	pCi/g	0.029	0.029	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	CS-134	-0.0183	pCi/g	0.029	0.029	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	CS-137	-0.0114	pCi/g	0.032	0.032	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	EU-154	0.0333	pCi/g	0.092	0.092	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	EU-155	0.0425	pCi/g	0.063	0.063	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	K-40	2.23	pCi/g	0.83	0.83	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	RU-106	-0.0861	pCi/g	0.29	0.29	U		
SESPSPEC	B0YC12	PASCO-RIVER	OFFSITE	BI	PELICAN	MUSCLE	2000PELICAN1	31-May-00	SB-125	0.061	pCi/g	0.063	0.063	U		
SESPSPEC	B0YC11	PASCO-RIVER	OFFSITE	BI	PELICAN	BONES	2000PELICAN1	31-May-00	SR-90	0.108	pCi/g	0.032	0.046			
SESPSPEC	B0YC11	PASCO-RIVER	OFFSITE	BI	PELICAN	BONES	2000PELICAN1	31-May-00	U-234	-0.0012	pCi/g	0.0011	0.0036	U		
SESPSPEC	B0YC11	PASCO-RIVER	OFFSITE	BI	PELICAN	BONES	2000PELICAN1	31-May-00	U-235	-0.000128	pCi/g	0.00026	0.0014	U		
SESPSPEC	B0YC11	PASCO-RIVER	OFFSITE	BI	PELICAN	BONES	2000PELICAN1	31-May-00	U-238	0.00164	pCi/g	0.0013	0.0035	U		
SESPMNT	B0YRD5	100-H TO 100-F	ONSITE	BI	PHEASANT	BONES	2000PHEASANT1	21-Aug-00	SR-90	0.023	pCi/g	0.013	0.023	U		
SESPMNT	B0YRD6	100-H TO 100-F	ONSITE	BI	PHEASANT	BONES	2000PHEASANT2	21-Aug-00	SR-90	0.0223	pCi/g	0.015	0.027	U		
SESPMNT	B0YRD7	100-D TO 100-H	ONSITE	BI	QUAIL	BONES	2000PHEASANT3	21-Aug-00	SR-90	-0.0106	pCi/g	0.022	0.022	U		
SESPMNT	B0YRD8	100-D TO 100-H	ONSITE	BI	QUAIL	BONES	2000PHEASANT4	21-Aug-00	SR-90	0.0317	pCi/g	0.015	0.024	U		
SESPMNT	B0YRF7	100-D TO 100-H	ONSITE	BI	QUAIL	BONES	2000PHEASANT6	21-Aug-00	SR-90	-0.00669	pCi/g	0.018	0.022	U		
SESPMNT	B0YRF8	100-D TO 100-H	ONSITE	BI	QUAIL	BONES	2000PHEASANT7	21-Aug-00	SR-90	0.023	pCi/g	0.013	0.024	U		
SESPMNT	B0YRF9	100-H TO 100-F	ONSITE	BI	PHEASANT	BONES	2000PHEASANT8	31-Oct-00	SR-90	0.0669	pCi/g	0.025	0.032			
SESPMNT	B0YRH0	100-H TO 100-F	ONSITE	BI	PHEASANT	BONES	2000PHEASANT9	31-Oct-00	SR-90	0.071	pCi/g	0.026	0.034			
SESPMNT	B0YRH1	100-H TO 100-F	ONSITE	BI	PHEASANT	BONES	2000PHEASANT10	13-Nov-00	SR-90	0.0352	pCi/g	0.025	0.028	U		
SESPMNT	B0YRK0	BACKGROUND		BI	PHEASANT	BONES	2000PHEASANT13	01-Sep-00	SR-90	0.0265	pCi/g	0.016	0.026	U		
SESPMNT	B0YRK1	BACKGROUND		BI	PHEASANT	BONES	2000PHEASANT14	04-Nov-00	SR-90	0.0205	pCi/g	0.021	0.023	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRK2	BACKGROUND		BI	PHEASANT	BONES	2000PHEASANT15	04-Nov-00	SR-90	0.00185	pCi/g	0.03	0.03	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRK3	BACKGROUND		BI	PHEASANT	BONES	2000PHEASANT16	04-Aug-00	SR-90	0.0203	pCi/g	0.012	0.022	U		
SESPMNT	B0YRK4	BACKGROUND		BI	PHEASANT	BONES	2000PHEASANT17	04-Aug-00	SR-90	-0.00945	pCi/g	0.018	0.018	U		
SESPMNT	B0YRF0	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT6	21-Aug-00							NO SAMPLE. MUSCLE SAMPLE COMPOSITED WITH B0YRD3.	
SESPMNT	B0YRF1	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT7	21-Aug-00							NO SAMPLE. MUSCLE SAMPLE COMPOSITED WITH B0YRD2.	
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	BE-7	0.168	pCi/g	0.34	0.34	U		
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	BE-7	0.129	pCi/g	0.31	0.31	U		
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	BE-7	0.154	pCi/g	0.39	0.39	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	BE-7	0.072	pCi/g	0.35	0.35	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	BE-7	0.0208	pCi/g	0.051	0.051	U		
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	BE-7	0.0382	pCi/g	0.088	0.088	U		
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	BE-7	0.0275	pCi/g	0.05	0.05	U		

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP ID	SAMP DATE	PROJ NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	VQ QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	BE-7	-0.0203	pCi/g	0.33	0.33	U		
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	BE-7	-0.00641	pCi/g	0.13	0.13	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	BE-7	-0.00409	pCi/g	0.14	0.14	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	BE-7	-0.0239	pCi/g	0.32	0.32	U		
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	BE-7	0.269	pCi/g	0.33	0.33	U		
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	CO-60	0.0236	pCi/g	0.032	0.032	U		
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	CO-60	0.0278	pCi/g	0.031	0.031	U		
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	CO-60	0.0251	pCi/g	0.043	0.043	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	CO-60	0.0307	pCi/g	0.033	0.033	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	CO-60	-0.00277	pCi/g	0.0069	0.0069	U		
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	CO-60	0.00263	pCi/g	0.012	0.012	U		
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	CO-60	-0.00196	pCi/g	0.0068	0.0068	U		
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	CO-60	-0.00192	pCi/g	0.033	0.033	U		
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	CO-60	-0.00231	pCi/g	0.0072	0.0072	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	CO-60	0.00488	pCi/g	0.0082	0.0082	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	CO-60	0.0117	pCi/g	0.029	0.029	U		
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	CO-60	-0.00986	pCi/g	0.025	0.025	U		
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	CS-134	-0.0192	pCi/g	0.028	0.028	U		
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	CS-134	-0.0446	pCi/g	0.029	0.029	U		
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	CS-134	-0.0382	pCi/g	0.037	0.037	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	CS-134	-0.0387	pCi/g	0.03	0.03	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	CS-134	0.00299	pCi/g	0.0064	0.0064	U		
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	CS-134	-0.00649	pCi/g	0.0097	0.0097	U		
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	CS-134	-0.0025	pCi/g	0.0066	0.0066	U		
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	CS-134	-0.0275	pCi/g	0.03	0.03	U		
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	CS-134	-0.015	pCi/g	0.0077	0.0077	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	CS-134	0.00214	pCi/g	0.0084	0.0084	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	CS-134	-0.0155	pCi/g	0.026	0.026	U		
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	CS-134	-0.0195	pCi/g	0.022	0.022	U		
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	CS-137	0.0143	pCi/g	0.027	0.027	U		
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	CS-137	-0.0066	pCi/g	0.028	0.028	U		
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	CS-137	-0.00143	pCi/g	0.038	0.038	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	CS-137	0.00912	pCi/g	0.032	0.032	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	CS-137	0.0143	pCi/g	0.011	0.011	J		
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	CS-137	0.0027	pCi/g	0.01	0.01	U		
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	CS-137	0.012	pCi/g	0.0069	0.0069	U		
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	CS-137	-0.0162	pCi/g	0.031	0.031	U		
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	CS-137	-0.00141	pCi/g	0.007	0.007	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	CS-137	-0.000215	pCi/g	0.0072	0.0072	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	CS-137	0.00136	pCi/g	0.023	0.023	U		
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	CS-137	-0.00204	pCi/g	0.022	0.022	U		
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	EU-154	0.0772	pCi/g	0.096	0.096	U		
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	EU-154	0.0223	pCi/g	0.09	0.09	U		
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	EU-154	-0.103	pCi/g	0.12	0.12	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	EU-154	0.0349	pCi/g	0.091	0.091	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	EU-154	-0.0045	pCi/g	0.018	0.018	U		
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	EU-154	0.000463	pCi/g	0.032	0.032	U		
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	EU-154	0.00505	pCi/g	0.023	0.023	U		
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	EU-154	0.0186	pCi/g	0.093	0.093	U		
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	EU-154	-0.0125	pCi/g	0.022	0.022	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	EU-154	-0.0137	pCi/g	0.025	0.025	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	EU-154	-0.0684	pCi/g	0.084	0.084	U		
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	EU-154	-0.035	pCi/g	0.072	0.072	U		
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	EU-155	0.00534	pCi/g	0.056	0.056	U		
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	EU-155	0.00851	pCi/g	0.06	0.06	U		
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	EU-155	0.0377	pCi/g	0.069	0.069	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	EU-155	-0.0457	pCi/g	0.066	0.066	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	EU-155	0.00139	pCi/g	0.013	0.013	U		
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	EU-155	-0.00422	pCi/g	0.021	0.021	U		
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	EU-155	0.00526	pCi/g	0.015	0.015	U		
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	EU-155	-0.0263	pCi/g	0.065	0.065	U		
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	EU-155	0.00458	pCi/g	0.018	0.018	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	EU-155	0.00174	pCi/g	0.016	0.016	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	EU-155	0.00939	pCi/g	0.051	0.051	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

WILDLIFE
(pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	TAG ID	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	EU-155	-0.00714	pCi/g	0.044	0.044	U		
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	K-40	3.17	pCi/g	0.93	0.93			
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	K-40	3.56	pCi/g	1	1			
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	K-40	4.15	pCi/g	1.2	1.2		MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	K-40	2.66	pCi/g	0.93	0.93		MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	K-40	2.94	pCi/g	0.46	0.46			
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	K-40	2.96	pCi/g	0.53	0.53			
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	K-40	3.52	pCi/g	0.53	0.53			
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	K-40	3.17	pCi/g	0.98	0.98			
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	K-40	1.15	pCi/g	0.26	0.26		SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	K-40	0.923	pCi/g	0.25	0.25		SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	K-40	3.36	pCi/g	0.86	0.86			
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	K-40	3.16	pCi/g	0.74	0.74			
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	RU-106	0.161	pCi/g	0.22	0.22	U		
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	RU-106	-0.136	pCi/g	0.24	0.24	U		
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	RU-106	-0.228	pCi/g	0.34	0.34	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	RU-106	-0.215	pCi/g	0.27	0.27	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	RU-106	0.0324	pCi/g	0.049	0.049	U		
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	RU-106	0.0261	pCi/g	0.094	0.094	U		
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	RU-106	0.0275	pCi/g	0.058	0.058	U		
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	RU-106	0.2	pCi/g	0.26	0.26	U		
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	RU-106	-0.00301	pCi/g	0.072	0.072	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	RU-106	-0.035	pCi/g	0.075	0.075	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	RU-106	-0.176	pCi/g	0.23	0.23	U		
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	RU-106	-0.0525	pCi/g	0.21	0.21	U		
SESPMNT	B0YRD0	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT1	21-Aug-00	SB-125	0.0071	pCi/g	0.067	0.067	U		
SESPMNT	B0YRD1	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT2	21-Aug-00	SB-125	0.0335	pCi/g	0.064	0.064	U		
SESPMNT	B0YRD2	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT3	21-Aug-00	SB-125	-0.0133	pCi/g	0.079	0.079	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD2 AND B0YRF1.	
SESPMNT	B0YRD3	100-D TO 100-H	ONSITE	BI	QUAIL	MUSCLE	2000PHEASANT4	21-Aug-00	SB-125	0.0852	pCi/g	0.085	0.085	U	MUSCLE SAMPLE IS COMPOSITE OF SAMPLES B0YRD3 AND B0YRF0.	
SESPMNT	B0YRF2	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT8	31-Oct-00	SB-125	-0.00771	pCi/g	0.014	0.014	U		
SESPMNT	B0YRF3	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT9	31-Oct-00	SB-125	-0.0157	pCi/g	0.023	0.023	U		
SESPMNT	B0YRF4	100-H TO 100-F	ONSITE	BI	PHEASANT	MUSCLE	2000PHEASANT10	13-Nov-00	SB-125	-0.0114	pCi/g	0.015	0.015	U		
SESPMNT	B0YRJ4	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT13	01-Sep-00	SB-125	0.0759	pCi/g	0.076	0.076	U		
SESPMNT	B0YRJ5	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT14	04-Nov-00	SB-125	-0.00866	pCi/g	0.017	0.017	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ6	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT15	04-Nov-00	SB-125	-0.00421	pCi/g	0.019	0.019	U	SPORTSMAN DONATED. KIMBERLY OREGON.	
SESPMNT	B0YRJ7	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT16	04-Aug-00	SB-125	0.0178	pCi/g	0.058	0.058	U		
SESPMNT	B0YRJ8	BACKGROUND		BI	PHEASANT	MUSCLE	2000PHEASANT17	04-Aug-00	SB-125	0.0201	pCi/g	0.058	0.058	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	ADON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	BE-7	0.498	pCi/g	0.35	0.35	U		
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	BE-7	0.865	pCi/g	0.53	0.53			
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	CO-60	0.0176	pCi/g	0.037	0.037	U		
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	CO-60	-0.00233	pCi/g	0.038	0.038	U		
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	CS-134	0.0128	pCi/g	0.034	0.034	U		
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	CS-134	-0.015	pCi/g	0.043	0.043	U		
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	CS-137	0.746	pCi/g	0.13	0.13			
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	CS-137	0.934	pCi/g	0.15	0.15			
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	EU-154	0.00902	pCi/g	0.11	0.11	U		
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	EU-154	-0.0359	pCi/g	0.13	0.13	U		
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	EU-155	0.102	pCi/g	0.081	0.081	U		
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	EU-155	0.0721	pCi/g	0.086	0.086	U		
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	K-40	13.8	pCi/g	2.2	2.2			
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	K-40	15.5	pCi/g	2.4	2.4			
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	PU-238	0.00773	pCi/g	0.00099	0.0015			
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	PU-238	0.000961	pCi/g	0.00027	0.00031			
SESPSPEC	B106C0	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	PU-238	0.000559	pCi/g	0.00044	0.00046	U		
SESPSPEC	B106C1	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	PU-238	0.000575	pCi/g	0.00054	0.00056	U		
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	PU-239/240	0.46	pCi/g	0.0076	0.067			
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	PU-239/240	0.026	pCi/g	0.0014	0.0039			
SESPSPEC	B106C0	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	PU-239/240	0.00656	pCi/g	0.0014	0.0017			
SESPSPEC	B106C1	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	PU-239/240	0.0157	pCi/g	0.0025	0.0036			
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	RU-106	-0.136	pCi/g	0.32	0.32	U		
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	RU-106	-0.162	pCi/g	0.33	0.33	U		
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	SB-125	-0.0428	pCi/g	0.09	0.09	U		
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	SB-125	-0.0852	pCi/g	0.1	0.1	U		
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	SR-90	0.209	pCi/g	0.039	0.063			
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	SR-90	0.668	pCi/g	0.07	0.17			
SESPSPEC	B106C0	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	SR-90	0.267	pCi/g	0.05	0.08			
SESPSPEC	B106C1	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	SR-90	0.413	pCi/g	0.066	0.12			
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	U-234	0.153	pCi/g	0.021	0.034			
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	U-234	0.173	pCi/g	0.026	0.04			
SESPSPEC	B106C0	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	U-234	0.26	pCi/g	0.029	0.054			
SESPSPEC	B106C1	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	U-234	0.151	pCi/g	0.023	0.035			
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	U-235	0.00604	pCi/g	0.0042	0.005	J		
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	U-235	0.000252	pCi/g	0.00064	0.0031	U		
SESPSPEC	B106C0	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	U-235	0.00541	pCi/g	0.0041	0.0049	J		
SESPSPEC	B106C1	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	U-235	0.00781	pCi/g	0.0049	0.0057	J		
SESPSPEC	B0YNX0	216-S-19 POND	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	U-238	0.179	pCi/g	0.023	0.039			
SESPSPEC	B0YNW9	ARMY LOOP CENTRAL LANDFILL	ONSITE	BI	MISC VEGETATION	ASH	11-Jul-00	U-238	0.177	pCi/g	0.026	0.041			
SESPSPEC	B106C0	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	U-238	0.242	pCi/g	0.028	0.051			
SESPSPEC	B106C1	MULE DRY FIRE-MABTON	OFFSITE	BI	MISC VEGETATION	ASH	31-Aug-00	U-238	0.177	pCi/g	0.025	0.04			
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	BE-7	1.38	pCi/g	0.63	0.63		10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	BE-7	1.44	pCi/g	0.39	0.39		30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	BE-7	2.06	pCi/g	0.5	0.5		10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	BE-7	1.32	pCi/g	0.44	0.44		10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	BE-7	0.872	pCi/g	0.32	0.32	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	BE-7	1.17	pCi/g	0.36	0.36	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	BE-7	1.33	pCi/g	0.52	0.52		100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	BE-7	1.19	pCi/g	0.6	0.6		40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	BE-7	1.12	pCi/g	0.49	0.49		100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	BE-7	1.34	pCi/g	0.43	0.43			
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	BE-7	1.38	pCi/g	0.5	0.5			
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	BE-7	1.61	pCi/g	0.55	0.55			
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	BE-7	0.904	pCi/g	0.5	0.5			
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	BE-7	1.77	pCi/g	0.58	0.58			
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	CO-60	0.0174	pCi/g	0.02	0.02	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	

ENVIRONMENTAL SURVEILLANCE DATA CY00

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	CO-60	-0.00182	pCi/g	0.012	0.012	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	CO-60	0.00482	pCi/g	0.013	0.013	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CO-60	-0.00968	pCi/g	0.017	0.017	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CO-60	0.00225	pCi/g	0.018	0.018	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CO-60	0.0192	pCi/g	0.021	0.021	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CO-60	0.00311	pCi/g	0.018	0.018	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CO-60	-0.00267	pCi/g	0.019	0.019	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CO-60	0.00211	pCi/g	0.018	0.018	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CO-60	-0.0034	pCi/g	0.014	0.014	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CO-60	0.00328	pCi/g	0.016	0.016	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CO-60	0.00316	pCi/g	0.022	0.022	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	CO-60	0.0104	pCi/g	0.018	0.018	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	CO-60	0.00657	pCi/g	0.019	0.019	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	CS-134	0.00721	pCi/g	0.018	0.018	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	CS-134	-0.00205	pCi/g	0.011	0.011	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	CS-134	0.00124	pCi/g	0.015	0.015	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-134	0.00503	pCi/g	0.016	0.016	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-134	-0.0177	pCi/g	0.02	0.02	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-134	0.0128	pCi/g	0.02	0.02	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-134	-0.00558	pCi/g	0.019	0.019	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-134	0.00139	pCi/g	0.017	0.017	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-134	-0.0086	pCi/g	0.019	0.019	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CS-134	0.00683	pCi/g	0.016	0.016	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CS-134	-0.0163	pCi/g	0.017	0.017	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CS-134	-0.000868	pCi/g	0.022	0.022	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	CS-134	0.00185	pCi/g	0.018	0.018	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	CS-134	0.000253	pCi/g	0.019	0.019	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	CS-137	-0.0121	pCi/g	0.017	0.017	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	CS-137	-0.0014	pCi/g	0.01	0.01	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	CS-137	0.00439	pCi/g	0.012	0.012	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-137	-0.00298	pCi/g	0.014	0.014	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-137	0.0102	pCi/g	0.017	0.017	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-137	0.0174	pCi/g	0.018	0.018	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-137	0.011	pCi/g	0.016	0.016	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-137	0.0031	pCi/g	0.015	0.015	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	CS-137	0.0265	pCi/g	0.018	0.018	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CS-137	0.0195	pCi/g	0.014	0.014	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CS-137	0.00426	pCi/g	0.015	0.015	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	CS-137	0.00868	pCi/g	0.019	0.019	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	CS-137	0.0108	pCi/g	0.015	0.015	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	CS-137	0.0227	pCi/g	0.018	0.018	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	EU-154	0.000415	pCi/g	0.059	0.059	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	EU-154	0.00545	pCi/g	0.039	0.039	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	EU-154	0.00393	pCi/g	0.042	0.042	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-154	-0.014	pCi/g	0.056	0.056	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-154	0.0114	pCi/g	0.061	0.061	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-154	0.00499	pCi/g	0.065	0.065	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-154	-0.071	pCi/g	0.058	0.058	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-154	-0.00611	pCi/g	0.061	0.061	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-154	-0.0224	pCi/g	0.061	0.061	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	EU-154	-0.0106	pCi/g	0.048	0.048	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	EU-154	0.0081	pCi/g	0.052	0.052	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CONST NAME	VALUE RPTD	UNITS	2 SIGMA CONTROL ERROR	TOTAL 2 SIGMA ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	EU-154	-0.0518	pCi/g	0.069	0.069	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	EU-154	0.0292	pCi/g	0.06	0.06	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	EU-154	-0.00269	pCi/g	0.057	0.057	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	EU-155	0.0111	pCi/g	0.035	0.035	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	EU-155	-0.0108	pCi/g	0.023	0.023	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	EU-155	0.0118	pCi/g	0.029	0.029	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-155	-0.0152	pCi/g	0.032	0.032	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-155	-0.0114	pCi/g	0.041	0.041	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-155	0.00599	pCi/g	0.044	0.044	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-155	0.034	pCi/g	0.036	0.036	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-155	0.0222	pCi/g	0.034	0.034	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	EU-155	-0.0043	pCi/g	0.039	0.039	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	EU-155	-0.000151	pCi/g	0.033	0.033	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	EU-155	-0.023	pCi/g	0.034	0.034	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	EU-155	0.00498	pCi/g	0.046	0.046	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	EU-155	-0.0205	pCi/g	0.036	0.036	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	EU-155	0.0269	pCi/g	0.041	0.041	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	K-40	17.7	pCi/g	2.3	2.3		10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	K-40	8.87	pCi/g	1.2	1.2		30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	K-40	10.6	pCi/g	1.4	1.4		10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	K-40	14.7	pCi/g	1.9	1.9		10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	K-40	15.3	pCi/g	2	2		10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	K-40	16.7	pCi/g	2.2	2.2		100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	K-40	17.2	pCi/g	2.2	2.2		100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	K-40	11.9	pCi/g	1.6	1.6		40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	K-40	17.1	pCi/g	2.2	2.2		100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	K-40	13.1	pCi/g	1.7	1.7			
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	K-40	19.5	pCi/g	2.4	2.4			
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	K-40	18.3	pCi/g	2.3	2.3			
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	K-40	20.5	pCi/g	2.6	2.6			
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	K-40	12.8	pCi/g	1.7	1.7			
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	PU-238	0.0000522	pCi/g	0.00012	0.00012	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	PU-238	0.00000609	pCi/g	0.00003	0.000036	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	PU-238	-0.0000341	pCi/g	0.000035	0.000041	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-238	0.0000522	pCi/g	0.000084	0.000086	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-238	-0.000000633	pCi/g	0.00011	0.00013	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-238	-0.0000559	pCi/g	0.000054	0.000058	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-238	-0.00000896	pCi/g	0.000046	0.000046	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-238	0.0000292	pCi/g	0.000054	0.000058	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-238	0.0000198	pCi/g	0.000058	0.000061	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	PU-238	0.0000457	pCi/g	0.000053	0.000067	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	PU-238	0.0000361	pCi/g	0.000072	0.000092	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	PU-238	0.000014	pCi/g	0.000028	0.00005	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	PU-238	0.0000088	pCi/g	0.000041	0.000048	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	PU-238	0.0000829	pCi/g	0.00014	0.00015	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	PU-239/240	0.0000742	pCi/g	0.00023	0.00023	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	PU-239/240	0.0000486	pCi/g	0.00006	0.000063	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	PU-239/240	0.000177	pCi/g	0.00015	0.00016	J	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-239/240	0.000388	pCi/g	0.00019	0.0002	J	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-239/240	0.000177	pCi/g	0.00024	0.00025	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-239/240	0.000192	pCi/g	0.0002	0.0002	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-239/240	0.000158	pCi/g	0.00011	0.00011	J	100% GREY RABBIT BRUSH.	

ENVIRONMENTAL SURVEILLANCE DATA CY00

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RRTD	ANAL UNITS RRTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-239/240	0.000331	pCi/g	0.00016	0.00017	J	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	PU-239/240	0.00085	pCi/g	0.00031	0.00034		100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	PU-239/240	0.000218	pCi/g	0.00013	0.00014	J		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	PU-239/240	0.000348	pCi/g	0.00025	0.00026	J		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	PU-239/240	0.000255	pCi/g	0.00015	0.00017	J		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	PU-239/240	0.0000586	pCi/g	0.000083	0.000087	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	PU-239/240	0.000229	pCi/g	0.00022	0.00023	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	RU-106	-0.029	pCi/g	0.16	0.16	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	RU-106	-0.0191	pCi/g	0.1	0.1	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	RU-106	-0.0894	pCi/g	0.12	0.12	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	RU-106	-0.0893	pCi/g	0.14	0.14	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	RU-106	-0.0593	pCi/g	0.17	0.17	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	RU-106	0.0461	pCi/g	0.18	0.18	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	RU-106	0.0372	pCi/g	0.16	0.16	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	RU-106	-0.0406	pCi/g	0.14	0.14	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	RU-106	-0.129	pCi/g	0.16	0.16	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	RU-106	0.064	pCi/g	0.13	0.13	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	RU-106	-0.0526	pCi/g	0.14	0.14	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	RU-106	-0.0867	pCi/g	0.19	0.19	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	RU-106	0.0335	pCi/g	0.15	0.15	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	RU-106	0.0952	pCi/g	0.17	0.17	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	SB-125	-0.012	pCi/g	0.041	0.041	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	SB-125	-0.0139	pCi/g	0.023	0.023	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	SB-125	0.012	pCi/g	0.03	0.03	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SB-125	0.0247	pCi/g	0.036	0.036	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SB-125	-0.007	pCi/g	0.043	0.043	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SB-125	0.0269	pCi/g	0.044	0.044	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SB-125	-0.022	pCi/g	0.04	0.04	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SB-125	0.0294	pCi/g	0.038	0.038	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SB-125	0.032	pCi/g	0.041	0.041	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	SB-125	0.0048	pCi/g	0.034	0.034	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	SB-125	-0.00677	pCi/g	0.035	0.035	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	SB-125	-0.00693	pCi/g	0.047	0.047	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	SB-125	-0.0216	pCi/g	0.038	0.038	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	SB-125	-0.00132	pCi/g	0.041	0.041	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	SR-90	0.0041	pCi/g	0.02	0.023	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	SR-90	0.035	pCi/g	0.034	0.037	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	SR-90	0.038	pCi/g	0.037	0.038	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SR-90	-0.00495	pCi/g	0.026	0.026	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SR-90	0.0254	pCi/g	0.027	0.027	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SR-90	0.000393	pCi/g	0.023	0.024	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SR-90	-0.0138	pCi/g	0.029	0.029	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SR-90	0.0352	pCi/g	0.025	0.027	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	SR-90	0.0642	pCi/g	0.033	0.036		100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	SR-90	0.0574	pCi/g	0.055	0.055	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	SR-90	0.0155	pCi/g	0.064	0.067	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	SR-90					U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	SR-90	0.00111	pCi/g	0.032	0.032	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	SR-90	0.00402	pCi/g	0.027	0.027	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	U-234	0.00367	pCi/g	0.0022	0.0057	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	U-234	-0.000839	pCi/g	0.00074	0.0042	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	U-234	-0.000262	pCi/g	0.00021	0.0043	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	

ENVIRONMENTAL SURVEILLANCE DATA CY00

VEGETATION
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON REPORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANALYS ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-234	-0.00409	pCi/g	0.0045	0.0045	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-234	0.000876	pCi/g	0.00062	0.0047	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-234	0.0129	pCi/g	0.0071	0.01	J	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-234	0.00369	pCi/g	0.0027	0.0068	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-234	0.00562	pCi/g	0.0031	0.0064	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-234	0.0101	pCi/g	0.0048	0.0077	J	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-234	0.00688	pCi/g	0.0048	0.0087	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-234	0.0121	pCi/g	0.0072	0.011	J		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-234	0.00144	pCi/g	0.0012	0.0057	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	U-234	-0.0000946	pCi/g	0.00011	0.0063	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	U-234	0.00347	pCi/g	0.002	0.0054	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	U-235	-0.000156	pCi/g	0.00031	0.0017	U	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	U-235	-0.000927	pCi/g	0.0021	0.0021	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	U-235	0.00114	pCi/g	0.0013	0.0025	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 80% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-235	-0.00109	pCi/g	0.0022	0.0022	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-235	-0.00154	pCi/g	0.0012	0.0012	U	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-235	0.000607	pCi/g	0.0015	0.004	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-235	0.000293	pCi/g	0.00074	0.0032	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-235	-0.000159	pCi/g	0.00032	0.0017	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-235	0.00163	pCi/g	0.0019	0.0031	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-235	0.00278	pCi/g	0.0032	0.0044	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-235	0.00124	pCi/g	0.0023	0.0041	U		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-235	0.000851	pCi/g	0.0016	0.0033	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	U-235	-0.000923	pCi/g	0.0038	0.0038	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	U-235	-0.000198	pCi/g	0.0004	0.0016	U		
SESPSPEC	B103R0	FINLEY RR TRACK	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	10-Aug-00	U-238	0.00802	pCi/g	0.0039	0.0068	J	10% SAGEBRUSH, 90% GREEN RABBIT BRUSH.	
SESPSPEC	B103V2	GEORGE	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	U-238	0.000477	pCi/g	0.00036	0.0045	U	30% GREEN RABBIT RUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103V0	WANAPUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	14-Aug-00	U-238	0.00532	pCi/g	0.0027	0.0057	U	10% GREEN RABBIT BRUSH, 10% GREY RABBIT BRUSH, 60% SAGEBRUSH.	
SESPSPEC	B103T3	BROADMOOR, PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-238	0.0084	pCi/g	0.0043	0.0073	J	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103T9	KENNEWICK	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-238	0.00721	pCi/g	0.0036	0.0066	J	10% SAGEBRUSH, 90% GREY RABBIT BRUSH.	
SESPSPEC	B103R9	PASCO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-238	0.0116	pCi/g	0.0064	0.0097	J	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T1	PASCO AIRPORT	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-238	0.00472	pCi/g	0.0031	0.0068	U	100% GREY RABBIT BRUSH.	
SESPSPEC	B103T7	TRI-CITY COLISEUM	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-238	0.00186	pCi/g	0.0012	0.0049	U	40% SAGEBRUSH, 60% GREY RABBIT BRUSH.	
SESPSPEC	B103T5	YAKIMA DELTA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	16-Aug-00	U-238	0.0168	pCi/g	0.0067	0.0095	J	100% GREY RABBIT BRUSH.	
SESPSPEC	B103R7	BASIN CITY	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-238	0.00882	pCi/g	0.0055	0.009	U		
SESPSPEC	B103V5	MESA	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-238	0.012	pCi/g	0.0069	0.01	J		
SESPSPEC	B103R5	OTHELLO	COMMUNITY	BI	PERENNIAL VEGETATION	STM-LV	17-Aug-00	U-238	0.00121	pCi/g	0.0011	0.0057	U		
SESPSPEC	B108V5	SUNNYSIDE	DISTANT	BI	PERENNIAL VEGETATION	STM-LV	25-Aug-00	U-238	0.00223	pCi/g	0.0021	0.007	U		
SESPSPEC	B10998	WSU	OFFSITE	BI	PERENNIAL VEGETATION	STM-LV	30-Aug-00	U-238	0.00151	pCi/g	0.001	0.0047	U		

Soil

ENVIRONMENTAL SURVEILLANCE DATA CY00

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B10RK7	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	14-Nov-00							NO SAMPLE.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	AC-228	725	pCi/g	89	89		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	ALPHA	2740	pCi/g	71	610		BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	ALPHA	1.48	pCi/g	2.6	2.7	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	ALPHA	2.1	pCi/g	3	3	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	BE-7	0.869	pCi/g	1.2	1.2	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	BE-7	-0.446	pCi/g	1.5	1.5	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	BE-7	0.124	pCi/g	0.37	0.37	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	BE-7	0.0693	pCi/g	0.32	0.32	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	BE-7	0.04	pCi/g	0.35	0.35	U		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	BE-7	-0.12	pCi/g	0.3	0.3	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	BE-7	0.226	pCi/g	0.3	0.3	U		
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	BE-7	0.0841	pCi/g	0.4	0.4	U		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	BE-7	-0.0335	pCi/g	0.43	0.43	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	BE-7	-0.0322	pCi/g	0.39	0.39	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	BE-7	0.139	pCi/g	0.37	0.37	U		
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	BE-7	0.0106	pCi/g	0.35	0.35	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	BE-7	0.15	pCi/g	0.29	0.29	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	BE-7	0.0816	pCi/g	0.33	0.33	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	BE-7	0.22	pCi/g	0.41	0.41	U		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	BE-7	-0.226	pCi/g	0.36	0.36	U		
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	BE-7	0.0512	pCi/g	0.39	0.39	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	BE-7	0.116	pCi/g	0.31	0.31	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	BE-7	0.287	pCi/g	0.41	0.41	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	BE-7	0.0945	pCi/g	0.4	0.4	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	BE-7	0.37	pCi/g	0.37	0.37	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	BE-7	0.178	pCi/g	0.36	0.36	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	BE-7	-0.0578	pCi/g	0.4	0.4	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	BE-7	0.00623	pCi/g	0.37	0.37	U		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	BE-7	-0.205	pCi/g	0.35	0.35	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	BE-7	0.23	pCi/g	0.35	0.35	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	BE-7	0.369	pCi/g	0.32	0.32	U		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	BE-7	-0.0186	pCi/g	0.31	0.31	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	BE-7	5.36	pCi/g	25	25	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	BE-7	0.0894	pCi/g	0.52	0.52	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	BE-7	-0.214	pCi/g	0.5	0.5	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	BI-214	53.2	pCi/g	10	10		BLACK SAND.	
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	CO-60	-0.0367	pCi/g	0.07	0.07	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	CO-60	0.101	pCi/g	0.095	0.095	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	CO-60	0.00722	pCi/g	0.022	0.022	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	CO-60	-0.00617	pCi/g	0.02	0.02	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	CO-60	-0.00269	pCi/g	0.021	0.021	U		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	CO-60	0.00553	pCi/g	0.019	0.019	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CO-60	-0.00584	pCi/g	0.022	0.022	U		
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CO-60	0.000538	pCi/g	0.027	0.027	U		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CO-60	-0.0139	pCi/g	0.028	0.028	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CO-60	0.017	pCi/g	0.024	0.024	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CO-60	0.00861	pCi/g	0.022	0.022	U		
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CO-60	0.00202	pCi/g	0.02	0.02	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CO-60	0.0135	pCi/g	0.02	0.02	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CO-60	-0.00161	pCi/g	0.023	0.023	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CO-60	0.0101	pCi/g	0.029	0.029	U		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	CO-60	0.0123	pCi/g	0.021	0.021	U		
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CO-60	0.024	pCi/g	0.024	0.024	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	CO-60	-0.00706	pCi/g	0.019	0.019	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CO-60	0.0128	pCi/g	0.023	0.023	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	CO-60	0.00463	pCi/g	0.026	0.026	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CO-60	-0.01	pCi/g	0.023	0.023	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	CO-60	-0.00579	pCi/g	0.025	0.025	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	UNIT RPTD	COUNTING ERROR	TOTAL ANAL ERROR	QUALIFIER	SAMP COMMENTS	RESULT COMMENT
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CO-60	-0.0179	pCi/g	0.029	0.029	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	CO-60	0.0223	pCi/g	0.026	0.026	U		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	CO-60	0.0284	pCi/g	0.028	0.028	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	CO-60	-0.00408	pCi/g	0.026	0.026	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	CO-60	0.00305	pCi/g	0.019	0.019	U		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	CO-60	0.00521	pCi/g	0.022	0.022	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	CO-60	0.177	pCi/g	1.8	1.8	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	CO-60	-0.0266	pCi/g	0.052	0.052	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	CO-60	0.0747	pCi/g	0.066	0.066	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	CS-134	-0.0105	pCi/g	0.07	0.07	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	CS-134	0.0422	pCi/g	0.078	0.078	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	CS-134	-0.00815	pCi/g	0.024	0.024	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	CS-134	-0.0187	pCi/g	0.022	0.022	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	CS-134	-0.0218	pCi/g	0.024	0.024	U		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	CS-134	0.00884	pCi/g	0.021	0.021	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-134	0.0057	pCi/g	0.019	0.019	U		
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-134	0.00855	pCi/g	0.026	0.026	U		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-134	0.00948	pCi/g	0.029	0.029	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-134	-0.00529	pCi/g	0.026	0.026	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-134	0.00327	pCi/g	0.025	0.025	U		
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-134	-0.0105	pCi/g	0.022	0.022	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-134	-0.00428	pCi/g	0.019	0.019	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-134	0.0113	pCi/g	0.022	0.022	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-134	-0.00469	pCi/g	0.03	0.03	U		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-134	-0.012	pCi/g	0.023	0.023	U		
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-134	-0.00379	pCi/g	0.024	0.024	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-134	-0.0198	pCi/g	0.02	0.02	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CS-134	-0.00413	pCi/g	0.028	0.028	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	CS-134	-0.000631	pCi/g	0.027	0.027	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CS-134	0.00849	pCi/g	0.024	0.024	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	CS-134	-0.0151	pCi/g	0.025	0.025	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CS-134	-0.00964	pCi/g	0.029	0.029	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	CS-134	-0.0289	pCi/g	0.028	0.028	U		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	CS-134	-0.0166	pCi/g	0.026	0.026	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	CS-134	0.00511	pCi/g	0.023	0.023	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	CS-134	0.00191	pCi/g	0.023	0.023	U		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	CS-134	-0.00477	pCi/g	0.024	0.024	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	CS-134	-0.272	pCi/g	2.1	2.1	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	CS-134	-0.0403	pCi/g	0.058	0.058	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	CS-134	-0.000442	pCi/g	0.053	0.053	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	CS-137	0.0804	pCi/g	0.062	0.062	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	CS-137	-0.0111	pCi/g	0.083	0.083	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	CS-137	0.0721	pCi/g	0.032	0.032			
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	CS-137	0.172	pCi/g	0.048	0.048			
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	CS-137	0.218	pCi/g	0.046	0.046			
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	CS-137	0.231	pCi/g	0.046	0.046			
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-137	0.17	pCi/g	0.039	0.039			
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-137	0.571	pCi/g	0.091	0.091			
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-137	0.031	pCi/g	0.028	0.028	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-137	0.00136	pCi/g	0.027	0.027	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-137	0.37	pCi/g	0.074	0.074			
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-137	0.364	pCi/g	0.063	0.063			
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-137	0.00672	pCi/g	0.019	0.019	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-137	0.00284	pCi/g	0.022	0.022	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-137	0.129	pCi/g	0.06	0.06			
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-137	0.347	pCi/g	0.067	0.067			
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	CS-137	0.0129	pCi/g	0.023	0.023	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	CS-137	0.0302	pCi/g	0.022	0.022	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CS-137	0.16	pCi/g	0.043	0.043			
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	CS-137	0.132	pCi/g	0.051	0.051			

ENVIRONMENTAL SURVEILLANCE DATA CY00

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CS-137	0.109	pCi/g	0.038	0.038			
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	CS-137	0.105	pCi/g	0.048	0.048			
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	CS-137	0.253	pCi/g	0.065	0.065			
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	CS-137	0.313	pCi/g	0.063	0.063			
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	CS-137	0.106	pCi/g	0.041	0.041			
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	CS-137	0.174	pCi/g	0.046	0.046			
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	CS-137	0.454	pCi/g	0.077	0.077			
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	CS-137	0.712	pCi/g	0.1	0.1			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	CS-137	-2.51	pCi/g	2.3	2.3	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	CS-137	-0.0133	pCi/g	0.05	0.05	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	CS-137	0.0645	pCi/g	0.062	0.062	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	EU-154	-0.314	pCi/g	0.23	0.23	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	EU-154	-0.115	pCi/g	0.26	0.26	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	EU-154	-0.0422	pCi/g	0.068	0.068	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	EU-154	0.0338	pCi/g	0.07	0.07	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	EU-154	0.0188	pCi/g	0.071	0.071	U		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	EU-154	0.00152	pCi/g	0.065	0.065	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-154	0.0179	pCi/g	0.072	0.072	U		
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-154	-0.0799	pCi/g	0.082	0.082	U		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-154	0.0145	pCi/g	0.092	0.092	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-154	0.063	pCi/g	0.076	0.076	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-154	0.0168	pCi/g	0.075	0.075	U		
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-154	-0.0569	pCi/g	0.067	0.067	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-154	-0.0439	pCi/g	0.066	0.066	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-154	-0.0334	pCi/g	0.073	0.073	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-154	-0.0743	pCi/g	0.089	0.089	U		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-154	0.00882	pCi/g	0.071	0.071	U		
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-154	0.0154	pCi/g	0.075	0.075	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-154	0.0129	pCi/g	0.061	0.061	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	EU-154	0.0191	pCi/g	0.073	0.073	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	EU-154	-0.0765	pCi/g	0.095	0.095	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	EU-154	-0.00657	pCi/g	0.065	0.065	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	EU-154	-0.0229	pCi/g	0.08	0.08	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	EU-154	-0.0156	pCi/g	0.1	0.1	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	EU-154	0.0445	pCi/g	0.078	0.078	U		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	EU-154	0.00243	pCi/g	0.082	0.082	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	EU-154	-0.00972	pCi/g	0.081	0.081	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	EU-154	-0.0131	pCi/g	0.069	0.069	U		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	EU-154	0.0496	pCi/g	0.075	0.075	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	EU-154	1.25	pCi/g	4.8	4.8	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	EU-154	0.361	pCi/g	0.26	0.26	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	EU-154	-0.0191	pCi/g	0.17	0.17	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	EU-155	0.152	pCi/g	0.12	0.12	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	EU-155	-0.143	pCi/g	0.17	0.17	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	EU-155	0.0849	pCi/g	0.063	0.063	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	EU-155	0.0408	pCi/g	0.055	0.055	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	EU-155	0.0537	pCi/g	0.06	0.06	U		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	EU-155	0.0534	pCi/g	0.056	0.056	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-155	0.0512	pCi/g	0.049	0.049	U		
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-155	0.0761	pCi/g	0.09	0.09	U		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-155	0.0885	pCi/g	0.073	0.073	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-155	0.0434	pCi/g	0.063	0.063	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-155	0.0838	pCi/g	0.061	0.061	U		
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-155	0.00333	pCi/g	0.06	0.06	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-155	0.035	pCi/g	0.046	0.046	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-155	0.039	pCi/g	0.073	0.073	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-155	0.0279	pCi/g	0.096	0.096	U		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-155	0.0194	pCi/g	0.059	0.059	U		
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	EU-155	0.091	pCi/g	0.062	0.062	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	EU-155	0.0138	pCi/g	0.053	0.053	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNIT RPTD	COUNTING ERROR	TOTAL ANALYTICAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	EU-155	0.0441	pCi/g	0.07	0.07	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	EU-155	0.0259	pCi/g	0.07	0.07	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	EU-155	0.0173	pCi/g	0.061	0.061	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	EU-155	0.048	pCi/g	0.059	0.059	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	EU-155	0.0216	pCi/g	0.093	0.093	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	EU-155	0.053	pCi/g	0.061	0.061	U		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	EU-155	0.0506	pCi/g	0.063	0.063	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	EU-155	0.0454	pCi/g	0.063	0.063	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	EU-155	0.0114	pCi/g	0.059	0.059	U		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	EU-155	0.0674	pCi/g	0.058	0.058	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	EU-155	39.8	pCi/g	9	9	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	EU-155	0.026	pCi/g	0.12	0.12	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	EU-155	-0.0451	pCi/g	0.1	0.1	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	K-40	17	pCi/g	3.1	3.1			
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	K-40	18.4	pCi/g	3.6	3.6			
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	K-40	14.2	pCi/g	1.9	1.9			
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	K-40	13	pCi/g	1.8	1.8			
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	K-40	13.9	pCi/g	1.9	1.9			
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	K-40	13.5	pCi/g	1.8	1.8			
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	K-40	17.9	pCi/g	2.3	2.3			
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	K-40	14.5	pCi/g	1.9	1.9			
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	K-40	15.4	pCi/g	2.1	2.1			
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	K-40	16.1	pCi/g	2.2	2.2			
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	K-40	14.2	pCi/g	2	2			
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	K-40	14.5	pCi/g	2	2			
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	K-40	14.3	pCi/g	1.9	1.9			
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	K-40	14	pCi/g	1.9	1.9			
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	K-40	15.3	pCi/g	2.1	2.1			
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	K-40	14.5	pCi/g	2	2			
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	K-40	16	pCi/g	2.2	2.2			
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	K-40	15.8	pCi/g	2.1	2.1			
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	K-40	16.6	pCi/g	2.2	2.2			
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	K-40	17.8	pCi/g	2.4	2.4			
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	K-40	15	pCi/g	2	2			
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	K-40	16.5	pCi/g	2.2	2.2			
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	K-40	14.1	pCi/g	1.9	1.9			
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	K-40	14.5	pCi/g	2	2			
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	K-40	13.7	pCi/g	1.9	1.9			
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	K-40	13.8	pCi/g	1.9	1.9			
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	K-40	15.4	pCi/g	2.1	2.1			
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	K-40	15.8	pCi/g	2.1	2.1			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	K-40	32.3	pCi/g	19	19	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	K-40	0.933	pCi/g	0.99	0.99	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	K-40	15.6	pCi/g	2.7	2.7			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	MN-54	13.3	pCi/g	3.3	3.3		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	PB-212	689	pCi/g	83	83		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	PB-214	64.9	pCi/g	9.8	9.8		BLACK SAND.	
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	PU-238	0.0000237	pCi/g	0.000049	0.000066	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	PU-238	0.0000219	pCi/g	0.000031	0.000043	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	PU-238	0.0000228	pCi/g	0.000042	0.000057	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	PU-238	0.0000882	pCi/g	0.000066	0.000097	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	PU-238	0.0000812	pCi/g	0.000073	0.000081	J		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	PU-238	0.000135	pCi/g	0.00012	0.00013	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-238	0.000274	pCi/g	0.00017	0.00018	J		
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-238	0.000337	pCi/g	0.00015	0.00017	J		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-238	-0.0000348	pCi/g	0.000074	0.000074	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-238	0.0000684	pCi/g	0.000089	0.0001	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-238	0.000379	pCi/g	0.00017	0.00018	J		
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-238	0.000296	pCi/g	0.00025	0.00026	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-238	-0.00000757	pCi/g	0.00016	0.00016	U		

ENVIRONMENTAL SURVEILLANCE DATA CY00

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-238	0.0000623	pCi/g	0.000085	0.000097	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-238	0.00019	pCi/g	0.00013	0.00013	J		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-238	0.000295	pCi/g	0.00015	0.00016	J		
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-238	0.000241	pCi/g	0.00017	0.00018	J		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-238	0.000107	pCi/g	0.00011	0.00011	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	PU-238	0.0000235	pCi/g	0.000093	0.00012	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	PU-238	0.000061	pCi/g	0.0001	0.00011	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	PU-238	0.0000166	pCi/g	0.000042	0.000063	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	PU-238	0.0000739	pCi/g	0.000074	0.000083	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	PU-238	0.000243	pCi/g	0.00016	0.00017	J		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	PU-238	0.00031	pCi/g	0.00025	0.00026	J		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	PU-238	0.0000356	pCi/g	0.000059	0.000073	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	PU-238	0.0000205	pCi/g	0.00011	0.00014	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	PU-238	0.000416	pCi/g	0.00017	0.00019	J		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	PU-238	0.000782	pCi/g	0.0003	0.00032			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	PU-238	0.00578	pCi/g	0.11	0.12	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	PU-238	-0.00000795	pCi/g	0.000078	0.000078	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	PU-238	0.0000142	pCi/g	0.000044	0.000045	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	PU-239/240	0.00115	pCi/g	0.00028	0.00033			
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	PU-239/240	0.00088	pCi/g	0.00023	0.00026			
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	PU-239/240	0.00189	pCi/g	0.00038	0.00046			
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	PU-239/240	0.00404	pCi/g	0.00062	0.00085			
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	PU-239/240	0.00517	pCi/g	0.0006	0.00094			
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	PU-239/240	0.00583	pCi/g	0.00077	0.0011			
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-239/240	0.00557	pCi/g	0.00077	0.0011			
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-239/240	0.0144	pCi/g	0.001	0.0023			
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-239/240	0.000712	pCi/g	0.00028	0.00031			
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-239/240	0.000667	pCi/g	0.00025	0.00028			
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-239/240	0.00907	pCi/g	0.00083	0.0015			
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-239/240	0.0101	pCi/g	0.0013	0.002			
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-239/240	0.000307	pCi/g	0.00027	0.0003	J		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-239/240	0.000162	pCi/g	0.00012	0.00015	J		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-239/240	0.00397	pCi/g	0.00059	0.00082			
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-239/240	0.0104	pCi/g	0.00087	0.0017			
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	PU-239/240	0.000452	pCi/g	0.00025	0.00027	J		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	PU-239/240	0.000462	pCi/g	0.00021	0.00024	J		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	PU-239/240	0.00316	pCi/g	0.0007	0.00084			
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	PU-239/240	0.00225	pCi/g	0.00053	0.00062			
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	PU-239/240	0.00219	pCi/g	0.00042	0.00053			
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	PU-239/240	0.00225	pCi/g	0.00042	0.00053			
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	PU-239/240	0.00601	pCi/g	0.00079	0.0012			
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	PU-239/240	0.00777	pCi/g	0.0012	0.0017			
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	PU-239/240	0.00242	pCi/g	0.00044	0.00056			
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	PU-239/240	0.00544	pCi/g	0.00078	0.0011			
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	PU-239/240	0.0084	pCi/g	0.00079	0.0014			
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	PU-239/240	0.0183	pCi/g	0.0014	0.003			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	PU-239/240	-0.0229	pCi/g	0.16	0.18	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	PU-239/240	0.000193	pCi/g	0.00017	0.00017	J	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	PU-239/240	0.000444	pCi/g	0.0002	0.00022	J		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	RA-223	154	pCi/g	24	24		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	RA-224	721	pCi/g	86	86		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	RA-226	53.2	pCi/g	10	10		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	RA-228	736	pCi/g	91	91		BLACK SAND.	
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	RU-106	-0.564	pCi/g	0.56	0.56	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	RU-106	-0.0517	pCi/g	0.73	0.73	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	RU-106	0.0501	pCi/g	0.21	0.21	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	RU-106	-0.00511	pCi/g	0.19	0.19	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	RU-106	0.0446	pCi/g	0.2	0.2	U		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	RU-106	0.0629	pCi/g	0.17	0.17	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	RU-106	-0.126	pCi/g	0.17	0.17	U		

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CONS PORT NAME	VALUE RPT'D	UNIT	COUNTING ERROR 2σ	TOTAL ANALYTICAL ERROR 2σ	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	RU-106	0.254	pCi/g	0.22	0.22	U		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	RU-106	-0.0215	pCi/g	0.23	0.23	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	RU-106	-0.162	pCi/g	0.21	0.21	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	RU-106	-0.0724	pCi/g	0.21	0.21	U		
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	RU-106	0.0409	pCi/g	0.19	0.19	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	RU-106	0.105	pCi/g	0.17	0.17	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	RU-106	0.0103	pCi/g	0.19	0.19	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	RU-106	0.205	pCi/g	0.24	0.24	U		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	RU-106	-0.0202	pCi/g	0.2	0.2	U		
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	RU-106	0.158	pCi/g	0.2	0.2	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	RU-106	0.00718	pCi/g	0.18	0.18	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	RU-106	-0.0459	pCi/g	0.24	0.24	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	RU-106	-0.0622	pCi/g	0.24	0.24	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	RU-106	0.00206	pCi/g	0.2	0.2	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	RU-106	0.229	pCi/g	0.21	0.21	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	RU-106	-0.0935	pCi/g	0.22	0.22	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	RU-106	-0.162	pCi/g	0.21	0.21	U		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	RU-106	0.0453	pCi/g	0.22	0.22	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	RU-106	0.1	pCi/g	0.21	0.21	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	RU-106	-0.0445	pCi/g	0.2	0.2	U		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	RU-106	0.059	pCi/g	0.19	0.19	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	RU-106	11.3	pCi/g	19	19	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	RU-106	0.28	pCi/g	0.45	0.45	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	RU-106	0.163	pCi/g	0.48	0.48	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	SB-125	-0.0919	pCi/g	0.16	0.16	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	SB-125	-0.0713	pCi/g	0.18	0.18	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	SB-125	0.05	pCi/g	0.056	0.056	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	SB-125	-0.00748	pCi/g	0.051	0.051	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	SB-125	-0.0211	pCi/g	0.052	0.052	U		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	SB-125	-0.0302	pCi/g	0.049	0.049	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SB-125	-0.0229	pCi/g	0.047	0.047	U		
SESPSPEC	B103V6	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	SB-125	0.0266	pCi/g	0.065	0.065	U		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SB-125	-0.00282	pCi/g	0.064	0.064	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	SB-125	0.00371	pCi/g	0.058	0.058	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SB-125	0.0194	pCi/g	0.057	0.057	U		
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	SB-125	0.0449	pCi/g	0.057	0.057	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SB-125	0.0284	pCi/g	0.045	0.045	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	SB-125	-0.0144	pCi/g	0.056	0.056	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SB-125	-0.0122	pCi/g	0.066	0.066	U		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	SB-125	0.03	pCi/g	0.059	0.059	U		
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SB-125	-0.0155	pCi/g	0.059	0.059	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	SB-125	0.042	pCi/g	0.05	0.05	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	SB-125	0.0206	pCi/g	0.067	0.067	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	SB-125	-0.00571	pCi/g	0.065	0.065	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	SB-125	-0.0182	pCi/g	0.06	0.06	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	SB-125	0.00955	pCi/g	0.06	0.06	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	SB-125	0.00416	pCi/g	0.068	0.068	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	SB-125	-0.055	pCi/g	0.06	0.06	U		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	SB-125	-0.0319	pCi/g	0.059	0.059	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	SB-125	-0.0156	pCi/g	0.061	0.061	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	SB-125	0.0225	pCi/g	0.06	0.06	U		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	SB-125	0.00327	pCi/g	0.056	0.056	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	SB-125	0.327	pCi/g	5.1	5.1	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	SB-125	0.0811	pCi/g	0.13	0.13	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	SB-125	0.0935	pCi/g	0.14	0.14	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	SR-90	0.014	pCi/g	0.013	0.025	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	SR-90	0.0135	pCi/g	0.013	0.026	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	SR-90	0.0152	pCi/g	0.014	0.028	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	SR-90	0.0758	pCi/g	0.029	0.039			
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	SR-90	0.0479	pCi/g	0.022	0.032			

ENVIRONMENTAL SURVEILLANCE DATA CY00

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	SR-90	0.0837	pCi/g	0.026	0.037			
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SR-90	0.0458	pCi/g	0.018	0.027			
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	SR-90	0.0658	pCi/g	0.023	0.04			
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SR-90	0.0085	pCi/g	0.012	0.032	U		
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	SR-90	0.00802	pCi/g	0.01	0.031	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SR-90	0.068	pCi/g	0.024	0.034			
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	SR-90	0.145	pCi/g	0.036	0.053			
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SR-90	-0.00265	pCi/g	0.0041	0.016	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	SR-90	0.00905	pCi/g	0.01	0.026	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SR-90	0.0309	pCi/g	0.015	0.024	U		
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	SR-90	0.0696	pCi/g	0.022	0.031			
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	SR-90	0.00297	pCi/g	0.0038	0.021	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	SR-90	0.00288	pCi/g	0.0037	0.02	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	SR-90	0.0332	pCi/g	0.03	0.044	U		
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	SR-90	0.00388	pCi/g	0.0071	0.036	U		
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	SR-90	0.0207	pCi/g	0.013	0.023	U		
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	SR-90	0.0239	pCi/g	0.014	0.023	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	SR-90	0.0357	pCi/g	0.018	0.028	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	SR-90	0.0815	pCi/g	0.026	0.037			
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	SR-90	0.0295	pCi/g	0.021	0.031	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	SR-90	0.0256	pCi/g	0.02	0.032	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	SR-90	0.0899	pCi/g	0.027	0.038			
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	SR-90	0.0855	pCi/g	0.032	0.042			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TH-228	620	pCi/g	73	73		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TH-228	181	pCi/g	8.3	44		BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TH-228	0.125	pCi/g	0.027	0.041		LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	TH-228	0.307	pCi/g	0.044	0.086			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TH-230	18	pCi/g	2.5	5		BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TH-230	0.0212	pCi/g	0.011	0.012		LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	TH-230	0.164	pCi/g	0.03	0.05			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TH-232	596	pCi/g	73	73		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TH-232	169	pCi/g	7.7	41		BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TH-232	0.11	pCi/g	0.024	0.036		LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	TH-232	0.273	pCi/g	0.039	0.077			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	TL-208	213	pCi/g	25	25		BLACK SAND.	
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	U-234	0.114	pCi/g	0.022	0.031			
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	U-234	0.113	pCi/g	0.022	0.032			
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	U-234	0.0302	pCi/g	0.008	0.012			
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	U-234	0.0298	pCi/g	0.0081	0.012			
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	U-234	0.0597	pCi/g	0.013	0.018			
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	U-234	0.0508	pCi/g	0.012	0.017			
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-234	0.122	pCi/g	0.025	0.035			
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-234	0.143	pCi/g	0.023	0.035			
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-234	0.209	pCi/g	0.026	0.045			
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-234	0.224	pCi/g	0.027	0.048			
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-234	0.21	pCi/g	0.023	0.044			
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-234	0.169	pCi/g	0.022	0.038			
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-234	0.123	pCi/g	0.023	0.033			
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-234	0.112	pCi/g	0.021	0.03			
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-234	0.187	pCi/g	0.023	0.04			
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	U-234	0.15	pCi/g	0.019	0.033			
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-234	0.172	pCi/g	0.026	0.041			
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	U-234	0.133	pCi/g	0.023	0.034			
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-234	0.288	pCi/g	0.03	0.059			
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	U-234	0.312	pCi/g	0.029	0.062			
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-234	0.116	pCi/g	0.022	0.032			
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	U-234	0.0638	pCi/g	0.013	0.019			
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-234	0.109	pCi/g	0.017	0.027			
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	U-234	0.11	pCi/g	0.018	0.028			
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	U-234	0.0845	pCi/g	0.015	0.023			

ENVIRONMENTAL SURVEILLANCE DATA CY00

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CONSTITUENT NAME	VALUE	UNITS	COUNTING ERROR	TOTAL ANALYTICAL ERROR	QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	U-234	0.089	pCi/g	0.016	0.024			
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	U-234	0.167	pCi/g	0.025	0.039			
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	U-234	0.109	pCi/g	0.021	0.03			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	U-234	60	pCi/g	13	13		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	U-234	13.8	pCi/g	1.6	2.9		BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	U-234	0.00999	pCi/g	0.0078	0.0086		LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	U-234	0.174	pCi/g	0.024	0.039			
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	U-235	0.00433	pCi/g	0.0038	0.0054	U		
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	U-235	0.000461	pCi/g	0.00096	0.0044	U		
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	U-235	0.000523	pCi/g	0.00068	0.0029	U		
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	U-235	-0.000498	pCi/g	0.00092	0.0022	U		
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	U-235	-0.00117	pCi/g	0.0016	0.0018	U		
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	U-235	-0.000427	pCi/g	0.00078	0.0023	U		
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-235	0.00332	pCi/g	0.0038	0.0057	U		
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-235	0.00456	pCi/g	0.004	0.0055	U		
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-235	0.00822	pCi/g	0.0047	0.0059			
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-235	0.00385	pCi/g	0.0031	0.0046	U		
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-235	0.00759	pCi/g	0.0041	0.0052			
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-235	0.00424	pCi/g	0.003	0.0043	U		
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-235	0.00372	pCi/g	0.0039	0.0058	U		
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-235	0.00384	pCi/g	0.0039	0.0057	U		
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-235	0.00685	pCi/g	0.004	0.0051			
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	U-235	0.00617	pCi/g	0.0036	0.0047			
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-235	0.00421	pCi/g	0.0037	0.0053	U		
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	U-235	0.00424	pCi/g	0.004	0.0056	U		
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-235	0.0113	pCi/g	0.0057	0.0066			
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	U-235	0.0088	pCi/g	0.0045	0.0057			
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-235	0.0131	pCi/g	0.0072	0.0085			
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	U-235	0.00181	pCi/g	0.0016	0.0032	U		
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	U-235	0.00419	pCi/g	0.0035	0.005	U		
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-235	0.0027	pCi/g	0.0022	0.0036	U		
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	U-235	0.000585	pCi/g	0.00067	0.0026	U		
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	U-235	0.00238	pCi/g	0.0021	0.0037	U		
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	U-235	0.003	pCi/g	0.0032	0.005	U		
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	U-235	0.00229	pCi/g	0.0028	0.0049	U		
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	U-235	0.268	pCi/g	0.27	0.28	U	BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	U-235	-0.00162	pCi/g	0.0021	0.0021	U	LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	U-235	0.00387	pCi/g	0.0042	0.0043	U		
SESPSPEC	B103R2	FINLEY RR TRACK	OFFSITE	SO	SURFACE	BIOTIC CRUST	10-Aug-00	U-238	0.113	pCi/g	0.022	0.03			
SESPSPEC	B103R1	FINLEY RR TRACK	OFFSITE	SO	SURFACE	SURF_SOIL	10-Aug-00	U-238	0.121	pCi/g	0.023	0.032			
SESPSPEC	B103R3	GEORGE	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	U-238	0.0378	pCi/g	0.0095	0.013			
SESPSPEC	B103V3	GEORGE	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	U-238	0.0382	pCi/g	0.0098	0.013			
SESPSPEC	B103V1	WANAPUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	14-Aug-00	U-238	0.0655	pCi/g	0.014	0.019			
SESPSPEC	B103W2	WANAPUM	OFFSITE	SO	SURFACE	SURF_SOIL	14-Aug-00	U-238	0.0533	pCi/g	0.012	0.016			
SESPSPEC	B103T2	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-238	0.117	pCi/g	0.025	0.033			
SESPSPEC	B103V8	BROADMOOR, PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-238	0.15	pCi/g	0.024	0.036			
SESPSPEC	B103T8	KENNEWICK	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-238	0.224	pCi/g	0.027	0.048			
SESPSPEC	B103W1	KENNEWICK	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-238	0.225	pCi/g	0.027	0.048			
SESPSPEC	B103V6	PASCO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-238	0.181	pCi/g	0.022	0.038			
SESPSPEC	B103R8	PASCO	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-238	0.196	pCi/g	0.024	0.042			
SESPSPEC	B103T0	PASCO AIRPORT	COMMUNITY	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-238	0.141	pCi/g	0.025	0.036			
SESPSPEC	B103V7	PASCO AIRPORT	COMMUNITY	SO	SURFACE	SURF_SOIL	16-Aug-00	U-238	0.11	pCi/g	0.021	0.029			
SESPSPEC	B103W0	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	U-238	0.142	pCi/g	0.019	0.031			
SESPSPEC	B103T6	TRI-CITY COLISEUM	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-238	0.193	pCi/g	0.023	0.041			
SESPSPEC	B103T4	YAKIMA DELTA	OFFSITE	SO	SURFACE	BIOTIC CRUST	16-Aug-00	U-238	0.174	pCi/g	0.027	0.041			
SESPSPEC	B103V9	YAKIMA DELTA	OFFSITE	SO	SURFACE	SURF_SOIL	16-Aug-00	U-238	0.145	pCi/g	0.024	0.035			
SESPSPEC	B103R6	BASIN CITY	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-238	0.34	pCi/g	0.033	0.067			
SESPSPEC	B103W4	BASIN CITY	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	U-238	0.372	pCi/g	0.032	0.071			
SESPSPEC	B103W5	MESA	OFFSITE	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-238	0.113	pCi/g	0.022	0.031			
SESPSPEC	B103V4	MESA	OFFSITE	SO	SURFACE	SURF_SOIL	17-Aug-00	U-238	0.0686	pCi/g	0.013	0.019			

ENVIRONMENTAL SURVEILLANCE DATA CY00

SOIL
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B103R4	OTHELLO	COMMUNITY	SO	SURFACE	BIOTIC CRUST	17-Aug-00	U-238	0.103	pCi/g	0.017	0.025			
SESPSPEC	B103W3	OTHELLO	COMMUNITY	SO	SURFACE	SURF_SOIL	17-Aug-00	U-238	0.153	pCi/g	0.022	0.035			
SESPSPEC	B108V4	SUNNYSIDE	DISTANT	SO	SURFACE	BIOTIC CRUST	25-Aug-00	U-238	0.0767	pCi/g	0.015	0.021			
SESPSPEC	B108V3	SUNNYSIDE	DISTANT	SO	SURFACE	SURF_SOIL	25-Aug-00	U-238	0.0973	pCi/g	0.017	0.025			
SESPSPEC	B109B0	WSU	OFFSITE	SO	SURFACE	BIOTIC CRUST	30-Aug-00	U-238	0.156	pCi/g	0.025	0.037			
SESPSPEC	B10999	WSU	OFFSITE	SO	SURFACE	SURF_SOIL	30-Aug-00	U-238	0.11	pCi/g	0.021	0.029			
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	U-238	64.9	pCi/g	9.8	9.8		BLACK SAND.	
SESPSPEC	B10RK5	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	U-238	13.5	pCi/g	1.6	2.8		BLACK SAND.	
SESPSPEC	B10RK6	BRAZIL	OFFSITE	SO	SURFACE	COARSE SAND	15-Nov-00	U-238	0.0189	pCi/g	0.0088	0.0097		LIGHT BROWN SAND.	
SESPSPEC	B11246	100 F SLOUGH	ONSITE	SO	SURFACE	COARSE SAND	28-Nov-00	U-238	0.207	pCi/g	0.026	0.044			

Sediment

ENVIRONMENTAL SURVEILLANCE DATA CY00

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10924	100-K SPRING 83-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Oct-00							NO SAMPLE.	
SESPMNT	B10927	100-K SPRING 77-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	17-Oct-00							NO SAMPLE.	
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	BE-7	-0.0334	pCi/g	0.3	0.3	U		
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	BE-7	0.0339	pCi/g	0.11	0.11	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	BE-7	0.0766	pCi/g	0.12	0.12	U		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	BE-7	0.213	pCi/g	0.27	0.27	U		
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	BE-7	0.207	pCi/g	0.23	0.23	U		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	BE-7	-0.0518	pCi/g	0.19	0.19	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	BE-7	-0.0506	pCi/g	0.07	0.07	U		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	BE-7	0.0113	pCi/g	0.08	0.08	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	BE-7	0.00844	pCi/g	0.1	0.1	U		
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	BE-7	0.0592	pCi/g	0.12	0.12	U		
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	BE-7	0.112	pCi/g	0.13	0.13	U		
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	BE-7	-0.0611	pCi/g	0.15	0.15	U		
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	BE-7	0.0751	pCi/g	0.16	0.16	U		
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	BE-7	0.0532	pCi/g	0.1	0.1	U		
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	BE-7	0.116	pCi/g	0.29	0.29	U		
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	CO-60	-0.000819	pCi/g	0.024	0.024	U		
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	CO-60	0.00684	pCi/g	0.013	0.013	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	CO-60	0.00821	pCi/g	0.016	0.016	U		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CO-60	0.00919	pCi/g	0.031	0.031	U		
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CO-60	0.0295	pCi/g	0.036	0.036	U		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CO-60	-0.00499	pCi/g	0.026	0.026	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CO-60	0.016	pCi/g	0.011	0.011	U		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CO-60	-0.00916	pCi/g	0.011	0.011	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CO-60	0.0611	pCi/g	0.023	0.023			
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CO-60	0.0131	pCi/g	0.012	0.012	U		
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CO-60	0.00813	pCi/g	0.013	0.013	U		
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CO-60	0.0392	pCi/g	0.015	0.015	U		
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CO-60	0.0618	pCi/g	0.017	0.017			
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	CO-60	0.000876	pCi/g	0.01	0.01	U		
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	CO-60	0.0214	pCi/g	0.032	0.032	U		
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	CS-134	-0.0112	pCi/g	0.025	0.025	U		
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	CS-134	-0.00411	pCi/g	0.014	0.014	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	CS-134	0.0249	pCi/g	0.014	0.014	U		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CS-134	0.00368	pCi/g	0.032	0.032	U		
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CS-134	-0.0116	pCi/g	0.03	0.03	U		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CS-134	-0.0178	pCi/g	0.025	0.025	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CS-134	-0.00107	pCi/g	0.0092	0.0092	U		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CS-134	-0.00426	pCi/g	0.01	0.01	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CS-134	0.00641	pCi/g	0.013	0.013	U		
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CS-134	0.000435	pCi/g	0.011	0.011	U		
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CS-134	-0.00805	pCi/g	0.013	0.013	U		
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CS-134	0.00756	pCi/g	0.013	0.013	U		
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CS-134	0.00221	pCi/g	0.0092	0.0092	U		
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	CS-134	0.000274	pCi/g	0.01	0.01	U		
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	CS-134	-0.0223	pCi/g	0.029	0.029	U		
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	CS-137	1.05	pCi/g	0.13	0.13			
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	CS-137	0.331	pCi/g	0.052	0.052			
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	CS-137	0.442	pCi/g	0.056	0.056			
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CS-137	0.276	pCi/g	0.066	0.066			
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CS-137	0.449	pCi/g	0.079	0.079			
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	CS-137	0.23	pCi/g	0.051	0.051			
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CS-137	0.318	pCi/g	0.04	0.04			
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CS-137	0.0108	pCi/g	0.012	0.012	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	CS-137	0.534	pCi/g	0.061	0.061			
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CS-137	0.269	pCi/g	0.035	0.035			
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CS-137	0.0556	pCi/g	0.021	0.021			
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CS-137	0.166	pCi/g	0.031	0.031			

ENVIRONMENTAL SURVEILLANCE DATA CY00

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CONS SHORT NAME	VALUE RPTD	VAL UNITS RPTD	COUNTING ERROR	TOTAL ANL ERROR	VAL QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	CS-137	0.223	pCi/g	0.031	0.031			
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	CS-137	0.0629	pCi/g	0.019	0.019			
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	CS-137	0.092	pCi/g	0.045	0.045			
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	EU-154	0.0461	pCi/g	0.078	0.078	U		
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	EU-154	0.03	pCi/g	0.044	0.044	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	EU-154	-0.0198	pCi/g	0.053	0.053	U		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	EU-154	-0.0623	pCi/g	0.089	0.089	U		
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	EU-154	0.01	pCi/g	0.077	0.077	U		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	EU-154	0.00807	pCi/g	0.072	0.072	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	EU-154	-0.00142	pCi/g	0.032	0.032	U		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	EU-154	-0.00829	pCi/g	0.038	0.038	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	EU-154	-0.000463	pCi/g	0.044	0.044	U		
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	EU-154	0.0104	pCi/g	0.036	0.036	U		
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	EU-154	-0.0386	pCi/g	0.041	0.041	U		
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	EU-154	-0.0154	pCi/g	0.044	0.044	U		
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	EU-154	0.0127	pCi/g	0.031	0.031	U		
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	EU-154	-0.0242	pCi/g	0.035	0.035	U		
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	EU-154	-0.0135	pCi/g	0.086	0.086	U		
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	EU-155	0.0202	pCi/g	0.06	0.06	U		
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	EU-155	0.0522	pCi/g	0.035	0.035	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	EU-155	0.0642	pCi/g	0.039	0.039	U		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	EU-155	0.085	pCi/g	0.08	0.08	U		
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	EU-155	0.0084	pCi/g	0.069	0.069	U		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	EU-155	0.0469	pCi/g	0.059	0.059	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	EU-155	0.0252	pCi/g	0.026	0.026	U		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	EU-155	0.0578	pCi/g	0.03	0.03	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	EU-155	0.00651	pCi/g	0.039	0.039	U		
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	EU-155	0.037	pCi/g	0.037	0.037	U		
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	EU-155	0.0292	pCi/g	0.039	0.039	U		
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	EU-155	0.0996	pCi/g	0.053	0.053	U		
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	EU-155	0.0456	pCi/g	0.029	0.029	U		
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	EU-155	0.0771	pCi/g	0.031	0.031	U		
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	EU-155	0.0424	pCi/g	0.079	0.079	U		
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	K-40	16.3	pCi/g	1.9	1.9			
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	K-40	11.6	pCi/g	1.3	1.3			
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	K-40	14	pCi/g	1.5	1.5			
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	K-40	15.5	pCi/g	2	2			
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	K-40	13.7	pCi/g	1.7	1.7			
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	K-40	15.3	pCi/g	1.8	1.8			
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	K-40	14.9	pCi/g	1.6	1.6			
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	K-40	19.2	pCi/g	2	2		MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	K-40	18.1	pCi/g	1.9	1.9			
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	K-40	15.5	pCi/g	1.8	1.8			
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	K-40	15.6	pCi/g	1.7	1.7			
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	K-40	16	pCi/g	2	2			
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	K-40	13.6	pCi/g	1.4	1.4			
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	K-40	14	pCi/g	1.5	1.5			
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	K-40	18.9	pCi/g	2.5	2.5			
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	PU-238	0.000155	pCi/g	0.00012	0.00013	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	PU-238	0.00034	pCi/g	0.00021	0.00022	J		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	PU-238	0.00192	pCi/g	0.00068	0.00074			
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	PU-238	0.000408	pCi/g	0.00025	0.00026	J		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	PU-238	0.0000383	pCi/g	0.000097	0.00014	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	PU-238	0.000131	pCi/g	0.000099	0.00011	J		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	PU-238	0.0000095	pCi/g	0.000019	0.000036	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	PU-238	0.000259	pCi/g	0.00017	0.00018	J		
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	PU-239/240	0.00784	pCi/g	0.00084	0.0014			
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	PU-239/240	0.00956	pCi/g	0.0011	0.0017			
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	PU-239/240	0.00713	pCi/g	0.0013	0.0017			
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	PU-239/240	0.0106	pCi/g	0.0012	0.002			

ENVIRONMENTAL SURVEILLANCE DATA CY00

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	PU-239/240	0.00112	pCi/g	0.00045	0.0005			
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	PU-239/240	0.0023	pCi/g	0.00043	0.00054			
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	PU-239/240	0.000841	pCi/g	0.00021	0.00023		MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	PU-239/240	0.00578	pCi/g	0.00075	0.0011			
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	RU-106	-0.168	pCi/g	0.2	0.2	U		
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	RU-106	0.0427	pCi/g	0.12	0.12	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	RU-106	-0.0766	pCi/g	0.12	0.12	U		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	RU-106	-0.118	pCi/g	0.25	0.25	U		
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	RU-106	0.166	pCi/g	0.25	0.25	U		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	RU-106	0.129	pCi/g	0.2	0.2	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	RU-106	-0.0336	pCi/g	0.074	0.074	U		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	RU-106	0.0362	pCi/g	0.086	0.086	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	RU-106	0.039	pCi/g	0.1	0.1	U		
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	RU-106	0.0332	pCi/g	0.091	0.091	U		
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	RU-106	-0.00305	pCi/g	0.1	0.1	U		
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	RU-106	0.112	pCi/g	0.11	0.11	U		
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	RU-106	-0.0206	pCi/g	0.085	0.085	U		
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	RU-106	0.00816	pCi/g	0.091	0.091	U		
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	RU-106	0.0791	pCi/g	0.23	0.23	U		
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	SB-125	-0.0364	pCi/g	0.058	0.058	U		
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	SB-125	0.00386	pCi/g	0.035	0.035	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	SB-125	0.00161	pCi/g	0.033	0.033	U		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	SB-125	0.0143	pCi/g	0.076	0.076	U		
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	SB-125	0.0719	pCi/g	0.072	0.072	U		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	SB-125	0.0113	pCi/g	0.059	0.059	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	SB-125	0.00779	pCi/g	0.023	0.023	U		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	SB-125	0.00397	pCi/g	0.025	0.025	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	SB-125	-0.0149	pCi/g	0.03	0.03	U		
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	SB-125	0.00514	pCi/g	0.026	0.026	U		
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	SB-125	-0.00601	pCi/g	0.03	0.03	U		
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	SB-125	-0.00478	pCi/g	0.032	0.032	U		
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	SB-125	0.0114	pCi/g	0.025	0.025	U		
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	SB-125	0.00393	pCi/g	0.026	0.026	U		
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	SB-125	0.0184	pCi/g	0.067	0.067	U		
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	SR-90	0.376	pCi/g	0.059	0.11			
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	SR-90	0.0281	pCi/g	0.017	0.028	U		
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	SR-90	0.0103	pCi/g	0.011	0.024	U		
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	SR-90	0.0292	pCi/g	0.02	0.03	U		
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	SR-90	0.0119	pCi/g	0.014	0.028	U		
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	SR-90	0.000654	pCi/g	0.001	0.02	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	SR-90	-0.00948	pCi/g	0.02	0.02	U		
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	SR-90	0.000154	pCi/g	0.024	0.024	U	MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	SR-90	-0.00409	pCi/g	0.022	0.023	U		
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	SR-90	0.00748	pCi/g	0.025	0.026	U		
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	SR-90	-0.0122	pCi/g	0.026	0.026	U		
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	SR-90	-0.0118	pCi/g	0.023	0.023	U		
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	SR-90	0.00208	pCi/g	0.025	0.025	U		
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	SR-90	0.00205	pCi/g	0.022	0.024	U		
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	SR-90	0.013	pCi/g	0.032	0.032	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	TH-228	0.366	pCi/g	0.045	0.099			
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	TH-230	0.165	pCi/g	0.028	0.049			
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	TH-232	0.244	pCi/g	0.034	0.068			
SESPMNT	B0YXP7	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	TOC	5680	mg/kg					
SESPMNT	B0YXP6	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	TOC	14100	mg/kg					
SESPMNT	B0YXP5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	TOC	5380	mg/kg					
SESPMNT	B0YXP4	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	TOC	7420	mg/kg					
SESPMNT	B10168	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	TOC	3980	mg/kg					
SESPMNT	B10169	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	TOC	990	mg/kg					
SESPMNT	B10167	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	TOC	5850	mg/kg					
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	U-234	1.18	pCi/g	0.12	0.25			

ENVIRONMENTAL SURVEILLANCE DATA CY00

SEDIMENT
(pCi/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP ROOM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RESULT	UNITS	COUNTING ERROR	TOTAL ANALYTICAL ERROR	DATA QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	U-234	0.635	pCi/g	0.042	0.12			
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	U-234	0.731	pCi/g	0.046	0.13			
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-234	0.836	pCi/g	0.059	0.16			
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-234	0.737	pCi/g	0.057	0.14			
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-234	0.248	pCi/g	0.03	0.053			
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-234	0.309	pCi/g	0.031	0.082			
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-234	0.369	pCi/g	0.034	0.072		MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-234	0.687	pCi/g	0.045	0.13			
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-234	3.01	pCi/g	0.094	0.52			
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-234	1.97	pCi/g	0.077	0.35			
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-234	0.633	pCi/g	0.042	0.12			
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-234	0.412	pCi/g	0.034	0.079			
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	U-234	0.236	pCi/g	0.025	0.049			
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	U-234	0.359	pCi/g	0.034	0.071			
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	U-235	0.0632	pCi/g	0.027	0.031			
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	U-235	0.0202	pCi/g	0.0072	0.0087			
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	U-235	0.0258	pCi/g	0.0085	0.01			
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-235	0.022	pCi/g	0.011	0.013			
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-235	0.0177	pCi/g	0.0092	0.011			
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-235	0.00956	pCi/g	0.0078	0.0093	U		
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-235	0.0113	pCi/g	0.0056	0.0068			
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-235	0.0125	pCi/g	0.0059	0.007		MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-235	0.0267	pCi/g	0.0088	0.01			
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-235	0.129	pCi/g	0.019	0.03			
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-235	0.0677	pCi/g	0.014	0.019			
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-235	0.0185	pCi/g	0.0069	0.0082			
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-235	0.0132	pCi/g	0.0057	0.0069			
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	U-235	0.00528	pCi/g	0.0033	0.0045			
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	U-235	0.016	pCi/g	0.0077	0.0082			
SESPSPEC	B0YRB6	WEST LAKE	ONSITE	SO	SUB_SURFACE	SEDIMENT	12-Jun-00	U-238	1.2	pCi/g	0.12	0.25			
SESPMNT	B0YWC7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	U-238	0.56	pCi/g	0.04	0.1			
SESPMNT	B0YWC5	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	07-Aug-00	U-238	0.651	pCi/g	0.044	0.12			
SESPMNT	B0YWD3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-238	0.672	pCi/g	0.053	0.13			
SESPMNT	B0YWD5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-238	0.61	pCi/g	0.052	0.12			
SESPMNT	B0YW87	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	08-Aug-00	U-238	0.245	pCi/g	0.03	0.053			
SESPMNT	B0YY72	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-238	0.289	pCi/g	0.03	0.058			
SESPMNT	B0YY70	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-238	0.341	pCi/g	0.032	0.067		MILFOIL PRESENT.	
SESPMNT	B0YY71	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	15-Aug-00	U-238	0.587	pCi/g	0.042	0.11			
SESPMNT	B10922	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-238	2.62	pCi/g	0.087	0.45			
SESPMNT	B10908	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-238	1.86	pCi/g	0.075	0.33			
SESPMNT	B10919	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-238	0.473	pCi/g	0.036	0.089			
SESPMNT	B10917	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	27-Sep-00	U-238	0.331	pCi/g	0.03	0.065			
SESPMNT	B10915	100-B SPRING 38-3	ONSITE	SO	SUB_SURFACE	SEDIMENT	25-Oct-00	U-238	0.209	pCi/g	0.024	0.044			
SESPMNT	B10929	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	07-Nov-00	U-238	0.346	pCi/g	0.033	0.069			

Table S-1. Metals in Columbia River and Riverbank Springs Sediment, 2000
(concentrations in µg/g dry wt - not blank corrected)

Samp Num	Samp Site Name	Sample Date	Ag GFAA	As ICP-MS	Be ICP-MS	Cd ICP-MS	Cr ICP-MS	Cu ICP-MS	Ni ICP-MS	Pb ICP-MS	Sb ICP-MS	Se GFAA	Tl ICP-MS	Zn ICP-MS	Hg CVAA
	Columbia River														
B0YW85	RICHLAND-RIVER	08-Aug-00	0.260	5.14	1.36	1.04	48.6	22.3	16.2	42.2	0.715	0.4 U	0.616	292	0.0040
B0YWC2	PRD-YAKIMA SIDE NEAR DAM	07-Aug-00	0.470	7.34	1.44	4.27	84.3	54.5	52.5	41.5	0.984	0.596	0.903	443	0.122
B0YWC4	PRD-GRANT SIDE NEAR DAM	07-Aug-00	0.466	8.21	1.54	8.28	79.2	59.8	44.0	46.4	1.02	0.581	1.91	703	0.189
B0YWD0	MCNARY-OR.SIDE NEAR DAM	08-Aug-00	0.386	7.58	1.62	1.45	55.9	37.3	29.7	23.1	0.874	0.4 U	0.755	244	0.0730
B0YWD2	MCNARY-WASH.SIDE NEAR DAM	08-Aug-00	0.346	6.35	1.46	5.39	57.2	32.3	26.5	31.3	0.861	0.525	0.915	483	0.140
B0YY65	WHITE BLUFFS SLOUGH	15-Aug-00	0.283	6.98	1.59	1.81	58.5	29.6	23.9	43.1	0.759	0.4 U	0.847	360	0.0319
B0YY67	100 F SLOUGH	15-Aug-00	4.07	3.26	1.36	0.541	29.7	21.5	15.3	17.4	0.387	0.4 U	0.601	219	0.0015 U
B0YY69	HANFORD SLOUGH	15-Aug-00	0.256	3.96	1.62	0.289	59.5	15.2	24.0	15.2	0.531	0.4 U	0.518	92.7	0.0015 U
	Riverbank Springs														
B10905	300 AREA SPRING 42-2	02-Nov-00	0.282	5.88	1.57	0.396	54.1	15.0	20.7	16.0	0.561	0.265 U	0.469	103	0.0184
B10923	300 AREA SPR DR 42-2	02-Nov-00	0.256	5.42	1.20	0.647	58.7	17.3	20.0	20.4	0.432	0.265 U	0.481	161	0.0124
B10918	HANFORD SPR UR.28-2	02-Nov-00	0.379	5.00	1.29	0.945	76.0	16.4	19.5	30.9	0.512	0.265 U	0.472	200	0.0154
B10921	HANFORD SPR DR 28-2	02-Nov-00	0.329	7.68	1.52	0.539	77.0	14.3	21.9	26.2	0.599	0.265 U	0.492	149	0.0147
B10916	100-B SPRING 38-3	20-Nov-00	0.219	2.44	1.51	0.640	82.9	10.7	17.8	19.1	0.359	0.265 U	0.548	137	0.0049
B10931	100-F SPRING 207-1	20-Nov-00	0.336	5.79	1.75	0.749	71.8	21.2	26.0	24.7	0.632	0.265 U	0.547	155	0.0108

U -Analyzed but not detected or represented by the analytical detection limit.

Table S-2. Acid Volatile Sulfide/Simultaneously Extracted Metals in Columbia River Sediment, 2000

Samp Num	Samp Site Name	Sample Date	% Dry Weight	AVS (μmole/g)	SEM Hg (μmole/g)	SEM Cd (μmole/g)	SEM Cu (μmole/g)	SEM Ni (μmole/g)	SEM Pb (μmole/g)	SEM Zn (μmole/g)
B0YWC1	PRD-YAKIMA SIDE NEAR DAM	07-Aug-00	39.5	2.02	0.0000123	0.0370	0.425	0.186	0.168	5.17
B0YWC3	PRD-GRANT SIDE NEAR DAM	07-Aug-00	35.0	10.7	0.00000728	0.0800	0.466	0.165	0.217	9.07
B0YWC9	MCNARY-OR.SIDE NEAR DAM	08-Aug-00	45.4	0.726	0.0000219	0.0140	0.289	0.129	0.0798	2.19
B0YWD1	MCNARY-WASH.SIDE NEAR DAM	08-Aug-00	53.8	0.496	0.0000898	0.0312	0.250	0.0867	0.104	3.65
B0YW84	RICHLAND-RIVER	08-Aug-00	71.5	0.778	0.00000418	0.0105	0.131	0.0283	0.120	2.55
B0YY64	WHITE BLUFFS SLOUGH	15-Aug-00	60.6	1.74	0.0000123	0.0132	0.155	0.0450	0.137	2.11
B0YY66	100 F SLOUGH	15-Aug-00	76.7	0.549	0.00000634	0.00427	0.0987	0.0351	0.0490	1.43
B0YY68	HANFORD SLOUGH	15-Aug-00	71.8	0.725	0.00000265	0.00246	0.112	0.0823	0.0287	0.510

Thermoluminescent Dosimeters (TLDs)

ENVIRONMENTAL SURVEILLANCE DATA CY00

THERMOLUMINESCENT DOSIMETERS (TLDs)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XRM4	BASIN CITY SCHOOL	COMMUNITY	ER	31-Mar-00	TLD	0.215	mR/d	0.006		
SESPMNT	B0YCH9	BASIN CITY SCHOOL	COMMUNITY	ER	23-Jun-00	TLD	0.202	mR/d	0.002		
SESPMNT	B108C8	BASIN CITY SCHOOL	COMMUNITY	ER	29-Sep-00	TLD	0.209	mR/d	0.004		
SESPMNT	B112T6	BASIN CITY SCHOOL	COMMUNITY	ER	19-Dec-00	TLD	0.214	mR/d	0.006		
SESPMNT	B0XPN8	BENTON CITY	COMMUNITY	ER	24-Mar-00	TLD	0.219	mR/d	0.012		
SESPMNT	B0YHJ2	BENTON CITY	COMMUNITY	ER	14-Jul-00	TLD	0.221	mR/d	0.001		
SESPMNT	B10713	BENTON CITY	COMMUNITY	ER	21-Sep-00	TLD	0.23	mR/d	0.017		
SESPMNT	B113P7	BENTON CITY	COMMUNITY	ER	29-Dec-00	TLD	0.228	mR/d	0.001		
SESPMNT	B0XRM3	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	31-Mar-00	TLD	0.215	mR/d	0.002		
SESPMNT	B0YCH8	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	23-Jun-00	TLD	0.181	mR/d	0.009	TLD REPORTED MISSING EARLY IN QUARTER, REPLACED ON 4/27/00.	
SESPMNT	B108C7	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	29-Sep-00	TLD				NO SAMPLE. TLD MISSING. WIND EXPOSURE HIGH AT LOCATION.	
SESPMNT	B112T5	EDWIN MARKHAM SCHOOL	COMMUNITY	ER	19-Dec-00	TLD	0.217	mR/d	0.012		
SESPMNT	B0XRL3	KENNEWICK-ELY STREET	COMMUNITY	ER	31-Mar-00	TLD	0.213	mR/d	0		
SESPMNT	B0YCF8	KENNEWICK-ELY STREET	COMMUNITY	ER	23-Jun-00	TLD	0.212	mR/d	0		
SESPMNT	B108B7	KENNEWICK-ELY STREET	COMMUNITY	ER	29-Sep-00	TLD	0.208	mR/d	0.008		
SESPMNT	B112R5	KENNEWICK-ELY STREET	COMMUNITY	ER	19-Dec-00	TLD	0.216	mR/d	0.002		
SESPMNT	B0XRM5	LESLIE GROVES-RCHLND	COMMUNITY	ER	29-Mar-00	TLD	0.218	mR/d	0.01		
SESPMNT	B0YCJ0	LESLIE GROVES-RCHLND	COMMUNITY	ER	22-Jun-00	TLD	0.177	mR/d	0.003		
SESPMNT	B108C9	LESLIE GROVES-RCHLND	COMMUNITY	ER	28-Sep-00	TLD				NO SAMPLE. TLD MISSING.	
SESPMNT	B112T7	LESLIE GROVES-RCHLND	COMMUNITY	ER	18-Dec-00	TLD				NO SAMPLE. TLD MISSING.	
SESPMNT	B0XRM6	MATTAWA	COMMUNITY	ER	29-Mar-00	TLD	0.222	mR/d	0.009		
SESPMNT	B0YCJ1	MATTAWA	COMMUNITY	ER	22-Jun-00	TLD	0.196	mR/d	0.002		
SESPMNT	B108D0	MATTAWA	COMMUNITY	ER	28-Sep-00	TLD	0.196	mR/d	0.003		
SESPMNT	B112T8	MATTAWA	COMMUNITY	ER	18-Dec-00	TLD	0.213	mR/d	0.003		
SESPSPEC	B0XRK1	OTHELLO	COMMUNITY	ER	29-Mar-00	TLD	0.203	mR/d	0.004		
SESPMNT	B0YCD6	OTHELLO	COMMUNITY	ER	22-Jun-00	TLD	0.194	mR/d	0.005		
SESPMNT	B10876	OTHELLO	COMMUNITY	ER	28-Sep-00	TLD	0.207	mR/d	0		
SESPMNT	B112L5	OTHELLO	COMMUNITY	ER	18-Dec-00	TLD	0.209	mR/d	0.006		
SESPMNT	B0XRL2	PASCO	COMMUNITY	ER	31-Mar-00	TLD	0.246	mR/d	0.014		
SESPMNT	B0YCF7	PASCO	COMMUNITY	ER	23-Jun-00	TLD	0.232	mR/d	0.01		
SESPMNT	B108B6	PASCO	COMMUNITY	ER	29-Sep-00	TLD	0.236	mR/d	0.007		
SESPMNT	B112R4	PASCO	COMMUNITY	ER	19-Dec-00	TLD	0.252	mR/d	0.01		
SESPMNT	B0XPJ5	TOPPENISH	DISTANT	ER	24-Mar-00	TLD	0.198	mR/d	0.001		
SESPMNT	B0YHC7	TOPPENISH	DISTANT	ER	14-Jul-00	TLD	0.181	mR/d	0.003		
SESPMNT	B106W0	TOPPENISH	DISTANT	ER	21-Sep-00	TLD	0.187	mR/d	0.013		
SESPMNT	B113N4	TOPPENISH	DISTANT	ER	29-Dec-00	TLD	0.193	mR/d	0		
SESPMNT	B0XPN7	YAKIMA	DISTANT	ER	24-Mar-00	TLD	0.197	mR/d	0.009		
SESPMNT	B0YHJ1	YAKIMA	DISTANT	ER	14-Jul-00	TLD	0.181	mR/d	0		
SESPMNT	B10712	YAKIMA	DISTANT	ER	21-Sep-00	TLD	0.182	mR/d	0		
SESPMNT	B113P6	YAKIMA	DISTANT	ER	29-Dec-00	TLD	0.196	mR/d	0.002		
SESPMNT	B0XPN4	100 D AREA	ONSITE	ER	21-Mar-00	TLD				NO SAMPLE. TLD MISSING.	
SESPMNT	B0YHH8	100 D AREA	ONSITE	ER	28-Jun-00	TLD	0.226	mR/d	0.004		
SESPMNT	B10709	100 D AREA	ONSITE	ER	22-Sep-00	TLD	0.235	mR/d	0.008		
SESPMNT	B113P3	100 D AREA	ONSITE	ER	27-Dec-00	TLD	0.196	mR/d	0.004		
SESPMNT	B0XPR0	100 F MET TOWER	ONSITE	ER	21-Mar-00	TLD	0.224	mR/d	0.004		
SESPMNT	B0YHK4	100 F MET TOWER	ONSITE	ER	28-Jun-00	TLD	0.218	mR/d	0.001		
SESPMNT	B10725	100 F MET TOWER	ONSITE	ER	22-Sep-00	TLD	0.221	mR/d	0.007		
SESPMNT	B113R9	100 F MET TOWER	ONSITE	ER	27-Dec-00	TLD	0.228	mR/d	0		
SESPMNT	B0XPN5	100 K AREA	ONSITE	ER	21-Mar-00	TLD	0.198	mR/d	0.001		
SESPMNT	B0YHH9	100 K AREA	ONSITE	ER	28-Jun-00	TLD	0.187	mR/d	0.002		
SESPMNT	B10710	100 K AREA	ONSITE	ER	22-Sep-00	TLD	0.192	mR/d	0.005		
SESPMNT	B113P4	100 K AREA	ONSITE	ER	27-Dec-00	TLD	0.251	mR/d	0.008		
SESPMNT	B0XRL8	200 ESE	ONSITE	ER	30-Mar-00	TLD	0.225	mR/d	0.008		
SESPMNT	B0YCH3	200 ESE	ONSITE	ER	21-Jun-00	TLD	0.227	mR/d	0.004		
SESPMNT	B108C2	200 ESE	ONSITE	ER	26-Sep-00	TLD	0.245	mR/d	0.013		
SESPMNT	B112T0	200 ESE	ONSITE	ER	18-Dec-00	TLD	0.249	mR/d	0.007		
SESPMNT	B0XRL9	200 TEL. EXCHANGE	ONSITE	ER	30-Mar-00	TLD	0.216	mR/d	0.001		
SESPMNT	B0YCH4	200 TEL. EXCHANGE	ONSITE	ER	21-Jun-00	TLD	0.216	mR/d	0.007		
SESPMNT	B108C3	200 TEL. EXCHANGE	ONSITE	ER	26-Sep-00	TLD	0.233	mR/d	0.014		
SESPMNT	B112T1	200 TEL. EXCHANGE	ONSITE	ER	18-Dec-00	TLD	0.246	mR/d	0.001		

ENVIRONMENTAL SURVEILLANCE DATA CY00

THERMOLUMINESCENT DOSIMETERS (TLDs)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	SAMP COMMENT	REM COMMENT
SESPMNT	B0XRM0	200 W SE	ONSITE	ER	30-Mar-00	TLD	0.224	mR/d	0.016		
SESPMNT	B0YCH5	200 W SE	ONSITE	ER	21-Jun-00	TLD	0.223	mR/d	0.005		
SESPMNT	B108C4	200 W SE	ONSITE	ER	26-Sep-00	TLD	0.228	mR/d	0		
SESPMNT	B112T2	200 W SE	ONSITE	ER	18-Dec-00	TLD	0.236	mR/d	0.006		
SESPMNT	B0XPP5	300 NE	ONSITE	ER	23-Mar-00	TLD	0.229	mR/d	0.003		
SESPMNT	B0YHJ9	300 NE	ONSITE	ER	13-Jul-00	TLD	0.219	mR/d	0.007		
SESPMNT	B10720	300 NE	ONSITE	ER	20-Sep-00	TLD	0.234	mR/d	0.015		
SESPMNT	B113R4	300 NE	ONSITE	ER	28-Dec-00	TLD	0.243	mR/d	0.011		
SESPMNT	B0XPP3	300 SOUTH GATE	ONSITE	ER	23-Mar-00	TLD	0.234	mR/d	0	TLD FOUND ON GROUND 2/23/00, TLD RETURNED TO POST.	
SESPMNT	B0YHJ7	300 SOUTH GATE	ONSITE	ER	13-Jul-00	TLD	0.216	mR/d	0		
SESPMNT	B10718	300 SOUTH GATE	ONSITE	ER	20-Sep-00	TLD	0.216	mR/d	0.005		
SESPMNT	B113R2	300 SOUTH GATE	ONSITE	ER	28-Dec-00	TLD	0.225	mR/d	0.008		
SESPMNT	B0XPP4	300 SOUTHWEST GATE	ONSITE	ER	23-Mar-00	TLD	0.215	mR/d	0.008		
SESPMNT	B0YHJ8	300 SOUTHWEST GATE	ONSITE	ER	13-Jul-00	TLD	0.216	mR/d	0.006		
SESPMNT	B10719	300 SOUTHWEST GATE	ONSITE	ER	20-Sep-00	TLD	0.216	mR/d	0.002		
SESPMNT	B113R3	300 SOUTHWEST GATE	ONSITE	ER	28-Dec-00	TLD	0.244	mR/d	0.015		
SESPMNT	B0XPP0	300 TRENCH	ONSITE	ER	23-Mar-00	TLD	0.221	mR/d	0.005		
SESPMNT	B0YHJ4	300 TRENCH	ONSITE	ER	13-Jul-00	TLD	0.217	mR/d	0.003		
SESPMNT	B10715	300 TRENCH	ONSITE	ER	20-Sep-00	TLD	0.222	mR/d	0.011		
SESPMNT	B113P9	300 TRENCH	ONSITE	ER	28-Dec-00	TLD	0.244	mR/d	0.009		
SESPMNT	B0XPP2	300 WATER INTAKE	ONSITE	ER	23-Mar-00	TLD	0.211	mR/d	0.002		
SESPMNT	B0YHJ6	300 WATER INTAKE	ONSITE	ER	13-Jul-00	TLD	0.207	mR/d	0.007		
SESPMNT	B10717	300 WATER INTAKE	ONSITE	ER	20-Sep-00	TLD	0.224	mR/d	0.001		
SESPMNT	B113R1	300 WATER INTAKE	ONSITE	ER	28-Dec-00	TLD	0.226	mR/d	0.006		
SESPMNT	B0XPP1	3705 BLDG. 300 AREA	ONSITE	ER	23-Mar-00	TLD	0.223	mR/d	0.006		
SESPMNT	B0YHJ5	3705 BLDG. 300 AREA	ONSITE	ER	13-Jul-00	TLD	0.213	mR/d	0.002		
SESPMNT	B10716	3705 BLDG. 300 AREA	ONSITE	ER	20-Sep-00	TLD	0.228	mR/d	0.007		
SESPMNT	B113R0	3705 BLDG. 300 AREA	ONSITE	ER	28-Dec-00	TLD	0.229	mR/d	0.006		
SESPMNT	B0XPP6	400 E	ONSITE	ER	21-Mar-00	TLD	0.222	mR/d	0.019		
SESPMNT	B0YHK0	400 E	ONSITE	ER	28-Jun-00	TLD	0.223	mR/d	0.003		
SESPMNT	B10721	400 E	ONSITE	ER	22-Sep-00	TLD	0.211	mR/d	0.006		
SESPMNT	B113R5	400 E	ONSITE	ER	27-Dec-00	TLD	0.234	mR/d	0.002		
SESPMNT	B0XPP7	400 N	ONSITE	ER	21-Mar-00	TLD	0.214	mR/d	0.011		
SESPMNT	B0YHK1	400 N	ONSITE	ER	28-Jun-00	TLD	0.21	mR/d	0.005		
SESPMNT	B10722	400 N	ONSITE	ER	22-Sep-00	TLD	0.235	mR/d	0.018		
SESPMNT	B113R6	400 N	ONSITE	ER	27-Dec-00	TLD	0.228	mR/d	0.003		
SESPMNT	B0XPP8	400 S	ONSITE	ER	21-Mar-00	TLD	0.231	mR/d	0.017		
SESPMNT	B0YHK2	400 S	ONSITE	ER	28-Jun-00	TLD	0.204	mR/d	0		
SESPMNT	B10723	400 S	ONSITE	ER	22-Sep-00	TLD	0.217	mR/d	0.007		
SESPMNT	B113R7	400 S	ONSITE	ER	27-Dec-00	TLD	0.239	mR/d	0.005		
SESPMNT	B0XPP9	400 W	ONSITE	ER	21-Mar-00	TLD	0.229	mR/d	0.02		
SESPMNT	B0YHK3	400 W	ONSITE	ER	28-Jun-00	TLD	0.224	mR/d	0.009		
SESPMNT	B10724	400 W	ONSITE	ER	22-Sep-00	TLD	0.234	mR/d	0.015		
SESPMNT	B113R8	400 W	ONSITE	ER	27-Dec-00	TLD	0.242	mR/d	0.017		
SESPMNT	B0XRH6	ARMY LOOP CAMP	ONSITE	ER	30-Mar-00	TLD	0.232	mR/d	0.011		
SESPMNT	B0YCC2	ARMY LOOP CAMP	ONSITE	ER	21-Jun-00	TLD	0.217	mR/d	0.008		
SESPMNT	B10871	ARMY LOOP CAMP	ONSITE	ER	26-Sep-00	TLD	0.227	mR/d	0.001		
SESPMNT	B112L0	ARMY LOOP CAMP	ONSITE	ER	18-Dec-00	TLD	0.242	mR/d	0.002		
SESPMNT	B0XRL7	B POND	ONSITE	ER	30-Mar-00	TLD	0.25	mR/d	0.004		
SESPMNT	B0YCH2	B POND	ONSITE	ER	21-Jun-00	TLD	0.244	mR/d	0.005		
SESPMNT	B108C1	B POND	ONSITE	ER	26-Sep-00	TLD	0.249	mR/d	0.006		
SESPMNT	B112R9	B POND	ONSITE	ER	18-Dec-00	TLD	0.273	mR/d	0.008		
SESPMNT	B0XRL6	E OF 200 E	ONSITE	ER	30-Mar-00	TLD	0.239	mR/d	0.014		
SESPMNT	B0YCH1	E OF 200 E	ONSITE	ER	21-Jun-00	TLD	0.245	mR/d	0.002		
SESPMNT	B108C0	E OF 200 E	ONSITE	ER	26-Sep-00	TLD	0.253	mR/d	0.013		
SESPMNT	B112R8	E OF 200 E	ONSITE	ER	18-Dec-00	TLD	0.244	mR/d	0.014		
SESPMNT	B0XPR1	HANFORD TOWNSITE	ONSITE	ER	21-Mar-00	TLD	0.205	mR/d	0.004		
SESPMNT	B0YHK5	HANFORD TOWNSITE	ONSITE	ER	28-Jun-00	TLD	0.205	mR/d	0.006		
SESPMNT	B10726	HANFORD TOWNSITE	ONSITE	ER	22-Sep-00	TLD	0.197	mR/d	0.003		
SESPMNT	B113T0	HANFORD TOWNSITE	ONSITE	ER	27-Dec-00	TLD	0.226	mR/d	0.006		

ENVIRONMENTAL SURVEILLANCE DATA CY00

THERMOLUMINESCENT DOSIMETERS (TLDs)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0XRL5	N OF 200 E	ONSITE	ER	30-Mar-00	TLD	0.249	mR/d	0.001		
SESPMNT	B0YCH0	N OF 200 E	ONSITE	ER	21-Jun-00	TLD	0.238	mR/d	0.002		
SESPMNT	B108B9	N OF 200 E	ONSITE	ER	26-Sep-00	TLD	0.258	mR/d	0.015		
SESPMNT	B112R7	N OF 200 E	ONSITE	ER	18-Dec-00	TLD	0.262	mR/d	0.008		
SESPMNT	B0XRL4	S OF 200 E	ONSITE	ER	30-Mar-00	TLD	0.249	mR/d	0.006		
SESPMNT	B0YCF9	S OF 200 E	ONSITE	ER	21-Jun-00	TLD	0.244	mR/d	0.001		
SESPMNT	B108B8	S OF 200 E	ONSITE	ER	26-Sep-00	TLD	0.26	mR/d	0		
SESPMNT	B112R6	S OF 200 E	ONSITE	ER	18-Dec-00	TLD	0.278	mR/d	0.003		
SESPMNT	B108D3	SW OF B/C CRIBS	ONSITE	ER	26-Sep-00	TLD	0.181	mR/d	0.004		
SESPMNT	B112V1	SW OF B/C CRIBS	ONSITE	ER	18-Dec-00	TLD	0.242	mR/d	0.002		
SESPMNT	B0XPM8	US ECOLOGY NE CORNER	ONSITE	ER	20-Mar-00	TLD	0.221	mR/d	0.011		
SESPMNT	B0YHH2	US ECOLOGY NE CORNER	ONSITE	ER	26-Jun-00	TLD	0.219	mR/d	0.006		
SESPMNT	B10703	US ECOLOGY NE CORNER	ONSITE	ER	22-Sep-00	TLD	0.24	mR/d	0.001		
SESPMNT	B112P8	US ECOLOGY NE CORNER	ONSITE	ER	20-Dec-00	TLD	0.24	mR/d	0.006		
SESPMNT	B0XPN0	US ECOLOGY NW CORNER	ONSITE	ER	20-Mar-00	TLD	0.236	mR/d	0.009		
SESPMNT	B0YHH4	US ECOLOGY NW CORNER	ONSITE	ER	26-Jun-00	TLD	0.231	mR/d	0.007		
SESPMNT	B10705	US ECOLOGY NW CORNER	ONSITE	ER	22-Sep-00	TLD	0.231	mR/d	0.007		
SESPMNT	B112R0	US ECOLOGY NW CORNER	ONSITE	ER	20-Dec-00	TLD	0.248	mR/d	0.003		
SESPMNT	B0XPM9	US ECOLOGY SE CORNER	ONSITE	ER	20-Mar-00	TLD	0.249	mR/d	0.005		
SESPMNT	B0YHH3	US ECOLOGY SE CORNER	ONSITE	ER	26-Jun-00	TLD	0.237	mR/d	0.007		
SESPMNT	B10704	US ECOLOGY SE CORNER	ONSITE	ER	22-Sep-00	TLD	0.241	mR/d	0.009		
SESPMNT	B112P9	US ECOLOGY SE CORNER	ONSITE	ER	20-Dec-00	TLD	0.273	mR/d	0.003		
SESPMNT	B0XPN1	US ECOLOGY SW CORNER	ONSITE	ER	20-Mar-00	TLD	0.278	mR/d	0.001		
SESPMNT	B0YHH5	US ECOLOGY SW CORNER	ONSITE	ER	26-Jun-00	TLD	0.268	mR/d	0.003		
SESPMNT	B10706	US ECOLOGY SW CORNER	ONSITE	ER	22-Sep-00	TLD	0.259	mR/d	0.015		
SESPMNT	B112R1	US ECOLOGY SW CORNER	ONSITE	ER	20-Dec-00	TLD	0.301	mR/d	0.008		
SESPMNT	B0XPN2	WPPSS 1; S OF WNP 2	ONSITE	ER	20-Mar-00	TLD	0.242	mR/d	0.006		
SESPMNT	B0YHH6	WPPSS 1; S OF WNP 2	ONSITE	ER	26-Jun-00	TLD	0.22	mR/d	0.011		
SESPMNT	B10707	WPPSS 1; S OF WNP 2	ONSITE	ER	22-Sep-00	TLD	0.23	mR/d	0		
SESPMNT	B112R2	WPPSS 1; S OF WNP 2	ONSITE	ER	20-Dec-00	TLD	0.245	mR/d	0.005		
SESPMNT	B0XPN6	WYE BARRICADE	ONSITE	ER	21-Mar-00	TLD	0.227	mR/d	0.001		
SESPMNT	B0YHJ0	WYE BARRICADE	ONSITE	ER	28-Jun-00	TLD	0.226	mR/d	0.004		
SESPMNT	B10711	WYE BARRICADE	ONSITE	ER	22-Sep-00	TLD	0.223	mR/d	0.008		
SESPMNT	B113P5	WYE BARRICADE	ONSITE	ER	27-Dec-00	TLD	0.239	mR/d	0.001		
SESPMNT	B0XPN9	BATTELLE COMPLEX	PERIMETER	ER	23-Mar-00	TLD	0.215	mR/d	0		
SESPMNT	B0YHJ3	BATTELLE COMPLEX	PERIMETER	ER	13-Jul-00	TLD	0.21	mR/d	0.003		
SESPMNT	B10714	BATTELLE COMPLEX	PERIMETER	ER	20-Sep-00	TLD	0.216	mR/d	0.01		
SESPMNT	B113P8	BATTELLE COMPLEX	PERIMETER	ER	28-Dec-00	TLD	0.228	mR/d	0.002		
SESPMNT	B0XRM2	BYERS LANDING	PERIMETER	ER	31-Mar-00	TLD	0.282	mR/d	0.008		
SESPMNT	B0YCH7	BYERS LANDING	PERIMETER	ER	23-Jun-00	TLD	0.283	mR/d	0.001		
SESPMNT	B108C6	BYERS LANDING	PERIMETER	ER	29-Sep-00	TLD	0.307	mR/d	0.01		
SESPMNT	B112T4	BYERS LANDING	PERIMETER	ER	19-Dec-00	TLD	0.292	mR/d	0.006		
SESPMNT	B0XRH8	DOGWOOD MET TOWER	PERIMETER	ER	31-Mar-00	TLD	0.239	mR/d	0.01		
SESPMNT	B0YCC4	DOGWOOD MET TOWER	PERIMETER	ER	23-Jun-00	TLD	0.247	mR/d	0.005		
SESPMNT	B10873	DOGWOOD MET TOWER	PERIMETER	ER	29-Sep-00	TLD	0.262	mR/d	0.003		
SESPMNT	B112L2	DOGWOOD MET TOWER	PERIMETER	ER	19-Dec-00	TLD	0.251	mR/d	0.011		
SESPMNT	B0XPJ1	HORN RAPIDS SUBSTA	PERIMETER	ER	24-Mar-00	TLD	0.22	mR/d	0.007		
SESPMNT	B0YHC5	HORN RAPIDS SUBSTA	PERIMETER	ER	14-Jul-00	TLD	0.219	mR/d	0.001		
SESPMNT	B106R4	HORN RAPIDS SUBSTA	PERIMETER	ER	21-Sep-00	TLD	0.229	mR/d	0.012		
SESPMNT	B113N0	HORN RAPIDS SUBSTA	PERIMETER	ER	29-Dec-00	TLD	0.24	mR/d	0.002		
SESPMNT	B0XPJ2	PROSSER BARRICADE	PERIMETER	ER	24-Mar-00	TLD	0.239	mR/d	0.008		
SESPMNT	B0YHC6	PROSSER BARRICADE	PERIMETER	ER	14-Jul-00	TLD	0.24	mR/d	0.007		
SESPMNT	B106R5	PROSSER BARRICADE	PERIMETER	ER	21-Sep-00	TLD	0.24	mR/d	0		
SESPMNT	B113N1	PROSSER BARRICADE	PERIMETER	ER	29-Dec-00	TLD	0.256	mR/d	0.001		
SESPMNT	B0XPR2	RATTLESNAKE SPRINGS	PERIMETER	ER	23-Mar-00	TLD	0.234	mR/d	0.003		
SESPMNT	B0YHK6	RATTLESNAKE SPRINGS	PERIMETER	ER	13-Jul-00	TLD	0.236	mR/d	0.001		
SESPMNT	B10727	RATTLESNAKE SPRINGS	PERIMETER	ER	20-Sep-00	TLD	0.247	mR/d	0.011		
SESPMNT	B113T1	RATTLESNAKE SPRINGS	PERIMETER	ER	28-Dec-00	TLD	0.253	mR/d	0.002		
SESPMNT	B0XRM1	RINGOLD MET TOWER	PERIMETER	ER	31-Mar-00	TLD	0.262	mR/d	0.022		
SESPMNT	B0YCH6	RINGOLD MET TOWER	PERIMETER	ER	23-Jun-00	TLD	0.235	mR/d	0.01		

OWNER ID	SAMP NUM	SAMPSITE NAME	SAMPLE CLASS	MEDIA	SAMP DATE	CON SHORT NAME	RESULT VALUE	RESULT UNITS	COUNTING ERROR	SAMP COMMENT	RESULT COMMENT
SESPMNT	B108C5	RINGOLD MET TOWER	PERIMETER	ER	29-Sep-00	TLD	0.258	mR/d	0.005		
SESPMNT	B112T3	RINGOLD MET TOWER	PERIMETER	ER	19-Dec-00	TLD	0.256	mR/d	0.005		
SESPMNT	B0XRM7	S END VERNITA BRIDGE	PERIMETER	ER	29-Mar-00	TLD				NO SAMPLE. TLD MISSING.	
SESPMNT	B0YCJ2	S END VERNITA BRIDGE	PERIMETER	ER	22-Jun-00	TLD	0.224	mR/d	0.002		
SESPMNT	B108D1	S END VERNITA BRIDGE	PERIMETER	ER	28-Sep-00	TLD				NO SAMPLE. TLD MISSING.	
SESPMNT	B0XRH9	W END OF FIR ROAD	PERIMETER	ER	31-Mar-00	TLD	0.248	mR/d	0.004		
SESPMNT	B0YCC5	W END OF FIR ROAD	PERIMETER	ER	23-Jun-00	TLD	0.248	mR/d	0.008		
SESPMNT	B10874	W END OF FIR ROAD	PERIMETER	ER	29-Sep-00	TLD	0.267	mR/d	0.008		
SESPMNT	B112L3	W END OF FIR ROAD	PERIMETER	ER	19-Dec-00	TLD	0.24	mR/d	0.008		
SESPMNT	B0XRH7	WAHLUKE SLOPE	PERIMETER	ER	29-Mar-00	TLD	0.239	mR/d	0.007		
SESPMNT	B0YCC3	WAHLUKE SLOPE	PERIMETER	ER	22-Jun-00	TLD	0.239	mR/d	0		
SESPMNT	B10872	WAHLUKE SLOPE	PERIMETER	ER	28-Sep-00	TLD	0.255	mR/d	0.006		
SESPMNT	B112L1	WAHLUKE SLOPE	PERIMETER	ER	18-Dec-00	TLD	0.249	mR/d	0.002		
SESPMNT	B0XPN3	WPPSS 4; WPS WAREHSE	PERIMETER	ER	20-Mar-00	TLD	0.201	mR/d	0.002		
SESPMNT	B0YHH7	WPPSS 4; WPS WAREHSE	PERIMETER	ER	26-Jun-00	TLD	0.206	mR/d	0.005		
SESPMNT	B10708	WPPSS 4; WPS WAREHSE	PERIMETER	ER	22-Sep-00	TLD	0.215	mR/d	0.01		
SESPMNT	B112R3	WPPSS 4; WPS WAREHSE	PERIMETER	ER	20-Dec-00	TLD	0.224	mR/d	0.003		
SESPMNT	B0XPJ0	YAKIMA BARRICADE	PERIMETER	ER	23-Mar-00	TLD	0.25	mR/d	0.002		
SESPMNT	B0YHC4	YAKIMA BARRICADE	PERIMETER	ER	13-Jul-00	TLD	0.274	mR/d	0		
SESPMNT	B106R3	YAKIMA BARRICADE	PERIMETER	ER	20-Sep-00	TLD	0.266	mR/d	0		
SESPMNT	B113M9	YAKIMA BARRICADE	PERIMETER	ER	28-Dec-00	TLD	0.257	mR/d	0.003		
SESPMNT	B0XPL7	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	20-Mar-00	TLD	0.223	mR/d	0.009		
SESPMNT	B0YHF1	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	26-Jun-00	TLD	0.207	mR/d	0		
SESPMNT	B10701	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	22-Sep-00	TLD	0.229	mR/d	0.004		
SESPMNT	B112N7	100 F FLOOD PLAIN	RIVER_SHORELINE	ER	20-Dec-00	TLD	0.24	mR/d	0.004		
SESPMNT	B0XPR5	100 H AREA	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.2	mR/d	0.008		
SESPMNT	B0YHK7	100 H AREA	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.215	mR/d	0.01		
SESPMNT	B108D2	100 H AREA	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.234	mR/d	0.009		
SESPMNT	B112V0	100 H AREA	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.243	mR/d	0		
SESPMNT	B0XPJ6	100 N TRENCH SPRING	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.359	mR/d	0.002		
SESPMNT	B0YHC8	100 N TRENCH SPRING	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.349	mR/d	0.005		
SESPMNT	B10875	100 N TRENCH SPRING	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.372	mR/d	0.005		
SESPMNT	B112L4	100 N TRENCH SPRING	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.354	mR/d	0.008		
SESPMNT	B0XPM3	100-D ISLAND	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.216	mR/d	0.002		
SESPMNT	B0YHF7	100-D ISLAND	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.201	mR/d	0		
SESPMNT	B108B1	100-D ISLAND	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.209	mR/d	0.002		
SESPMNT	B112P3	100-D ISLAND	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.223	mR/d	0.001		
SESPMNT	B0XPM0	ABOVE 100 B AREA	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.208	mR/d	0		
SESPMNT	B0YHF4	ABOVE 100 B AREA	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.198	mR/d	0.004		
SESPMNT	B10898	ABOVE 100 B AREA	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.216	mR/d	0.005		
SESPMNT	B112P0	ABOVE 100 B AREA	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.254	mR/d	0.001		
SESPMNT	B0XPL9	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.223	mR/d	0.001		
SESPMNT	B0YHF3	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.221	mR/d	0.011		
SESPMNT	B10897	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.224	mR/d	0.008		
SESPMNT	B112N9	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.245	mR/d	0.005		
SESPMNT	B0XPJ8	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.256	mR/d	0.001		
SESPMNT	B0YHD0	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.25	mR/d	0.003		
SESPMNT	B10878	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.256	mR/d	0.015		
SESPMNT	B112L7	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.254	mR/d	0.001		
SESPMNT	B0XPM2	BELOW 100 D AREA	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.163	mR/d	0		
SESPMNT	B0YHF6	BELOW 100 D AREA	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.144	mR/d	0		
SESPMNT	B108B0	BELOW 100 D AREA	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.171	mR/d	0		
SESPMNT	B112P2	BELOW 100 D AREA	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.199	mR/d	0.008		
SESPMNT	B0XPM7	BELOW 100 F	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.211	mR/d	0		
SESPMNT	B0YHH1	BELOW 100 F	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.19	mR/d	0.009		
SESPMNT	B108B5	BELOW 100 F	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.206	mR/d	0.001		
SESPMNT	B112P7	BELOW 100 F	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.224	mR/d	0.002		
SESPMNT	B0XPM1	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.257	mR/d	0.007		
SESPMNT	B0YHF5	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.24	mR/d	0.001		
SESPMNT	B10899	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.267	mR/d	0.004		

ENVIRONMENTAL SURVEILLANCE DATA CY00

THERMOLUMINESCENT DOSIMETERS (TLDs)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	SAMP COMMENT	RESULT COMMENT
SESPMNT	B112P1	BELOW 100B RET BASIN	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.29	mR/d	0.001		
SESPMNT	B0XPJ7	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.31	mR/d	0.009		
SESPMNT	B0YHC9	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.288	mR/d	0.001		
SESPMNT	B10877	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.301	mR/d	0.018		
SESPMNT	B112L6	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.317	mR/d	0.001		
SESPMNT	B0XPK7	HANF POWERLINE XING	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.24	mR/d	0.004		
SESPMNT	B0YHD1	HANF POWERLINE XING	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.262	mR/d	0.002		
SESPMNT	B10888	HANF POWERLINE XING	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.255	mR/d	0.005		
SESPMNT	B112M7	HANF POWERLINE XING	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.262	mR/d	0.002		
SESPMNT	B0XPK8	HANFORD RR TRACK	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.236	mR/d	0.011		
SESPMNT	B0YHD2	HANFORD RR TRACK	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.226	mR/d	0.002		
SESPMNT	B10889	HANFORD RR TRACK	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.249	mR/d	0		
SESPMNT	B112M8	HANFORD RR TRACK	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.265	mR/d	0.002		
SESPMNT	B0XPL8	HANFORD SLOUGH	RIVER_SHORELINE	ER	20-Mar-00	TLD	0.247	mR/d	0.008		
SESPMNT	B0YHF2	HANFORD SLOUGH	RIVER_SHORELINE	ER	26-Jun-00	TLD	0.229	mR/d	0.003		
SESPMNT	B10702	HANFORD SLOUGH	RIVER_SHORELINE	ER	22-Sep-00	TLD	0.264	mR/d	0		
SESPMNT	B112N8	HANFORD SLOUGH	RIVER_SHORELINE	ER	20-Dec-00	TLD	0.271	mR/d	0.001		
SESPMNT	B0XPL6	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.248	mR/d	0.007		
SESPMNT	B0YHF0	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	27-Jun-00	TLD				NO SAMPLE. TLD MISSING.	
SESPMNT	B10896	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	25-Sep-00	TLD				NO SAMPLE. TLD MISSING.	
SESPMNT	B112N6	ISL DS BATEMAN ISL	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.255	mR/d	0		
SESPMNT	B0XPL4	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.257	mR/d	0.005		
SESPMNT	B0YHD8	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.218	mR/d	0.001		
SESPMNT	B10895	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.235	mR/d	0.007		
SESPMNT	B112N4	ISLAND NEAR 300 AREA	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.252	mR/d	0.008		
SESPMNT	B0XPL3	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.256	mR/d	0.013		
SESPMNT	B0YHD7	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.245	mR/d	0.007		
SESPMNT	B10894	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.255	mR/d	0.007		
SESPMNT	B112N3	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.264	mR/d	0.001		
SESPMNT	B0XPM4	LO END LOCKE ISL	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.238	mR/d	0.006		
SESPMNT	B0YHF8	LO END LOCKE ISL	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.254	mR/d	0.001		
SESPMNT	B108B2	LO END LOCKE ISL	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.229	mR/d	0.003		
SESPMNT	B112P4	LO END LOCKE ISL	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.25	mR/d	0.008		
SESPMNT	B0XPL5	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	20-Mar-00	TLD	0.23	mR/d	0.01		
SESPMNT	B0YHD9	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	26-Jun-00	TLD	0.213	mR/d	0.007		
SESPMNT	B10700	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	22-Sep-00	TLD	0.218	mR/d	0.007		
SESPMNT	B112N5	PORT OF BENTON-RIVER	RIVER_SHORELINE	ER	20-Dec-00	TLD	0.231	mR/d	0.01		
SESPMNT	B0XPL1	POWERLINE CROSSING	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.221	mR/d	0.009		
SESPMNT	B0YHD5	POWERLINE CROSSING	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.224	mR/d	0.003		
SESPMNT	B10892	POWERLINE CROSSING	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.238	mR/d	0.007		
SESPMNT	B112N1	POWERLINE CROSSING	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.249	mR/d	0.011		
SESPMNT	B0XPL0	RINGOLD ISLAND	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.219	mR/d	0		
SESPMNT	B0YHD4	RINGOLD ISLAND	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.246	mR/d	0.008		
SESPMNT	B10891	RINGOLD ISLAND	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.259	mR/d	0.004		
SESPMNT	B112N0	RINGOLD ISLAND	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.247	mR/d	0.011		
SESPMNT	B112T9	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.245	mR/d	0.004		
SESPMNT	B0XPL2	S END WOODED ISLAND	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.242	mR/d	0.016		
SESPMNT	B0YHD6	S END WOODED ISLAND	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.241	mR/d	0.006		
SESPMNT	B10893	S END WOODED ISLAND	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.263	mR/d	0.001		
SESPMNT	B112N2	S END WOODED ISLAND	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.255	mR/d	0.007		
SESPMNT	B0XPK9	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.219	mR/d	0.004		
SESPMNT	B0YHD3	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.204	mR/d	0		
SESPMNT	B10890	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.207	mR/d	0.008		
SESPMNT	B112M9	SAVAGE ISL SLOUGH	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.21	mR/d	0.004		
SESPMNT	B0XPM6	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	22-Mar-00	TLD	0.215	mR/d	0.003		
SESPMNT	B0YHH0	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.209	mR/d	0.006		
SESPMNT	B108B4	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.229	mR/d	0.011		
SESPMNT	B112P6	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	21-Dec-00	TLD	0.243	mR/d	0.015		
SESPMNT	B0XPM5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	30-Mar-00	TLD	0.221	mR/d	0.003		
SESPMNT	B0YHF9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	27-Jun-00	TLD	0.229	mR/d	0		

ENVIRONMENTAL SURVEILLANCE DATA CY00

THERMOLUMINESCENT DOSIMETERS (TLDs)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RETD	FINAL UNITS RETD	COUNTING ERROR	SAMP COMMENT	ALIQUOT COMMENT
SESPMNT	B108B3	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	25-Sep-00	TLD	0.258	mR/d	0.004		
SESPMNT	B112P5	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	ER	21-Dec-00	TLD				NO SAMPLE. UNABLE TO COLLECT ON 12/21/00 DUE TO EAGLE NESTING AREA. TLD WILL REMAIN IN FIELD.	
SESPMNT	B0XPJ6	100 N TRENCH SPRING	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHC8	100 N TRENCH SPRING	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	80	cpm			
SESPMNT	B10875	100 N TRENCH SPRING	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	60	cpm			
SESPMNT	B112L4	100 N TRENCH SPRING	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPM3	100-D ISLAND	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHF7	100-D ISLAND	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	40	cpm			
SESPMNT	B108B1	100-D ISLAND	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	60	cpm			
SESPMNT	B112P3	100-D ISLAND	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPL9	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHF3	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	60	cpm			
SESPMNT	B10897	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	60	cpm			
SESPMNT	B112N9	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPJ8	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHD0	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	60	cpm			
SESPMNT	B10878	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	50	cpm			
SESPMNT	B112L7	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPM7	BELOW 100 F	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHH1	BELOW 100 F	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	50	cpm			
SESPMNT	B108B5	BELOW 100 F	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	50	cpm			
SESPMNT	B112P7	BELOW 100 F	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPJ7	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHC9	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	60	cpm			
SESPMNT	B10877	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	100	cpm			
SESPMNT	B112L6	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPK7	HANF POWERLINE XING	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHD1	HANF POWERLINE XING	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	40	cpm			
SESPMNT	B10888	HANF POWERLINE XING	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	50	cpm			
SESPMNT	B112M7	HANF POWERLINE XING	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPK8	HANFORD RR TRACK	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHD2	HANFORD RR TRACK	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	50	cpm			
SESPMNT	B10889	HANFORD RR TRACK	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	50	cpm			
SESPMNT	B112M8	HANFORD RR TRACK	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPL3	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHD7	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	50	cpm			
SESPMNT	B10894	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	50	cpm			
SESPMNT	B112N3	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPM4	LO END LOCKE ISL	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHF8	LO END LOCKE ISL	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	50	cpm			
SESPMNT	B108B2	LO END LOCKE ISL	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	50	cpm			
SESPMNT	B112P4	LO END LOCKE ISL	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPL1	POWERLINE CROSSING	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHD5	POWERLINE CROSSING	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	50	cpm			
SESPMNT	B10892	POWERLINE CROSSING	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	50	cpm			
SESPMNT	B112N1	POWERLINE CROSSING	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPL0	RINGOLD ISLAND	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHD4	RINGOLD ISLAND	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	50	cpm			
SESPMNT	B10891	RINGOLD ISLAND	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	50	cpm			
SESPMNT	B112N0	RINGOLD ISLAND	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B112T9	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPM6	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	22-Mar-00	GM_READING	50	cpm			
SESPMNT	B0YHH0	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	27-Jun-00	GM_READING	50	cpm			
SESPMNT	B108B4	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	25-Sep-00	GM_READING	60	cpm			
SESPMNT	B112P6	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	21-Dec-00	GM_READING	50	cpm			
SESPMNT	B0XPJ6	100 N TRENCH SPRING	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	12	uRem/hr			
SESPMNT	B0YHC8	100 N TRENCH SPRING	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	15	uRem/hr			
SESPMNT	B10875	100 N TRENCH SPRING	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112L4	100 N TRENCH SPRING	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	9	uRem/hr			
SESPMNT	B0XPM3	100-D ISLAND	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	3	uRem/hr			

ENVIRONMENTAL SURVEILLANCE DATA CY00

THERMOLUMINESCENT DOSIMETERS (TLDs)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	SAMP COMMENT	RESULT COMMENT
SESPMNT	B0YHF7	100-D ISLAND	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	6	uRem/hr			
SESPMNT	B108B1	100-D ISLAND	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112P3	100-D ISLAND	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0XPL9	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0YHF3	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	8	uRem/hr			
SESPMNT	B10897	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112N9	ABOVE 1K BOAT RAMP	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0XPJ8	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	7	uRem/hr			
SESPMNT	B0YHD0	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	10	uRem/hr			
SESPMNT	B10878	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112L7	ABOVE TIP 100N BERM	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	8	uRem/hr			
SESPMNT	B0XPM7	BELOW 100 F	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0YHH1	BELOW 100 F	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	10	uRem/hr			
SESPMNT	B108B5	BELOW 100 F	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112P7	BELOW 100 F	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	4	uRem/hr			
SESPMNT	B0XPJ7	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	8	uRem/hr			
SESPMNT	B0YHC9	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	10	uRem/hr			
SESPMNT	B10877	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	12	uRem/hr			
SESPMNT	B112L6	BELOW 100N OUTFALL	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	8	uRem/hr			
SESPMNT	B0XPK7	HANF POWERLINE XING	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0YHD1	HANF POWERLINE XING	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	8	uRem/hr			
SESPMNT	B10888	HANF POWERLINE XING	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112M7	HANF POWERLINE XING	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0XPK6	HANFORD RR TRACK	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	6	uRem/hr			
SESPMNT	B0YHD2	HANFORD RR TRACK	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	10	uRem/hr			
SESPMNT	B10889	HANFORD RR TRACK	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112M8	HANFORD RR TRACK	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	7	uRem/hr			
SESPMNT	B0XPL3	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	7	uRem/hr			
SESPMNT	B0YHD7	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	10	uRem/hr			
SESPMNT	B10894	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112N3	ISLND ABOVE 300 AREA	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	6	uRem/hr			
SESPMNT	B0XPM4	LO END LOCKE ISL	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	6	uRem/hr			
SESPMNT	B0YHF8	LO END LOCKE ISL	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	6	uRem/hr			
SESPMNT	B108B2	LO END LOCKE ISL	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	8	uRem/hr			
SESPMNT	B112P4	LO END LOCKE ISL	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0XPL1	POWERLINE CROSSING	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0YHD5	POWERLINE CROSSING	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	10	uRem/hr			
SESPMNT	B10892	POWERLINE CROSSING	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112N1	POWERLINE CROSSING	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	7	uRem/hr			
SESPMNT	B0XPL0	RINGOLD ISLAND	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0YHD4	RINGOLD ISLAND	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	10	uRem/hr			
SESPMNT	B10891	RINGOLD ISLAND	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112N0	RINGOLD ISLAND	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	5	uRem/hr			
SESPMNT	B112T9	S END VERNITA BRIDGE	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	5	uRem/hr			
SESPMNT	B0XPM6	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	22-Mar-00	BICRON_READING	6	uRem/hr			
SESPMNT	B0YHH0	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	27-Jun-00	BICRON_READING	10	uRem/hr			
SESPMNT	B108B4	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	25-Sep-00	BICRON_READING	10	uRem/hr			
SESPMNT	B112P6	WHITE BLUFFS FY LND.	RIVER_SHORELINE	ER	21-Dec-00	BICRON_READING	5	uRem/hr			

Dose Calculation Information

Table D-1. Distribution of Population in 80-km Radius of the 100 Areas by Grid Sector[a)]

	Number of People						
Direction	0-8 km	8-16 km	16-32 km	32-48 km	48-64 km	64-80 km	Totals
N	0	92	548	559	1497	8376	11072
NNE	0	35	563	691	20440	1784	23513
NE	0	7	829	1761	2111	451	5159
ENE	0	0	799	6161	1292	306	8558
E	0	0	573	1099	1409	677	3758
ESE	0	0	477	1596	892	571	3536
SE	0	0	47	2485	37108	10229	49869
SSE	0	0	0	22090	50126	5662	77878
S	0	0	269	4419	1613	166	6467
SSW	0	0	177	1602	14573	525	16877
SW	0	0	582	5382	18241	780	24985
WSW	0	0	672	1885	7608	18468	28633
W	0	76	622	1257	4249	91485	97689
WNW	0	123	536	637	876	4928	7100
NW	0	135	548	802	600	681	2766
NNW	0	130	548	683	979	5049	7389
Totals	0	598	7790	53109	163614	150138	375249

(a) Based on 1990 census data (Beck, et al. 1991, Hanford Area 1990 Population and 50-Year Projections (PNL-7803, Pacific Northwest Laboratory, Richland, Washington).

Table D-2. Distribution of Population in 80-km Radius of the 200 Areas by Grid Sector[a]

	Number of People						
Direction	0-8 km	8-16 km	16-32 km	32-48 km	48-64 km	64-80 km	Totals
N	0	0	434	822	969	2418	4643
NNE	0	0	268	1030	5220	17567	24085
NE	0	0	393	6176	2658	1145	10372
ENE	0	0	423	1217	1652	664	3956
E	0	0	452	1373	1416	751	3992
ESE	0	0	289	1674	270	767	3000
SE	0	0	1141	35519	73156	4918	114734
SSE	0	0	2796	8309	2394	5891	19390
S	0	0	2842	1622	237	1144	5845
SSW	0	0	713	11983	503	738	13937
SW	0	0	1308	19589	1132	637	22666
WSW	0	0	1956	5406	16336	7525	31223
W	0	0	771	1295	6269	94203	102538
WNW	0	0	641	1087	1189	2375	5292
NW	0	0	548	738	784	809	2879
NNW	0	0	544	909	876	4979	7308
Totals	0	0	15519	98749	115061	146531	375860

(a) Based on 1990 census data (Beck, et al. 1991, Hanford Area 1990 Population and 50-Year Projections (PNL-7803, Pacific Northwest Laboratory, Richland, Washington).

Table D-3. Distribution of Population in 80-km Radius of the 300 Area by Grid Sector[a]

	Number of People										
Direction	0-1.6 km	1.6-3.2 km	3.2-4.8 km	4.8-6.4 km	6.4-8 km	8-16 km	16-32 km	32-48 km	48-64 km	64-80 km	Totals
N	0	0	0	2	6	85	602	4203	2894	9998	17790
NNE	0	3	16	25	33	277	678	2242	2411	1218	6903
NE	1	11	18	25	33	277	827	1094	590	306	3182
ENE	2	11	18	25	33	277	754	741	480	535	2876
E	3	11	18	25	33	276	170	255	761	1001	2553
ESE	2	11	18	25	33	264	117	454	878	10548	12350
SE	2	11	18	25	33	277	15318	3337	1322	3257	23600
SSE	0	7	18	25	121	616	57047	4098	3779	4785	70496
S	0	0	3	198	2231	17726	12449	123	13473	10913	57116
SSW	0	0	0	0	297	3518	3788	288	651	1859	10401
SW	0	0	0	0	59	2364	2916	1619	311	763	8032
WSW	0	0	0	0	0	967	3238	5812	13516	713	24246
W	0	0	0	0	0	0	730	1669	16968	12843	32210
WNW	0	0	0	0	0	0	0	417	1703	2120	4240
NW	0	0	0	0	0	0	0	181	1279	1428	2888
NNW	0	0	0	0	0	0	0	273	1277	1153	2703
Totals	10	65	127	375	2912	26924	98634	26806	62293	63440	281586

(a) Based on 1990 census data (Beck, et al. 1991, Hanford Area 1990 Population and 50-Year Projections (PNL-7803, Pacific Northwest Laboratory, Richland, Washington).

Table D-4. Distribution of Population in 80-km Radius of the 400 Area by Grid Sector[a]

	Number of People						
Direction	0-8 km	8-16 km	16-32 km	32-48 km	48-64 km	64-80 km	Totals
N	0	0	189	1234	1413	15906	18742
NNE	0	56	655	6078	2503	1803	11095
NE	0	177	680	1192	1083	321	3453
ENE	0	266	995	1148	841	399	3649
E	3	277	727	227	560	1006	2797
ESE	0	268	511	260	789	1210	3038
SE	0	1082	27517	18278	1627	2690	51194
SSE	0	6360	48564	11354	3280	9199	78757
S	0	2350	5382	1037	6254	11030	26053
SSW	0	1836	2822	504	263	1557	6982
SW	0	118	2632	6356	427	830	10363
WSW	0	0	1659	8677	17820	723	28879
W	0	0	175	3473	6265	16502	26415
WNW	0	0	0	930	1732	3125	5787
NW	0	0	0	636	1205	1235	3076
NNW	0	0	0	562	1214	1169	2945
	3	12790	92508	61946	47276	68705	283225

(a) Based on 1990 census data (Beck, et al. 1991, Hanford Area 1990 Population and 50-Year Projections (PNL-7803, Pacific Northwest Laboratory, Richland, Washington).

Table D-5. Annual Average Dispersion Factor Around the 100-K Area During 2000 for a 10-Meter Release Height

	$\overline{X}/Q'$									
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	2.43E-06	4.74E-07	2.23E-07	1.37E-07	9.58E-08	4.68E-08	1.81E-08	9.14E-09	5.86E-09	4.21E-09
NNE	2.03E-06	4.02E-07	1.89E-07	1.16E-07	8.13E-08	3.98E-08	1.54E-08	7.77E-09	4.98E-09	3.58E-09
NE	3.41E-06	7.04E-07	3.35E-07	2.08E-07	1.46E-07	7.18E-08	2.81E-08	1.42E-08	9.16E-09	6.60E-09
ENE	6.54E-06	1.36E-06	6.48E-07	4.01E-07	2.82E-07	1.39E-07	5.42E-08	2.74E-08	1.76E-08	1.27E-08
E	8.88E-06	1.79E-06	8.49E-07	5.24E-07	3.67E-07	1.80E-07	7.00E-08	3.53E-08	2.27E-08	1.63E-08
ESE	5.51E-06	1.06E-06	4.99E-07	3.06E-07	2.13E-07	1.04E-07	4.00E-08	2.01E-08	1.28E-08	9.22E-09
SE	3.65E-06	7.14E-07	3.36E-07	2.07E-07	1.45E-07	7.10E-08	2.77E-08	1.40E-08	8.99E-09	6.48E-09
SSE	2.59E-06	4.97E-07	2.33E-07	1.43E-07	1.00E-07	4.89E-08	1.90E-08	9.62E-09	6.19E-09	4.46E-09
S	2.43E-06	4.61E-07	2.16E-07	1.33E-07	9.27E-08	4.55E-08	1.77E-08	8.97E-09	5.77E-09	4.16E-09
SSW	1.99E-06	3.97E-07	1.88E-07	1.16E-07	8.16E-08	4.02E-08	1.58E-08	8.02E-09	5.17E-09	3.73E-09
SW	1.85E-06	3.57E-07	1.67E-07	1.03E-07	7.18E-08	3.51E-08	1.36E-08	6.90E-09	4.43E-09	3.19E-09
WSW	2.38E-06	4.44E-07	2.07E-07	1.26E-07	8.80E-08	4.29E-08	1.65E-08	8.32E-09	5.33E-09	3.83E-09
W	3.23E-06	6.34E-07	2.98E-07	1.83E-07	1.28E-07	6.26E-08	2.43E-08	1.22E-08	7.84E-09	5.64E-09
WNW	3.10E-06	6.17E-07	2.92E-07	1.79E-07	1.26E-07	6.15E-08	2.39E-08	1.20E-08	7.73E-09	5.56E-09
NW	2.71E-06	5.28E-07	2.48E-07	1.53E-07	1.07E-07	5.22E-08	2.03E-08	1.02E-08	6.56E-09	4.72E-09
NNW	2.45E-06	4.72E-07	2.22E-07	1.36E-07	9.50E-08	4.64E-08	1.80E-08	9.09E-09	5.83E-09	4.20E-09

Table D-6. Annual Average Dispersion Factor Around the 200 Areas During 2000 for an 89-Meter Release Height

	$\overline{X}/Q'$									
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	4.97E-08	3.04E-08	2.39E-08	1.86E-08	1.50E-08	9.22E-09	4.42E-09	2.51E-09	1.71E-09	1.29E-09
NNE	5.65E-08	2.98E-08	2.24E-08	1.72E-08	1.39E-08	8.56E-09	4.15E-09	2.36E-09	1.62E-09	1.21E-09
NE	6.76E-08	3.11E-08	2.38E-08	1.85E-08	1.49E-08	9.05E-09	4.31E-09	2.44E-09	1.67E-09	1.25E-09
ENE	6.24E-08	3.43E-08	2.77E-08	2.22E-08	1.82E-08	1.15E-08	5.69E-09	3.28E-09	2.26E-09	1.71E-09
E	7.13E-08	4.65E-08	3.84E-08	3.12E-08	2.60E-08	1.69E-08	8.64E-09	5.08E-09	3.54E-09	2.69E-09
ESE	6.39E-08	5.62E-08	5.15E-08	4.35E-08	3.68E-08	2.44E-08	1.26E-08	7.45E-09	5.21E-09	3.97E-09
SE	1.65E-07	1.29E-07	1.04E-07	8.26E-08	6.72E-08	4.17E-08	2.03E-08	1.16E-08	7.92E-09	5.95E-09
SSE	1.48E-07	8.37E-08	6.30E-08	4.88E-08	3.95E-08	2.45E-08	1.21E-08	7.03E-09	4.87E-09	3.69E-09
S	1.23E-07	6.37E-08	4.73E-08	3.60E-08	2.87E-08	1.73E-08	8.17E-09	4.61E-09	3.14E-09	2.35E-09
SSW	1.00E-07	4.60E-08	3.42E-08	2.62E-08	2.09E-08	1.27E-08	5.99E-09	3.35E-09	2.26E-09	1.69E-09
SW	7.90E-08	3.77E-08	2.76E-08	2.08E-08	1.64E-08	9.65E-09	4.41E-09	2.41E-09	1.61E-09	1.19E-09
WSW	7.25E-08	3.05E-08	2.21E-08	1.67E-08	1.32E-08	7.82E-09	3.63E-09	2.02E-09	1.37E-09	1.02E-09
W	8.13E-08	3.36E-08	2.43E-08	1.85E-08	1.47E-08	8.91E-09	4.23E-09	2.38E-09	1.62E-09	1.21E-09
WNW	9.78E-08	4.32E-08	3.21E-08	2.46E-08	1.97E-08	1.20E-08	5.71E-09	3.24E-09	2.22E-09	1.67E-09
NW	1.01E-07	4.58E-08	3.37E-08	2.57E-08	2.05E-08	1.24E-08	5.87E-09	3.30E-09	2.25E-09	1.68E-09
NNW	5.10E-08	3.29E-08	2.62E-08	2.07E-08	1.68E-08	1.05E-08	5.10E-09	2.90E-09	1.98E-09	1.49E-09

Table D-7. Annual Average Dispersion Factor Around the 300 Area During 2000 for a 10-Meter Release Height

	$\bar{X}/Q'$									
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	3.53E-06	7.06E-07	3.34E-07	2.06E-07	1.44E-07	7.09E-08	2.76E-08	1.39E-08	8.95E-09	6.44E-09
NNE	2.88E-06	5.44E-07	2.54E-07	1.56E-07	1.09E-07	5.31E-08	2.05E-08	1.03E-08	6.61E-09	4.75E-09
NE	2.56E-06	4.85E-07	2.27E-07	1.39E-07	9.69E-08	4.72E-08	1.82E-08	9.15E-09	5.86E-09	4.21E-09
ENE	1.96E-06	3.68E-07	1.71E-07	1.05E-07	7.29E-08	3.53E-08	1.35E-08	6.77E-09	4.32E-09	3.09E-09
E	1.81E-06	3.40E-07	1.58E-07	9.64E-08	6.70E-08	3.24E-08	1.24E-08	6.17E-09	3.93E-09	2.81E-09
ESE	2.23E-06	4.36E-07	2.05E-07	1.26E-07	8.75E-08	4.25E-08	1.63E-08	8.14E-09	5.19E-09	3.71E-09
SE	3.40E-06	6.60E-07	3.09E-07	1.89E-07	1.32E-07	6.41E-08	2.45E-08	1.22E-08	7.80E-09	5.58E-09
SSE	4.34E-06	8.26E-07	3.86E-07	2.36E-07	1.64E-07	7.95E-08	3.04E-08	1.52E-08	9.67E-09	6.91E-09
S	3.82E-06	7.63E-07	3.60E-07	2.21E-07	1.55E-07	7.56E-08	2.92E-08	1.47E-08	9.42E-09	6.77E-09
SSW	1.52E-06	2.88E-07	1.35E-07	8.24E-08	5.75E-08	2.80E-08	1.08E-08	5.47E-09	3.51E-09	2.52E-09
SW	8.02E-07	1.56E-07	7.38E-08	4.55E-08	3.20E-08	1.58E-08	6.23E-09	3.19E-09	2.06E-09	1.50E-09
WSW	7.61E-07	1.45E-07	6.86E-08	4.23E-08	2.97E-08	1.47E-08	5.79E-09	2.97E-09	1.92E-09	1.40E-09
W	1.21E-06	2.32E-07	1.09E-07	6.70E-08	4.68E-08	2.29E-08	8.88E-09	4.48E-09	2.88E-09	2.07E-09
WNW	3.52E-06	6.98E-07	3.29E-07	2.03E-07	1.42E-07	6.97E-08	2.71E-08	1.37E-08	8.79E-09	6.32E-09
NW	4.83E-06	9.68E-07	4.59E-07	2.83E-07	1.99E-07	9.76E-08	3.80E-08	1.92E-08	1.24E-08	8.90E-09
NNW	3.73E-06	7.81E-07	3.73E-07	2.31E-07	1.62E-07	8.01E-08	3.13E-08	1.59E-08	1.02E-08	7.35E-09

Table D-8. Annual Average Dispersion Factor Around the 400 Area During 2000 for a 10-Meter Release Height

	$\bar{X}/Q'$									
Direction	0.8 km	2.4 km	4.0 km	5.6 km	7.2 km	12 km	24 km	40 km	56 km	72 km
N	3.62E-06	7.07E-07	3.33E-07	2.05E-07	1.43E-07	7.02E-08	2.73E-08	1.38E-08	8.85E-09	6.37E-09
NNE	3.36E-06	6.59E-07	3.11E-07	1.91E-07	1.34E-07	6.54E-08	2.54E-08	1.28E-08	8.21E-09	5.90E-09
NE	2.37E-06	4.64E-07	2.18E-07	1.34E-07	9.38E-08	4.58E-08	1.77E-08	8.92E-09	5.72E-09	4.11E-09
ENE	1.98E-06	3.74E-07	1.75E-07	1.07E-07	7.44E-08	3.60E-08	1.38E-08	6.89E-09	4.39E-09	3.14E-09
E	1.96E-06	3.87E-07	1.82E-07	1.12E-07	7.84E-08	3.83E-08	1.48E-08	7.46E-09	4.78E-09	3.43E-09
ESE	2.39E-06	4.43E-07	2.05E-07	1.25E-07	8.67E-08	4.17E-08	1.58E-08	7.83E-09	4.96E-09	3.54E-09
SE	4.15E-06	7.88E-07	3.68E-07	2.24E-07	1.56E-07	7.54E-08	2.87E-08	1.43E-08	9.09E-09	6.49E-09
SSE	3.28E-06	6.45E-07	3.03E-07	1.87E-07	1.30E-07	6.37E-08	2.47E-08	1.24E-08	7.96E-09	5.72E-09
S	2.22E-06	4.38E-07	2.07E-07	1.27E-07	8.90E-08	4.37E-08	1.70E-08	8.61E-09	5.54E-09	3.99E-09
SSW	2.15E-06	4.26E-07	2.01E-07	1.24E-07	8.67E-08	4.26E-08	1.66E-08	8.42E-09	5.42E-09	3.90E-09
SW	1.68E-06	3.25E-07	1.53E-07	9.39E-08	6.57E-08	3.23E-08	1.26E-08	6.37E-09	4.10E-09	2.96E-09
WSW	9.30E-07	1.74E-07	8.10E-08	4.95E-08	3.45E-08	1.68E-08	6.46E-09	3.25E-09	2.08E-09	1.49E-09
W	1.12E-06	2.07E-07	9.67E-08	5.92E-08	4.13E-08	2.02E-08	7.84E-09	3.96E-09	2.55E-09	1.84E-09
WNW	1.00E-06	1.87E-07	8.78E-08	5.38E-08	3.76E-08	1.84E-08	7.15E-09	3.63E-09	2.34E-09	1.69E-09
NW	2.27E-06	4.49E-07	2.12E-07	1.31E-07	9.14E-08	4.49E-08	1.75E-08	8.87E-09	5.70E-09	4.11E-09
NNW	3.33E-06	6.71E-07	3.18E-07	1.96E-07	1.37E-07	6.75E-08	2.63E-08	1.33E-08	8.55E-09	6.15E-09

Quality Assurance

Table Q-1. Severn Trent Laboratories, Inc., Richland, WA, Performance Data on Surface Environmental Surveillance Project Blind Samples, 2000

Media	Con Short Name	True Value	Units	Reported Value	Units	Reported/True	% Bias
Water	CO-60	2.90E+03	pCi/L	3.09E+03	pCi/L	1.07	6.53
Water	CS-137	1.83E+03	pCi/L	2.09E+03	pCi/L	1.14	14.24
Water	H-3	3.51E+03	pCi/L	2.94E+03	pCi/L	0.84	-16.19
Water	PU-238	3.68E+01	pCi/L	3.55E+01	pCi/L	0.97	-3.41
Water	PU-239	7.35E+00	pCi/L	6.68E+00	pCi/L	0.91	-9.12
Water	SR-90	4.84E+01	pCi/L	5.39E+01	pCi/L	1.11	11.42
Vegetation	CO-60	1.36E-01	pCi/g	1.31E-01	pCi/g	0.97	-3.47
Vegetation	CS-137	2.36E+00	pCi/g	3.08E+00	pCi/g	1.30	30.25
Vegetation	K-40	9.51E+00	pCi/g	1.24E+01	pCi/g	1.30	30.34
Vegetation	PU-239	2.65E-02	pCi/g	2.25E-02	pCi/g	0.85	-15.04
Soil	CS-137	5.04E+00	pCi/g	6.13E+00	pCi/g	1.22	21.72
Soil	K-40	1.02E+01	pCi/g	1.25E+01	pCi/g	1.23	22.68
Soil	PU-238	4.56E-01	pCi/g	4.56E-01	pCi/g	1.00	-0.04
Soil	PU-239	1.40E-01	pCi/g	1.45E-01	pCi/g	1.04	3.79
Soil	SR-90	1.89E-01	pCi/g	1.83E-01	pCi/g	0.97	-3.13
Air Filter	CO-60	4.82E+02	pCi/filter	4.87E+02	pCi/filter	1.01	0.94
Air Filter	CS-134	1.04E+02	pCi/filter	1.07E+02	pCi/filter	1.03	3.09
Air Filter	CS-137	1.76E+02	pCi/filter	1.81E+02	pCi/filter	1.03	2.62
Air Filter	PU-238	2.50E+00	pCi/filter	2.86E+00	pCi/filter	1.14	14.29
Air Filter	PU-239	2.51E+00	pCi/filter	2.76E+00	pCi/filter	1.10	9.82
Air Filter	SR-90	2.56E+01	pCi/filter	2.94E+01	pCi/filter	1.15	14.51
Water	CO-60	4.96E+02	pCi/L	4.86E+02	pCi/L	0.98	-1.96
Water	CS-137	9.35E+02	pCi/L	9.90E+02	pCi/L	1.06	5.86
Water	H-3	5.29E+03	pCi/L	4.32E+03	pCi/L	0.82	-18.31
Water	PU-238	2.56E+01	pCi/L	2.43E+01	pCi/L	0.95	-5.19
Water	PU-239	2.09E+01	pCi/L	2.08E+01	pCi/L	1.00	-0.30
Water	SR-90	3.52E+01	pCi/L	4.00E+01	pCi/L	1.14	13.61
Vegetation	CO-60	9.02E-01	pCi/g	8.28E-01	pCi/g	0.92	-8.23
Vegetation	CS-137	2.31E+01	pCi/g	2.27E+01	pCi/g	0.98	-1.52
Vegetation	K-40	2.78E+01	pCi/g	2.67E+01	pCi/g	0.96	-4.09
Vegetation	PU-239	2.65E-01	pCi/g	2.84E-01	pCi/g	1.07	7.02
Vegetation	SR-90	3.16E+01	pCi/g	3.45E+01	pCi/g	1.09	9.29
Soil	CS-137	8.77E+00	pCi/g	1.08E+01	pCi/g	1.23	23.20
Soil	K-40	1.26E+01	pCi/g	1.49E+01	pCi/g	1.19	18.56
Soil	PU-238	1.12E+00	pCi/g	1.04E+00	pCi/g	0.93	-7.33
Soil	PU-239	2.49E-01	pCi/g	2.32E-01	pCi/g	0.93	-6.99
Soil	SR-90	3.25E+01	pCi/g	3.33E+01	pCi/g	1.02	2.34
Air Filter	GROSS ALPHA	undetermined	pCi/filter	1.32E+01	pCi/filter		
Air Filter	GROSS ALPHA	undetermined	pCi/filter	1.04E+01	pCi/filter		
Air Filter	GROSS BETA	undetermined	pCi/filter	3.38E+02	pCi/filter		
Air Filter	GROSS BETA	undetermined	pCi/filter	3.59E+02	pCi/filter		

Table Q-2. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on Environmental Resources Associates (ERA) Proficiency Testing Program Water Samples, 2000

Media	Con Short Name	Blind	STL Value [a]	Experimental Deviation [b]	ERA Known	Mean Recovery	Number of Participants	Expected Deviation [b]	Bias%	Performance Evaluation	Report Issue Date	Comments
Water	I-131	RAD-12	25.3	2.33	23.3	23.6	18	3	8.58	Acceptable	24-Jan-00	
Water	U-total	RAD-13	49.5		53	51.3	11	5.3	-6.60	Acceptable	26-Feb-00	
Water	Ra-226	RAD-13	3.72	0.212	4.05	3.76	12	0.608	-8.15	Acceptable	26-Feb-00	
Water	Ra-228	RAD-13	2.19	0.238	2.29	2.15	15	0.573	-4.37	Acceptable	26-Feb-00	
Water	Gross Alpha	RAD-13	67.1		71.8	66.2	18	18	-6.55	Acceptable	26-Feb-00	
Water	Co-60	RAD-13	72.5		64.4	69.1	17	5	12.58	Check for Error	26-Feb-00	
Water	Cs-134	RAD-13	10.6		12.3	11.5	18	5	-13.82	Acceptable	26-Feb-00	
Water	Cs-137	RAD-13	76.2		72.2	75.2	16	5	5.54	Acceptable	26-Feb-00	
Water	Sr-89	RAD-13	16.2	1.06	16.4	16.4	8	5	-1.22	Acceptable	26-Feb-00	
Water	Sr-90	RAD-13	24.9	0.451	28.9	26.5	11	5	-13.84	Acceptable	26-Feb-00	
Water	Gross Beta	RAD-13	156		194	184	17	29.1	-19.59	Check for Error	26-Feb-00	
Water	Gross Alpha	RAD-14	24.5	0.907	25.4	21.9	25	6.35	-3.54	Acceptable	24-Feb-00	
Water	Gross Beta	RAD-14	35.1	5.35	42.1	39.9	25	5	-16.63	Check for Error	24-Feb-00	
Water	Ba-133	RAD-15	96.25	2.5	98.2	98.9	20	9.82	-1.99	Corrected for Error	25-Feb-00	improper dilution used for initial report(divide by 8)
Water	Co-60	RAD-15	100.125	2.3875	99.6	102	22	5	0.53	Corrected for Error	25-Feb-00	improper dilution used for initial report(divide by 8)
Water	Cs-134	RAD-15	44.75	1.9875	49.2	46.2	22	5	-9.04	Corrected for Error	25-Feb-00	improper dilution used for initial report(divide by 8)
Water	Cs-137	RAD-15	211.5	1.0025	209	212	20	10.4	1.20	Corrected for Error	25-Feb-00	improper dilution used for initial report(divide by 8)
Water	Zn-65	RAD-15	357.5	11.8375	313	327	20	31.3	14.22	Corrected for Error	25-Feb-00	improper dilution used for initial report(divide by 8)
Water	Sr-89	RAD-16	20.6	0.115	22.5	21.5	18	5	-8.44	Acceptable	18-May-00	
Water	Sr-90	RAD-16	9.36	0.363	9.6	8.81	20	5	-2.50	Acceptable	18-May-00	
Water	Gross Beta	RAD-17	13.6	1.65	16.8	16.8	26	5	-19.05	Acceptable	14-Apr-00	
Water	Gross Alpha	RAD-17	42.9	1.71	58.4	45.9	26	14.6	-26.54	Acceptable	14-Apr-00	
Water	I-131	RAD-18	22	3.39	19.9	20	20	3	10.55	Acceptable	23-May-00	
Water	U-total	RAD-19	5.86	0.102	6.07	5.63	29	3	-3.46	Acceptable	12-May-00	
Water	Ra-226	RAD-19	7.34	0.497	8.26	7.84	28	1.24	-11.14	Acceptable	12-May-00	
Water	Ra-228	RAD-19	2.27	0.0781	2.25	2.3	22	0.563	0.89	Acceptable	12-May-00	
Water	Tritium	RAD-20	21200	265	23800	2300	34	2380	-10.92	Acceptable	15-May-00	
Water	U-total	RAD-21	18.4	0.608	19.4	18.1	25	3	-5.15	Acceptable	18-Aug-00	
Water	Ra-226	RAD-21	16.8	1.31	18.6	16.9	25	2.79	-9.68	Acceptable	18-Aug-00	
Water	Ra-228	RAD-21	3.6	0.436	3.58	4.01	25	0.895	0.56	Acceptable	18-Aug-00	
Water	Gross Alpha	RAD-21	39.1	1.15	54	54	30	13.5	-27.59	Acceptable	18-Aug-00	
Water	Co-60	RAD-21	21.1	2.39	16.9	18.6	28	5	24.85	Acceptable	18-Aug-00	
Water	Cs-134	RAD-21	77.7	0.577	86.4	73.4	28	5	-10.07	Check for Error	18-Aug-00	
Water	Cs-137	RAD-21	122	5.03	123	117	28	6.15	-0.81	Acceptable	18-Aug-00	
Water	Sr-89	RAD-21	53.5	2.34	50.7	50.7	18	5	5.52	Acceptable	18-Aug-00	
Water	Sr-90	RAD-21	30.2	1.04	32.8	30.4	18	5	-7.93	Acceptable	18-Aug-00	
Water	Gross Beta	RAD-21	259	4.2	289	289	30	43.4	-10.38	Acceptable	18-Aug-00	
Water	Ba-133	RAD-22	25.3	3.79	25.5	24	31	5	-0.78	Acceptable	7-Aug-00	
Water	Co-60	RAD-22	66.7	4.16	65.6	69	31	5	1.68	Acceptable	7-Aug-00	
Water	Cs-134	RAD-22	12.8	1.45	13.8	13	31	5	-7.25	Acceptable	7-Aug-00	
Water	Cs-137	RAD-22	225	11.2	238	238	31	11.9	-5.46	Acceptable	7-Aug-00	
Water	Zn-65	RAD-22	63.7	2.08	54.6	60.2	31	5.46	16.67	Check for Error	7-Aug-00	
Water	U-total	RAD-23	57.2	0.451	63.4	59.8	25	6.34	-9.78	Acceptable	8-Sep-00	
Water	Ra-226	RAD-23	2.84	0.0577	2.99	3.03	26	0.449	-5.02	Acceptable	8-Sep-00	
Water	Ra-228	RAD-23	12.9	0.436	13	12.2	22	3.25	-0.77	Acceptable	8-Sep-00	
Water	Sr-89	RAD-24	58.2	1.66	62.2	58.9	13	5	-6.43	Acceptable	1-Feb-01	
Water	Sr-90	RAD-24	25.6	1.45	26.2	25.2	16	5	-2.29	Acceptable	1-Feb-01	
Water	Gross Alpha	RAD-25	5.21	0.583	7.17	7.94	37	5	-27.34	Acceptable	13-Sep-00	
Water	Gross Beta	RAD-25	77.9	1.31	87.5	87.5	39	10	-10.97	Acceptable	13-Sep-00	
Water	Tritium	RAD-26	Lab did not participate								Dec-00	
Water	U-total	RAD-27	11.3	0.351	11.9	11.3	20	3	-5.04	Acceptable	6-Dec-00	
Water	Ra-226	RAD-27	17.8	0.306	18.9	17.4	22	2.84	-5.82	Acceptable	6-Dec-00	
Water	Ra-228	RAD-27	6.16	0.136	6.18	5.52	21	1.55	-0.32	Acceptable	6-Dec-00	
Water	I-131	RAD-28	18.6	0.346	15.9	16.9	16	3	16.98	Acceptable	16-Dec-00	
Water	U-total	RAD-29	47.7	1.22	44.5	42.8	24	4.45	7.19	Acceptable	29-Jan-01	
Water	Ra-226	RAD-29	9.6	0.985	10.5	10.6	25	1.58	-8.57	Acceptable	29-Jan-01	
Water	RA-228	RAD-29	16.6	0.6	19.4	17.7	25	4.85	-14.43	Acceptable	29-Jan-01	
Water	Gross Alpha	RAD-29	75.2	2.66	74.4	84.3	30	18.6	1.08	Acceptable	29-Jan-01	
Water	Co-60	RAD-29	85.6	3.9	91.1	95.2	27	5	-6.04	Acceptable	29-Jan-01	
Water	Cs-134	RAD-29	47.4	2.86	59.8	54.4	27	5	-20.74	Acceptable	29-Jan-01	
Water	Cs-137	RAD-29	42.3	3.64	45	46.9	27	5	-6.00	Acceptable	29-Jan-01	
Water	Sr-89	RAD-29	36.1	2.89	41.3	37.1	19	5	-12.59	Acceptable	29-Jan-01	
Water	Sr-90	RAD-29	16.7	0.208	18	17.3	20	5	-7.22	Acceptable	29-Jan-01	
Water	Gross Beta	RAD-29	161	3.79	256	205	30	38.4	-37.11	Not Acceptable	29-Jan-01	Lab investigaing volatilizaton of beta emitter
Water	Gross Alpha	RAD-30	58	3.76	60.3	49.7	30	15.1	-3.81	Acceptable	22-Dec-00	
Water	Gross Beta	RAD-30	27.5	1.14	25.5	29.2	29	5	7.84	Acceptable	22-Dec-00	
Water	Ba-133	RAD-31	76.8	5.15	82.2	79.1	28	8.22	-6.57	Acceptable	26-Jan-01	
Water	Co-60	RAD-31	30.3	3.38	27.8	29.5	28	5	8.99	Acceptable	26-Jan-01	
Water	Cs-134	RAD-31	65.2	1.02	76	7.07	27	5	-14.21	Not Acceptable	26-Jan-01	Software doesn't perform coincidence summing
Water	Cs-137	RAD-31	1.5	4.56	106	111	27	5.3	-98.58	Acceptable	26-Jan-01	
Water	Zn-65	RAD-31	75.8	9.89	79	81.4	28	7.9	-4.05	Acceptable	26-Jan-01	

(a) Three results are reported to ERA, this represents the average of the three results ± 1 standard deviation of the mean.
(b) ERA known concentration ± 1 standard deviation.

Table Q-3. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on the DOE Environmental Measurements Laboratory (EML) Quality Assessment Program Studies, 2000

Media	Con Short Name	EML Value	Units	EML Unit Conversion Value	Units	STL Value	Units	STL Unit Conversion Value	Units	STL/ EML	%bias	Evaluation
Water	AM-241	1.95	Bq/L	52.7	pCi/L	1.7	Bq/L	45.9	pCi/L	0.87	-12.82	Acceptable with Warning
Water	CO-60	48.9	Bq/L	1322	pCi/L	47.3	Bq/L	1278	pCi/L	0.97	-3.27	Acceptable
Water	CS-137	103	Bq/L	2784	pCi/L	96.6	Bq/L	2611	pCi/L	0.94	-6.21	Acceptable
Water	FE-55	33.1	Bq/L	895	pCi/L	37.3	Bq/L	1008	pCi/L	1.13	12.69	Acceptable
Water	Gross Alpha	1700	Bq/L	45946	pCi/L	1150	Bq/L	31081	pCi/L	0.68	-32.35	Acceptable with Warning
Water	Gross Beta	690	Bq/L	18649	pCi/L	949	Bq/L	25649	pCi/L	1.38	37.54	Acceptable with Warning
Water	H-3	79.4	Bq/L	2146	pCi/L	73.7	Bq/L	1992	pCi/L	0.93	-7.18	Acceptable
Water	NI-63	112	Bq/L	3027	pCi/L	139	Bq/L	3757	pCi/L	1.24	24.11	Acceptable
Water	PU-238	0.944	Bq/L	25.5	pCi/L	0.89	Bq/L	24.1	pCi/L	0.94	-5.72	Acceptable
Water	PU-239	0.918	Bq/L	24.8	pCi/L	1	Bq/L	27.0	pCi/L	1.09	8.93	Acceptable
Water	SR-90	3.39	Bq/L	91.6	pCi/L	3.38	Bq/L	91.4	pCi/L	1.00	-0.29	Acceptable
Water	U-234	0.482	Bq/L	13.0	pCi/L	0.48	Bq/L	13.0	pCi/L	1.00	-0.41	Acceptable
Water	U-238	0.492	Bq/L	13.3	pCi/L	0.44	Bq/L	11.9	pCi/L	0.89	-10.57	Acceptable with Warning
Water	U-UG	0.04	µg/filter	0.04	µg/filter	0.039	µg/filter	0.039	µg/filter	0.98	-2.50	
Soil	AC-228	97.6	Bq/Kg	2.64	pCi/g	116	Bq/Kg	3.14	pCi/g	1.19	18.85	Acceptable
Soil	AM-241	3.36	Bq/Kg	0.0908	pCi/g	4.16	Bq/Kg	0.112	pCi/g	1.24	23.81	Acceptable
Soil	BI-214	86.7	Bq/Kg	2.34	pCi/g	107	Bq/Kg	2.89	pCi/g	1.23	23.41	Acceptable with Warning
Soil	CS-137	339	Bq/Kg	9.16	pCi/g	413	Bq/Kg	11.2	pCi/g	1.22	21.83	Acceptable with Warning
Soil	K-40	811	Bq/Kg	21.9	pCi/g	927	Bq/Kg	25.1	pCi/g	1.14	14.30	Acceptable
Soil	PB-212	97.3	Bq/Kg	2.63	pCi/g	128	Bq/Kg	3.46	pCi/g	1.32	31.55	Acceptable with Warning
Soil	PB-214	86.5	Bq/Kg	2.34	pCi/g	124	Bq/Kg	3.35	pCi/g	1.43	43.35	Acceptable with Warning
Soil	PU-238	18.6	Bq/Kg	0.503	pCi/g	18	Bq/Kg	0.486	pCi/g	0.97	-3.23	Acceptable
Soil	PU-239	7	Bq/Kg	0.189	pCi/g	6.62	Bq/Kg	0.179	pCi/g	0.95	-5.43	Acceptable
Soil	SR-90	20.2	Bq/Kg	0.546	pCi/g	16.7	Bq/Kg	0.451	pCi/g	0.83	-17.33	Acceptable
Soil	TH-234	130	Bq/Kg	3.51	pCi/g	179	Bq/Kg	4.84	pCi/g	1.38	37.69	Acceptable
Soil	U-234	111	Bq/Kg	3.00	pCi/g	112	Bq/Kg	3.03	pCi/g	1.01	0.90	Acceptable
Soil	U-238	114	Bq/Kg	3.08	pCi/g	126	Bq/Kg	3.41	pCi/g	1.11	10.53	Acceptable with Warning
Soil	U-UG	9.15	µg/g	9.15	µg/g	9.7	µg/g	9.70	µg/g	1.06	6.01	
Vegetation	AM-241	10.4	Bq/Kg	0.281	pCi/g	8.33	Bq/Kg	0.225	pCi/g	0.80	-19.90	Acceptable with Warning
Vegetation	Cm-244	5	Bq/Kg	0.135	pCi/g	3.34	Bq/Kg	0.0903	pCi/g	0.67	-33.20	Acceptable with Warning
Vegetation	CO-60	52.8	Bq/Kg	1.43	pCi/g	54.1	Bq/Kg	1.46	pCi/g	1.02	2.46	Acceptable
Vegetation	CS-137	1380	Bq/Kg	37.3	pCi/g	1502	Bq/Kg	40.6	pCi/g	1.09	8.84	Acceptable
Vegetation	K-40	521	Bq/Kg	14.1	pCi/g	549	Bq/Kg	14.8	pCi/g	1.05	5.37	Acceptable
Vegetation	PU-239	15.5	Bq/Kg	0.419	pCi/g	14.5	Bq/Kg	0.392	pCi/g	0.94	-6.45	Acceptable
Vegetation	SR-90	595	Bq/Kg	1780	pCi/g	571	Bq/Kg	1780	pCi/g	1.00	0.00	Acceptable
Air Filter	AM-241	0.088	Bq/filter	2.38	pCi/filter	0.073	Bq/filter	1.97	pCi/filter	0.83	-17.05	Acceptable with Warning
Air Filter	CO-57	5.31	Bq/filter	144	pCi/filter	4.9	Bq/filter	132	pCi/filter	0.92	-7.72	Acceptable
Air Filter	CO-60	5.32	Bq/filter	144	pCi/filter	5.5	Bq/filter	149	pCi/filter	1.03	3.38	Acceptable
Air Filter	CS-137	6.1	Bq/filter	165	pCi/filter	6.1	Bq/filter	165	pCi/filter	1.00	0.00	Acceptable
Air Filter	Gross Alpha	3.02	Bq/filter	81.6	pCi/filter	0.443	Bq/filter	12.0	pCi/filter	0.15	-85.33	Not Acceptable
Air Filter	Gross Beta	2.42	Bq/filter	65	pCi/filter	15.4	Bq/filter	416	pCi/filter	6.36	536.36	Not Acceptable
Air Filter	MN-54	27.2	Bq/filter	735	pCi/filter	30.4	Bq/filter	822	pCi/filter	1.12	11.76	Acceptable
Air Filter	PU-238	0.08	Bq/filter	2.16	pCi/filter	0.072	Bq/filter	1.95	pCi/filter	0.90	-10.00	Acceptable
Air Filter	PU-239	0.089	Bq/filter	2.41	pCi/filter	0.079	Bq/filter	2.14	pCi/filter	0.89	-11.24	Acceptable with Warning
Air Filter	Ru-106	2.01	Bq/filter	54.3	pCi/filter	2	Bq/filter	54.1	pCi/filter	1.00	-0.50	Acceptable
Air Filter	SR-90	0.242	Bq/filter	6.54	pCi/filter	0.242	Bq/filter	6.54	pCi/filter	1.00	0.00	Acceptable
Air Filter	U-234	0.062	Bq/filter	1.68	pCi/filter	0.058	Bq/filter	1.57	pCi/filter	0.94	-6.45	Acceptable
Air Filter	U-238	0.062	Bq/filter	1.68	pCi/filter	0.064	Bq/filter	1.73	pCi/filter	1.03	3.23	Acceptable
Air Filter	U-UG	4.98	µg/filter	4.98	µg/filter	4.87	µg/filter	4.87	µg/filter	0.98	-2.21	
Water	AM-241	1.19	Bq/L	32.2	pCi/L	1.22	Bq/L	33.0	pCi/L	1.03	2.52	Acceptable
Water	CO-60	73.7	Bq/L	1992	pCi/L	65	Bq/L	1757	pCi/L	0.88	-11.80	Acceptable with Warning
Water	CS-137	67	Bq/L	1811	pCi/L	58	Bq/L	1568	pCi/L	0.87	-13.43	Acceptable with Warning
Water	Gross Alpha	1070	Bq/L	28919	pCi/L	1033	Bq/L	27919	pCi/L	0.97	-3.46	Acceptable
Water	Gross Beta	950	Bq/L	25676	pCi/L	848	Bq/L	22919	pCi/L	0.89	-10.74	Acceptable
Water	H-3	91.3	Bq/L	2468	pCi/L	98	Bq/L	2649	pCi/L	1.07	7.34	Acceptable
Water	PU-238	0.786	Bq/L	21.2	pCi/L	0.74	Bq/L	20.0	pCi/L	0.94	-5.85	Acceptable
Water	PU-239	0.591	Bq/L	16.0	pCi/L	0.61	Bq/L	16.5	pCi/L	1.03	3.21	Acceptable
Water	SR-90	4.53	Bq/L	122	pCi/L	3.5	Bq/L	94.6	pCi/L	0.77	-22.74	Acceptable with Warning
Water	U-234	0.481	Bq/L	13	pCi/L	0.43	Bq/L	11.6	pCi/L	0.89	-10.60	Acceptable with Warning
Water	U-238	0.368	Bq/L	9.95	pCi/L	0.33	Bq/L	8.92	pCi/L	0.90	-10.33	Acceptable with Warning
Water	U-UG	0.3	µg/ml	0.300	µg/ml	0.31	µg/ml	0.310	µg/ml	1.03	3.33	Acceptable
Soil	AC-228	80.2	Bq/Kg	2.17	pCi/g	109	Bq/Kg	2.95	pCi/g	1.36	35.91	Acceptable with Warning

Table Q-3. Severn Trent Laboratories (STL), Inc., Richland, WA, Performance Data on the DOE Environmental Measurements Laboratory (EML) Quality Assessment Program Studies, 2000

Media	Con Short Name	EML Value	Units	EML Unit Conversion Value	Units	STL Value	Units	STL Unit Conversion Value	Units	STL/ EML	%bias	Evaluation
Soil	AM-241	8.27	Bq/Kg	0.224	pCi/g	11.9	Bq/Kg	0.322	pCi/g	1.44	43.89	Acceptable
Soil	Bi-214	83.3	Bq/Kg	2.25	pCi/g	109	Bq/Kg	2.95	pCi/g	1.31	30.85	Acceptable with Warning
Soil	CS-137	1020	Bq/Kg	27.6	pCi/g	1352	Bq/Kg	36.5	pCi/g	1.33	32.55	Not Acceptable
Soil	K-40	713	Bq/Kg	19.3	pCi/g	933	Bq/Kg	25.2	pCi/g	1.31	30.86	Acceptable with Warning
Soil	PB-212	79.3	Bq/Kg	2.14	pCi/g	114	Bq/Kg	3.08	pCi/g	1.44	43.76	Not Acceptable
Soil	PB-214	86.3	Bq/Kg	2.33	pCi/g	123	Bq/Kg	3.32	pCi/g	1.43	42.53	Acceptable with Warning
Soil	PU-239	16.8	Bq/Kg	0.454	pCi/g	17.1	Bq/Kg	0.462	pCi/g	1.02	1.79	Acceptable
Soil	SR-90	50.4	Bq/Kg	1.36	pCi/g	51	Bq/Kg	1.38	pCi/g	1.01	1.19	Acceptable
Soil	TH-234	148	Bq/Kg	4.00	pCi/g	355	Bq/Kg	9.59	pCi/g	2.40	139.86	Not Acceptable
Soil	U-234	157	Bq/Kg	4.24	pCi/g	133	Bq/Kg	3.59	pCi/g	0.85	-15.29	Acceptable with Warning
Soil	U-238	163	Bq/Kg	4.41	pCi/g	141	Bq/Kg	3.81	pCi/g	0.87	-13.50	Acceptable
Soil	U-UG	13.2	µg/g	13.2	µg/g	11.2	µg/g	11.2	µg/g	0.85	-15.15	Acceptable
Vegetation	AM-241	5.6	Bq/Kg	0.151	pCi/g	5.24	Bq/Kg	0.142	pCi/g	0.94	-6.43	Acceptable
Vegetation	Cm-244	3.6	Bq/Kg	0.0973	pCi/g	3.31	Bq/Kg	0.0895	pCi/g	0.92	-8.06	Acceptable
Vegetation	CO-60	32.8	Bq/Kg	0.886	pCi/g	41.6	Bq/Kg	1.12	pCi/g	1.27	26.83	Acceptable with Warning
Vegetation	CS-137	867	Bq/Kg	23.4	pCi/g	1065	Bq/Kg	28.8	pCi/g	1.23	22.84	Acceptable
Vegetation	K-40	639	Bq/Kg	17.3	pCi/g	793	Bq/Kg	21.4	pCi/g	1.24	24.10	Acceptable
Vegetation	PU-239	9.6	Bq/Kg	0.259	pCi/g	8.42	Bq/Kg	0.228	pCi/g	0.88	-12.29	Acceptable
Vegetation	SR-90	1150	Bq/Kg	31.1	pCi/g	1222	Bq/Kg	33.0	pCi/g	1.06	6.26	Acceptable
Air Filter	AM-241	0.032	Bq/filter	0.865	pCi/filter	0.035	Bq/filter	0.946	pCi/filter	1.09	9.38	Acceptable
Air Filter	CO-57	14.55	Bq/filter	393	pCi/filter	14.8	Bq/filter	400	pCi/filter	1.02	1.72	Acceptable
Air Filter	CO-60	8.43	Bq/filter	228	pCi/filter	8.3	Bq/filter	224	pCi/filter	0.98	-1.54	Acceptable
Air Filter	CS-137	7.41	Bq/filter	200	pCi/filter	7	Bq/filter	189	pCi/filter	0.94	-5.53	Acceptable
Air Filter	Gross Alpha	2.35	Bq/filter	63.5	pCi/filter	2.7	Bq/filter	73.0	pCi/filter	1.15	14.89	Acceptable
Air Filter	Gross Beta	1.52	Bq/filter	41.1	pCi/filter	1.65	Bq/filter	44.6	pCi/filter	1.09	8.55	Acceptable
Air Filter	MN-54	43.2	Bq/filter	1168	pCi/filter	44.6	Bq/filter	1205	pCi/filter	1.03	3.24	Acceptable
Air Filter	PU-238	0.045	Bq/filter	1.22	pCi/filter	0.045	Bq/filter	1.22	pCi/filter	1.00	0.00	Acceptable
Air Filter	PU-239	0.074	Bq/filter	2.00	pCi/filter	0.081	Bq/filter	2.19	pCi/filter	1.09	9.46	Acceptable
Air Filter	SR-90	1.64	Bq/filter	44.3	pCi/filter	1.17	Bq/filter	31.6	pCi/filter	0.71	-28.66	Acceptable with Warning
Air Filter	U-234	0.041	Bq/filter	1.11	pCi/filter	0.031	Bq/filter	0.838	pCi/filter	0.76	-24.39	Not Acceptable
Air Filter	U-238	0.041	Bq/filter	1.11	pCi/filter	0.035	Bq/filter	0.946	pCi/filter	0.85	-14.63	Acceptable with Warning
Air Filter	U-UG	3.33	µg/filter	3.33	µg/filter	3.12	µg/filter	3.12	µg/filter	0.94	-6.31	Acceptable

Table Q-4. Biota and Water Sample Field Duplicate Results, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	COLL MTHD	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	REPLICATE VALUE	RELATIVE % DIFFERENCE	ANALY UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	BE-7	-10.4	17.4	-794.29	pCi/L	23	23	U	39.4
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	CO-60	0.0166	1.18	-194.45	pCi/L	3	3	U	5.29
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	CS-134	-0.398	-3.16	-155.26	pCi/L	2.4	2.4	U	4.11
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	CS-137	-0.495	-0.953	-63.26	pCi/L	2.5	2.5	U	4.29
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	EU-154	-5.07	-0.409	170.14	pCi/L	9.3	9.3	U	15.5
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	EU-155	-3.12	2.77	3365.71	pCi/L	5.9	5.9	U	9.84
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	K-40	1420	1350	5.05	pCi/L	210	210		44.4
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	RU-106	4.56	6.08	-28.57	pCi/L	24	24	U	42.6
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	SB-125	3.61	2.85	23.53	pCi/L	6.5	6.5	U	11.7
SESPSPEC	B0Y0R0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	SR-90	0.441	0.503	-13.14	pCi/L	0.26	0.4	U	0.586
SESPSPEC	B0YHP0	FRANKLIN FARM A	BI		COW	MILK	27-Apr-00	TRITIUM	102.4	95.8	6.66	pCi/L		3.6		
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	BE-7	-0.109	17.4	-202.52	pCi/L	28	28	U	48
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	CO-60	-0.344	1.18	-364.59	pCi/L	3.7	3.7	U	6.38
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	CS-134	-1.8	-3.16	-54.84	pCi/L	3	3	U	4.93
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	CS-137	0.00762	-0.953	-203.22	pCi/L	3.3	3.3	U	5.69
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	EU-154	0.375	-0.409	-4611.76	pCi/L	11	11	U	18.6
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	EU-155	2.81	2.77	1.43	pCi/L	7.5	7.5	U	12.8
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	K-40	1520	1350	11.85	pCi/L	230	230		52.2
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	RU-106	-0.381	6.08	-226.74	pCi/L	28	28	U	48.2
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	SB-125	-3.43	2.85	2165.52	pCi/L	7	7	U	11.9
SESPSPEC	B0Y0P9	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	SR-90	0.543	0.503	7.65	pCi/L	0.48	0.67	U	1.15
SESPSPEC	B0YHP1	FRANKLIN FARM B	BI		COW	MILK	27-Apr-00	TRITIUM	89.3	95.8	-7.02	pCi/L		2.7		
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	BE-7	-16.7	16.3	16500.00	pCi/L	28	28	U	46.3
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	CO-60	0.596	0.388	42.28	pCi/L	3.1	3.1	U	5.62
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	CS-134	2.23	-1.3	759.14	pCi/L	2.7	2.7	U	4.22
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	CS-137	0.863	3.02	-111.10	pCi/L	2.5	2.5	U	4.6
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	EU-154	1.17	8.82	-153.15	pCi/L	9.1	9.1	U	16.3
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	EU-155	1.34	0.769	54.15	pCi/L	6.3	6.3	U	10.7
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	K-40	1430	1400	2.12	pCi/L	210	210		46.5
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	RU-106	20.5	-9.44	541.41	pCi/L	25	25	U	45.6
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	SB-125	-2.14	-2.1	1.89	pCi/L	7.2	7.2	U	11.9
SESPSPEC	B10F32	FRANKLIN FARM A	BI		COW	MILK	11-Oct-00	SR-90	0.389	0.552	-34.64	pCi/L	0.28	0.33	U	0.459
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	BE-7	-5.87	16.3	-425.12	pCi/L	32	32	U	54.5
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	CO-60	1.18	0.388	101.02	pCi/L	3.1	3.1	U	5.74
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	CS-134	1.15	-1.3	-3266.67	pCi/L	2.9	2.9	U	4.75
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	CS-137	-0.401	3.02	-261.24	pCi/L	2.9	2.9	U	5.07
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	EU-154	2.97	8.82	-99.24	pCi/L	10	10	U	18.4
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	EU-155	-5.11	0.769	270.86	pCi/L	7.2	7.2	U	11.9
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	K-40	1390	1400	-0.72	pCi/L	210	210		47.9
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	RU-106	-15.4	-9.44	47.99	pCi/L	26	26	U	43.8
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	SB-125	-2.29	-2.1	8.66	pCi/L	7.9	7.9	U	13.3
SESPSPEC	B10F31	FRANKLIN FARM B	BI		COW	MILK	11-Oct-00	SR-90	0.174	0.552	-104.13	pCi/L	0.25	0.3	U	0.465
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	SR-90	0.0943	0.0942	0.11	pCi/L	0.033	0.044		0.0515
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	TRITIUM	86.8	84.8	2.33	pCi/L	1.9	9.6		4.51
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	U-234	0.301	0.255	16.55	pCi/L	0.045	0.066		0.0169
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	U-235	0.0124	0.00421	98.62	pCi/L	0.0087	0.011	J	0.0117
SESPMNT	B0XRK6	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	U-238	0.212	0.222	-4.61	pCi/L	0.038	0.051		0.0159
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	SR-90	0.0942			pCi/L	0.029	0.041		0.0468
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	TRITIUM	84.8			pCi/L	1.9	9.4		4.43
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	U-234	0.255			pCi/L	0.041	0.058		0.0172
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	U-235	0.00421			pCi/L	0.0042	0.0077	U	0.00927
SESPSPEC	B0XRK0	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		28-Mar-00	U-238	0.222			pCi/L	0.041	0.055		0.0389

Table Q-4. Biota and Water Sample Field Duplicate Results, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	COLL MTHD	SAMP FROM	SAMP ITEM	SAMP DATE	CONSTITUENT NAME	VALUE (RPTD)	CERTIFICATE VALUE	RELATIVE DIFFERENCE	ANAL UNITS (RPTD)	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPMNT	B10677	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	SR-90	0.0677	0.106	-44.10	pCi/L	0.021	0.031		0.0346
SESPMNT	B10677	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	TRITIUM	81.4	75	8.18	pCi/L	1.8	9.1		4.51
SESPMNT	B10677	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	U-234	0.198	0.183	7.87	pCi/L	0.037	0.053		0.0156
SESPMNT	B10677	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	U-235	0.00356	0.00204	54.29	pCi/L	0.0044	0.0087	U	0.0142
SESPMNT	B10677	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	U-238	0.146	0.141	3.48	pCi/L	0.032	0.042		0.0103
SESPSPEC	B10672	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	SR-90	0.106			pCi/L	0.026	0.04		0.0386
SESPSPEC	B10672	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	TRITIUM	75			pCi/L	1.7	8.6		4.42
SESPSPEC	B109B4	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	TRITIUM	152			pCi/L	5.2	16		6.26
SESPSPEC	B10672	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	U-234	0.183			pCi/L	0.029	0.044		0.00317
SESPSPEC	B10672	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	U-235	0.00204			pCi/L	0.002	0.0057	U	0.0066
SESPSPEC	B10672	100 N -1 HRM 9.5	SW	TRANSECT	RIVER		14-Sep-00	U-238	0.141			pCi/L	0.025	0.036		0.00317
SESPMNT	B106Y4	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		19-Sep-00	TRITIUM	40.9	39.9	2.48	pCi/L	3.5	6.9		6.22
SESPSPEC	B109D3	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		19-Sep-00	TRITIUM	39.9			pCi/L	3.5	6.9		6.27
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	SR-90	0.0589	0.0557	5.58	pCi/L	0.024	0.03	J	0.0362
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	TRITIUM	40.8	48.1	-16.42	pCi/L	3.5	7		6.31
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	U-234	0.242	0.198	20.00	pCi/L	0.039	0.058		0.00401
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	U-235	0.00199	0.00338	-51.77	pCi/L	0.006	0.0063	U	0.00837
SESPMNT	B11129	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	U-238	0.201	0.156	25.21	pCi/L	0.035	0.05		0.00837
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	SR-90	0.0557			pCi/L	0.028	0.033	J	0.0428
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	TRITIUM	48.1			pCi/L	3.7	7.5		6.3
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	U-234	0.198			pCi/L	0.033	0.049		0.00923
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	U-235	0.00338			pCi/L	0.006	0.0064	U	0.00364
SESPSPEC	B11124	RICH.PMPHS-1 HRM46.4	SW	TRANSECT	RIVER		05-Dec-00	U-238	0.156			pCi/L	0.029	0.04		0.00364
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	ALPHA	0.233	-0.0137	224.99	pCi/L	0.64	1.2	U	2.94
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	BE-7	-2.56	-10.6	-122.19	pCi/L	7.3	7.3	U	12.8
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	BETA	11.9	11.1	6.96	pCi/L	2.1	2.8		3.07
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	CO-60	-0.308	0.199	930.28	pCi/L	0.94	0.94	U	1.74
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	CS-134	0.37	-0.0351	241.92	pCi/L	0.74	0.74	U	1.47
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	CS-137	0.224	-0.354	-889.23	pCi/L	0.69	0.69	U	1.44
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	EU-154	1.05	0.203	135.20	pCi/L	2.1	2.1	U	4.86
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	EU-155	0.555	0.9	-47.42	pCi/L	1.7	1.7	U	3.11
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	K-40	19.2	38.7	-67.36	pCi/L	16	16	U	36.8
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	RU-106	6.08	3.48	54.39	pCi/L	7	7	U	14.9
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	SB-125	1.96	-0.21	248.00	pCi/L	2.1	2.1	U	4.27
SESPMNT	B0XWW1	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	TRITIUM	3620	3490	3.66	pCi/L	120	270		174
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	ALPHA	-0.0137			pCi/L	0.082	1.2	U	3.41
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	BE-7	-10.6			pCi/L	9.3	9.3	U	13.7
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	BETA	11.1			pCi/L	2	2.8		3.09
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	CO-60	0.199			pCi/L	1.1	1.1	U	2.25
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	CS-134	-0.0351			pCi/L	1.2	1.2	U	2.24
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	CS-137	-0.354			pCi/L	1.2	1.2	U	2.04
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	EU-154	0.203			pCi/L	2.6	2.6	U	5.45
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	EU-155	0.9			pCi/L	2.2	2.2	U	4.26
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	K-40	38.7			pCi/L	22	22	U	50.4
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	RU-106	3.48			pCi/L	8.9	8.9	U	17.6
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	SB-125	-0.21			pCi/L	2.9	2.9	U	5.18
SESPSPEC	B0XWW2	FFTF POND	SW	UNFILTERED	SURFACE		04-Apr-00	TRITIUM	3490			pCi/L	120	270		174

Table Q-5. Air Sample Field Duplicate Results, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP DATE ON	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	REPLICATE VALUE	RELATIVE % DIFFERENCE	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPMNT	B10C78	100 D AREA	AT	03-Oct-00	18-Oct-00	ALPHA	0.00115	pCi/m3	0.00072	45.99	0.00076	0.00081		0.000795
SESPMNT	B10D58	100 D AREA	AT	03-Oct-00	18-Oct-00	ALPHA	0.00072	pCi/m3			0.00073	0.00075	U	0.000866
SESPMNT	B10C79	100 D AREA	AT	18-Oct-00	30-Oct-00	ALPHA	0.00201	pCi/m3	0.00323	-46.56	0.0011	0.0012		0.000863
SESPMNT	B10D59	100 D AREA	AT	18-Oct-00	30-Oct-00	ALPHA	0.00323	pCi/m3			0.0014	0.0015		0.00111
SESPMNT	B10C80	100 D AREA	AT	30-Oct-00	13-Nov-00	ALPHA	0.00348	pCi/m3	0.00225	42.93	0.0012	0.0014		0.000794
SESPMNT	B10D60	100 D AREA	AT	30-Oct-00	13-Nov-00	ALPHA	0.00225	pCi/m3			0.0011	0.0012		0.000806
SESPMNT	B10C81	100 D AREA	AT	13-Nov-00	28-Nov-00	ALPHA	0.00355	pCi/m3	0.00294	18.80	0.0013	0.0015		0.000759
SESPMNT	B10D61	100 D AREA	AT	13-Nov-00	28-Nov-00	ALPHA	0.00294	pCi/m3			0.0012	0.0013		0.000752
SESPMNT	B10C82	100 D AREA	AT	28-Nov-00	13-Dec-00	ALPHA	0.00123	pCi/m3	0.000883	32.84	0.00081	0.00086		0.000893
SESPMNT	B10D62	100 D AREA	AT	28-Nov-00	13-Dec-00	ALPHA	0.000883	pCi/m3			0.00072	0.00075	J	0.000761
SESPMNT	B10C83	100 D AREA	AT	13-Dec-00	27-Dec-00	ALPHA	0.00185	pCi/m3	0.00143	25.61	0.0011	0.0012		0.000953
SESPMNT	B10D63	100 D AREA	AT	13-Dec-00	27-Dec-00	ALPHA	0.00143	pCi/m3			0.00099	0.001		0.00092
SESPMNT	B0X852	400 S	AT	03-Jan-00	11-Jan-00	ALPHA	0.00188	pCi/m3	0.00103	58.42	0.00068	0.00087		0.000573
SESPMNT	B0X8P3	400 S	AT	03-Jan-00	11-Jan-00	ALPHA	0.00103	pCi/m3			0.00053	0.00069		0.000681
SESPMNT	B0X853	400 S	AT	11-Jan-00	25-Jan-00	ALPHA	0.000558	pCi/m3	0.00618	-166.87	0.00031	0.00041	J	0.000299
SESPMNT	B0X8P4	400 S	AT	11-Jan-00	25-Jan-00	ALPHA	0.000618	pCi/m3			0.00033	0.00043	J	0.00036
SESPMNT	B0X854	400 S	AT	25-Jan-00	09-Feb-00	ALPHA	0.000395	pCi/m3	0.00423	-165.84	0.00028	0.00038	J	0.000277
SESPMNT	B0X8P5	400 S	AT	25-Jan-00	09-Feb-00	ALPHA	0.000423	pCi/m3			0.00031	0.00042	J	0.000378
SESPMNT	B0X855	400 S	AT	09-Feb-00	22-Feb-00	ALPHA	0.000678	pCi/m3	0.000313	73.66	0.00039	0.0005	J	0.000401
SESPMNT	B0X8P6	400 S	AT	09-Feb-00	22-Feb-00	ALPHA	0.000313	pCi/m3			0.00026	0.00039	U	0.000416
SESPMNT	B0X856	400 S	AT	22-Feb-00	07-Mar-00	ALPHA	0.000608	pCi/m3	0.000692	-12.92	0.00032	0.00042	J	0.000449
SESPMNT	B0X8P7	400 S	AT	22-Feb-00	07-Mar-00	ALPHA	0.000692	pCi/m3			0.00036	0.00046	J	0.000429
SESPMNT	B0X857	400 S	AT	07-Mar-00	21-Mar-00	ALPHA	0.00035	pCi/m3	0.000431	-20.74	0.00023	0.00033	J	0.000323
SESPMNT	B0X8P8	400 S	AT	07-Mar-00	21-Mar-00	ALPHA	0.000431	pCi/m3			0.00025	0.00035	J	0.000347
SESPMNT	B0X858	400 S	AT	21-Mar-00	04-Apr-00	ALPHA	0.000367	pCi/m3	0.00038	-3.48	0.00027	0.00039	U	0.000492
SESPMNT	B0X8P9	400 S	AT	21-Mar-00	04-Apr-00	ALPHA	0.00038	pCi/m3			0.00025	0.00036	J	0.000361
SESPMNT	B0XWN6	BASIN CITY SCHOOL	AT	29-Mar-00	12-Apr-00	ALPHA	0.001	pCi/m3	0.00106	-5.83	0.0007	0.00074		0.000637
SESPMNT	B0XWV3	BASIN CITY SCHOOL	AT	29-Mar-00	12-Apr-00	ALPHA	0.00106	pCi/m3			0.00076	0.0008		0.000868
SESPMNT	B0XWN7	BASIN CITY SCHOOL	AT	12-Apr-00	26-Apr-00	ALPHA	0.000945	pCi/m3	0.000298	104.10	0.00066	0.0007	J	0.000708
SESPMNT	B0XWV4	BASIN CITY SCHOOL	AT	12-Apr-00	26-Apr-00	ALPHA	0.000298	pCi/m3			0.00053	0.00054	U	0.00069
SESPMNT	B0XWN8	BASIN CITY SCHOOL	AT	26-Apr-00	10-May-00	ALPHA	0.00065	pCi/m3	0.000826	-23.85	0.00062	0.00065	U	0.000803
SESPMNT	B0XWV5	BASIN CITY SCHOOL	AT	26-Apr-00	10-May-00	ALPHA	0.000826	pCi/m3			0.00064	0.00067	J	0.000652
SESPMNT	B0XWN9	BASIN CITY SCHOOL	AT	10-May-00	24-May-00	ALPHA	0.000695	pCi/m3	0.00135	-64.06	0.00064	0.00067	J	0.000634
SESPMNT	B0XWV6	BASIN CITY SCHOOL	AT	10-May-00	24-May-00	ALPHA	0.00135	pCi/m3			0.00081	0.00087		0.000748
SESPMNT	B0XWP0	BASIN CITY SCHOOL	AT	24-May-00	07-Jun-00	ALPHA	0.000742	pCi/m3	0.000816	-9.50	0.00067	0.0007	J	0.000681
SESPMNT	B0XWV7	BASIN CITY SCHOOL	AT	24-May-00	07-Jun-00	ALPHA	0.000816	pCi/m3			0.00072	0.00075	J	0.00081
SESPMNT	B0XWP1	BASIN CITY SCHOOL	AT	07-Jun-00	21-Jun-00	ALPHA	0.000609	pCi/m3	0.000498	20.05	0.00065	0.00067	U	0.000797
SESPMNT	B0XWV8	BASIN CITY SCHOOL	AT	07-Jun-00	21-Jun-00	ALPHA	0.000498	pCi/m3			0.00057	0.00059	U	0.000684
SESPMNT	B0XWV9	BASIN CITY SCHOOL	AT	21-Jun-00	05-Jul-00	ALPHA	0.00142	pCi/m3	0.00042	108.70	0.00079	0.00085		0.000703
SESPMNT	B0XWP2	BASIN CITY SCHOOL	AT	21-Jun-00	05-Jul-00	ALPHA	0.00042	pCi/m3			0.00063	0.00065	U	0.000876
SESPMNT	B0YLV5	YAKIMA	AT	30-Jun-00	14-Jul-00	ALPHA	0.000333	pCi/m3	0.000451	-30.10	0.00056	0.00057	U	0.000682
SESPMNT	B0YM09	YAKIMA	AT	30-Jun-00	14-Jul-00	ALPHA	0.000451	pCi/m3			0.00059	0.00061	U	0.000715
SESPMNT	B0YLV6	YAKIMA	AT	14-Jul-00	27-Jul-00	ALPHA	0.00253	pCi/m3	0.00039	146.58	0.0011	0.0012		0.000884
SESPMNT	B0YM10	YAKIMA	AT	14-Jul-00	27-Jul-00	ALPHA	0.00039	pCi/m3			0.00069	0.0007	U	0.000834
SESPMNT	B0YLV7	YAKIMA	AT	27-Jul-00	11-Aug-00	ALPHA	0.00184	pCi/m3	0.000954	63.42	0.00085	0.00094		0.000723
SESPMNT	B0YM11	YAKIMA	AT	27-Jul-00	11-Aug-00	ALPHA	0.000954	pCi/m3			0.00071	0.00075	J	0.000785
SESPMNT	B0YLV8	YAKIMA	AT	11-Aug-00	25-Aug-00	ALPHA	0.00189	pCi/m3	0.00125	40.76	0.00093	0.001		0.000794
SESPMNT	B0YM12	YAKIMA	AT	11-Aug-00	25-Aug-00	ALPHA	0.00125	pCi/m3			0.00077	0.00082		0.000714

Table Q-5. Air Sample Field Duplicate Results, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP DATE ON	SAMP DATE	CONSHORT NAME	VALUE FRTU	UNITS RESUL	REPLICATE VALUE	RELATIVE DIFFERENCE	COUNTING ERROR	TOTAL ANALYTICAL ERROR	LAB QUALIFIER	MINIMUM DETECTABLE ACTIVITY
SESPMNT	B0YLV9	YAKIMA	AT	25-Aug-00	08-Sep-00	ALPHA	0.00178	pCi/m3	0.000857	70.00	0.00083	0.00092		0.000624
SESPMNT	B0YM13	YAKIMA	AT	25-Aug-00	08-Sep-00	ALPHA	0.000857	pCi/m3			0.0007	0.00073	J	0.000745
SESPMNT	B0YLW0	YAKIMA	AT	08-Sep-00	21-Sep-00	ALPHA	0.000862	pCi/m3	0.000732	16.31	0.00079	0.00082	J	0.000837
SESPMNT	B0YM14	YAKIMA	AT	08-Sep-00	21-Sep-00	ALPHA	0.000732	pCi/m3			0.00073	0.00075	U	0.000797
SESPMNT	B0YM15	YAKIMA	AT	21-Sep-00	06-Oct-00	ALPHA	0.00553	pCi/m3	0.00236	80.35	0.0015	0.0019		0.00086
SESPMNT	B0YLW1	YAKIMA	AT	21-Sep-00	06-Oct-00	ALPHA	0.00236	pCi/m3			0.0011	0.0012		0.000974
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	BE-7	0.162	pCi/m3	0.157	3.13	0.052	0.052		0.0572
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	BE-7	0.157	pCi/m3			0.041	0.041		0.0279
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	BE-7	0.233	pCi/m3	0.251	-7.44	0.087	0.087		0.124
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	BE-7	0.251	pCi/m3			0.08	0.08		0.0717
SESPMNT	B10C78	100 D AREA	AT	03-Oct-00	18-Oct-00	BETA	0.0236	pCi/m3	0.0248	-4.96	0.0022	0.0046		0.00154
SESPMNT	B10D58	100 D AREA	AT	03-Oct-00	18-Oct-00	BETA	0.0248	pCi/m3			0.0023	0.0048		0.00141
SESPMNT	B10C79	100 D AREA	AT	18-Oct-00	30-Oct-00	BETA	0.0635	pCi/m3	0.0616	3.04	0.0038	0.011		0.00187
SESPMNT	B10D59	100 D AREA	AT	18-Oct-00	30-Oct-00	BETA	0.0616	pCi/m3			0.0038	0.011		0.00176
SESPMNT	B10D60	100 D AREA	AT	30-Oct-00	13-Nov-00	BETA	0.0625	pCi/m3	0.0554	12.04	0.0035	0.011		0.00149
SESPMNT	B10C80	100 D AREA	AT	30-Oct-00	13-Nov-00	BETA	0.0554	pCi/m3			0.0033	0.0096		0.00159
SESPMNT	B10C81	100 D AREA	AT	13-Nov-00	28-Nov-00	BETA	0.0841	pCi/m3	0.0701	18.16	0.0038	0.014		0.00152
SESPMNT	B10D61	100 D AREA	AT	13-Nov-00	28-Nov-00	BETA	0.0701	pCi/m3			0.0035	0.012		0.00135
SESPMNT	B10D62	100 D AREA	AT	28-Nov-00	13-Dec-00	BETA	0.025	pCi/m3	0.0232	7.47	0.0023	0.0048		0.00151
SESPMNT	B10C82	100 D AREA	AT	28-Nov-00	13-Dec-00	BETA	0.0232	pCi/m3			0.0022	0.0046		0.00134
SESPMNT	B10D63	100 D AREA	AT	13-Dec-00	27-Dec-00	BETA	0.0647	pCi/m3	0.0569	12.83	0.0035	0.011		0.00148
SESPMNT	B10C83	100 D AREA	AT	13-Dec-00	27-Dec-00	BETA	0.0569	pCi/m3			0.0033	0.0098		0.00156
SESPMNT	B0X852	400 S	AT	03-Jan-00	11-Jan-00	BETA	0.00986	pCi/m3	0.00734	29.30	0.0011	0.0025		0.00138
SESPMNT	B0X8P3	400 S	AT	03-Jan-00	11-Jan-00	BETA	0.00734	pCi/m3			0.00088	0.0021		0.00127
SESPMNT	B0X853	400 S	AT	11-Jan-00	25-Jan-00	BETA	0.0144	pCi/m3	0.0127	12.55	0.0011	0.0028		0.000786
SESPMNT	B0X8P4	400 S	AT	11-Jan-00	25-Jan-00	BETA	0.0127	pCi/m3			0.00099	0.0025		0.000746
SESPMNT	B0X854	400 S	AT	25-Jan-00	09-Feb-00	BETA	0.0199	pCi/m3	0.0222	-10.93	0.0012	0.0035		0.000738
SESPMNT	B0X8P5	400 S	AT	25-Jan-00	09-Feb-00	BETA	0.0222	pCi/m3			0.0013	0.0039		0.00071
SESPMNT	B0X855	400 S	AT	09-Feb-00	22-Feb-00	BETA	0.0207	pCi/m3	0.0175	16.75	0.0013	0.0037		0.000871
SESPMNT	B0X8P6	400 S	AT	09-Feb-00	22-Feb-00	BETA	0.0175	pCi/m3			0.0012	0.0033		0.000828
SESPMNT	B0X856	400 S	AT	22-Feb-00	07-Mar-00	BETA	0.00722	pCi/m3	0.0119	-48.95	0.00071	0.0017		0.000731
SESPMNT	B0X8P7	400 S	AT	22-Feb-00	07-Mar-00	BETA	0.0119	pCi/m3			0.00095	0.0024		0.00078
SESPMNT	B0X8P8	400 S	AT	07-Mar-00	21-Mar-00	BETA	0.00629	pCi/m3	0.0697	-166.89	0.00066	0.0015		0.000787
SESPMNT	B0X857	400 S	AT	07-Mar-00	21-Mar-00	BETA	0.00697	pCi/m3			0.0007	0.0016		0.000717
SESPMNT	B0X858	400 S	AT	21-Mar-00	04-Apr-00	BETA	0.00953	pCi/m3	0.00948	0.53	0.00085	0.002		0.000829
SESPMNT	B0X8P9	400 S	AT	21-Mar-00	04-Apr-00	BETA	0.00948	pCi/m3			0.00084	0.002		0.000808
SESPMNT	B0XWN6	BASIN CITY SCHOOL	AT	29-Mar-00	12-Apr-00	BETA	0.015	pCi/m3	0.0137	9.06	0.002	0.0034		0.00162
SESPMNT	B0XWV3	BASIN CITY SCHOOL	AT	29-Mar-00	12-Apr-00	BETA	0.0137	pCi/m3			0.0019	0.0032		0.00151
SESPMNT	B0XWV4	BASIN CITY SCHOOL	AT	12-Apr-00	26-Apr-00	BETA	0.00947	pCi/m3	0.00722	26.96	0.0017	0.0026		0.00158
SESPMNT	B0XWN7	BASIN CITY SCHOOL	AT	12-Apr-00	26-Apr-00	BETA	0.00722	pCi/m3			0.0016	0.0022		0.00147
SESPMNT	B0XWN8	BASIN CITY SCHOOL	AT	26-Apr-00	10-May-00	BETA	0.00605	pCi/m3	0.00817	-29.82	0.0015	0.0021		0.00151
SESPMNT	B0XWV5	BASIN CITY SCHOOL	AT	26-Apr-00	10-May-00	BETA	0.00817	pCi/m3			0.0017	0.0024		0.00161
SESPMNT	B0XWN9	BASIN CITY SCHOOL	AT	10-May-00	24-May-00	BETA	0.0113	pCi/m3	0.0129	-13.22	0.0019	0.003		0.00154
SESPMNT	B0XWV6	BASIN CITY SCHOOL	AT	10-May-00	24-May-00	BETA	0.0129	pCi/m3			0.002	0.0032		0.00157
SESPMNT	B0XWP0	BASIN CITY SCHOOL	AT	24-May-00	07-Jun-00	BETA	0.0113	pCi/m3	0.0131	-14.75	0.0019	0.0029		0.00149
SESPMNT	B0XWV7	BASIN CITY SCHOOL	AT	24-May-00	07-Jun-00	BETA	0.0131	pCi/m3			0.002	0.0032		0.00167
SESPMNT	B0XWP1	BASIN CITY SCHOOL	AT	07-Jun-00	21-Jun-00	BETA	0.00988	pCi/m3	0.00988	0.00	0.0018	0.0027		0.00166
SESPMNT	B0XWV8	BASIN CITY SCHOOL	AT	07-Jun-00	21-Jun-00	BETA	0.00661	pCi/m3			0.0016	0.0022		0.00161

Table Q-5. Air Sample Field Duplicate Results, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP DATE ON	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	REPLICATE VALUE	RELATIVE % DIFFERENCE	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPMNT	B0XWV9	BASIN CITY SCHOOL	AT	21-Jun-00	05-Jul-00	BETA	0.0128	pCi/m3	0.00848	40.60	0.0019	0.0031		0.00155
SESPMNT	B0XWP2	BASIN CITY SCHOOL	AT	21-Jun-00	05-Jul-00	BETA	0.00848	pCi/m3			0.0017	0.0025		0.00166
SESPMNT	B0YM09	YAKIMA	AT	30-Jun-00	14-Jul-00	BETA	0.0085	pCi/m3	0.00877	-3.13	0.0017	0.0025		0.0016
SESPMNT	B0YLV5	YAKIMA	AT	30-Jun-00	14-Jul-00	BETA	0.00887	pCi/m3			0.0017	0.0025		0.00142
SESPMNT	B0YLV6	YAKIMA	AT	14-Jul-00	27-Jul-00	BETA	0.0249	pCi/m3	0.0202	20.84	0.0025	0.005		0.00159
SESPMNT	B0YM10	YAKIMA	AT	14-Jul-00	27-Jul-00	BETA	0.0202	pCi/m3			0.0023	0.0043		0.00168
SESPMNT	B0YLV7	YAKIMA	AT	27-Jul-00	11-Aug-00	BETA	0.0248	pCi/m3	0.0183	30.16	0.0023	0.0048		0.00148
SESPMNT	B0YM11	YAKIMA	AT	27-Jul-00	11-Aug-00	BETA	0.0183	pCi/m3			0.002	0.0038		0.00154
SESPMNT	B0YM12	YAKIMA	AT	11-Aug-00	25-Aug-00	BETA	0.0188	pCi/m3	0.0253	-29.48	0.0022	0.004		0.00152
SESPMNT	B0YLV8	YAKIMA	AT	11-Aug-00	25-Aug-00	BETA	0.0253	pCi/m3			0.0024	0.005		0.0016
SESPMNT	B0YM13	YAKIMA	AT	25-Aug-00	08-Sep-00	BETA	0.013	pCi/m3	0.0148	-12.95	0.0019	0.0031		0.00144
SESPMNT	B0YLV9	YAKIMA	AT	25-Aug-00	08-Sep-00	BETA	0.0148	pCi/m3			0.002	0.0034		0.00163
SESPMNT	B0YM14	YAKIMA	AT	08-Sep-00	21-Sep-00	BETA	0.023	pCi/m3	0.0222	3.54	0.0024	0.0047		0.00161
SESPMNT	B0YLW0	YAKIMA	AT	08-Sep-00	21-Sep-00	BETA	0.0222	pCi/m3			0.0024	0.0046		0.00172
SESPMNT	B0YLW1	YAKIMA	AT	21-Sep-00	06-Oct-00	BETA	0.0462	pCi/m3	0.0594	-25.00	0.0032	0.0082		0.0016
SESPMNT	B0YM15	YAKIMA	AT	21-Sep-00	06-Oct-00	BETA	0.0594	pCi/m3			0.0036	0.01		0.00169
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	CO-60	0.000348	pCi/m3	-0.000453	-1525.71	0.0011	0.0011	U	0.00221
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	CO-60	-0.000453	pCi/m3			0.00065	0.00065	U	0.00108
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	CO-60	-0.000166	pCi/m3	0.000411	-471.02	0.0012	0.0012	U	0.00227
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	CO-60	0.000411	pCi/m3			0.00095	0.00095	U	0.00207
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	CS-134	-0.000393	pCi/m3	-0.00112	-96.10	0.00089	0.00089	U	0.00152
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	CS-134	-0.00112	pCi/m3			0.00083	0.00083	U	0.0012
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	CS-134	-0.000674	pCi/m3	-0.000299	77.08	0.001	0.001	U	0.00171
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	CS-134	-0.000299	pCi/m3			0.00099	0.00099	U	0.00173
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	CS-137	0.000568	pCi/m3	0.0000201	186.33	0.00095	0.00095	U	0.00188
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	CS-137	0.0000201	pCi/m3			0.00065	0.00065	U	0.00124
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	CS-137	-0.000521	pCi/m3	0.0003	742.99	0.00079	0.00079	U	0.00131
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	CS-137	0.0003	pCi/m3			0.00089	0.00089	U	0.00174
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	EU-154	-0.00147	pCi/m3	-0.00197	-29.07	0.0024	0.0024	U	0.00409
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	EU-154	-0.00197	pCi/m3			0.0028	0.0028	U	0.00457
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	EU-154	0.000538	pCi/m3	-0.000353	963.24	0.0028	0.0028	U	0.00574
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	EU-154	-0.000353	pCi/m3			0.0018	0.0018	U	0.00367
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	EU-155	-0.000794	pCi/m3	0.000827	-9824.24	0.0013	0.0013	U	0.00217
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	EU-155	0.000827	pCi/m3			0.0016	0.0016	U	0.00311
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	EU-155	0.000207	pCi/m3	0.000236	-13.09	0.0014	0.0014	U	0.00255
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	EU-155	0.000236	pCi/m3			0.0015	0.0015	U	0.00274
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	K-40	-0.0156	pCi/m3	-0.00546	96.30	0.019	0.019	U	0.0409
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	K-40	-0.00546	pCi/m3			0.012	0.012	U	0.0249
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	K-40	0.0199	pCi/m3	0.031	-43.61	0.019	0.019	U	0.0426
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	K-40	0.031	pCi/m3			0.025	0.025	U	0.057
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	RU-106	-0.0018	pCi/m3	0.00123	1063.16	0.01	0.01	U	0.0184
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	RU-106	0.00123	pCi/m3			0.0071	0.0071	U	0.0136
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	RU-106	0.000809	pCi/m3	0.000866	-6.81	0.009	0.009	U	0.0169
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	RU-106	0.000866	pCi/m3			0.0099	0.0099	U	0.0187
SESPMNT	B0XWV2	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	SB-125	-0.00126	pCi/m3	-0.000703	56.75	0.0018	0.0018	U	0.003
SESPMNT	B0XWN5	BASIN CITY SCHOOL	AT	29-Mar-00	05-Jul-00	SB-125	-0.000703	pCi/m3			0.0022	0.0022	U	0.00382
SESPMNT	B0YM08	YAKIMA	AT	30-Jun-00	06-Oct-00	SB-125	-0.000184	pCi/m3	-0.00143	-154.40	0.0023	0.0023	U	0.00421
SESPMNT	B0YLV4	YAKIMA	AT	30-Jun-00	06-Oct-00	SB-125	-0.00143	pCi/m3			0.0023	0.0023	U	0.00393

Table Q-5. Air Sample Field Duplicate Results, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP DATE ON	SAMP DATE	CONSTITUENT NAME	VALUE RPTD	ANAL UNITS RPTD	REPLICATE VALUE	RELATIVE % DIFFERENCE	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY
SESPMNT	B0XKV3	300 SOUTH GATE	AT	26-Jan-00	23-Feb-00	TRITIUM	2.79	pCi/m3	3.05	-8.90	0.17	0.76		0.979
SESPMNT	B0XKW0	300 SOUTH GATE	AT	26-Jan-00	23-Feb-00	TRITIUM	3.05	pCi/m3			0.19	0.83		1.06
SESPMNT	B0XPJ3	300 SOUTH GATE	AT	23-Feb-00	23-Mar-00	TRITIUM	4.14	pCi/m3	7.49	-57.61	0.25	0.85		0.991
SESPMNT	B0XPK1	300 SOUTH GATE	AT	23-Feb-00	23-Mar-00	TRITIUM	7.49	pCi/m3			0.44	1.4		1.58
SESPMNT	B0Y0J5	300 SOUTH GATE	AT	23-Mar-00	19-Apr-00	TRITIUM	4.8	pCi/m3	2.71	55.66	0.3	0.97		1.08
SESPMNT	B0Y0J9	300 SOUTH GATE	AT	23-Mar-00	19-Apr-00	TRITIUM	2.71	pCi/m3			0.19	0.8		1.02
SESPMNT	B0Y3X8	300 SOUTH GATE	AT	19-Apr-00	17-May-00	TRITIUM	2.83	pCi/m3	2.43	15.21	0.19	0.68		0.838
SESPMNT	B0Y3Y2	300 SOUTH GATE	AT	19-Apr-00	17-May-00	TRITIUM	2.43	pCi/m3			0.17	0.65		0.818
SESPMNT	B0YC18	300 SOUTH GATE	AT	17-May-00	14-Jun-00	TRITIUM	2.02	pCi/m3	2.26	-11.21	0.15	0.89		1.25
SESPMNT	B0YC22	300 SOUTH GATE	AT	17-May-00	14-Jun-00	TRITIUM	2.26	pCi/m3			0.16	0.91		1.27
SESPMNT	B0YN77	300 SOUTH GATE	AT	14-Jun-00	13-Jul-00	TRITIUM	1.47	pCi/m3	1.95	-28.07	0.1	0.83		1.18
SESPMNT	B0YN80	300 SOUTH GATE	AT	14-Jun-00	13-Jul-00	TRITIUM	1.95	pCi/m3			0.14	1.1		1.59
SESPMNT	B0YW83	300 SOUTH GATE	AT	13-Jul-00	10-Aug-00	TRITIUM	2.57	pCi/m3	1.89	30.49	0.18	1.4		2.01
SESPMNT	B0YWB5	300 SOUTH GATE	AT	13-Jul-00	10-Aug-00	TRITIUM	1.89	pCi/m3			0.13	1.2		1.78
SESPMNT	B103Y6	300 SOUTH GATE	AT	10-Aug-00	07-Sep-00	TRITIUM	1.57	pCi/m3	1.41	10.74	0.11	1		1.49
SESPMNT	B10415	300 SOUTH GATE	AT	10-Aug-00	07-Sep-00	TRITIUM	1.41	pCi/m3			0.099	0.96		1.39
SESPMNT	B10D64	300 SOUTH GATE	AT	07-Sep-00	05-Oct-00	TRITIUM	6.6	pCi/m3	2.21	99.66	0.41	1.8		2.25
SESPMNT	B10D67	300 SOUTH GATE	AT	07-Sep-00	05-Oct-00	TRITIUM	2.21	pCi/m3			0.15	0.99		1.37
SESPMNT	B10L53	300 SOUTH GATE	AT	05-Oct-00	02-Nov-00	TRITIUM	2.61	pCi/m3	2.67	-2.27	0.17	0.99		1.33
SESPMNT	B10L57	300 SOUTH GATE	AT	05-Oct-00	02-Nov-00	TRITIUM	2.67	pCi/m3			0.18	1		1.36
SESPMNT	B10W09	300 SOUTH GATE	AT	02-Nov-00	29-Nov-00	TRITIUM	1.94	pCi/m3	3.67	-61.68	0.42	0.66		0.874
SESPMNT	B10W25	300 SOUTH GATE	AT	02-Nov-00	29-Nov-00	TRITIUM	3.67	pCi/m3			0.6	0.95		1.17
SESPMNT	B113N2	300 SOUTH GATE	AT	29-Nov-00	28-Dec-00	TRITIUM	2.6	pCi/m3	0.817	104.36	0.46	0.72		0.924
SESPMNT	B113N7	300 SOUTH GATE	AT	29-Nov-00	28-Dec-00	TRITIUM	0.817	pCi/m3			0.18	0.28	J	0.373

Table Q-6. Washington State Department of Health (WDOH) and PNNL Gross Beta in Air Collocated Samples, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP DATE ON	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	MIN DETECTABLE ACTIVITY	LLD	COLLECTION NOTES
WDOH	23918	W END OF FIR ROAD		3-Jan-00	0.031	pCi/m3	0.002			0.001	Air Filter, 168.1 hours.
WDOH	23998	W END OF FIR ROAD		10-Jan-00	0.0074	pCi/m3	0.0013			0.001	Total hours168.5, Total Volume 424.6 cub. M.
WDOH	24004	W END OF FIR ROAD		17-Jan-00	0.0059	pCi/m3	0.0012			0.001	Air Filter, 167.6 hours.
SESPMNT	B0X875	W END OF FIR ROAD	06-Jan-00	20-Jan-00	0.00652	pCi/m3	0.00067	0.0016	0.000726		
WDOH	24010	W END OF FIR ROAD		24-Jan-00	0.021	pCi/m3	0.002			0.001	Air Filter, 167.8 hours.
WDOH	24590	W END OF FIR ROAD		31-Jan-00	0.021	pCi/m3	0.002			0.001	Air Filter, 168.3 hours.
SESPMNT	B0X876	W END OF FIR ROAD	20-Jan-00	03-Feb-00	0.0179	pCi/m3	0.0012	0.0033	0.000821		
WDOH	24016	W END OF FIR ROAD		7-Feb-00	0.024	pCi/m3	0.002			0.001	Air Filter, 167.1 hours.
WDOH	24022	W END OF FIR ROAD		14-Feb-00	0.019	pCi/m3	0.002			0.001	Air Filter, 168.6 hours.
SESPMNT	B0X877	W END OF FIR ROAD	03-Feb-00	18-Feb-00	0.0157	pCi/m3	0.0011	0.0029	0.000746		
WDOH	24028	W END OF FIR ROAD		22-Feb-00	0.03	pCi/m3	0.002			0.001	Air Filter, 192.0 hours.
WDOH	24034	W END OF FIR ROAD		28-Feb-00	0.0085	pCi/m3	0.0015			0.001	Air Filter, 144.1 hours.
SESPMNT	B0X878	W END OF FIR ROAD	18-Feb-00	02-Mar-00	0.0154	pCi/m3	0.0011	0.0029	0.000838		
WDOH	24040	W END OF FIR ROAD		6-Mar-00	0.0096	pCi/m3	0.0013			0.001	Air Filter, 167.7 hours.
WDOH	24046	W END OF FIR ROAD		13-Mar-00	0.013	pCi/m3	0.001			0.001	Air Filter, 167.9 hours.
SESPMNT	B0X879	W END OF FIR ROAD	02-Mar-00	16-Mar-00	0.00895	pCi/m3	0.00082	0.0019	0.000816		
WDOH	24052	W END OF FIR ROAD		20-Mar-00	0.0064	pCi/m3	0.0012			0.001	Air Filter, 168.1 hours.
WDOH	24058	W END OF FIR ROAD		27-Mar-00	0.011	pCi/m3	0.001			0.001	167.9 Hours
SESPMNT	B0X880	W END OF FIR ROAD	16-Mar-00	31-Mar-00	0.00579	pCi/m3	0.0006	0.0014	0.000662		
WDOH	24062	W END OF FIR ROAD		3-Apr-00	0.011	pCi/m3	0.001			0.001	167.0 Hours. Lost one hour due daylight savings time.
WDOH	24063	W END OF FIR ROAD		10-Apr-00	0.011	pCi/m3	0.001			0.001	168.1 Hours.
SESPMNT	B0XWB1	W END OF FIR ROAD	31-Mar-00	13-Apr-00	0.0128	pCi/m3	0.001	0.0026	0.000893		
WDOH	24064	W END OF FIR ROAD		17-Apr-00	0.014	pCi/m3	0.002			0.001	Air Filter, 167.6 hours.
WDOH	24065	W END OF FIR ROAD		24-Apr-00	0.011	pCi/m3	0.001			0.001	Air Filter, 168.2 hours.
SESPMNT	B0XWB2	W END OF FIR ROAD	13-Apr-00	27-Apr-00	0.00715	pCi/m3	0.00071	0.0017	0.000735		
WDOH	24066	W END OF FIR ROAD		1-May-00	0.0097	pCi/m3	0.0013			0.001	Air Filter, 168.0 hours.
WDOH	24067	W END OF FIR ROAD		8-May-00	0.01	pCi/m3	0.001			0.001	Air Filter, 168.4 hours.
SESPMNT	B0XWB3	W END OF FIR ROAD	27-Apr-00	11-May-00	0.0072	pCi/m3	0.00072	0.0017	0.000803		
WDOH	24068	W END OF FIR ROAD		15-May-00	0.0081	pCi/m3	0.0013			0.001	Air Cartridge, 167.4 hours.
WDOH	24069	W END OF FIR ROAD		22-May-00	0.016	pCi/m3	0.002			0.001	Air Filter, 168.0 hours.
SESPMNT	B0XWB4	W END OF FIR ROAD	11-May-00	25-May-00	0.0112	pCi/m3	0.00092	0.0023	0.000728		
WDOH	24070	W END OF FIR ROAD		30-May-00	0.012	pCi/m3	0.001			0.001	Air Filter, 191.6 hours.
WDOH	24071	W END OF FIR ROAD		5-Jun-00	0.012	pCi/m3	0.002			0.001	Air Filter, 144.1 hours.
SESPMNT	B0XWB5	W END OF FIR ROAD	25-May-00	08-Jun-00	0.00993	pCi/m3	0.00086	0.0021	0.000774		
WDOH	24072	W END OF FIR ROAD		12-Jun-00	0.0079	pCi/m3	0.0013			0.001	Air Filter, 168.0 hours.
WDOH	24073	W END OF FIR ROAD		19-Jun-00	0.0079	pCi/m3	0.0013			0.001	Air Filter, 168.3 hours.
SESPMNT	B0XWB6	W END OF FIR ROAD	08-Jun-00	23-Jun-00	0.00778	pCi/m3	0.00073	0.0017	0.000777		
WDOH	24074	W END OF FIR ROAD		26-Jun-00	0.01	pCi/m3	0.001			0.001	Air Filter, 168.2 hours.
SESPMNT	B0YN65	W END OF FIR ROAD	23-Jun-00	30-Jun-00	0.0133	pCi/m3	0.0013	0.0031	0.00156		
WDOH	24075	W END OF FIR ROAD		3-Jul-00	0.014	pCi/m3	0.002			0.001	Volume estimated by Bud based on 24273.
SESPMNT	B0XWB7	W END OF FIR ROAD	30-Jun-00	07-Jul-00	0.00569	pCi/m3	0.0008	0.0021	0.00166		
WDOH	24076	W END OF FIR ROAD		10-Jul-00	0.0073	pCi/m3	0.0012			0.001	Air Filter, 168.1 hours.
WDOH	24077	W END OF FIR ROAD		17-Jul-00	0.011	pCi/m3	0.001			0.001	Air Filter, 168.0 hours.
SESPMNT	B0YLJ1	W END OF FIR ROAD	07-Jul-00	20-Jul-00	0.0132	pCi/m3	0.001	0.0026	0.000798		
WDOH	24078	W END OF FIR ROAD		24-Jul-00	0.015	pCi/m3	0.002			0.001	Air Filter, 168.3 hours.
WDOH	24079	W END OF FIR ROAD		31-Jul-00	0.011	pCi/m3	0.001			0.001	Air Filter, 168.5 hours.
SESPMNT	B0YLJ2	W END OF FIR ROAD	20-Jul-00	03-Aug-00	0.0101	pCi/m3	0.00086	0.0021	0.000716		
WDOH	24080	W END OF FIR ROAD		7-Aug-00	0.012	pCi/m3	0.001			0.001	Air Filter, 167.4 hours.
WDOH	24081	W END OF FIR ROAD		14-Aug-00	0.014	pCi/m3	0.001			0.001	168.1 Hours
SESPMNT	B0YLJ3	W END OF FIR ROAD	03-Aug-00	18-Aug-00	0.00942	pCi/m3	0.00081	0.002	0.000671		
WDOH	24082	W END OF FIR ROAD		21-Aug-00	0.011	pCi/m3	0.001			0.001	Air Filter, 168.0 hours.
WDOH	24083	W END OF FIR ROAD		28-Aug-00	0.013	pCi/m3	0.001			0.001	Air Filter, 168.2 hours.

Table Q-6. Washington State Department of Health (WDOH) and PNNL Gross Beta in Air Collocated Samples, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP DATE ON	SAMP DATE	VALUE	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	MIN DETECTABLE ACTIVITY	FILTER	COLLECTION NOTES
SESPMNT	B0YLJ4	W END OF FIR ROAD	18-Aug-00	31-Aug-00	0.00606	pCi/m3	0.00066	0.0015	0.000813		
WDOH	24084	W END OF FIR ROAD		5-Sep-00	0.0086	pCi/m3	0.0012			0.001	Air Filter, 191.8 hours. Sent to Teledyne by mistake.
WDOH	24085	W END OF FIR ROAD		11-Sep-00	0.0083	pCi/m3	0.0014			0.001	Air Filter, 143.8 hours.
SESPMNT	B0YLJ5	W END OF FIR ROAD	31-Aug-00	13-Sep-00	0.00587	pCi/m3	0.00065	0.0015	0.000851		
WDOH	24086	W END OF FIR ROAD		18-Sep-00	0.016	pCi/m3	0.002			0.001	Air Filter, 168.0 hours.
WDOH	24087	W END OF FIR ROAD		25-Sep-00	0.016	pCi/m3	0.002			0.001	Air Filter, 168.0 hours.
SESPMNT	B0YLJ6	W END OF FIR ROAD	13-Sep-00	29-Sep-00	0.0222	pCi/m3	0.0013	0.0039	0.00067		
WDOH	24088	W END OF FIR ROAD		2-Oct-00	0.027	pCi/m3	0.002			0.001	168.5 Hours
WDOH	24089	W END OF FIR ROAD		9-Oct-00	0.034	pCi/m3	0.002			0.001	167.7 Hours.
SESPMNT	B10CN6	W END OF FIR ROAD	29-Sep-00	11-Oct-00	0.018	pCi/m3	0.0013	0.0034	0.000955		
WDOH	24090	W END OF FIR ROAD		16-Oct-00	0.02	pCi/m3	0.002			0.001	Air Filter, 168.6 hours.
WDOH	24091	W END OF FIR ROAD		23-Oct-00	0.013	pCi/m3	0.001			0.001	Air Filter, 167.6 hours.
SESPMNT	B10CN7	W END OF FIR ROAD	11-Oct-00	27-Oct-00	0.0227	pCi/m3	0.0013	0.004	0.000694		
WDOH	24092	W END OF FIR ROAD		30-Oct-00	0.03	pCi/m3	0.002			0.001	Air Filter, 168.7 hours.
WDOH	24093	W END OF FIR ROAD		6-Nov-00	0.018	pCi/m3	0.002			0.001	Air Filter, 167.9 hours.
SESPMNT	B10CN8	W END OF FIR ROAD	27-Oct-00	09-Nov-00	0.0157	pCi/m3	0.0011	0.003	0.000815		
WDOH	24094	W END OF FIR ROAD		13-Nov-00	0.025	pCi/m3	0.002			0.001	Air Filter, 167.9 hours.
WDOH	24095	W END OF FIR ROAD		20-Nov-00	0.066	pCi/m3	0.003			0.001	Air Filter, 168.3 hours.
SESPMNT	B10CN9	W END OF FIR ROAD	09-Nov-00	22-Nov-00	0.0401	pCi/m3	0.002	0.0067	0.000776		
WDOH	24096	W END OF FIR ROAD		27-Nov-00	0.046	pCi/m3	0.002			0.001	Air Filter, 168.1 hours.
WDOH	24097	W END OF FIR ROAD		4-Dec-00	0.017	pCi/m3	0.002			0.001	Air Filter, 167.6 hours.
SESPMNT	B10CP0	W END OF FIR ROAD	22-Nov-00	08-Dec-00	0.0127	pCi/m3	0.0011	0.0024	0.000631		
WDOH	24098	W END OF FIR ROAD		11-Dec-00	0.025	pCi/m3	0.002			0.001	Air Filter, 168.0 hours.
WDOH	24099	W END OF FIR ROAD		18-Dec-00	0.033	pCi/m3	0.002			0.001	Air Filter, 168.0 hours.
SESPMNT	B10CP1	W END OF FIR ROAD	08-Dec-00	19-Dec-00	0.0288	pCi/m3	0.0019	0.0051	0.000934		
WDOH	24100	W END OF FIR ROAD		27-Dec-00	0.027	pCi/m3	0.002			0.001	Air Filter, 216.7 hours.
SESPMNT	B10CP2	W END OF FIR ROAD	19-Dec-00	05-Jan-01	0.0291	pCi/m3	0.0015	0.0049	0.000671		
WDOH	23907	WYE BARRICADE		3-Jan-00	0.027	pCi/m3	0.002			0.001	Air Filter, 167.23 hours.
WDOH	24402	WYE BARRICADE		10-Jan-00	0.007	pCi/m3	0.0012			0.001	Air Filter, 166.15 hours.
SESPMNT	B0X867	WYE BARRICADE	03-Jan-00	11-Jan-00	0.00482	pCi/m3	0.00066	0.0018	0.00127		
WDOH	24403	WYE BARRICADE		18-Jan-00	0.0055	pCi/m3	0.001			0.001	Air Filter, 193.03 hours.
WDOH	24404	WYE BARRICADE		24-Jan-00	0.021	pCi/m3	0.002			0.001	Air Filter, 148.12 hours.
SESPMNT	B0X868	WYE BARRICADE	11-Jan-00	25-Jan-00	0.0136	pCi/m3	0.001	0.0026	0.000742		
WDOH	24405	WYE BARRICADE		31-Jan-00	0.017	pCi/m3	0.002			0.001	Air Filter, 164.10 hours.
WDOH	24406	WYE BARRICADE		7-Feb-00	0.02	pCi/m3	0.002			0.001	Air Filter, 165.53 hours.
SESPMNT	B0X869	WYE BARRICADE	25-Jan-00	09-Feb-00	0.0224	pCi/m3	0.0013	0.0039	0.000769		
WDOH	24407	WYE BARRICADE		14-Feb-00	0.018	pCi/m3	0.002			0.001	Air Filter, 170.03 hours.
WDOH	24408	WYE BARRICADE		22-Feb-00	0.024	pCi/m3	0.002			0.001	Air Filter, 191.27 hours.
SESPMNT	B0X870	WYE BARRICADE	09-Feb-00	22-Feb-00	0.0179	pCi/m3	0.0012	0.0033	0.000827		
WDOH	24409	WYE BARRICADE		28-Feb-00	0.0083	pCi/m3	0.0014			0.001	Air Filter, 144.78 hours.
WDOH	24410	WYE BARRICADE		6-Mar-00	0.0084	pCi/m3	0.0013			0.001	Air Filter, 167.92 hours.
SESPMNT	B0X871	WYE BARRICADE	22-Feb-00	07-Mar-00	0.00927	pCi/m3	0.00083	0.002	0.00078		
WDOH	24411	WYE BARRICADE		13-Mar-00	0.0094	pCi/m3	0.0013			0.001	Air Filter, 168.37 hours.
WDOH	24412	WYE BARRICADE		20-Mar-00	0.0054	pCi/m3	0.0011			0.001	Air Filter, 170.23 hours.
SESPMNT	B0X872	WYE BARRICADE	07-Mar-00	21-Mar-00	0.00685	pCi/m3	0.00069	0.0016	0.000787		
WDOH	24413	WYE BARRICADE		27-Mar-00	0.0091	pCi/m3	0.0013			0.001	166.02 HOURS
WDOH	24414	WYE BARRICADE		3-Apr-00	0.0088	pCi/m3	0.0013			0.001	167.18 Hours. Daylight Savings Time.
SESPMNT	B0X873	WYE BARRICADE	21-Mar-00	04-Apr-00	0.00856	pCi/m3	0.00079	0.0019	0.000755		
WDOH	24415	WYE BARRICADE		10-Apr-00	0.0099	pCi/m3	0.0013			0.001	167.70 Hours.
WDOH	24416	WYE BARRICADE		17-Apr-00	0.014	pCi/m3	0.001			0.001	Air Filter, 168.15 hours.
SESPMNT	B0XW94	WYE BARRICADE	04-Apr-00	18-Apr-00	0.0112	pCi/m3	0.00093	0.0023	0.000806		
WDOH	24417	WYE BARRICADE		24-Apr-00	0.01	pCi/m3	0.001			0.001	Air Filter, 167.48 hours.

Table Q-6. Washington State Department of Health (WDOH) and PNNL Gross Beta in Air Collocated Samples, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP DATE ON	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	MIN DETECTABLE ACTIVITY	LLD	COLLECTION NOTES
WDOH	24418	WYE BARRICADE		1-May-00	0.01	pCi/m3	0.001			0.001	Air Filter, 172.45 hours.
SESPMNT	B0XW95	WYE BARRICADE	18-Apr-00	02-May-00	0.00839	pCi/m3	0.00078	0.0018	0.000746		
WDOH	24419	WYE BARRICADE		8-May-00	0.009	pCi/m3	0.0013			0.001	Air Filter, 161.63 hours.
WDOH	24420	WYE BARRICADE		15-May-00	0.0091	pCi/m3	0.0013			0.001	Air Filter, 170.17 hours.
SESPMNT	B0XW96	WYE BARRICADE	02-May-00	16-May-00	0.00857	pCi/m3	0.0008	0.0019	0.00082		
WDOH	24421	WYE BARRICADE		22-May-00	0.016	pCi/m3	0.002			0.001	Air Filter, 169.33 hours.
WDOH	24422	WYE BARRICADE		30-May-00	0.013	pCi/m3	0.001			0.001	Air Filter, 188.47 hours.
SESPMNT	B0XW97	WYE BARRICADE	16-May-00	30-May-00	0.0111	pCi/m3	0.00091	0.0022	0.000717		
WDOH	24423	WYE BARRICADE		5-Jun-00	0.014	pCi/m3	0.002			0.001	Air Filter, 146.37 hours.
WDOH	24424	WYE BARRICADE		12-Jun-00	0.0091	pCi/m3	0.0013			0.001	Air Filter, 167.67 hours.
SESPMNT	B0XW98	WYE BARRICADE	30-May-00	13-Jun-00	0.00933	pCi/m3	0.00083	0.002	0.000717		
WDOH	24425	WYE BARRICADE		19-Jun-00	0.0084	pCi/m3	0.0013			0.001	Air Filter, 167.72 hours.
WDOH	24426	WYE BARRICADE		26-Jun-00	0.011	pCi/m3	0.001			0.001	Air Filter, 168.17 hours.
SESPMNT	B0XW99	WYE BARRICADE	13-Jun-00	28-Jun-00	0.00846	pCi/m3	0.00076	0.0018	0.000753		
WDOH	24427	WYE BARRICADE		30-Jun-00	0.002	pCi/m3	0.0035			0.001	Air Filter, 43.58 hours. Power outage + DUE ER (WILDFIRE AT HANFORD) THIS SAMPLE WAS COLLECTED ON 6/29/00 UNDER DBID 25056
WDOH	24428	WYE BARRICADE		10-Jul-00	0.0099	pCi/m3	0.0013			0.001	Air Filter, 165.62 hours.
SESPMNT	B0YLH3	WYE BARRICADE	28-Jun-00	10-Jul-00	0.00856	pCi/m3	0.00092	0.0021	0.00115		
WDOH	24429	WYE BARRICADE		17-Jul-00	0.011	pCi/m3	0.001			0.001	Air Filter, 169.83 hours.
WDOH	24430	WYE BARRICADE		24-Jul-00	0.015	pCi/m3	0.002			0.001	Air Filter, 166.92 hours.
SESPMNT	B0YLH4	WYE BARRICADE	10-Jul-00	25-Jul-00	0.0117	pCi/m3	0.00091	0.0023	0.000695		
WDOH	24431	WYE BARRICADE		31-Jul-00	0.011	pCi/m3	0.001			0.001	Air Filter, 167.97 hours.
WDOH	24432	WYE BARRICADE		7-Aug-00	0.014	pCi/m3	0.001			0.001	Air Filter, 168.23 hours.
SESPMNT	B0YLH5	WYE BARRICADE	25-Jul-00	09-Aug-00	0.00994	pCi/m3	0.00084	0.002	0.000689		
WDOH	24433	WYE BARRICADE		14-Aug-00	0.016	pCi/m3	0.003			0.001	
WDOH	24434	WYE BARRICADE		21-Aug-00	0.012	pCi/m3	0.002			0.001	Air Filter, 137.00 hours.
SESPMNT	B0YLH6	WYE BARRICADE	09-Aug-00	23-Aug-00	0.0101	pCi/m3	0.00087	0.0021	0.000751		
WDOH	24435	WYE BARRICADE		28-Aug-00	0.013	pCi/m3	0.001			0.001	Air Filter, 167.50 hours.
WDOH	24436	WYE BARRICADE		5-Sep-00	0.0091	pCi/m3	0.0012			0.001	Air Filter, 192.47 hours.
SESPMNT	B0YLH7	WYE BARRICADE	23-Aug-00	06-Sep-00	0.00981	pCi/m3	0.00085	0.0021	0.000726		
WDOH	24437	WYE BARRICADE		11-Sep-00	0.0088	pCi/m3	0.0014			0.001	Air Filter, 145.73 hours.
WDOH	24438	WYE BARRICADE		18-Sep-00	0.017	pCi/m3	0.002			0.001	Air Filter, 165.85 hours.
SESPMNT	B0YLH8	WYE BARRICADE	06-Sep-00	22-Sep-00	0.0127	pCi/m3	0.00093	0.0024	0.000651		
WDOH	24439	WYE BARRICADE		25-Sep-00	0.017	pCi/m3	0.002			0.001	Ai Filter, 168.62 hours.
WDOH	24440	WYE BARRICADE		2-Oct-00	0.029	pCi/m3	0.002			0.001	Air Filter, 167.33 hours.
SESPMNT	B0YLH9	WYE BARRICADE	22-Sep-00	03-Oct-00	0.0236	pCi/m3	0.0016	0.0043	0.00105		
WDOH	24441	WYE BARRICADE		9-Oct-00	0.035	pCi/m3	0.002			0.001	Air Filter, 168.35 hours.
WDOH	24442	WYE BARRICADE		16-Oct-00	0.022	pCi/m3	0.002			0.001	Air Filter, 168.42 hours.
SESPMNT	B10CM9	WYE BARRICADE	03-Oct-00	18-Oct-00	0.0247	pCi/m3	0.0014	0.0043	0.000706		
WDOH	24443	WYE BARRICADE		23-Oct-00	0.014	pCi/m3	0.001			0.001	Air Filter, 167.48 hours.
SESPMNT	B10CN0	WYE BARRICADE	18-Oct-00	30-Oct-00	0.0286	pCi/m3	0.0016	0.005	0.000878		
WDOH	24444	WYE BARRICADE		30-Oct-00	0.033	pCi/m3	0.002			0.001	Air Filter, 170.67 hours. Daylight Savings Time.
WDOH	24445	WYE BARRICADE		6-Nov-00	0.019	pCi/m3	0.002			0.001	Air Filter, 166.58 hours.
WDOH	24446	WYE BARRICADE		13-Nov-00	0.026	pCi/m3	0.002			0.001	Air Filter, 167.75 hours.
SESPMNT	B10CN1	WYE BARRICADE	30-Oct-00	13-Nov-00	0.0267	pCi/m3	0.0015	0.0046	0.000795		
WDOH	24447	WYE BARRICADE		20-Nov-00	0.069	pCi/m3	0.003			0.001	Air Filter, 167.75 hours.
WDOH	24448	WYE BARRICADE		27-Nov-00	0.048	pCi/m3	0.002			0.001	Air Filter, 169.58 hours.
SESPMNT	B10CN2	WYE BARRICADE	13-Nov-00	28-Nov-00	0.0447	pCi/m3	0.002	0.0074	0.000677		
WDOH	24449	WYE BARRICADE		4-Dec-00	0.016	pCi/m3	0.002			0.001	Air Filter, 166.55 hours.
WDOH	24450	WYE BARRICADE		11-Dec-00	0.027	pCi/m3	0.002			0.001	Air Filter, 167.90 hours.
SESPMNT	B10CN3	WYE BARRICADE	28-Nov-00	13-Dec-00	0.0245	pCi/m3	0.0015	0.0042	0.000669		

Table Q-6. Washington State Department of Health (WDOH) and PNNL Gross Beta in Air Collocated Samples, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP DATE ON	SAMP DATE	VALUE FILTER	ANAL UNITS FILTER	COUNTING ERROR	TOTAL ANAL ERROR	MIN DET ACTIVITY	LLD	COLLECTION NOTES
WDOH	24451	WYE BARRICADE		18-Dec-00	0.033	pCi/m3	0.002			0.001	Air Filter, 167.97 hours.
WDOH	24452	WYE BARRICADE		26-Dec-00	0.028	pCi/m3	0.002			0.001	Air Filter, 193.55 hours.
SESPMNT	B10CN4	WYE BARRICADE	13-Dec-00	27-Dec-00	0.0311	pCi/m3	0.0017	0.0053	0.00078		
WDOH	23906	YAKIMA BARRICADE		3-Jan-00	0.028	pCi/m3	0.002			0.001	Air Filter, 167.55 hours.
WDOH	24453	YAKIMA BARRICADE		10-Jan-00	0.009	pCi/m3	0.0013			0.001	Air Filter, 169.58 hours.
SESPMNT	B0X8C8	YAKIMA BARRICADE	29-Dec-99	12-Jan-00	0.0113	pCi/m3	0.00093	0.0023	0.000738		
WDOH	24454	YAKIMA BARRICADE		18-Jan-00	0.0051	pCi/m3	0.001			0.001	Air Filter, 190.38 hours.
WDOH	24455	YAKIMA BARRICADE		24-Jan-00	0.023	pCi/m3	0.002			0.001	Air Filter, 148.15 hours.
SESPMNT	B0X8C9	YAKIMA BARRICADE	12-Jan-00	26-Jan-00	0.017	pCi/m3	0.0013	0.0029	0.000777		
WDOH	24456	YAKIMA BARRICADE		31-Jan-00	0.015	pCi/m3	0.002			0.001	Air Filter, 163.93 hours.
WDOH	24457	YAKIMA BARRICADE		7-Feb-00	0.021	pCi/m3	0.002			0.001	Air Filter, 168.25 hours.
SESPMNT	B0X8D0	YAKIMA BARRICADE	26-Jan-00	10-Feb-00	0.0213	pCi/m3	0.0013	0.0038	0.000741		
WDOH	24458	YAKIMA BARRICADE		14-Feb-00	0.018	pCi/m3	0.002			0.001	Air Filter, 167.53 hours.
WDOH	24459	YAKIMA BARRICADE		22-Feb-00	0.024	pCi/m3	0.002			0.001	Air Filter, 193.58 hours.
SESPMNT	B0X8D1	YAKIMA BARRICADE	10-Feb-00	23-Feb-00	0.0207	pCi/m3	0.0013	0.0038	0.000788		
WDOH	24460	YAKIMA BARRICADE		28-Feb-00	0.0074	pCi/m3	0.0014			0.001	Air Filter, 142.43 hours.
WDOH	24461	YAKIMA BARRICADE		6-Mar-00	0.0086	pCi/m3	0.0013			0.001	Air Filter, 167.90 hours.
SESPMNT	B0X8D2	YAKIMA BARRICADE	23-Feb-00	08-Mar-00	0.0083	pCi/m3	0.00078	0.0018	0.000792		
WDOH	24462	YAKIMA BARRICADE		13-Mar-00	0.011	pCi/m3	0.001			0.001	Air Filter, 168.30 hours.
WDOH	24463	YAKIMA BARRICADE		20-Mar-00	0.0053	pCi/m3	0.0012			0.001	Air Filter, 167.7 hours.
SESPMNT	B0X8D3	YAKIMA BARRICADE	08-Mar-00	23-Mar-00	0.00774	pCi/m3	0.00072	0.0017	0.000749		
WDOH	24464	YAKIMA BARRICADE		27-Mar-00	0.0082	pCi/m3	0.0013			0.001	169.27 HOURS.
WDOH	24465	YAKIMA BARRICADE		3-Apr-00	0.0092	pCi/m3	0.0013			0.001	166.83 Hours. Daylight Savings Time.
SESPMNT	B0X8D4	YAKIMA BARRICADE	23-Mar-00	05-Apr-00	0.00859	pCi/m3	0.00082	0.0019	0.000773		
WDOH	24466	YAKIMA BARRICADE		10-Apr-00	0.012	pCi/m3	0.001			0.001	167.08 Hours.
WDOH	24467	YAKIMA BARRICADE		17-Apr-00	0.014	pCi/m3	0.001			0.001	Air Filter, 168.05 hours.
SESPMNT	B0XWH6	YAKIMA BARRICADE	05-Apr-00	19-Apr-00	0.0117	pCi/m3	0.00094	0.0023	0.000803		
WDOH	24468	YAKIMA BARRICADE		24-Apr-00	0.011	pCi/m3	0.001			0.001	Air Filter, 167.98 hours.
WDOH	24469	YAKIMA BARRICADE		1-May-00	0.009	pCi/m3	0.0013			0.001	Air Filter, 168.62 hours.
SESPMNT	B0XWH7	YAKIMA BARRICADE	19-Apr-00	03-May-00	0.00773	pCi/m3	0.00075	0.0017	0.000812		
WDOH	24470	YAKIMA BARRICADE		8-May-00	0.012	pCi/m3	0.003			0.001	Air Filter, 73.01 hours. Sampler had no power.
WDOH	24471	YAKIMA BARRICADE		15-May-00	0.008	pCi/m3	0.0013			0.001	Air Filter, 162.45 hours.
SESPMNT	B0XWH8	YAKIMA BARRICADE	03-May-00	17-May-00	0.00905	pCi/m3	0.00082	0.0019	0.000815		
WDOH	24472	YAKIMA BARRICADE		22-May-00	0.015	pCi/m3	0.001			0.001	Air Filter, 168.32 hours.
WDOH	24473	YAKIMA BARRICADE		30-May-00	0.012	pCi/m3	0.001			0.001	Air Filter, 193.57 hours.
SESPMNT	B0XWH9	YAKIMA BARRICADE	17-May-00	31-May-00	0.0104	pCi/m3	0.00088	0.0021	0.000802		
WDOH	24474	YAKIMA BARRICADE		5-Jun-00	0.012	pCi/m3	0.002			0.001	Air Filter, 142.87 hours.
WDOH	24475	YAKIMA BARRICADE		12-Jun-00	0.0082	pCi/m3	0.0013			0.001	Air Filter, 167.38 hours.
SESPMNT	B0XWJ0	YAKIMA BARRICADE	31-May-00	14-Jun-00	0.00853	pCi/m3	0.00079	0.0019	0.000794		
WDOH	24476	YAKIMA BARRICADE		19-Jun-00	0.0077	pCi/m3	0.0012			0.001	Air Filter, 168.17 hours.
WDOH	24477	YAKIMA BARRICADE		26-Jun-00	0.009	pCi/m3	0.0013			0.001	Air Filter, 168.23 hours.
SESPMNT	B0XWJ1	YAKIMA BARRICADE	14-Jun-00	29-Jun-00	0.0104	pCi/m3	0.00086	0.0021	0.000766		
WDOH	24478	YAKIMA BARRICADE		3-Jul-00	0.01	pCi/m3	0.002			0.001	Air Filter, 91.75 hours. DUE ER SITUATION (WILDFIRE AT HANFORD) THIS SAMPLE WAS COLLECTED ON 6/29/00 UNDER DBID 25060
WDOH	24479	YAKIMA BARRICADE		10-Jul-00	0.0077	pCi/m3	0.0012			0.001	Air Filter, 168.3 hours.
SESPMNT	B0YLN4	YAKIMA BARRICADE	29-Jun-00	13-Jul-00	0.00877	pCi/m3	0.0008	0.0019	0.000796		
WDOH	24480	YAKIMA BARRICADE		17-Jul-00	0.0097	pCi/m3	0.0013			0.001	Air Filter, 167.78 hours.
WDOH	24481	YAKIMA BARRICADE		24-Jul-00	0.013	pCi/m3	0.001			0.001	Air Filter, 168.07 hours.
SESPMNT	B0YLN5	YAKIMA BARRICADE	13-Jul-00	26-Jul-00	0.0117	pCi/m3	0.00097	0.0024	0.00077		
WDOH	24482	YAKIMA BARRICADE		31-Jul-00	0.0087	pCi/m3	0.0013			0.001	Air Filter, 167.67 hours.
WDOH	24483	YAKIMA BARRICADE		7-Aug-00	0.011	pCi/m3	0.001			0.001	Air Filter, 167.62 hours.
SESPMNT	B0YLN6	YAKIMA BARRICADE	26-Jul-00	10-Aug-00	0.0107	pCi/m3	0.00087	0.0021	0.00074		

Table Q-6. Washington State Department of Health (WDOH) and PNNL Gross Beta in Air Collocated Samples, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP DATE ON	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	MIN DETECTABLE ACTIVITY	LLD	COLLECTION NOTES
WDOH	24484	YAKIMA BARRICADE		14-Aug-00	0.013	pCi/m3	0.001			0.001	Air Filter, 170.0 hours. Label listed DBID #24483, which was previous week at same site.
WDOH	24485	YAKIMA BARRICADE		21-Aug-00	0.011	pCi/m3	0.001			0.001	Air Filter, 166.93 hours.
SESPMNT	B0YLN7	YAKIMA BARRICADE	10-Aug-00	24-Aug-00	0.0104	pCi/m3	0.00088	0.0021	0.000748		
WDOH	24486	YAKIMA BARRICADE		28-Aug-00	0.011	pCi/m3	0.001			0.001	Air Filter, 167.90 hours.
WDOH	24487	YAKIMA BARRICADE		5-Sep-00	0.0081	pCi/m3	0.0011			0.001	Air Filter, 198.5 hours.
SESPMNT	B0YLN8	YAKIMA BARRICADE	24-Aug-00	07-Sep-00	0.0078	pCi/m3	0.00075	0.0018	0.000768		
WDOH	24488	YAKIMA BARRICADE		11-Sep-00	0.0087	pCi/m3	0.0015			0.001	Air Filter, 137.13 hours.
WDOH	24489	YAKIMA BARRICADE		18-Sep-00	0.014	pCi/m3	0.001			0.001	Air Filter, 168.12 hours.
SESPMNT	B0YLN9	YAKIMA BARRICADE	07-Sep-00	20-Sep-00	0.0124	pCi/m3	0.001	0.0025	0.000859		
WDOH	24490	YAKIMA BARRICADE		25-Sep-00	0.013	pCi/m3	0.001			0.001	Air Filter, 170.30 hours.
WDOH	24491	YAKIMA BARRICADE		2-Oct-00	0.023	pCi/m3	0.002			0.001	Air Filter, 167.28 hours.
SESPMNT	B0YLP0	YAKIMA BARRICADE	20-Sep-00	05-Oct-00	0.0201	pCi/m3	0.0012	0.0036	0.000719		
WDOH	24492	YAKIMA BARRICADE		9-Oct-00	0.027	pCi/m3	0.002			0.001	Air Filter, 166.32 hours.
WDOH	24493	YAKIMA BARRICADE		16-Oct-00	0.018	pCi/m3	0.002			0.001	Air Filter, 167.98 hours.
SESPMNT	B10CW1	YAKIMA BARRICADE	05-Oct-00	19-Oct-00	0.0221	pCi/m3	0.0014	0.004	0.000893		
WDOH	24494	YAKIMA BARRICADE		23-Oct-00	0.01	pCi/m3	0.001			0.001	Air Filter, 169.62 hours.
WDOH	24495	YAKIMA BARRICADE		30-Oct-00	0.029	pCi/m3	0.002			0.001	Air Filter, 167.10 hours. Daylight Savings Time.
SESPMNT	B10CW2	YAKIMA BARRICADE	19-Oct-00	02-Nov-00	0.0262	pCi/m3	0.0015	0.0046	0.000751		
WDOH	24496	YAKIMA BARRICADE		6-Nov-00	0.015	pCi/m3	0.002			0.001	Air Filter, 168.05 hours.
WDOH	24497	YAKIMA BARRICADE		13-Nov-00	0.019	pCi/m3	0.002			0.001	Air Filter, 168.20 hours.
SESPMNT	B10CW3	YAKIMA BARRICADE	02-Nov-00	14-Nov-00	0.0297	pCi/m3	0.0017	0.0052	0.000898		
WDOH	24498	YAKIMA BARRICADE		20-Nov-00	0.052	pCi/m3	0.002			0.001	Air Filter, 169.20 hours.
WDOH	24499	YAKIMA BARRICADE		27-Nov-00	0.036	pCi/m3	0.002			0.001	Air Filter, 167.05 hours.
SESPMNT	B10CW4	YAKIMA BARRICADE	14-Nov-00	29-Nov-00	0.0342	pCi/m3	0.0017	0.0057	0.000733		
WDOH	24500	YAKIMA BARRICADE		4-Dec-00	0.012	pCi/m3	0.001			0.001	Air Filter, 167.98 hours.
WDOH	24501	YAKIMA BARRICADE		11-Dec-00	0.022	pCi/m3	0.002			0.001	Air Filter, 168.05 hours.
SESPMNT	B10CW5	YAKIMA BARRICADE	29-Nov-00	14-Dec-00	0.0246	pCi/m3	0.0015	0.0043	0.000671		
WDOH	24502	YAKIMA BARRICADE		18-Dec-00	0.027	pCi/m3	0.002			0.001	Air Filter, 169.55 hours.
WDOH	24503	YAKIMA BARRICADE		26-Dec-00	0.028	pCi/m3	0.002			0.001	Air Filter, 190.30 hours.
SESPMNT	B10CW6	YAKIMA BARRICADE	14-Dec-00	28-Dec-00	0.02	pCi/m3	0.0014	0.0036	0.000763		

Table Q-7. Washington State Department of Health (WDOH) and PNNL Thermoluminescence Collocated Samples, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP DATE	CONSHORTNAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	MDL
WDOH	24862	E OF 200 E	ER	15-Feb-00	TLD	0.26	mR/d	0.02	0.01
SESPMNT	B0XRL6	E OF 200 E	ER	30-Mar-00	TLD	0.239	mR/d	0.014	
WDOH	24901	E OF 200 E	ER	15-May-00	TLD	0.23	mR/d	0.03	0.01
SESPMNT	B0YCH1	E OF 200 E	ER	21-Jun-00	TLD	0.245	mR/d	0.002	
WDOH	24902	E OF 200 E	ER	15-Aug-00	TLD	0.24	mR/d	0.03	0.01
SESPMNT	B108C0	E OF 200 E	ER	26-Sep-00	TLD	0.253	mR/d	0.013	
WDOH	24903	E OF 200 E	ER	15-Nov-00	TLD	0.29	mR/d	0.06	0.01
SESPMNT	B112R8	E OF 200 E	ER	18-Dec-00	TLD	0.244	mR/d	0.014	
WDOH	24630	KENNEWICK-ELY STREET	ER	15-Feb-00	TLD	0.20	mR/d	0.02	0.01
SESPMNT	B0XRL3	KENNEWICK-ELY STREET	ER	31-Mar-00	TLD	0.213	mR/d	0	
WDOH	24631	KENNEWICK-ELY STREET	ER	15-May-00	TLD	0.19	mR/d	0.03	0.01
SESPMNT	B0YCF8	KENNEWICK-ELY STREET	ER	23-Jun-00	TLD	0.212	mR/d	0	
WDOH	24632	KENNEWICK-ELY STREET	ER	15-Aug-00	TLD	0.16	mR/d	0.03	0.01
SESPMNT	B108B7	KENNEWICK-ELY STREET	ER	29-Sep-00	TLD	0.208	mR/d	0.008	
WDOH	24633	KENNEWICK-ELY STREET	ER	15-Nov-00	TLD	0.23	mR/d	0.04	0.01
SESPMNT	B112R5	KENNEWICK-ELY STREET	ER	19-Dec-00	TLD	0.216	mR/d	0.002	
WDOH	24863	N OF 200 E	ER	15-Feb-00	TLD	0.23	mR/d	0.05	0.01
SESPMNT	B0XRL5	N OF 200 E	ER	30-Mar-00	TLD	0.249	mR/d	0.001	
WDOH	24895	N OF 200 E	ER	15-May-00	TLD	0.19	mR/d	0.03	0.01
SESPMNT	B0YCH0	N OF 200 E	ER	21-Jun-00	TLD	0.238	mR/d	0.002	
WDOH	24896	N OF 200 E	ER	15-Aug-00	TLD	0.21	mR/d	0.01	0.01
SESPMNT	B108B9	N OF 200 E	ER	26-Sep-00	TLD	0.258	mR/d	0.015	
WDOH	24897	N OF 200 E	ER	15-Nov-00	TLD	0.27	mR/d	0.04	0.01
SESPMNT	B112R7	N OF 200 E	ER	18-Dec-00	TLD	0.262	mR/d	0.008	
WDOH	24864	OTHELLO	ER	15-Feb-00	TLD	0.22	mR/d	0.02	0.01
SESPMNT	B0XRK1	OTHELLO	ER	29-Mar-00	TLD	0.203	mR/d	0.004	
WDOH	24873	OTHELLO	ER	15-May-00	TLD	0.19	mR/d	0.01	0.01
SESPMNT	B0YCD6	OTHELLO	ER	22-Jun-00	TLD	0.194	mR/d	0.005	
WDOH	24874	OTHELLO	ER	15-Aug-00	TLD	0.18	mR/d	0.03	0.01
SESPMNT	B10876	OTHELLO	ER	28-Sep-00	TLD	0.207	mR/d	0	
WDOH	24875	OTHELLO	ER	15-Nov-00	TLD	0.22	mR/d	0.03	0.01
SESPMNT	B112L5	OTHELLO	ER	18-Dec-00	TLD	0.209	mR/d	0.006	
WDOH	24969	US ECOLOGY NE CORNER	ER	15-Feb-00	TLD	0.23	mR/d	0.06	0.01
SESPMNT	B0XPM8	US ECOLOGY NE CORNER	ER	20-Mar-00	TLD	0.221	mR/d	0.011	
WDOH	24974	US ECOLOGY NE CORNER	ER	15-May-00	TLD	0.22	mR/d	0.03	0.01
SESPMNT	B0YHH2	US ECOLOGY NE CORNER	ER	26-Jun-00	TLD	0.219	mR/d	0.006	
WDOH	24975	US ECOLOGY NE CORNER	ER	15-Aug-00	TLD	0.21	mR/d	0.03	0.01
SESPMNT	B10703	US ECOLOGY NE CORNER	ER	22-Sep-00	TLD	0.24	mR/d	0.001	
WDOH	24976	US ECOLOGY NE CORNER	ER	15-Nov-00	TLD	0.27	mR/d	0.03	0.01
SESPMNT	B112P8	US ECOLOGY NE CORNER	ER	20-Dec-00	TLD	0.24	mR/d	0.006	

Table Q-7. Washington State Department of Health (WDOH) and PNNL Thermoluminescence Collocated Samples, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	LLD
WDOH	24970	US ECOLOGY NW CORNER	ER	15-Feb-00	TLD	0.24	mR/d	0.04	0.01
SESPMNT	B0XPN0	US ECOLOGY NW CORNER	ER	20-Mar-00	TLD	0.236	mR/d	0.009	
WDOH	24980	US ECOLOGY NW CORNER	ER	15-May-00	TLD	0.22	mR/d	0.05	0.01
SESPMNT	B0YHH4	US ECOLOGY NW CORNER	ER	26-Jun-00	TLD	0.231	mR/d	0.007	
WDOH	24981	US ECOLOGY NW CORNER	ER	15-Aug-00	TLD	0.23	mR/d	0.04	0.01
SESPMNT	B10705	US ECOLOGY NW CORNER	ER	22-Sep-00	TLD	0.231	mR/d	0.007	
WDOH	24982	US ECOLOGY NW CORNER	ER	15-Nov-00	TLD	0.28	mR/d	0.04	0.01
SESPMNT	B112R0	US ECOLOGY NW CORNER	ER	20-Dec-00	TLD	0.248	mR/d	0.003	
WDOH	24971	US ECOLOGY SE CORNER	ER	15-Feb-00	TLD	0.29	mR/d	0.17	0.01
SESPMNT	B0XPM9	US ECOLOGY SE CORNER	ER	20-Mar-00	TLD	0.249	mR/d	0.005	
WDOH	24986	US ECOLOGY SE CORNER	ER	15-May-00	TLD	0.24	mR/d	0.05	0.01
SESPMNT	B0YHH3	US ECOLOGY SE CORNER	ER	26-Jun-00	TLD	0.237	mR/d	0.007	
WDOH	24987	US ECOLOGY SE CORNER	ER	15-Aug-00	TLD	0.23	mR/d	0.05	0.01
SESPMNT	B10704	US ECOLOGY SE CORNER	ER	22-Sep-00	TLD	0.241	mR/d	0.009	
WDOH	24988	US ECOLOGY SE CORNER	ER	15-Nov-00	TLD	0.29	mR/d	0.03	0.01
SESPMNT	B112P9	US ECOLOGY SE CORNER	ER	20-Dec-00	TLD	0.273	mR/d	0.003	
WDOH	24972	US ECOLOGY SW CORNER	ER	15-Feb-00	TLD	0.27	mR/d	0.05	0.01
SESPMNT	B0XPN1	US ECOLOGY SW CORNER	ER	20-Mar-00	TLD	0.278	mR/d	0.001	
WDOH	24983	US ECOLOGY SW CORNER	ER	15-May-00	TLD	0.25	mR/d	0.02	0.01
SESPMNT	B0YHH5	US ECOLOGY SW CORNER	ER	26-Jun-00	TLD	0.268	mR/d	0.003	
WDOH	24984	US ECOLOGY SW CORNER	ER	15-Aug-00	TLD	0.28	mR/d	0.03	0.01
SESPMNT	B10706	US ECOLOGY SW CORNER	ER	22-Sep-00	TLD	0.259	mR/d	0.015	
WDOH	24985	US ECOLOGY SW CORNER	ER	15-Nov-00	TLD	0.35	mR/d	0.05	0.01
SESPMNT	B112R1	US ECOLOGY SW CORNER	ER	20-Dec-00	TLD	0.301	mR/d	0.008	
WDOH	24854	W END OF FIR ROAD	ER	15-Feb-00	TLD	0.25	mR/d	0.05	0.01

Table Q-7. Washington State Department of Health (WDOH) and PNNL Thermoluminescence Collocated Samples, 2000

OWNER ID	SAMP NUM	SAMP SITE NAME	MEDIA	SAMP DATE	CON SHORT NAME	VALUE REPORTED	ANALYSIS REPORTED	COUNTING ERROR	LLD
SESPMNT	B0XRH9	W END OF FIR ROAD	ER	31-Mar-00	TLD	0.248	mR/d	0.004	
WDOH	25273	W END OF FIR ROAD	ER	15-May-00	TLD	0.25	mR/d	0.05	0.01
SESPMNT	B0YCC5	W END OF FIR ROAD	ER	23-Jun-00	TLD	0.248	mR/d	0.008	
WDOH	25274	W END OF FIR ROAD	ER	15-Aug-00	TLD	0.22	mR/d	0.04	0.01
SESPMNT	B10874	W END OF FIR ROAD	ER	29-Sep-00	TLD	0.267	mR/d	0.008	
WDOH	25275	W END OF FIR ROAD	ER	15-Nov-00	TLD	0.28	mR/d	0.07	0.01
SESPMNT	B112L3	W END OF FIR ROAD	ER	19-Dec-00	TLD	0.24	mR/d	0.008	
WDOH	24650	WPPSS 1; S OF WNP 2	ER	15-Feb-00	TLD	0.25	mR/d	0.06	0.01
SESPMNT	B0XPN2	WPPSS 1; S OF WNP 2	ER	20-Mar-00	TLD	0.242	mR/d	0.006	
WDOH	24651	WPPSS 1; S OF WNP 2	ER	15-May-00	TLD	0.24	mR/d	0.03	0.01
SESPMNT	B0YHH6	WPPSS 1; S OF WNP 2	ER	26-Jun-00	TLD	0.22	mR/d	0.011	
WDOH	24652	WPPSS 1; S OF WNP 2	ER	15-Aug-00	TLD	0.21	mR/d	0.04	0.01
SESPMNT	B10707	WPPSS 1; S OF WNP 2	ER	22-Sep-00	TLD	0.23	mR/d	0	
WDOH	24653	WPPSS 1; S OF WNP 2	ER	15-Nov-00	TLD	0.29	mR/d	0.07	0.01
SESPMNT	B112R2	WPPSS 1; S OF WNP 2	ER	20-Dec-00	TLD	0.245	mR/d	0.005	
WDOH	24853	WPPSS 4; WPS WAREHSE	ER	15-Feb-00	TLD	0.21	mR/d	0.05	0.01
SESPMNT	B0XPN3	WPPSS 4; WPS WAREHSE	ER	20-Mar-00	TLD	0.201	mR/d	0.002	
WDOH	24856	WPPSS 4; WPS WAREHSE	ER	15-May-00	TLD	0.19	mR/d	0.03	0.01
SESPMNT	B0YHH7	WPPSS 4; WPS WAREHSE	ER	26-Jun-00	TLD	0.206	mR/d	0.005	
WDOH	24857	WPPSS 4; WPS WAREHSE	ER	15-Aug-00	TLD	0.18	mR/d	0.02	0.01
SESPMNT	B10708	WPPSS 4; WPS WAREHSE	ER	22-Sep-00	TLD	0.215	mR/d	0.01	
WDOH	24858	WPPSS 4; WPS WAREHSE	ER	15-Nov-00	TLD	0.24	mR/d	0.05	0.01
SESPMNT	B112R3	WPPSS 4; WPS WAREHSE	ER	20-Dec-00	TLD	0.224	mR/d	0.003	
WDOH	24868	WYE BARRICADE	ER	15-Feb-00	TLD	0.24	mR/d	0.04	0.01
SESPMNT	B0XPN6	WYE BARRICADE	ER	21-Mar-00	TLD	0.227	mR/d	0.001	
WDOH	24881	WYE BARRICADE	ER	15-May-00	TLD	0.24	mR/d	0.03	0.01
SESPMNT	B0YHJ0	WYE BARRICADE	ER	28-Jun-00	TLD	0.226	mR/d	0.004	
WDOH	24882	WYE BARRICADE	ER	15-Aug-00	TLD	0.21	mR/d	0.03	0.01
SESPMNT	B10711	WYE BARRICADE	ER	22-Sep-00	TLD	0.223	mR/d	0.008	
WDOH	24883	WYE BARRICADE	ER	15-Nov-00	TLD	0.26	mR/d	0.05	0.01
SESPMNT	B113P5	WYE BARRICADE	ER	27-Dec-00	TLD	0.239	mR/d	0.001	

Distribution

No. of Copies*	
OFFSITE	
P	Basin City Branch of Mid-Columbia Library 50-A N. Canal Boulevard Basin City, WA 99343
P	Benton City Branch of the Mid-Columbia Library City Hall Benton City, WA 99320
P	Burbank Community Library 875 Lake Road Burbank, WA 99323
CD	N. Buske c/o Government Accountability Project 1402 Third Avenue, Suite 1215 Seattle, WA 98101
P	Connell Branch of the Mid-Columbia Library 130 Columbia Connell, WA 99326
CD	A. Danielson Washington State Department of Health 5508 Englewood Avenue Yakima, WA 98908
CD	G. deBruler Columbia River United P.O. Box 912 Bingen, WA 98605

No. of Copies*	
P	C. Drew CRESP Library Coordinator Department of Environmental Health University of Washington 4225 Roosevelt Avenue N.E., #300 Seattle, WA 98105
P	Kahlotus Branch of the Mid-Columbia Library 255 E. Weston Kahlotus, WA 99335
P	Kennewick Branch of the Mid-Columbia Library 1620 S. Union Street Kennewick, WA 99338
P	Knight Library Serials Department 1299 University of Oregon Eugene, OR 97403-1299
CD	S. G. Langford MS-7827 Environmental Radiation Section Division of Radiation Protection Washington Department of Health P.O. Box 47827 Olympia, WA 98504-7827
P	Merrill's Corner Branch of the Mid-Columbia Library 5240 Eltopia Way Eltopia, WA 99330

P = Paper Copy
CD = CD-ROM

No. of Copies*

3P R. L. Natoli
Office of Environmental Policy and Assessment
U.S. Department of Energy, EH-41
1000 Independence Avenue S.W.
Washington, D.C. 20585

P Othello Mid-Columbia Branch Community Library
101 East Main
Othello, WA 99344

P Pasco Branch of the Mid-Columbia Library
1320 W. Hopkins
Pasco, WA 99301

P Richland Public Library
955 Northgate
Richland, WA 99352

CD T. A. Rollow
EH Office of Oversight
U.S. DOE, EH-21
1000 Independence Avenue S.W.
Washington, D.C. 20585

CD J. W. Schmidt
Washington State Department of Health
2839 W. Kennewick Avenue
P.O. Box 385
Kennewick, WA 99336

CD S. D. Stadler
Office of Oversight
U.S. DOE
Forrestal Building, EH-2
1000 Independence Avenue S.W.
Washington, D.C. 20585

No. of Copies*

CD R. Stanley
Nuclear Waste Programs
Washington State Department of Ecology
P.O. Box 47600
Olympia, WA 98504-7600

P U.S. Geological Survey Library
Special Attn: Exchange, Mail Stop 950
National Center
Reston, VA 20192

P West Benton Branch of the Mid-Columbia Library
614 6th Street
Prosser, WA 99350

P West Richland Branch of the Mid-Columbia Library
5456 W. Van Giesen
West Richland, WA 99353

ONSITE (28)

E. J. Antonio (P)	K3-54
L. E. Bisping (10P, 10CD)	K6-75
E. M. Bowers (CD)	A2-15
L. P. Diediker (CD)	G1-27
R. L. Dirkes (P)	K6-75
P. F. Dunigan (CD)	A5-58
B. Fritz (P)	K6-75
R. W. Fulton (P)	K6-75
R. W. Hanf (P)	K6-75
R. D. Hildebrand (CD)	A5-13
A. R. Johnson (CD)	H5-26
E. A. Lepel (CD)	P8-01
B. A. Napier (P)	K3-54
B. E. Opitz (CD)	K6-75
G. W. Patton (P)	K6-75
C. J. Perkins (CD)	H1-11

No. of Copies*		No. of Copies*	
T. M. Poston (P)	K6-75	DOE Public Reading Room (2P)	H2-53
P. A. Powell (CD)	R1-51	Hanford Site Administrative Record (2P)	H6-08
P. K. Schuette (4CD)	K1-38	Hanford Technical Library (2P)	P8-55
B. L. Tiller (P)	K6-85	Historical File - Ted Poston (P)	K6-75
D. C. Ward (P, CD)	A2-15	LMSI Central Files (P)	A3-88
S. H. Wisness (CD)	A2-15		